

ZS 1A

THIS BOOK MAY NOT BE PHOTOCOPIED



PROCEEDINGS

OF THE

SCIENTIFIC MEETINGS

OF THE

ZOOLOGICAL SOCIETY

OF LONDON.



INDEX.

1861—1870.

PRINTED FOR THE SOCIETY,
SOLD AT THEIR HOUSE IN HANOVER-SQUARE.

LONDON:
MESSRS. LONGMANS, GREEN, READER, AND DYER,
PATERNOSTER-ROW.


1872.

73.
4 - 3.
1.

PRINTED BY TAYLOR AND FRANCIS.
RED LION COURT, FLEET STREET.

CONTENTS.

	Page
List of the Names of Contributors, from 1861 to 1870, with the Titles of and References to the several Articles con- tributed by each	1
Index of Species described and referred to, 1861 to 1870	103



LIST OF THE NAMES
OF
CONTRIBUTORS,

FROM 1861 TO 1870,

*With the Titles of and References to the several Articles contributed
by each.*

ABBOTT, Captain C. C.

	Page
On the Seals of the Falkland Islands. Communicated, with Notes, by P. L. Sclater	1868, 189

ABBOTT, Colonel.

Extract from a Letter concerning the incubation of a Python	1862, 107
---	-----------

ADAMS, ARTHUR, F.L.S. &c.

Descriptions of some New Species of <i>Limopsis</i> from the Cumingian Collection	1862, 229
On the Species of <i>Obeliscinae</i> found in Japan	1862, 231
On the Species of <i>Muricinae</i> found in Japan.....	1862, 370
On the Genera and Species of <i>Liotiinae</i> found in Japan	1863, 71
On the Genera and Species of <i>Fossaridae</i> found in Japan	1863, 110
Description of a New Genus and of Twelve New Species of Mollusca	1863, 506
Descriptions of New Species of Shells from Japan	1867, 309

PROC. ZOOLOGICAL SOCIETY, 1861-70.

ADAMS, ARTHUR, F.L.S., C.M.Z.S., and ANGAS, G. FRENCH,
C.M.Z.S.

Descriptions of New Species of Freshwater Shells collected by Mr. F. G. Waterhouse during J. M^cDouall Stuart's Overland Journey from Adelaide to the North-west Coast of Australia 1863, 414

Descriptions of New Species of Shells from the Australian Seas, in the Collection of G. French Angas 1863, 418

Descriptions of New Species of Shells, chiefly from Australia, in the Collection of Mr. Angas 1864, 35

ADAMS, Dr. A. LEITH.

On a New Fossil Dormouse from Malta 1867, 475

ADAMS, HENRY, F.L.S.

Descriptions of a New Genus and some New Species of Shells from the Collection of H. Cuming, Esq. . . 1861, 143

Description of a New Genus of Shells from the Collection of H. Cuming, Esq. 1861, 272

Descriptions of some New Genera and Species of Shells from the Collection of H. Cuming, Esq. . . . 1861, 383

Descriptions of the New Species of Land-Shells collected by Mr. A. R. Wallace in the Malayan Archipelago 1865, 414

Descriptions of a New Genus and some New Species of Mollusks 1865, 753

List of Mollusks from Formosa 1866, 146

Descriptions of a New Genus and a New Species of Mollusks 1866, 150

Descriptions of Fifteen New Species of Land and Freshwater Shells from Formosa, collected by Robert Swinhoe, Esq., Consul at Taiwan in that island . . . 1866, 316

List of the Shells collected by S. W. Baker, Esq., during his recent explorations in Central Africa . . . 1866, 375

List of Land and Freshwater Shells collected by Mr. E. Bartlett on the Upper Amazons, and on the River Ucayali, Eastern Peru, with Descriptions of New Species 1866, 440

	Page
ADAMS, HENRY, F.L.S. (<i>continued</i>).	
Descriptions of Six New Species of Shells, and Note on <i>Opisthostoma de-Crespignii</i>	1866, 445
Descriptions of New Species of Shells collected by Geoffrey Nevill, Esq., at Mauritius	1867, 303
Descriptions of New Species of Shells	1867, 307
Further Descriptions of New Species of Shells collected at Mauritius by Geoffrey Nevill, Esq.	1868, 12
Descriptions of some New Species of Land and Marine Shells.....	1868, 14
Descriptions of some New Species of Shells collected by Geoffrey Nevill, Esq., at Mauritius, the Isle of Bourbon, and the Seychelles	1868, 288
Descriptions of some New Species of Shells, chiefly from Ceylon	1868, 292
Descriptions of a New Genus and of Fourteen New Species of Marine Shells	1869, 272
Descriptions of a New Genus and of Eighteen New Species of Mollusks	1870, 5
Description of a New Species of <i>Fusus</i>	1870, 110
List of Additional Species of Land and Freshwater Shells collected by Mr. E. Bartlett in Eastern Peru, with Descriptions of New Species.....	1870, 374
Descriptions of Ten New Species of Land and Freshwater Shells collected by Robert Swinhoe, Esq., in China and Formosa	1870, 377
Descriptions of Two New Species of African Land-Shells	1870, 379
Descriptions of Twenty-six New Species of Shells collected by Robert McAndrew, Esq., in the Red Sea	1870, 788
Descriptions of Two New Genera and Five New Species of Shells	1870, 793
ADAMS, HENRY, F.L.S., and ADAMS, ARTHUR, F.L.S.	
Descriptions of New Species of Shells, chiefly from the Cumingian Collection	1863, 428

- ADAMS, HENRY, F.L.S., and ANGAS, GEORGE FRENCH,
C.M.Z.S.
- Descriptions of New Genera and Species of *Chitonidæ* from the Australian Seas, in the Collection of George French Angas 1864, 192
- Descriptions of Two New Species of Shells in the Collection of George French Angas 1865, 54
- Description of a New Species of Land-Shell belonging to the Genus *Cæliaxis*, H. Ad. & Angas 1867, 907
- ADAMS, HENRY, F.L.S., and BAIRD, WILLIAM, M.D., F.R.S.
- Notes on some interesting Chinese Shells, with a description of Two or Three New Species of *Unionidæ*, collected at Shanghai by Jones Lamprey, M.D., 67th Regiment, C.M.Z.S. 1867, 489
- ALCOCK, Sir RUTHERFORD, C.M.Z.S.
- Letter from, referring to his endeavours to procure living specimens of *Elaphurus davidianus* 1868, 210
- Second Letter from, on *Elaphurus davidianus* 1868, 530
- ALDER, JOSHUA, and HANCOCK, ALBANY.
- Notice of a Collection of Nudibranchiate Mollusca made in India 1863, 158
- ALLMAN, Prof., F.R.S., C.M.Z.S.
- On the Characters and Affinities of *Potamogale*, a genus of Insectivorous Mammals recently discovered in Western Africa 1865, 467
- Supplementary Note on *Potamogale velox* 1867, 256
- ALLPORT, MORTON, F.Z.S., F.L.S.
- Letter from, on the Introduction of Salmon into Tasmania 1869, 473
- Brief History of the Introduction of Salmon (*Salmo salar*) and other *Salmonidæ* to the Waters of Tasmania 1870, 14
- Additional Notes on the Introduction of *Salmonidæ* into Tasmania 1870, 750

ANDERSON, DR. JOHN, C.M.Z.S.

Letter from, relating to his travels in Yunan and Upper Burmah 1869, 111

Letter from, concerning his recent Expedition to Yunan, and certain Animals destined for the Society's Menagerie 1869, 277

Letter from, relating to living Specimens of *Ailurus fulgens* 1869, 278

Letter from, relating to Indian Animals (*Porcula salvania* and *Budorcas taxicolor*) 1869, 470

Extract from a Letter concerning the Dolphin of the Irawady 1870, 220

Extract from a Second Letter concerning the Dolphin of the Irawady 1870, 544

ANGAS, GEORGE FRENCH, F.L.S., F.R.G.S., C.M.Z.S.

Notes on the Broad-fronted Wombat of South Australia (*Phascolumys latifrons*, Owen) 1861, 268

On the Land-Shells of South Australia 1863, 520

Observations on the Geographical Distribution of the Species of *Voluta* and *Cymbium* in the Australian Seas 1864, 50

Descriptions of Ten New Species of Shells, chiefly from the Australian Seas 1865, 55

Descriptions of Four New Species of Marine Shells from South Australia 1865, 154

On the Marine Molluscan Fauna of the Province of South Australia: with a List of all the Species known up to the present time; together with Remarks on their Habits and Distribution, &c.—Part I. 1865, 155

Description of a New Species of *Gouldia* from Port Jackson 1865, 459

On the Marine Molluscan Fauna of the Province of South Australia: with a List of all the Species known up to the present time; together with Remarks on their Habits and Distribution, &c.—Part II. 1865, 643

ANGAS, GEORGE FRENCH, C.M.Z.S. (*continued*).

Descriptions of Two New Species of Marine Bivalve Shells from South Australia	1865, 697
Descriptions of Thirty-two New Species of Marine Shells from the Coast of New South Wales	1867, 110
A List of Species of Marine Mollusca found in Port-Jackson Harbour, New South Wales, and on the adjacent Coasts, with Notes on their Habits &c.—Part I.	1867, 185
Descriptions of Six New Species of <i>Helicidæ</i> from the Solomon Islands, Western Pacific	1867, 888
On a New Genus and some New Species of Marine Mollusca from Port Jackson, New South Wales	1867, 908
A List of Species of Marine Mollusca found in Port-Jackson Harbour, New South Wales, and on the adjacent Coasts, with Notes on their Habits &c.—Part II.	1867, 912
Description of a New Species of <i>Helix</i> from South Australia	1868, 257
Descriptions of Twelve New Species of Land and Marine Shells from Australia and the Solomon Islands	1869, 45
Descriptions of Eight New Species of <i>Helicidæ</i> from the Western Pacific Islands	1869, 624

ANGAS, G. FRENCH, C.M.Z.S., and ADAMS, ARTHUR, F.L.S.,
C.M.Z.S.

Descriptions of New Species of Freshwater Shells collected by Mr. F. G. Waterhouse during J. McDouall Stuart's Overland Journey from Adelaide to the North-west Coast of Australia	1863, 414
Descriptions of New Species of Shells from the Australian Seas, in the Collection of Mr. Angas	1863, 418
Descriptions of New Species of Shells, chiefly from Australia, in the Collection of Mr. Angas	1864, 35

ANGAS, GEORGE FRENCH, C.M.Z.S., and ADAMS, HENRY,
F.L.S.

Descriptions of New Species of *Chitonidae* from the
Australian Seas, in the Collection of George French
Angas 1864, 192

Descriptions of two New Species of Shells in the
collection of George French Angas 1865, 54

Description of a New Species of Land-Shell belong-
ing to the Genus *Cœliaxis*, H. Ad. & Angas 1867, 907

ANNESLEY, Lieut. O. F. T., R.A.

Notes on the Habits of *Gonodactylus chiragra*.
(Communicated by Dr. J. E. Gray.) 1866, 338

ANTHONY, HARRY, M.D.

Extract of a letter, dated Brass River, Bight of
Biafra, addressed to Mr. Louis Fraser, respecting the
intended transportation of what was supposed to be
a species of *Clarias* 1864, 18

ARCHER, S., Ass. Surg. 98th Foot.

Extract from a letter addressed to S. P. Woodward,
Esq., dated Rawal Pindee, respecting some Shells
from Cashmere 1864, 69

AUSTEN, N. L., F.Z.S.

On the Habits of the Water-Shrew (*Crossopus fodiens*) 1865, 519

AYRES, WILLIAM O., M.D., C.M.Z.S.

Notes on the Sebastoid Fishes occurring on the
Coast of California, U. S. A. 1863, 390

BAIRD, Prof. SPENCER F., F.M.Z.S.

Letter from, relating to a drawing of a young Cali-
fornian Vulture (*Cathartes californianus*) 1868, 183

BAIRD, WILLIAM, M.D., F.R.S., F.L.S., &c.

Note on the Occurrence of *Filaria sanguinea* in the
body of the *Galaxia scriba*, a Freshwater Fish from
Australia 1861, 207

BAIRD, WILLIAM, M.D., F.R.S., F.L.S., &c. (*continued*).

Note on the <i>Lernæa cyclopterina</i> occurring in the Gills of the <i>Cyclopterinus spinosus</i> , a Fish from Greenland	1861, 239
Notice of the Occurrence of <i>Sclerostoma equinum?</i> in the Testicle of the Horse	1861, 271
Description of Two New Species of Cestoid Worms, belonging to the Genus <i>Tænia</i>	1862, 20
Descriptions of some New Species of Entozoa	1862, 113
Description of several New Species of Phyllopodous Crustaceans belonging to the Genera <i>Estheria</i> and <i>Limnetis</i>	1862, 147
Descriptions of some New Species of Shells collected at Vancouver's Island and in British Columbia by J. K. Lord, Esq., Naturalist to the British North-American Boundary Commission in the years 1858-62.	1863, 66
Description of Two New Species of Shells collected by Dr. Lyall, of H.M.S. 'Plumper,' at Vancouver Island	1863, 71
Descriptions of several New Species of Worms belonging to the <i>Annelida errantia</i> and <i>A. sedentaria</i> or <i>tubicola</i> of Milne-Edwards	1863, 106
Remarks on a Species of Shell belonging to the Family <i>Dentaliidae</i> . With Notes on their use by the Natives of Vancouver's Island and British Columbia, by J. K. LORD, F.Z.S.	1864, 136
Description of a New Species of Entozoon from the Intestines of the Diamond-Snake of Australia (<i>Morrelia spilotes</i>)	1865, 58
Description of a New Species of Monœcious Worm belonging to the Class Turbellaria and Genus <i>Serpentaria</i>	1866, 101
Descriptions of Two New Species of Phyllopodous Crustaceans	1866, 122

BAIRD, WILLIAM, M.D., F.R.S., F.L.S., &c. (*continued*).

Description of a New Species of *Ascaris* found in the Stomach of the Walrus 1868, 67

Monograph of the Species of Worms belonging to the Subclass *Gephyrea*; with a Notice of such Species as are contained in the Collection of the British Museum 1868, 76

Description of a New Species of *Sclerostoma* from the Stomach of the African Elephant (*Loxodonta africana*) 1868, 262

Description of a New Species of Earthworm (*Megascolex diffringens*) found in North Wales 1869, 40

Descriptions of some New Suctorial Annelides in the Collection of the British Museum 1869, 310

Additional Remarks on the *Megascolex diffringens*. 1869, 387

Description of a New Genus and Species of Shells from Whydah, on the West Coast of Africa, with some Remarks on the Genus *Proto* of DeFrance 1870, 59

BAIRD, WILLIAM, M.D., F.R.S., and ADAMS, HENRY, F.L.S.

Notes on some interesting Chinese Shells, with a description of Two or Three New Species of *Unionida*, collected at Shanghai by Jones Lamprey, M.D., 67th Regiment, C.M.Z.S. 1867, 489

BARBOZA DU BOCAGE, Professor José Vicente, Director of the National Museum, Lisbon, F.M.Z.S.

Notice sur un Batracien nouveau du Portugal 1864, 264

Note sur la Découverte d'un Zoophyte de la Famille *Hyalochætidæ* sur la Côte du Portugal 1864, 265

Sur quelques Mammifères rares et peu connus, d'Afrique occidentale, qui se trouvent au Muséum de Lisbonne 1865, 401

Sur l'Habitat du *Hyalonema lusitanicum* 1865, 662

BARBOZA DU BOCAGE, Prof. J. V., F.M.Z.S., &c. (*continued*).

Batraciens Nouveaux de l'Afrique occidentale (Londa et Benguella).....	1867, 843
Oiseaux Nouveaux de l'Afrique occidentale	1869, 436
Note sur une nouvelle espèce de Pélican	1870, 173
Note sur le jeune de l'année du <i>Pelecanus sharpei</i> .	1870, 409

BARBOZA DU BOCAGE, Prof. J. V., F.M.Z.S., and F. DE BRITO CAPELLO, Assistant in the National Museum, Lisbon.

Sur quelques Espèces inédites de <i>Squalidæ</i> de la Tribu <i>Acanthiana</i> , Gray, qui fréquentent les Côtes du Portugal	1864, 260
--	-----------

BARRON, CHARLES, Curator of the Haslar Museum, and MACDONALD, J. D., M.D., F.R.S.

On a supposed New Species of <i>Galeocerdo</i> from the Southern Seas	1868, 368
Notes on <i>Heptranchus indicus</i> , chiefly as regards Sexual Characters. With drawings from nature by Dr. Macdonald	1868, 371

BARTLETT, A. D., Superintendent of the Society's Gardens.

Notice of the Occurrence of the Pink-footed Goose, <i>Anser phœnicopus</i>	1861, 19
Additional Note on the Black-footed Rabbit	1861, 40
Exhibition of living examples of two singular Hybrid Ducks from the Society's Menagerie.....	1861, 44
On the Affinities of <i>Balaeniceps</i>	1861, 131
Remarks on the Breeding of the larger <i>Felidæ</i> in captivity	1861, 140
Remarks on the Japanese Masked Pig	1861, 263

BARTLETT, A. D. (*continued*).

Notes on the Breeding and Rearing of the Chinese Crane (<i>Grus montignesia</i>) in the Society's Gardens ..	1861, 369
Exhibition of Specimens of young Polar Bears born in the Menagerie	1861, 391
Note on the Habits and Affinities of the Kagu (<i>Rhinochetus jubatus</i>).....	1862, 218
Observations on the living Aye-aye in the Zoological Gardens	1862, 222
Notes on the Beaver in the Zoological Gardens ..	1862, 267
Description of a New Species of <i>Lemur</i>	1862, 347
Description of a New Species of <i>Galago</i>	1863, 231
Exhibition of a curious variety of the Common Partridge	1864, 649
Remarks on the Affinities of the Prongbuck (<i>Antilocapra americana</i>).....	1865, 718
Notes on the Breeding of several Species of Birds in the Society's Gardens during the year 1865	1866, 76
Observations on <i>Stringonyx anderssoni</i>	1866, 324
Remarks on the Breeding of the Rufous Tinamou (<i>Rhynchotis rufescens</i>) in the Society's Menagerie ..	1867, 687
Notes on the Habits of the Lyre-bird in Captivity.	1867, 688
Remarks on the food of the Walrus	1867, 819
Notes on the Breeding of several Species of Birds in the Society's Gardens during the year 1867.....	1868, 114
On the Incubation of the Apteryx	1868, 329
Notes upon the Birth of a Ringed Seal in the Society's Gardens	1868, 402
Remarks upon the Habits of the Hornbills (<i>Buceros</i>)	1869, 142
Remarks on the Habits of the Panda (<i>Ailurus fulgens</i>) in Captivity	1870, 769

BARTLETT, A. D., and MURIE, JAMES, M.D., Prosector to
the Society.

On the Movement of the Symphysis of the Lower
Jaw in the Kangaroos 1866, 28

BATE, CHARLES SPENCE, F.R.S., F.L.S., C.M.Z.S.

On some New Australian Species of Crustacea 1863, 498

Characters of New Species of Crustaceans discovered
by J. K. Lord on the Coast of Vancouver Island 1864, 661

Description of *Astacus caldwelli* 1865, 469

On a New Genus, with four New Species, of Fresh-
water Prawns 1868, 363

BATES, HENRY WALTER, F.Z.S.

On a Collection of Butterflies brought by Messrs.
Salvin and Godman from Panama, with Remarks on
their Geographical Distribution 1863, 239

On some Insects collected in Madagascar by Mr.
Caldwell 1863, 472

On a collection of Coleoptera from Formosa sent
home by R. Swinhoe, Esq., H.B.M. Consul, Formosa. 1866, 339

BEAVAN, Lieut. R. C., of the Bengal Revenue Survey
Department, C.M.Z.S.

Exhibition, by the Secretary, of a series of speci-
mens of birds' eggs, collected in the vicinity of
Barrackpore, and presented to the Society, with notes
on their nesting-habits, by 1864, 375

Indian Ornithological Notes, chiefly on the Migra-
tion of Species 1865, 690

Extracts from a Letter addressed to the Secretary
relating to his trip to Zwagaben, and discovery of
Nemorhædus sumatrensis 1866, 2

Notes on the Panolia Deer (*Cervus eldi*) 1867, 759

Sundry Notes on Indian Raptores 1868, 390

BEDDOME, Captain R. H., Officiating Conservator of
Forests, Madras.

- Descriptions of New Species of the Family *Uropeltidæ* from Southern India, with Notes on other little-known Species 1863, 225
- Description of a New Species of *Elaps* from Malabar 1864, 179

BENNETT, DR. GEORGE, F.Z.S.

- Letter addressed to the Secretary respecting a singular Grallatorial Bird living in Sydney, lately described in France as *Rhinochetus jubatus* 1861, 30
- Note on the Egg of the Piping Crow or Magpie of New South Wales (*Gymnorhina tibicen*) 1861, 183
- Extract from his Letter respecting the Semipalmated Goose 1861, 266
- Extract from a Letter addressed by him to the Secretary 1862, 1
- Extracts from a Letter respecting the Kagus intended to be sent by him to the Society, &c. 1862, 84
- Extracts from a Letter announcing the shipment of a living Kagu for the Society, &c. 1862, 107
- Extracts from Letters from 1862, {246
249
- Letters from, respecting *Didunculus strigirostris* 1863, {102
372
- Notes on the Kagu 1863, 385
- Letter announcing the death of one of the two *Didunculi* intended for the Society 1863, 439
- Letter respecting the Kagu of New Caledonia (*Rhinochetus jubatus*) 1863, 439
- Notes on the *Didunculus strigirostris*, or Tooth-billed Pigeon 1864, 139
- Extract from a Letter addressed to the Secretary 1865, 59
- Extract from a Letter addressed to the Secretary, respecting a Lyre-bird 1866, 167

BENNETT, DR. GEORGE, F.Z.S. (*continued*).

Extract from a Letter addressed to the Secretary by,
respecting *Dendrocygna eytoni* 1866, 417

Letter relating to the rediscovery of *Casuarinus
australis* 1867, 473

Letter from, concerning the Tuatera Lizard 1869, 227

Letter from, relating to the Zoology of Lord Howe's
Island 1869, 471

BIANCONI, Professor J. J., of Bologna.

Letter from, respecting the Osteology of the extinct
genus *Aepyornis* 1865, 196

BLANFORD, HENRY FRANCIS, C.M.Z.S.

Extract from a Letter respecting some Ceylonese
Mollusks 1862, 108

BLANFORD, W. T., Assoc. Roy. Sch. Min., F.G.S., C.M.Z.S.

On *Opisthostoma*, H. Blanford, with the Descrip-
tion of a New Species from the neighbourhood of
Bombay, and of the Animal and Operculum 1866, 447

Letter referring to the occurrence of a Species of
Platanista in the Irrawaddi 1867, 179

On a New Species of *Callene* from the Pulney Hills
in Southern India 1867, 832

Letter from, relating to Animals observed near An-
nesley Bay 1868, 156

Exhibition of Heads of *Rhinoceros keitloa* and *Pha-
cochærus aliani*, and of some Skins of *Hyraces* 1869, 432

Exhibition of some rare Indian Birds 1869, 432

Descriptions of New Land and Freshwater Mol-
luscan Species collected by Dr. John Anderson in
Upper Burmah and Yunan 1869, 444

On the Species of *Hyrax* inhabiting Abyssinia and
the Neighbouring Countries 1869, 638

BLEEKER, Dr. P. v., F.M.Z.S.

Conspectus generum Labroideorum analyticus 1861, 408

BLYTH, EDWARD, C.M.Z.S.

Page

Notes on some Birds collected by Dr. Jerdon in Sikkim	1861, 199
Extract from his Letter respecting <i>Rhinoceros crossii</i> , Gray	1861, 306
Exhibition of a tracing of the Outline of a Skull of the adult male <i>Rhinoceros sumatranus</i> , transmitted by	1862, 1
Exhibition of Deer-Horns and other Specimens, with Remarks	1863, 155
Exhibition of two Rollers	1863, 159
Synoptical List of the Species of <i>Felis</i> inhabiting the Indian Region and the adjacent parts of Middle Asia	1863, 181
Notes on Sundry Mammals	1864, 482
Exhibition of some remarkably large horns of the Wapiti Deer (<i>Cervus canadensis</i>)	1865, 618
A Note on African Buffalos	1866, 371
Remarks on an Indian Quail (<i>Rollulus superciliosus</i>)	1867, 474
Exhibition of Drawings of the Horns of various Indo-Chinese Species of Deer	1867, 565
Remarks on Two Specimens of Crows from Australia	1867, 565
Notes upon Three Asiatic Species of Deer	1867, 835
Exhibition of the Skin, Head, and Horns of a Wild Goat from Crete	1868, 262
Exhibition of some Horns of Hybrid Chamois	1868, 623
Notice of two overlooked Species of Antelope	1869, 51
Exhibition of a Pair of Horns of <i>Strepsiceros imberbis</i>	1869, 58
On the Hybrid between the Chamois and the Domestic Goat	1869, 134

BOWERBANK, J. SCOTT, LL.D., F.R.S., F.L.S., F.Z.S.

A Monograph of the <i>Spongillidæ</i>	1863, 440
On <i>Hyalonema mirabile</i>	1867, 18
Additional Observations on <i>Hyalonema mirabile</i> ..	1867, 350

	Page
BOWERBANK, J. SCOTT, LL.D., F.R.S., &c. (<i>continued</i>).	
On <i>Alcyoncellum speciosum</i>	1867, 351
On <i>Hyalonema lusitanicum</i>	1867, 901
Observations on Dr. Gray's "Notes on the Arrangement of Sponges, with the Description of some new Genera"	1868, 118
A Monograph of the Siliceo-fibrous Sponges.— Part I.	1869, 66
A Monograph of the Siliceo-fibrous Sponges.— Part II.	1869, 323
On Dr. Gray's Genus <i>Theonella</i>	1869, 389
BRADY, GEORGE STEWARDSON, C.M.Z.S.	
On Sixty-six new or imperfectly known Species of Marine <i>Ostracoda</i>	1865, 257
BRANDON, PERCY.	
Letter from, relating to a specimen of the Great Ant-eater	1868, 211
BRAZIER, JOHN, C.M.Z.S.	
Observations on the Distribution of <i>Bulinus miltocheilus</i> in the Solomon's Archipelago	1869, 162
Notes on an Egg of a Species of <i>Megapodius</i>	1869, 528
Notes on the Localities of two Species of Land-Shells and three Species of Volutes	1869, 560
List of Species of Cones found in Port Jackson, New South Wales, with Notes on their Habitats and Distribution	1869, 561
Descriptions of Three New Species of Marine Shells from the Australian Coast	1870, 108
Notes on <i>Gracula krefftii</i>	1870, 551
Descriptions of Ten New Species of Land-Shells collected by Mr. W. F. Petterd, of Hobart Town, Tasmania	1870, 659
Notes on two Australian Land-Shells	1870, 662

BROWN, ROBERT, F.R.G.S.

- On the Mammalian Fauna of Greenland 1868, 330
- Notes on the History and Geographical Relations of the Pinnipedia frequenting the Spitzbergen and Greenland Seas 1868, 405
- Notes on the History and Geographical Relations of the Cetacea frequenting Davis Strait and Baffin's Bay 1868, 533

BUCKLAND, FRANK TREVELYAN, M.A., F.Z.S.

- Exhibition of several specimens of the Smooth Snake (*Coronella austriaca*) 1862, 222
- Observations on the Artificial Reproduction of Fishes 1863, 48
- Remarks on the progress of his experiments in hatching and rearing Salmon and Trout by artificial means 1863, 77
- Remarks on his experiments in hatching the ova of Trout and Salmon 1863, 85
- Notice of experiments in conveying a Porpoise from the seaside to the Society's Gardens 1863, 440
- Exhibition of, and remarks on, some Oysters from Prince Edward's Island 1864, 1
- Observations on the habits of Spawning Trout, and on the results obtained in the course of experiments made with eggs taken from dead fishes 1864, 68
- Exhibition of Specimens of Salmonoids reared in fresh water 1868, 214

BULGER, Major GEORGE ERNEST, C.M.Z.S.

- Notes on the Habits of the Musquash of North America 1865, 682
- List of Birds observed at Wellington, Neilgherry Hills, about 6000 feet above the level of the sea, during the months of April and May, 1866 1866, 568
- Note on *Corvus splendens* 1869, 603

BULGER, Major GEORGE ERNEST, C.M.Z.S. (*continued*).

Notes on the Habits of *Myrmecocichla formicivora*,
as observed near Windvogelberg, S. Africa 1869, 637

BURMEISTER, Dr. HERMANN, Director of the National
Museum, Buenos Ayres, F.M.Z.S.

Extract from a Letter addressed to Dr. Gray on a
new species of Whale, *Balænoptera patachonica* 1865, 190

Description of a New Species of Porpoise in the
Museum of Buenos Ayres 1865, 228

Extract from a Letter concerning specimens of *He-
liomaster angela* 1865, 466

On a supposed New Species of Fin-Whale from the
coast of South America 1865, 713

Extract from a Letter addressed to Mr. Sclater on
the *Tyrannidæ* found near Buenos Ayres 1866, 2

Preliminary Observations on the Anatomy of *Pon-
toporia blainvillii* 1867, 484

Preliminary Description of a New Species of Finner
Whale (*Balænoptera bonaërensis*) 1867, 707

Contributions to the Ornithology of the Argentine
Republic and adjacent lands.—Part I. 1868, 633

BUSK, GEORGE, F.R.S., F.L.S., V.P.Z.S.

Memoir upon the Fossil Elephants of Malta 1865, 510

Notice of the Discovery at Sarawak, in Borneo, of
the Fossilized Teeth of *Rhinoceros* and of a Cervine
Ruminant 1869, 409

BUTLER, ARTHUR GARDINER, F.Z.S., Assistant, Zoological
Department, British Museum.

Descriptions of Six New Species of Diurnal Lepi-
doptera in the British Museum Collection 1865, 430

Descriptions of Six New Species of Exotic Butter-
flies in the Collection of the British Museum 1865, 455

BUTLER, ARTHUR GARDINER, F.Z.S. &c. (*continued*).

- Descriptions of the Characters of Six New Species of Rhopalocerous Lepidoptera in the Collection of the British Museum, with Notes on the Allied Species . . . 1865, 481
- Monograph of the Species of *Charaxes*, a Genus of Diurnal Lepidoptera 1865, 622
- Descriptions of Six Butterflies New to Science, belonging to the Genera *Heterochroa* and *Romaleosoma* . . . 1865, 667
- Description of a New Species of *Cetonia*, with Remarks on the Allied Species 1865, 729
- Descriptions of some New Exotic Butterflies in the National Collection 1866, 39
- Monograph of the Diurnal Lepidoptera belonging to the Genus *Danais*, being a Revision of the Insects of that Genus, with Descriptions of New Species in the National Collection 1866, 43
- Note on the Genus *Brahmæa* of Walker 1866, 118
- Supplement to a Monograph of the Genus *Danais*, founded on Specimens in the Collection of Mr. Osbert Salvin 1866, 171
- A Revision of the Genus *Hypna*, with Descriptions of the New Species 1866, 206
- A Monograph of the Diurnal Lepidoptera belonging to the Genus *Euplœa*, with Descriptions of many New Species; founded principally on the Specimens in the Collection of the British Museum 1866, 268
- Corrections and Addenda to certain Papers on Lepidoptera published during the years 1865-66; with Additional Notes on some of the Species described . . . 1866, 451
- A Monograph of the Genus *Euptychia*, a numerous race of Butterflies belonging to the Family *Satyridae*; with Descriptions of Sixty Species new to Science, and Notes on their Affinities &c. 1866, 458
- Note on some Species of Butterflies belonging to the Genus *Catagramma* 1866, 578
- Note on the Identity of certain Species of *Lycænidæ* 1867, 34

BUTLER, ARTHUR GARDINER, F.Z.S. &c. (*continued*).

Description of a New Genus of Diurnal Lepidoptera belonging to the Family <i>Erycinidae</i>	1867, 37
Descriptions of some New Species of <i>Satyridæ</i> belonging to the Genus <i>Euptychia</i>	1867, 104
Remarks upon the Fabrician species of the Satyride Genus <i>Mycalopsis</i> ; with Descriptions, and Notes on the named varieties	1867, 718
Note on the <i>Nymphalis caledonia</i> of Hewitson ..	1867, 873
Descriptions of New or little-known Species of Lepidoptera	1868, 221
A Monographic Revision of the Lepidoptera hitherto included in the Genus <i>Adolias</i> , with Descriptions of New Genera and Species	1868, 599
Description of a New Genus of Heterocerous Lepidoptera, founded upon the <i>Papilio charmione</i> of Fabricius	1869, 43
List of Diurnal Lepidoptera collected by Mr. Spaight in Northern India	1870, 724
Note on the Abnormities in the Neuration of the Hind Wings in <i>Acræa andromacha</i>	1870, 777
CAMBRIDGE, REV. O. PICKARD, C.M.Z.S.	
Notes on some Spiders and Scorpions from St. Helena, with Descriptions of New Species	1869, 531
Monograph of the Genus <i>Idiops</i> , including Descriptions of several Species new to Science	1870, 101
Supplementary Notice on the Genus <i>Idiops</i>	1870, 152
On some New Genera and Species of <i>Araneidea</i> ..	1870, 728
Notes on a Collection of <i>Arachnida</i> made by J. K. Lord, Esq., in the Peninsula of Sinai, and on the African borders of the Red Sea	1870, 818
CAMPBELL, DR. A., late Superintendent of Darjeeling.	
Notes on the Mode of Capture of Elephants in Assam.....	1869, 136

CANFIELD, COLBERT A., M.D., C.M.Z.S.

On the Habits of the Prongbuck (*Antilocapra americana*), and the periodical shedding of its Horns. 1866, 105

CAPELLO, F. DE BRITO, et BARBOZA DU BOCAGE, J. V.

Sur quelques Espèces inédites de *Squalidæ* de la Tribu *Acanthiana*, Gray, qui fréquentent les Côtes du Portugal 1864, 260

CARPENTER, PHILIP P., B.A., Ph.D., C.M.Z.S.

Review of Prof. C. B. Adams's 'Catalogue of the Shells of Panama,' from the Type Specimens 1863, 339

Contributions towards a Monograph of the *Pandoridæ* 1864, 596

Diagnoses of New Forms of Mollusca from the Vancouver District 1865, 201

Diagnoses of New Species and a New Genus of Mollusks from the Reigen Mazatlan Collection: with an account of additional Specimens presented to the British Museum 1865, 268

Descriptions of New Species and Varieties of *Chitonidæ* and *Acmæidæ* from the Panama Collection of the late Prof. C. B. Adams 1865, 274

Diagnoses of New Species of Mollusks, from the West Tropical Region of North America, principally collected by the Rev. J. Rowell, of San Francisco 1865, 278

Descriptions of Two Species of *Chitonidæ*, from the Collection of W. Harper Pease, Esq. 1865, 511

CARTE, ALEXANDER, M.D., M.A. Dubl., M.R.I.A., F.L.S., &c.

Notes on the Genus *Chiasmodon* 1866, 35

On an Undescribed Species of Petrel from the Blue Mountains of Jamaica 1866, 93

CARTER, HENRY.

Description of the New Lizard (*Spतालura carteri*, Gray), from life 1864, 135

	Page
CLARK, GEORGE, C.M.Z.S.	
On the Squill of Mauritius (<i>Squilla stylifera</i>)	1869, 3
CLARK, JOHN W., F.Z.S.	
Exhibition of Skeletons of <i>Didus ineptus</i> and <i>Pezophaps solitaria</i>	1869, 473
COBBOLD, T. SPENCER, M.D., F.R.S., F.L.S.	
On Cystic Entozoa from the Wart-Hog and Red River-Hog	1861, 93
List of Entozoa, including Pentastomes, from Animals dying at the Society's Menagerie between the years 1857-60 inclusive, with Descriptions of several New Species	1861, 117
Exhibition of a preparation of the remarkable Peyrierian Gland from the intestine of the young Giraffe..	1862, 2
Exhibition and Remarks upon a specimen of a curiously malformed Trout	1862, 84
On the Cranial Bones of <i>Lepidosiren annectens</i>	1862, 129
Remarks on all the Human Entozoa	1862, 288
Exhibition of a series of Microscopic Preparations of rare Entozoa	1862, 326
Notes on some Entozoa collected by Mr. Charles W. Devis	1865, 325
Description of a New Generic Type of Entozoon from the Aard Wolf (<i>Proteles</i>); with Remarks on its Affinities, especially in reference to the question of Parthenogenesis	1870, 9
Exhibition of an Entozoon from the Aard Wolf (<i>Acanthocheilonema dracunculoides</i>)	1870, 52
COPE, EDWARD DRINKER, C.M.Z.S.	
On a Species of <i>Vipera</i> hitherto unknown	1863, 229
COUCH, JONATHAN, F.L.S., C.M.Z.S.	
On the occurrence on the Coast of Cornwall of an example of the Fish called Cuvier's <i>Ausonia</i> or Luvaru	1866, 332

COUCH, JONATHAN, F.L.S., C.M.Z.S. (*continued*).

Description of a New British Mollusk (*Aplysia melanopus*) 1870, 173

COX, JAMES C., M.D., C.M.Z.S., F.R.C.S. Edinb., Secretary to the Entomological Society of New South Wales.

On a supposed New Species of the Genus *Helix* from North-eastern Australia 1864, 40

Descriptions of Two New Species of Australian Land-Shells 1864, 486

Descriptions of Four New Species of Australian Land-Shells 1864, 594

Descriptions of Seven New Species of Australian Land-Shells 1865, 695

Characters of Six New Australian Land-Shells .. 1866, 373

Characters of Four New Species of Australian Land-Shells 1867, 39

On some New Species of Australian Land-Shells.. 1867, 722

On a New Species of *Halotis* from New South Wales 1869, 49

On Three New Species of Australian Marine Shells 1869, 358

Descriptions of Seventeen New Species of Land-Shells from the South-Sea Islands, in the Cabinet of Mr. John Brazier of Sydney 1870, 81

Descriptions of Eight New Species of Shells from Australia and the Solomon Islands 1870, 170

CRISP, EDWARDS, M.D., F.Z.S., &c.

On some points relating to the Habits and Anatomy of the Oceanic and of the Freshwater Ducks, and also of the Hare (*Lepus timidus*) and of the Rabbit (*L. cuniculus*), in relation to the question of Hybridism 1861, 82

CRISP, EDWARDS, M.D., F.Z.S., &c. (*continued*).

Exhibition of Drawings of two Fishes from a Salt-water Lagoon near Cape-Coast Castle, West Africa . .	1861, 87
On the Situation, Form, and Capacity of the Gall-Bladder in the Vertebrata; on its Absence in certain Animals; and on the Colour of the Bile	1862, 132
Exhibition of a Head of a Partridge (<i>Perdix cinerea</i>) with deformed upper mandible, of the Cæcal Appendages of the Impeyan Pheasant, and the Tail-glands of the Black Swan and of the Red-throated Diver . .	1862, 141
On some points relating to the Anatomy of the Humming-bird (<i>Trochilus colibris</i>)	1862, 208
On the Capacity of the Œsophagus and other parts of the Intestinal Canal of <i>Python reticulatus</i>	1862, 210
On the Probable Cause of Death of a Wart-Hog (<i>Phacochoerus aethiopicus</i>)	1862, 212
Exhibition of the enlarged Tail-glands of two domestic Hens	1862, 219
On the Visceral Anatomy of the Screamer (<i>Chauna chavaria</i>)	1864, 14
On <i>Filaria gracilis</i> in a Monkey	1864, 16
On some parts of the Anatomy of the Porpoise . .	1864, 17
Contributions to the Anatomy of the Giraffe, with an Account of the Length of the Alimentary Canal of many of the Ruminants, as measured by the Author	1864, 63
Exhibition of some drawings representing the eggs and young of the Anaconda (<i>Eunectes murinus</i>)	1864, 68
Contributions to the Anatomy of the Eland	1864, 98
Exhibition of a wax cast of the tongue, larynx, trachea, heart, lungs, and thyroid gland of a young Lion at birth	1864, 158
Exhibition of an ear of barley	1864, 159
On the Change of Colour in the Common Trout (<i>Salmo fario</i>)	1864, 166

CRISP, EDWARDS, M.D., F.Z.S., &c. (*continued*).

Further Contributions to the Anatomy of the Giraffe and the Nylghau 1864, 269

On the Os Penis of the Chimpanzee (*Troglodytes niger*) and of the Orang (*Simia satyrus*) 1865, 48

On the Anatomy and Habits of the Water-Ousel (*Cinclus aquaticus*)..... 1865, 49

On some points relating to the Anatomy and Habits of the Bactrian Camel (*Camelus bactrianus*), and on the presence of Intestinal Glands not before noticed 1865, 257

Exhibition of a drawing of the Placenta of the Giraffe, lately obtained from the Society's Gardens .. 1865, 328

Exhibition of a drawing of the Aard-Vark (*Oryzeteropus capensis*)..... 1865, 328

Further Observations relating to the Anatomy of the Giraffe 1866, 563

On some points connected with the Anatomy of the Hippopotamus 1867, 601

On the Form, Size, and Structure of the Viscera of the Hippopotamus, as compared with the same parts in the members of the Pachyderm Family, and in some other Animals 1867, 689

CROTCH, GEORGE R., M.A., C.M.Z.S.

On the Coleoptera of the Azores 1867, 359

CUNNINGHAM, Dr. ROBERT O., Naturalist to the Magellan-Straits-Survey Expedition, C.M.Z.S.

Extracts of a Letter from, relating to the Zoology of the Magellan Straits 1868, 184

Notes on some Points in the Anatomy of Three Kingfishers (*Ceryle stellata*, *Dacelo gigas*, and *Alcedo ispida*) 1870, 280

Letter from, on the Habits of the Manatee in captivity 1870, 798

DALLAS, WILLIAM SWEETLAND, F.L.S.

On the Feathers of *Dinornis robustus*, Owen 1865, 265

DARWIN, CHARLES, F.R.S., F.Z.S.

Note on the Habits of the Pampas Woodpecker
(*Colaptes campestris*) 1870, 705

DAVID, M. LE PÈRE ARMAND, C.M.Z.S.

Letter from, relating to the habitat of *Elaphurus davidianus*, and to the localities of various *Phasianidæ* 1868, 210

DAVIDSON, THOMAS, F.R.S., F.G.S., &c.

Notes on some recent Brachiopoda dredged by the late Lucas Barrett off the North-east Coast of Jamaica, and now forming part of the Collection of Mr. R. MacAndrew 1866, 102

DAY, FRANCIS, F.L.S., F.Z.S., &c., Surgeon Madras Army.

On the Fishes of Cochin, on the Malabar Coast of India.—Part I. 1865, 2

On the Fishes of Cochin, on the Malabar Coast of India.—Part II. 1865, 286

On the Fishes of the Neilgherry Hills and Rivers around their bases 1867, 281

On some Fishes from the Wynaad 1867, 347

On some New or imperfectly known Fishes of Madras 1867, 558

On some New or imperfectly known Fishes of India 1867, 699

On some New or imperfectly known Fishes of Madras 1867, 935

On some New or imperfectly known Fishes of India 1868, 149

On some New Fishes from Madras 1868, 192

On a New Gobioid Fish from Madras 1868, 272

Observations on some Freshwater Fishes of India. . 1868, 274

Observations on Indian Fishes 1868, 580

On the Fishes of Orissa.—Part I. 1869, 296

On the Fishes of Orissa.—Part II. 1869, 369

	Page
DAY, FRANCIS, F.L.S., F.Z.S., &c. (<i>continued</i>).	
Remarks on some of the Fishes in the Calcutta Museum.—Part I.	1869, 511
Remarks on some of the Fishes in the Calcutta Museum.—Part II.	1869, 548
On some of the Fishes in the Calcutta Museum.—Part III.	1869, 611
On the Freshwater Fishes of Burmah.—Part I. . .	1869, 614
On the Freshwater Fishes of Burmah.—Part II. . .	1870, 99
Notes on some Fishes from the Western Coast of India	1870, 369
On the Fishes of the Andaman Islands.	1870, 677
DE CRESPIGNY, Lieut. C. C.	
Notes on the Friendship existing between the Malacopterygian Fish <i>Premnas biaculeatus</i> and the <i>Actinia crassicornis</i>	1869, 248
DESMURS, O., C.M.Z.S., et VERREAUX, JULES, C.M.Z.S.	
Description d'une nouvelle espèce de Perdrix	1863, 62
DILKE, Sir C. W., Bart., F.Z.S.	
Letter from, respecting a Gyrfalcon.	1866, 2
DOHRN, Dr. H., C.M.Z.S.	
Descriptions of New Shells from the Collection of H. Cuming	1861, 205
Descriptions of New Operculated Land-Shells	1862, 181
Descriptions of New Shells	1862, 202
List of the Shells collected by Capt. Speke during his Second Journey through Central Africa	1864, 116
List of the Land and Freshwater Shells from the Zambesi and Lake Nyassa, Eastern Tropical Africa, collected by John Kirk, M.D.	1865, 231
Synopsis of the Birds of Ilha do Principe, with some Remarks on their Habits and Descriptions of New Species	1866, 324

	Page
Dow, Capt. JOHN M., C.M.Z.S.	
Extract from his Letter respecting <i>Anableps dowii</i>	1861, 30
Letter from, relating to specimens of <i>Thalassophryne</i>	1865, 677
Extracts from Letters relating to <i>Tapirus bairdi</i> ..	1867, {241 891
DRESSER, Henry E., F.Z.S.	
Notes on the Breeding of the Booted Eagle (<i>Aquila pennata</i>)	1866, 377
Exhibition of some eggs of the Little Gull (<i>Larus minutus</i>)	1869, 530
DRESSER, Henry E., F.Z.S., and SHARPE, R. B.	
On some new or little-known points in the Economy of the Common Swallow (<i>Hirundo rustica</i>)	1870, 244
Notes on <i>Lanius excubitor</i> and its allies	1870, 590
DUNKER, Dr. W., C.M.Z.S.	
Solenacea nova Collectionis Cumingianæ	1861, 418
Species nonnullæ <i>Bursarum</i> vel <i>Ranellarum</i> collectionis Cumingianæ	1862, 238
DUNN, WILLIAM, C.M.Z.S.	
Letter respecting animals intended for the Society	1863, 370
ELLIOT, DANIEL G., F.L.S., F.Z.S.	
A Monograph of the Genus <i>Pelecanus</i>	1869, 571
Descriptions of some new Genera and Species of Birds belonging to the Families <i>Formicariidæ</i> , <i>Pachycephalidæ</i> , and <i>Sylviidæ</i>	1870, 242
Description of new Species of Pheasants from the Province of Yarkand, Eastern Turkestan, and from the Island of Formosa	1870, 402
ELLIOT, Sir WALTER, K.C.S.I., F.Z.S.	
Letter to Prof. Owen relating to a previous paper by Prof. Owen on Indian Cetacea	1867, 474

ELWES, HENRY JOHN, F.Z.S.

Page

Exhibition of a pair of Horns of the Sinaitic Ibex
(*Capra sinaitica*) 1869, 530

ERNST, Dr. A., C.M.Z.S.

Letter from, describing certain Zoological Specimens
obtained in and around Caracas 1870, 2

FINSCH, Dr. OTTO, C.M.Z.S.

On a very rare Parrot from the Solomon Islands .. 1869, 126

Notice of a Memoir on the Collection of Birds formed
by Mr. W. Jesse in Abyssinia 1869, 430

Description of a New Species of Penguin 1870, 322

On a Collection of Birds from the Island of Trinidad 1870, 552

FINSCH, Dr. O., C.M.Z.S., and HARTLAUB, Dr. G., F.M.Z.S.

On a Collection of Birds from the Pelew Islands.. 1868, 4

Additional Notes on the Ornithology of the Pelew
Islands 1868, 116

On a small Collection of Birds from the Tonga Is-
lands 1869, 544

On *Lobiospiza notabilis*, a remarkable new Finch
from the Navigators' Islands..... 1870, 817

FLOWER, WILLIAM HENRY, F.R.S., F.L.S., V.P.Z.S., Con-
servator of the Museum of the Royal College of
Surgeons and Hunterian Professor.

Memoir on the Brain of the Javan Loris (*Stenops
javanicus*) 1862, 103

Notes on the Anatomy of *Pithecia monachus* (Geoff.) 1862, 326

On the Optic Lobes of the Brain of the *Echidna* .. 1864, 18

On a Lesser Fin-Whale (*Balænoptera rostrata*,
Fabr.) recently stranded on the Norfolk Coast..... 1864, 252

On the Brain of the Red Howling Monkey (*My-
cetes seniculus*, Linn.)..... 1864, 335

FLOWER, WILLIAM HENRY, F.R.S. &c. (*continued*).

Notes on the Skeletons of Whales in the principal Museums of Holland and Belgium, with Descriptions of Two Species apparently new to Science	1864, 384
On a New Species of Grampus (<i>Orca meridionalis</i>) from Tasmania	1864, 420
Note on <i>Pseudorca meridionalis</i>	1865, 470
On <i>Physalus sibbaldii</i> , Gray	1865, 472
Observations upon a Fin-Whale (<i>Physalus antiquorum</i> , Gray) recently stranded in Pevensy Bay ..	1865, 699
On the Gular Pouch of the Great Bustard (<i>Otis tarda</i> , Linn.)	1865, 747
Memoir on the Osteology of the Sperm-Whale. (Part I.)	1866, 81
Exhibition of some Insects taken on board a ship at sea	1866, 305
· Memoir on <i>Inia</i> and <i>Pontoporia</i>	1866, 426
Exhibition of the Skull of a Tapir (<i>Elasmognathus bairdi</i> , Gill)	1867, 240
Notice of a Memoir on the Osteology of the Sperm-Whale (<i>Physeter macrocephalus</i>)	1867, 823
Notes on the Visceral Anatomy of <i>Hyomoschus aquaticus</i>	1867, 954
On the probable Identity of the Fin-Whales described as <i>Balænoptera carolinæ</i> , Malm, and <i>Physalus sibbaldii</i> , Gray	1868, 187
On the Development and Succession of the Teeth in the Armadillos (<i>Dasypodidæ</i>)	1868, 378
On the Value of the Characters of the Base of the Cranium in the Classification of the Order Carnivora, and on the Systematic Position of <i>Bassaris</i> and other disputed Forms	1869, 4
Note on a Substance ejected from the Stomach of a Hornbill (<i>Buceros corrugatus</i>)	1869, 150

FLOWER, WILLIAM HENRY, F.R.S. &c. (*continued*).

- Notice of a Memoir on the White Dolphin (*Delphinus sinensis*) 1869, 430
- On the Anatomy of the Proteles, *Proteles cristatus* (Sparrman). 1869, 474
- Exhibition of the Skull of a *Hyrax* with abnormal dentition, obtained by Mr. Blanford 1869, 603
- Notes on four Specimens of the Common Fin-Whale (*Physalus antiquorum*, Gray; *Balænoptera musculus*, auct.) stranded on the South Coast of England 1869, 604
- Exhibition of a Drawing of a Cetacean taken off the Coast of Cornwall 1870, 128
- Additional Note on a Specimen of the Common Fin-Whale (*Physalus antiquorum*, Gray; *Balænoptera musculus*, auct.) stranded in Langston Harbour, Nov. 1869 1870, 330
- On the Anatomy of *Ælurus fulgens*, Fr. Cuvier . . 1870, 752

FRASER, CHARLES, M.A., F.G.S.

- Letter from, relating to a Species of Seal (*Stenorhynchus*) captured in New Zealand 1869, 2

FRASER, LOUIS, C.M.Z.S.

- Exhibition, for Lord Powerscourt, of an enormous pair of Antlers with forty-four points 1862, 142
- List of birds captured or observed by Mr. E. Bartlett in the Society's Gardens 1863, 159
- Exhibition of the skull of a Gorilla 1863, 372
- Exhibition of the skin of a Leopard from Japan . . 1863, 510
- List of specialities observed in several Zoological Gardens 1864, 159
- Exhibition of the Horns of *Budorcas taxicolor*, Hodgs. 1864, 168
- Exhibition of a specimen of *Euplocamus prælatus* . . 1864, 377
- Exhibition of a pair of Horns of *Budorcas taxicolor* 1864, 377

FRASER, LOUIS, C.M.Z.S. (*continued*).

List of Species of Mollusks recently collected by R. Swinhoe, Esq., in Formosa	1865, 196
Exhibition of two eggs of the Rose-crested Cockatoo (<i>Cacatua rosacea</i>)	1865, 227
Second List of Mollusks collected by R. Swinhoe, Esq., in Formosa	1866, 146
Exhibition of a pair of Horns of <i>Cervus mariannus</i> .	1866, 367

FRASER, WILLIAM T., C.M.Z.S.

Letter regarding the existence of the Rhinoceros in Borneo	1869, 529
--	-----------

FRAUENFELD, GEORGE, RITTER VON.

Descriptions of Seven New Species of the genus <i>Vivipara</i> , Link	1865, 658
---	-----------

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S., &c.

On a New Genus and Species of Parrakeet from Western Australia	1861, 100
Remarks on a Species of Woodpecker from Siam..	1861, 182
Description of a New Species of the Family <i>Caprimulgidae</i>	1861, 182
Descriptions of Two New Species of Humming-birds belonging to the Genus <i>Hypuroptila</i>	1861, 198
Observations on <i>Epthianura tricolor</i>	1861, 209
Exhibition of a specimen of a Lyre-bird (<i>Menura</i>) from Port Philip	1862, 23
Exhibition and Descriptions of two new species of Humming-birds from Ecuador, of a new <i>Fregilus</i> from the Himalayas, and a <i>Prion</i>	1862, 124
On a New Species of <i>Chlamydera</i> , or Bower-bird	1862, 161
Descriptions of Sixteen New Species of Birds from the Island of Formosa, collected by Robert Swinhoe, Esq., Her Majesty's Vice-Consul at Formosa	1862, 280

	Page
GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S., &c. (<i>continued</i>).	
On a Collection of Birds from Central Australia . . .	1863, 232
Description of a New Species of Gull from Tibet . . .	1864, 54
Description of a New Species of <i>Chrysococcyx</i>	1864, 73
Description of a New Species of the Genus <i>Mergus</i>	1864, 184
Exhibition of specimens of <i>Emberiza pusilla</i> , Pall., and <i>Anthus campestris</i> , captured near Brighton	1864, 377
Description of the Egg of <i>Parra gallinacea</i>	1864, 661
Descriptions of Two New Australian Birds	1865, 198
Descriptions of Four New Species of Birds from Eastern Asia	1865, 663
Description of a New Species of Toucan belonging to the Genus <i>Aulacorampus</i>	1866, 24
Exhibition of the Trachea of <i>Manucodia gouldi</i> . . .	1866, 201
Exhibition of a specimen of the Andalusian Hemi- pode (<i>Turnix sylvatica</i>)	1866, 210
Additions to the List of the Avifauna of Australia, with Descriptions of Three New Species	1866, 217
Exhibition of <i>Ptilotis cassidix</i> and other rare Aus- tralian species	1866, 558
On a New Australian Parrakeet	1867, 182
Description of a New Australian Bird pertaining to the genus <i>Malurus</i>	1867, 302
On the Australian Genus <i>Climacteris</i> , with a De- scription of a New Species	1867, 975
Remarks on <i>Menura</i> , and Exhibition of a Chick and Egg of <i>Menura victorie</i>	1868, 52
On Two New Australian Birds	1868, 74
On Four New Species of Birds	1868, 218
Description of a New Species of the Genus <i>Ceyx</i> . .	1868, 404
Description of a new Genus and Species of the Family <i>Trochilidae</i>	1869, 295
Description of a new Species of <i>Dacelo</i> from North- western Australia	1869, 602

	Page
GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S., &c. (<i>continued</i>).	
Exhibition of a new Pigeon (<i>Otidiphaps nobilis</i>)	1870, 4
Exhibition of, and Remarks upon, some Specimens of Water-ouzels (<i>Cinclus</i>)	1870, 384
Remarks on a Collection of Humming-birds made by Mr. Buckley in Ecuador, and Descriptions of two new Species	1870, 803
GRAY, GEORGE ROBERT, F.R.S., F.L.S., F.Z.S.	
Note on the Genus <i>Basilornis</i>	1861, 183
List of Species composing the Family <i>Megapodiidæ</i> , with Descriptions of New Species, and some account of the Habits of the Species	1861, 288
Remarks on and Descriptions of New Species of Birds lately sent by Mr. A. R. Wallace from Waigiou, Mysol, and Gagie Islands	1861, 427
Notice of a New Species of <i>Goliathus</i>	1864, 34
On a New Species of Megapode	1864, 41
Notice of a New Species of <i>Turacus</i> from Eastern Africa	1864, 44
On a New Species of <i>Prionops</i>	1864, 45
On a New Species of <i>Smithornis</i>	1864, 143
On a New Species of <i>Pucrasia</i> from China	1864, 258
On a New Species of <i>Penelope</i> lately living in the Society's Gardens	1866, 206
GRAY, DR. JOHN EDWARD, F.R.S., V.P.Z.S., &c.	
Description of a Soft Tortoise from Camboja	1861, 41
Description of a New Squirrel in the British Museum, from New Granada	1861, 92
List of Mammalia, Tortoises, and Crocodiles collected by M. Mouhot in Camboja	1861, 135
On a New Species of Water-Tortoise (<i>Geoclemmys melanosterna</i>) from Darien	1861, 204

GRAY, DR. JOHN EDWARD, F.R.S. &c. (*continued*).

On the Habits of the Gorilla and other Tailless Long-armed Apes	1861, 212
Observations on an Immature Specimen of a Species of <i>Calotragus</i>	1861, 235
Notice of a Stag from Northern China, sent by Mr. Swinhoe to the Zoological Society.....	1861, 236
On the Habits of the Pipe-Fish and other Fishes..	1861, 238
Observations on Mr. Du Chaillu's papers on "The New Species of Mammals" discovered by him in Western Equatorial Africa	1861, 273
Notice of <i>Helogale</i> , a New Genus of <i>Viverridæ</i> ..	1861, 308
Notice of a New Species of Pilot Whale (<i>Globiocephalus</i>) from the Coast of Dorsetshire	1861, 309
On a Large Species of <i>Teredo</i> , supposed to be the Animal of the Genus <i>Furcella</i> , Lam.	1861, 313
Additional Observations on the Genus <i>Cuscus</i>	1861, 314
On the Skull of the Japanese Pig (<i>Sus pliciceps</i>)..	1862, 13
Note on the Gigantic Earth-worm (<i>Megascolex cæruleus</i>) from Ceylon, in a letter from Sir James Emerson Tennent	1862, 25
Description of some New Species of <i>Spoggodes</i> , and of a New Allied Genus (<i>Morchellana</i>) in the Collection of the British Museum	1862, 27
Notes on some Specimens of Claviform <i>Pennatulidæ</i> (<i>Veretilleæ</i>) in the Collection of the British Museum..	1862, 31
Description of Two New Genera of Zoophytes (<i>Solenocaulon</i> and <i>Bellonella</i>), discovered on the North Coast of Australia by Mr. Rayner.....	1862, 34
Extracts from a letter of Henry Blanford, Esq. ..	1862, 108
Notice of a New Species of <i>Lasiurus</i> sent from the Sandwich Islands by Mr. W. H. Pease.....	1862, 143
Notice of a New Species of Dolphin (<i>Delphinus catalania</i>) discovered in North Australia by Mr. John Macgillivray	1862, 143

GRAY, DR. JOHN EDWARD, F.R.S. &c. (*continued*).

Notice of a Wingless Bird, or Moho, and a Raven found in the Island of Hawaii by Mr. W. H. Pease . .	1862, 145
List of Mammalia from the Camaroon Mountains, collected by Capt. Burton, H.M. Consul, Fernando Po	1862, 180
Note on the Size of a Seal (<i>Callocephalus fœtidus</i>) at the time of Birth	1862, 202
Descriptions of some New Species of Mammalia . .	1862, 261
Notice of two New Species of <i>Batagur</i> in the Collection of the British Museum	1862, 264
Notice of a New Species of <i>Dogania</i> from Asia . .	1862, 265
Exhibition of a specimen of the young of the domestic Fowl, with a singular malformation of the beak and foot	1863, 77
Letter addressed to him by Miss E. M. Smee, relating to the habits of the larva of <i>Phryganea</i>	1863, 78
Notice of the <i>Chanco</i> , or Golden Wolf (<i>Canis chanco</i>), from Chinese Tartary	1863, 94
Notice of a New Species of Chameleon sent from Khartoom by Mr. Consul Petherick	1863, 94
Revision of the Species of Lemuroid Animals, with the Description of some New Species	1863, 129
Descriptions of Two New Genera of Lizards (<i>Holaspis</i> and <i>Poriodogaster</i>)	1863, 152
Observations on the Box Tortoises, with the Descriptions of Three New Asiatic Species	1863, 173
On the Species of the Genus <i>Sternotherus</i> , with some Observations on <i>Kiniarys</i>	1863, 192
On the Arrangement of the Cetaceans	1863, 197
On the Eyes of Emydidæ and Batrachia	1863, 202
Description of a New Lizard obtained by Mr. Henry Carter on the South-east Coast of Arabia	1863, 236
Notice of a New Species of <i>Batagur</i> from North-western India	1863, 253

GRAY, DR. JOHN EDWARD, F.R.S. &c. (*continued*).

Description of a New <i>Geoclemmys</i> (<i>G. callocephalus</i>) lately living in the Gardens of the Zoological Society	1863, 254
Notes on certain Species of Tortoises from the Asiatic Islands, transmitted to the British Museum by Dr. Bleeker	1864, 11
Notice of a New Squirrel (<i>Sciurus ornatus</i>) from Natal	1864, 13
Notes on Seals (<i>Phocidæ</i>), including the Description of a New Seal (<i>Halicyon richardii</i>) from the West Coast of North America	1864, 27
Description of a New <i>Mustela</i> from Quito	1864, 55
Notes on some Mammalia, with the Description of a New <i>Golunda</i> , from Western Africa	1864, 55
Notes on some Lizards from South-eastern Africa, with the Descriptions of several New Species	1864, 58
Notice of a New Species of <i>Zorilla</i>	1864, 69
Revision of the Species of <i>Trionychidæ</i> found in Asia and Africa, with the Descriptions of some New Species	1864, 76
Notes on the Species of Sand-Moles (<i>Georychus</i>)	1864, 123
Additional Observations on <i>Dermatemys</i> , a Genus of <i>Emydidæ</i> from Central America	1864, 125
Description of a New Species of <i>Staurotypus</i> (<i>S. salvinii</i>) from Guatemala	1864, 127
On the Genera of <i>Chelydidæ</i> and the Characters furnished by the Study of their Skulls	1864, 128
Notice of a Portion of a New Form of Animal (<i>Myriosteon higginsii</i>), probably indicating a New Group of Echinodermata	1864, 163
Note on the Bonnet of the Right Whale	1864, 170
On the Cetacea which have been observed in the Seas surrounding the British Islands	1864, 195
On <i>Urocyclus</i> , a New Genus of Gasteropodous Mollusca from Africa	1864, 250

GRAY, DR. JOHN EDWARD, F.R.S. &c. (*continued*).

Notice of a New Variety of <i>Rhodona punctata</i> from the Swan River	1864, 296
Note on <i>Sternothercus adansonii</i> from West Africa	1864, 296
Notice of a New Variety of Galago from Quillimane (<i>Otogale crassicaudata</i> , var. <i>kirkii</i>)	1864, 456
Note on the Clawed Toads (<i>Dactylethra</i>) of Africa	1864, 458
Revision of the Genera and Species of <i>Chamæleonidae</i> , with the Description of some New Species	1864, 465
A Revision of the Genera and Species of Viverrine Animals (<i>Viverridae</i>), founded on the Collection in the British Museum	1864, 502
Notice of the Atlas and Cervical Vertebrae of a Right Whale in the Museum of Sydney, New South Wales	1864, 587
A Revision of the Genera and Species of Ursine Animals (<i>Ursidae</i>), founded on the Collection in the British Museum	1864, 677
Notice of a New Whalebone-Whale from the Coast of Devonshire, proposed to be called <i>Eschrichtius robustus</i>	1865, 40
Revision of the Genera and Species of <i>Mustelidae</i> contained in the British Museum	1865, 100
Extract from a letter addressed to him by Dr. H. Burmeister of Buenos Ayres, on a new species of Whale proposed to be called <i>Balenoptera patachonica</i>	1865, 190
Notice of the Skull of a New Species of Bush-Goat (<i>Cephalophus longiceps</i>), sent from the Gaboon by M. du Chaillu	1865, 204
Notice of a New Species of Porpoise (<i>Phocæna tuberculiferu</i>) inhabiting the Mouth of the Thames	1865, 318
Notice of an apparently Undescribed Species of American Porcupine	1865, 321
Notice of a Species of <i>Tupaia</i> from Borneo, in the Collection of the British Museum	1865, 322

GRAY, DR. JOHN EDWARD, F.R.S. &c. (*continued*).

Notice of a New Genus and Species of the Family <i>Trionyhidæ</i> from Western Africa	1865, 323
Descriptions of Two New Species of Whales	1865, 357
Revision of the Genera and Species of Entomophagous Edentata, founded on the Examination of the Specimens in the British Museum	1865, 359
Extract of a Letter from E. L. Layard concerning a new Zebra	1865, 417
On the Development of the Sternal Callosities in <i>Cyclanosteus senegalensis</i> , and on the Synonyms of <i>Cyclanosteus</i> and the allied Genera	1865, 422
Notice of a New Species of Australian Sperm-Whale (<i>Catodon krefftii</i>) in the Sydney Museum	1865, 439
A Revision of the Genera and Species of Amphibænians, with the Descriptions of some New Species now in the Collection of the British Museum	1865, 442
Notices of a New Genus of Delphinoid Whales from the Cape of Good Hope, and of other Cetaceans from the same Seas	1865, 522
Descriptions of Two New Genera of Lizards from Damaraland	1865, 640
A Revision of the Species of Golden Moles (<i>Chrysochloris</i>)	1865, 678
Note of the Habits of the Kinkajou (<i>Cercoleptes caudivolvulus</i>)	1865, 680
Supplementary Notes on the <i>Mustelidæ</i>	1865, 680
Notice of <i>Rhodophyton</i> , a New Genus of <i>Alcyoniadæ</i> , found on the Coast of Cornwall	1865, 705
Short Account of part of a Skeleton of a Finner Whale, sent by Mr. Swinhoe from the Coast of Formosa	1865, 725

GRAY, DR. JOHN EDWARD, F.R.S. &c. (*continued*).

Extract from a letter from Prof. W. Lilljeborg, For. Memb., on the skeletons of Whales in the Jardin des Plantes	1865, 730
Notice of some New Species of Spider Monkeys (<i>Ateles</i>) in the Collection of the British Museum	1865, 732
Notice of some New Species of Marmoset Monkeys (<i>Hapale</i> and <i>Midus</i>)	1865, 733
Descriptions of Three Species of Dolphins in the Free Museum of Liverpool	1865, 735
Notices of some apparently Undescribed Species of Sapajous (<i>Cebus</i>) in the Collection of the British Museum	1865, 824
Description of Two New Forms of Gorgonioid Corals	1866, 24
A Revision of the Genera of Pteropine Bats (<i>Pteropidæ</i>), and the Descriptions of some apparently Undescribed Species	1866, 62
A Revision of the Genera of <i>Rhinolophidæ</i> , or Horseshoe Bats	1866, 81
Exhibition of a series of Glass Models of <i>Actinice</i> . .	1866, 105
Revision of the Genera of <i>Phyllostomidæ</i> , or Leaf-nosed Bats	1866, 111
Notice of the Examination of the Type Specimen of <i>Aëlla cuvieri</i> of Leach	1866, 147
Notice of a New West-African Monkey living in the Gardens of the Society	1866, 168
Notice of a New Species of <i>Nusua</i>	1866, 169
Notice of a New Species of <i>Spatangus</i>	1866, 170
Notice of an Ape (<i>Macacus inornatus</i>) and a Bush-bock (<i>Cephalophus breviceps</i>) in the Gardens of the Society	1866, 202
Notice of a New Bat (<i>Scotophilus welwitschii</i>) from Angola	1866, 211
Notes on the Skulls of Dolphins, or Bottlenose Whales, in the British Museum	1866, 211

GRAY, DR. JOHN EDWARD, F.R.S. &c. (*continued*).

Notes on some Mammalia from Port Albany (Cape-York Peninsula), North Australia, with the Descriptions of some New Species	1866, 219
Notes on some Young Specimens of Tortoises (<i>Testudo</i>)	1866, 305
On the Species of Porcupines in the Gardens of the Society and in the British Museum	1866, 306
On the Skull of the Chinese Pug-nosed Spaniel or Lap-dog	1867, 40
On a New Geckoid Lizard from Ceylon	1867, 98
Notes on <i>Hyalonema lusitanicum</i> , and on the Genus in general	1867, 117
Additional Note on <i>Corallium johnsoni</i>	1867, 125
On <i>Placospongia</i> , a New Generic Form of <i>Spongiadæ</i> in the British Museum	1867, 127
Notice of <i>Lutronectes whiteleyi</i> , an Otter from Japan	1867, 180
Notes on <i>Zoanthinæ</i> , with Descriptions of some New Genera	1867, 233
Note on the "Hwang-Yang," or Yellow Sheep of Mongolia	1867, 244
Notes on the Skulls of the Cats (<i>Felidæ</i>)	1867, 258
Notes on certain Species of Cats in the Collection of the British Museum	1867, 394
Notes on the Arrangement of Sponges, with the Description of some New Genera	1867, 492
Note on a New Species or Variety of Lemur in the Society's Gardens	1867, 596
Notes on the Variegated or Yellow-tailed Rats of Australasia	1867, 597
Notes on the Specimens of <i>Calyptræidæ</i> in Mr. Cuming's Collection	1867, 726
Additional Observations on the Species of Cats (<i>Felidæ</i>) in the British Museum	1867, 874

GRAY, DR. JOHN EDWARD, F.R.S. &c. (*continued*).

- Notice of a New Species of American Tapir, with Observations on the Skulls of *Tapirus*, *Rhinocœrus*, and *Elasmognathus* in the Collection of the British Museum 1867, 876
- Description of *Ateles bartlettii*, a New Spider Monkey from the River Amazons 1867, 992
- Notes on *Catillus*, Humphrey, or *Navicella*, Lamarck, with Descriptions of Two New Genera 1867, 993
- Description of *Saulea*, a New Genus of *Ampullariadæ* from Sierra Leone 1867, 1000
- Observations on Dr. Bowerbank's Paper on *Hyalonema lusitanicum* 1867, 1001
- Observations on the Preserved Specimens and Skeletons of the *Rhinocerotidæ* in the Collection of the British Museum and Royal College of Surgeons, including the Descriptions of Three New Species 1867, 1003
- Synopsis of the Species of Pigs (*Suidæ*) in the British Museum 1868, 17
- Notice of *Macacus lasiotus*, a New Species of Ape from China, in the Collection of the Society 1868, 60
- Observations on the Margined-tailed Otter (*Pteronura sandbachii*) 1868, 61
- Notice of *Clymene similis*, a New Dolphin sent from the Cape by Mr. Layard 1868, 146
- Notice of a New Species of *Colobus* and of another Monkey from Zanzibar 1868, 180
- Synopsis of the Species of *Sacomynæ*, or Pouched Mice, in the Collection of the British Museum 1868, 199
- Notice of a Badger from China (*Meles chinensis*), sent by Mr. Swinhoe, H.M. Consul at Amoy, and by Dr. Hartland, from Hongkong 1868, 206
- Notice of an interesting American Monkey living in the Society's Gardens 1868, 256

GRAY, DR. JOHN EDWARD, F.R.S. &c. (*continued*).

Notes on the Fœtus of an Elephant and of a Hippopotamus in the Collection of the British Museum . . .	1868, 491
Notes on the Skulls of the Species of Dogs, Wolves, and Foxes (<i>Canidæ</i>) in the Collection of the British Museum	1868, 492
Letter from, containing a reply to Dr. Bowerbank's remarks on his "Notes on Sponges"	1868, 532
Note on the Bottle-nosed Whales (<i>Tursio</i>)	1868, 560
Notice of <i>Hydraspis gordonii</i> , a New Species from Trinidad, living in the Gardens of the Society	1868, 563
Note on <i>Oculinaria</i> , a New Genus of Social <i>Ascidia</i>	1868, 564
Note on <i>Theonella</i> , a New Genus of Coralloid Sponges from Formosa	1868, 565
Notes on the <i>Ceratelladæ</i> , a family of Keratose Sponges	1868, 575
Note on <i>Xylospongia cookii</i> , a New Genus of Palmated Sponges in the Collection of the British Museum	1868, 637
Note on <i>Ianthella</i> , a new Genus of Keratose Sponges	1869, 49
Notes on the Families and Genera of Tortoises (<i>Testudinata</i>), and on the Characters afforded by the study of their Skulls	1869, 165
On the Incisor Teeth of the African Rhinoceros . .	1869, 225
On the Bony Dorsal Shield of the Male <i>Tragulus kanchil</i>	1869, 226
Note on the Young of the Spotted Hyæna (<i>Crocuta maculata</i>)	1869, 245
On the Guemul or Roebuck of Southern Peru . . .	1869, 496
Description of <i>Mauremys laniaria</i> , a new Fresh-water Tortoise	1869, 499
Description of <i>Emys flavipes</i>	1869, 643
Notes on the Skulls of the Genus <i>Orca</i> in the British Museum, and Notice of a Specimen of the Genus from the Seychelles	1870, 70

GRAY, DR. JOHN EDWARD, F.R.S. &c. (*continued*).

- Notes on Tortoises in the British Museum, with Descriptions of some New Species 1870, 653
- Notes on three Species of Tortoises living in the Society's Gardens 1870, 706
- Descriptions of Two New Tortoises from India, in the Collection of T. C. Jerdon, Esq. 1870, 708
- On the Family *Dermatemyda*, and a Description of a living Species in the Gardens of the Society 1870, 711
- Notes on a Specimen of *Cyclanosteus senegalensis* living in the Society's Gardens 1870, 717
- Notes on *Bartlettia*, a New Species of Freshwater Tortoises belonging to the Family *Peltocephalidae* . . 1870, 718
- Notes on the Species of *Rhinoclemmys* in the British Museum 1870, 722
- Notes on the arrangement of the Genera of Delphinoid Whales 1870, 772
- Description of an Adult Skull of *Eupleres goudoti* . . 1870, 824
- Notes on *Hapalemur simus*, a new Species lately living in the Gardens of the Society 1870, 828

GREY, SIR GEORGE, K.C.B., F.Z.S.

- Letter from, containing remarks on a Letter of Dr. Haast 1870, 116

GROTE, ARTHUR, F.Z.S.

- Letter from, referring to the locality of *Acanthochærus grotei* 1866, 417

GULLIVER, GEORGE, F.R.S., F.Z.S., Professor of Comparative Anatomy and Physiology to the Royal College of Surgeons.

- On the Red Corpuscles of the Blood of Vertebrata, and on the Zoological Import of the Nucleus, with Plans of their Structure, Form, and Size (on a Uniform Scale) in many of the different Orders 1862, 91

GULLIVER, GEORGE, F.R.S., F.Z.S., &c. (*continued*).

On the Muscular Sheath of the Cardiac End of the Oesophagus of the Aye-Aye (*Chiromys madagascariensis*) 1869, 249

On the Size of the Red Corpuseles of the Blood of *Moschus*, *Tragul*, *Orycteropus*, *Ailurus*, and some other Mammalia, with Historical Notices 1870, 92

On the Taxonomic Characters afforded by the Muscular Sheath of the Oesophagus as regards Sauropsida and other Vertebrata 1870, 283

On certain points in the Anatomy and Economy of the Lampreys 1870, 844

GUNN, RONALD, C.Z.M.S.

Letter from, announcing the shipment of living Thylacines, with remarks on their habits 1863, 103

GÜNTHER, ALBERT, M.A., M.D., Ph.D., F.R.S., F.Z.S.

Account of the Reptiles sent by Dr. Wucherer from Bahia 1861, 12

On the Anatomy of *Regenia ocellata* 1861, 60

On the Anatomy of *Monitor niloticus* from Western Africa, and of *Regenia albobularis* 1861, 109

On a New Genus of Australian Fishes 1861, 116

On a New Species of the Family *Boidæ* 1861, 142

On a New Species of Fish of the Genus *Gerres* . . 1861, 143

Second List of Siamese Reptiles 1861, 187

List of the Cold-blooded Vertebrata collected by B. H. Hodgson, Esq., in Nepal 1861, 213

Exhibition of a singular Fish called *Saccolarynx flagellum* by Dr. Mitchell, and *Ophiognathus ampullaceus* by Dr. Harwood 1861, 235

On a Collection of Fishes sent by Capt. Dow from the Pacific Coast of Central America 1861, 370

Exhibition of some Charrs from different localities in England, Wales, and Ireland 1861, 391

GÜNTHER, ALBERT, M.D., F.R.S. &c. (*continued*).

On a New Species of <i>Plectropoma</i> from Australia..	1861, 391
Remarks on the Incubation of the female Python in the Society's Gardens.....	1862, 1
A List of Snakes from Bahia.....	1862, 23
Contributions to the Knowledge of the British Charrs	1862, 37
Descriptions of New Species of Reptiles and Fishes in the Collection of the British Museum.....	1862, 188
Note on <i>Nannoperca australis</i>	1862, 208
Contributions to the Knowledge of the British Charrs.—Part II.	1863, 6
On <i>Atheris burtonii</i> , a New Snake from West Africa	1863, 16
Note on <i>Diemenniu superciliosa</i>	1863, 17
Addition to Dr. Wucherer's Article on the Ophidians of Bahia.....	1863, 56
Contribution to the Herpetology of Ceram.....	1863, 58
Observations on Australian Tree-Frogs living in the Society's Menagerie.....	1863, 249
Description of a New Species of <i>Mormyrus</i>	1864, 22
On some New Species of Central-American Fishes	1864, 23
Third Contribution to our Knowledge of Batrachians from Australia.....	1864, 46
On the Reptiles and Fishes obtained by Capt. Speke during the East-African Expedition.....	1864, 115
Report of a Collection of Fishes made by Messrs. Dow, Godman, and Salvin in Guatemala.....	1864, 144
On a Poison-organ in a Genus of Batrachoid Fishes	1864, 155
On a New Genus of Pediculate Fish from the Sea of Madeira.....	1864, 301
Report on a Collection of Reptiles and Fishes made by Dr. Kirk in the Zambesi and Nyassa Regions....	1864, 303
Descriptions of some New Species of Batrachians from West Africa.....	1864, 479

GÜNTHER, ALBERT, M.D., F.R.S. &c. (*continued*).

Report on a Collection of Reptiles and Fishes from Palestine	1864, 488
Remarks on the State of his Researches into the British Species of Salmonoid Fishes	1865, 197
On the Pipe-fishes belonging to the Genus <i>Phyllopteryx</i>	1865, 327
A List of Reptiles from Madagascar	1865, 469
Letter from Capt. J. M. Dow on two specimens of <i>Thalassophryne</i>	1865, 677
Contributions to the Knowledge of the British Charrs.—Part III.....	1865, 698
Remarks on <i>Chiasmodon</i>	1866, 38
Remarks on the Skeleton of <i>Ausonia cuvieri</i>	1866, 336
Memoir on the Fishes of the States of Central America collected by Messrs. Salvin and Godman and Capt. Dow	1866, 600
Description of some New or little-known Species of Fishes in the Collection of the British Museum ..	1867, 99
Remarks on Salmonoids exhibited by Dr. Murie and Mr. Buckland	1868, 214
Report on a Collection of Fishes made at St. Helena by J. C. Melliss, Esq.....	1868, 225
Descriptions of Freshwater Fishes from Surinam and Brazil	1868, 229
Exhibition of Specimens of the Ova and Young of the Axolotl (<i>Siredon mexicanum</i>)	1868, 319
Observations on the British Species of <i>Clupea</i>	1868, 377
First Account of Species of Tailless Batrachians added to the Collection of the British Museum.....	1868, 478
Report of a Second Collection of Fishes made at St. Helena by J. C. Melliss, Esq.	1869, 238
Note on the Ichthyology of Zanzibar	1869, 241

GÜNTHER, ALBERT, M.D., F.R.S., &c. (*continued*).

Descriptions of some Species of Fishes from the Peruvian Amazons	1869, 423
Contribution to the Ichthyology of Tasmania	1869, 429
Report on two Collections of Indian Reptiles	1869, 500
Note on the Locality of <i>Megalivalus infrarufus</i> ..	1870, 150
Notes on <i>Prototroctes</i> , a Fish from Fresh Waters of the Australian Region	1870, 150
Second Account of Species of Tailless Batrachians added to the Collection of the British Museum	1870, 401
Description of a new Indian Lizard of the Genus <i>Calotes</i>	1870, 778
On the Occurrence of <i>Lates calcarifer</i> in Australia.	1870, 824

GURNEY, JOHN HENRY, F.Z.S.

Some Remarks on <i>Aquila desmursii</i> ,	1862, 145
List of Birds collected in Damara Land by Mr. C. J. Andersson	1864, 1
On a New and very Singular Raptorial Bird (<i>Strigonyx anderssoni</i>)	1865, 618
On a New Species of Harrier from New Caledonia.	1865, 823

HAAST, DR. JULIUS, F.R.S.

Letter on the Discovery of Cooking-pits and Kitchen-middens in Canterbury Settlement, Middle Island, New Zealand. (Communicated, with Remarks, by Prof. Owen, F.R.S., F.Z.S., &c.)	1870, 53
--	----------

HABEL, DR. (of New York).

Exhibition of some Birds from the Galapagos Islands	1869, 433
---	-----------

HAMILTON, EDWARD, M.D., F.L.S., F.Z.S., &c.

On the Assumption of the Male Plumage by the Female of the Common Pheasant	1862, 23
--	----------

	Page
HAMILTON, EDWARD, M.D., F.L.S., &c. (continued).	
Exhibition of a female example of the Grey Hen (<i>Tetrao tetrrix</i>), which had partly assumed the male plumage	1862, 84
On a Variety of the <i>Canis vulpes</i> (<i>Vulpes vulgaris</i> , Brisson) found in the Forest of the Ardennes, Belgium	1869, 247
Extract from a Letter received from Capt. F. Hamilton concerning the Andaman Monkey	1870, 220
HANCOCK, ALBANY, and ALDER, JOSHUA.	
Notice of a Collection of Nudibranchiate Mollusca made in India.....	1863, 158
HANCOCK, HENRY, J. B., F.Z.S.	
Notice of intention to try experiments on the supposed electricity of <i>Octopus</i>	1864, 1
HANLEY, SYLVANUS.	
Description of a New <i>Leda</i>	1861, 242
Description of a New Species of <i>Pandora</i>	1861, 272
Descriptions of New <i>Solaria</i> , chiefly in the collection of H. Cuming, Esq.	1862, 204
HARTING, JAMES EDMUND, F.Z.S.	
Remarks upon the Protection of Sea-fowl during the Breeding-season	1869, 135
Exhibition of, and Remarks upon, a rare Wading-Bird (<i>Anarhynchus frontalis</i>) from New Zealand....	1869, 360
Exhibition of a specimen of the Dusky Redshank .	1870, 221
HARTLAUB, Dr. G., F.M.Z.S.	
On a New Bird from the Isle of Madagascar	1862, 152
On a New Bird from the Island of Madagascar ..	1862, 224
On some Birds collected by Capt. J. E. Speke at Kازه in Eastern Africa	1863, 105
Characters of a New Species of Sedge Warbler from Madagascar	1863, 165
PROC. ZOOL. SOC. INDEX, 1861-70.	4

HARTLAUB, DR. G., For. Memb. (*continued*).

Descriptions of Seven New Species of Birds discovered by Mr. J. J. Monteiro in the Province of Benguela, Angola, West Africa	1865, 86
On Two New Species of African Birds	1865, 428
On a New Species of Francolin discovered by Messrs. Speke and Grant in Central Africa	1865, 665
On Two New Species of South-African <i>Saxicolæ</i>	1865, 746
Synopsis of the Genus <i>Cursorius</i>	1866, 61
On a New Genus and Species of Birds from Madagascar	1866, 218
On a New Species of the Genus <i>Crateropus</i> , Sw.	1866, 435
Remarks on a Communication of Prof. Schlegel in the Society's 'Proceedings' for 1866	1867, 821
Report on a Collection of Birds formed in the Island of Zanzibar by Dr. John Kirk	1867, 823
On a Collection of Birds from some less-known Localities in the Western Pacific	1867, 828
On <i>Anarhynchus</i>	1869, 433

HARTLAUB, DR. G., F.M.Z.S., and FINSCHE, DR. O.,
C.M.Z.S.

On a Collection of Birds from the Pelew Islands	1868, 4
Additional Notes on the Ornithology of the Pelew Islands	1868, 116
On a small Collection of Birds from the Tonga Islands	1869, 544
On <i>Lobiospiza notabilis</i> , a remarkable new Finch from the Navigators' Islands	1870, 817

HAWKES, DR. J., F.Z.S.

Communication from, respecting a case of <i>hernia ventriculi</i> in a Canary-Finch	1870, 384
---	-----------

	Page
HECTOR, JAMES, M.D., F.R.S., C.M.Z.S., Director of the Geological Survey of New Zealand.	
Notes on the Moa-Bones in the New Zealand Exhibition of 1865	1865, 749
Notice of an Egg of the Great Moa (<i>Dinornis gigantea</i>) containing remains of an embryo, found in the province of Otago, New Zealand	1867, 991
HEWITSON, W. C., F.Z.S.	
Descriptions of some Butterflies from the Collection of Mr. Wallace	1861, 50
Descriptions of Butterflies from the Collections of Messrs. A. R. Wallace and W. C. Hewitson.....	1862, 87
A List of Diurnal Lepidoptera taken in Madagascar by Mr. Caldwell.....	1863, 64
HIGGINS, EDMUND THOMAS, F.Z.S. &c.	
Description of Six New Species of Shells.....	1868, 178
Exhibition of the Skin of a Puma	1868, 377
HILL, E. S., C.M.Z.S.	
On the passage of the Young to the Pouch in the Kangaroos (<i>Macropus</i> and <i>Halmaturus</i>). Communicated, with Remarks, by Prof. Owen, F.R.S., F.Z.S., &c.	1867, 475
HINCKS, Rev. WILLIAM.	
Letter from, on the differences between <i>Cygnus passmori</i> and <i>C. buccinator</i> . (Communicated by Dr. Murie.)	1868, 211
HOLDSWORTH, E. W. H., F.L.S., F.Z.S.	
On an Undescribed Species of British <i>Zoanthus</i> ..	1861, 99
Descriptions of Two New Species of Corals belonging to the genus <i>Flabellum</i>	1862, 198
On the occurrence of <i>Caryophyllia clavus</i> on the Coasts of Britain, with some Remarks on the circumstances affecting the Distribution of Corals around the British Islands	1862, 199
Exhibition of living specimens of <i>Lissotriton palmatus</i>	1863, 159

HORNE, CHARLES, F.Z.S.

Notes on the Common Grey Hornbill of India (<i>Meniceros bicornis</i>)	1869, 241
Notes on <i>Ploceus baya</i> and its Nest	1869, 243
Notice of a Memoir on the Hymenopterous Insects of the North-western Provinces of India	1869, 430

HUDSON, WILLIAM H., C.M.Z.S.

Extract of a Letter from, respecting <i>Lichenops per- spicillatus</i>	1869, 432
Letter on the Ornithology of Buenos Ayres	1870, 87
Second Letter on the Ornithology of Buenos Ayres	1870, 112
Third Letter on the Ornithology of Buenos Ayres	1870, 158
Fourth Letter on the Ornithology of Buenos Ayres	1870, 332
Fifth and Sixth Letters on the Ornithology of Buenos Ayres	1870, 545
Seventh Letter on the Ornithology of Buenos Ayres	1870, 671
Eighth Letter on the Ornithology of Buenos Ayres	1870, 748
Ninth Letter on the Ornithology of Buenos Ayres	1870, 798

HUTTON, Capt. T., C.M.Z.S.

On the Geographical Range of <i>Semnopithecus entellus</i>	1867, 944
Notes upon certain Indian Mammals	1869, 58

HUXLEY, THOMAS H., LL.D., F.R.S., V.P.Z.S., &c.

On the Brain of <i>Ateles paniscus</i>	1861, 247
On the Form of the Placenta in the Cape Hyrax..	1863, 237
On the Angwántibo (<i>Arctocebus calabarensis</i> , Gray)	1864, 314
On the Structure of the Skull of Man, the Gorilla, the Chimpanzee, and the Orang-Utan, during the period of the first dentition	1864, 586
On the Structure of the Stomach in <i>Desmodus rufus</i>	1865, 386

HUXLEY, THOMAS H., LL.D., F.R.S., &c. (*continued*).

- On the Classification of Birds; and on the Taxonomic Value of the Modifications of certain of the Cranial Bones observable in that Class 1867, 415
- On the Classification and Distribution of the *Alectromorphæ* and *Heteromorphæ* 1868, 294
- On the Representative of the Malleus and the Incus of the *Mammalia* in the other *Vertebrata* 1869, 391

JESSE, WILLIAM, C.M.Z.S.

- Report of Proceedings in connexion with the Abyssinian Expedition 1869, 111

JOHNSON, JAMES YATE, C.M.Z.S.

- Description of a New Species of *Cancer* obtained at Madeira 1861, 240
- Description of a Second Species of *Acanthogorgia* (Gray) 1861, 296
- Notes on the Sea-Anemones of Madeira, with Descriptions of New Species 1861, 298
- Remarks on a Specimen of *Alepisaurus ferox* recently obtained at Madeira 1862, 126
- Descriptions of some New Genera and Species of Fishes obtained at Madeira 1862, 167
- Descriptions of some New Corals from Madeira . . 1862, 194
- Descriptions of Two Corals from Madeira, belonging to the Genera *Primnoa* and *Mopsea* 1862, 245
- Descriptions of Five New Species of Fishes obtained at Madeira 1863, 36
- Description of a New Species of Macrurous Decapod Crustacean belonging to the Genus *Pencæus*, from the Coast of Portugal 1863, 255
- Description of a New Siliceous Sponge from the Coast of Madeira 1863, 257
- Descriptions of Three New Genera of Marine Fishes obtained at Madeira 1863, 403

JOHNSON, JAMES YATE, C.M.Z.S. (*continued*).

Description of a New Species of Flexible Coral belonging to the Genus *Juncella*, obtained at Madeira . . . 1863, 505

Description of a New Genus of Trichiuroid Fishes obtained at Madeira, with Remarks on the Genus *Dicrotus*, Günther, and on some allied Genera of *Trichiuridae* 1865, 434

Description of *Trachichthys darwinii*, a New Species of Berycoid Fish from Madeira 1866, 311

Description of a New Genus of *Spinacidae*, founded upon a Shark obtained at Madeira 1867, 713

Descriptions of a New Genus and a New Species of Macrurous Decapod Crustaceans belonging to the family *Penaeidae*, discovered at Madeira 1867, 895

KAUP, DR. J. J., C.M.Z.S., Director of the Grand-Ducal Museum, Darmstadt.

Description of Two New Species of the Genus *Bacillus*, Latr. 1866, 577

On the *Nisi* and *Astures* of the Indian Archipelago and of New Holland 1867, 168

KENT, WILLIAM S., F.Z.S.

On a new British Nudibranch (*Embletonia grayi*) . . . 1869, 109

KIRK, JOHN, M.D., F.L.S., C.M.Z.S.

List of Mammalia met with in Zambesia, East Tropical Africa 1864, 649

Letter containing a Reply to the Observations of Dr. W. Peters, F.M.Z.S., relating to *Gerrhosaurus robustus* 1865, 227

Note on the Land and Freshwater Shells of the Zambesi and Lake Nyassa, Eastern Tropical Africa, with a correction to a previous communication on the Mammals of the same region 1865, 231

Letter relating to the Animals of Zanzibar 1867, 952

KNOCKER, Commander Hugh H., R.N., C.M.Z.S.

On Pelagic Shells collected during a Voyage from
Vancouver Island to this Country 1868, 615

KNOX, ARTHUR E., F.Z.S.

Remarks on the Date of Extinction of the Mole and
Weasel in Ireland 1863, 510

KREFFT, GERARD, Curator and Secretary, Australian Mu-
seum, Sydney, New South Wales, C.M.Z.S.

Note on *Furina textilis* 1862, 149

Notes upon Australian Snakes, and their Geogra-
phical Distribution 1862, 224

Description of a New Species of the Genus *Dromicia*
discovered in the Neighbourhood of Sydney 1863, 49

Description of a New Species of *Hoplocephalus* with
Keeled Scales 1863, 86

On the Batrachians occurring in the Neighbourhood
of Sydney, with Remarks upon their Geographical
Distribution 1863, 386

Description of *Aspidiotes melanocephalus* 1864, 20

Descriptions of Three New Species of Australian
Snakes 1864, 180

Notes on Australian Freshwater Fishes, and De-
scriptions of Four New Species 1864, 182

Description of a New Species of Rock-Kangaroo
from New South Wales 1865, 324

Notice of a New Species of Sperm-Whale belonging
to the Genus *Euphysetes* of MacLeay 1865, 708

Descriptions of Three Species of Snakes of the Genus
Hoplocephalus 1866, 370

On the Classification of the small *Dasyuridae* of
Australia, with Descriptions of Two New Genera and
One New Species 1866, 431

KREFFT, GERARD, C.M.Z.S. &c. (*continued*).

Notes on the Mammals and Birds of Cape York, with Descriptions of Two New Rodents of the Genus <i>Hapalotis</i>	1867, 316
Description of a New Species of Cassowary from Northern Queensland	1867, 482
Descriptions of some New Australian Freshwater Fishes	1867, 942
Notes on Australian Zoology	1868, 2
Letter from, relating to the discovery of an extinct species of <i>Echidna</i> in Australia	1868, 49
Letter from, relating to a large specimen of a Skate (<i>Cephaloptera</i>)	1868, 531
Descriptions of New Australian Snakes	1869, 318
Description of a gigantic Amphibian allied to the Genus <i>Lepidosiren</i> , from the Wide-Bay District, Queensland	1870, 221
Notes on the Skeleton of a rare Whale, probably identical with <i>Dioplodon sechellensis</i>	1870, 426

LANDBECK, HERR E. L.

Extract from a Letter addressed to the Secretary by, relating to the Humming-birds of Juan Fernandez ..	1866, 557
--	-----------

LATIMER, GEORGE, Austrian Consul at Porto Rico.

Letter from, offering to forward <i>Manatees</i> for the Society's Menagerie	1864, 167
---	-----------

LAYARD, EDGAR LEOPOLD, F.Z.S., Keeper of the South-
African Museum, Cape Town.

Notes on the Whales of the Cape	1865, 357
Extract of a Letter from, addressed to Dr. J. E. Gray, on a new Zebra	1865, 417
Letter addressed to the Secretary, communicating the Habits &c. of <i>Saricola spectabilis</i>	1865, 619

	Page
LAYARD, EDGAR LEOPOLD, F.Z.S. &c. (continued).	
Letter from, containing a description and drawings of a <i>Gymnetrus</i> captured in Table Bay	1868, 319
Letter from, relating to a Ribbonfish lately cast ashore at Simon's Bay	1869, 135
Letter from, relating to the habits during Nidification of the Hornbills (<i>Buceros</i>)	1869, 529
LEADBEATER, B., F.L.S., F.Z.S.	
Exhibition of fine examples of the Heads and Horns of <i>Ovis ammon</i>	1861, 235
Exhibition of the Heads of three Stags shot by Col. Sarel at Pekin	1861, 368
Exhibition of a Hybrid Duck between the Pintail and the Teal, and of a Hybrid between the Common and Silver Pheasants	1862, 84
Exhibition of a stuffed specimen of a Lesser Bird of Paradise from the collection of Lord Braybrooke, which had been formerly alive in England	1862, 153
Exhibition of specimens of Eggs of a species of <i>Rhea</i>	1863, 1
Exhibition of castings of a Bee-eater	1863, 159
Exhibition of a young <i>Apteryx owenii</i>	1864, 1
Exhibition of Horns of the Cariboo (<i>Tarandus rangifer</i>)	1864, 139
Exhibition of a remarkable pair of tusks of the Indian Elephant	1864, 195
LEGGE, W. VINCENT, F.Z.S.	
Notes on the Habits of the Collared Plain-Wanderer (<i>Pedionomus torquatus</i> , Gould)	1869, 236
Notes on a Malurine Bird from Ceylon	1870, 673
LESSONA, Professor (of Turin).	
Notes on <i>Salamandrina perspicillata</i> . Communicated by Mr. St. George Mivart	1868, 254

LILFORD, LORD, F.Z.S.

- Letter from, respecting *Otus capensis* 1870, 2

LILLJEBORG, WILHELM, F.M.Z.S., Professor of Zoology at
the University of Upsala, in Sweden.

- On certain Skeletons of Whales in the Jardin des
Plantes. Extract from a letter to Dr. J. E. Gray . . 1865, 730

- Outlines of a systematic Review of the Class of Birds 1866, 5

- Note on the Geographical Distribution of the Nar-
whal (*Monodon monoceros*) 1866, 559

- Description of *Halcrosia afzelii*, a new Crocodile
from Sierra Leone, West Africa 1867, 715

LLOYD, W. ALFORD.

- Letter from, describing the new Aquarium-house
lately erected in the Zoological Society's Gardens at
Hamburg, and the improved system of management
of Aquaria pursued in that establishment 1865, 397

LORD, J. K., F.Z.S.

- On Two New Species of Mammals 1863, 95

- Notes on the use of a species of Shell of the Family
Dentaliidae by the Natives of Vancouver's Island
and British Columbia 1864, 137

- Notes on the *Urotrichus* 1864, 161

MACALISTER, ALEXANDER, M.D., C.M.Z.S., Demonstrator
of Anatomy, Royal College of Surgeons, Ireland.

- On some Points in the Anatomy of *Globiocephalus*
svineval (Gray) 1867, 477

- Note on *Gyropus dicotylis*, a new Species of Parasite 1869, 420

MACDONALD, JOHN DENIS, M.D., F.R.S., C.M.Z.S., Staff
Surgeon, R.N.

- On the Characters of a Type of a proposed new
Genus of *Mugilidae* inhabiting the Fresh Waters of
Viti Levu, Feejee Group; with a brief account of the
Native Mode of capturing it 1869, 38

	Page
MACDONALD, JOHN DNIS, M.D., F.R.S., &c. (continued).	
On an apparently new Genus of minute Parasitic Cirripeds, between <i>Lepas</i> and <i>Dichelaspis</i>	1869, 440
MACDONALD, J. D., M.D., F.R.S., and BARRON, CHARLES, Curator of the Haslar Museum.	
On a Supposed New Species of <i>Galeocerdo</i> from the Southern Seas	1868, 368
Notes on <i>Heptranchus indicus</i> , chiefly as regards Sexual Characters. With drawings from nature by Dr. Macdonald	1868, 371
MARSHALL, C. H. T., F.Z.S., and MARSHALL, G. F. L., F.Z.S.	
Notes on the classification of the <i>Capitonidae</i>	1870, 117
MEYER, ADOLF BERNHARD, M.D.	
Some Remarks on the Poison-glands of the Genus <i>Callophis</i>	1870, 368
MILNE-EDWARDS, ALPHONSE, C.M.Z.S.	
Letter from, relating to M. Grandidier's discoveries in Madagascar	1869, 1
MIVART, St. GEORGE J., F.L.S., F.Z.S., Lecturer on Comparative Anatomy at St. Mary's Hospital.	
Notes on the Crania and Dentition of the <i>Lemuridae</i>	1864, 611
Notes on the Myology of a Specimen of <i>Cercopithecus sabæus</i>	1865, 43
Contributions towards a more Complete Knowledge of the Axial Skeleton in the <i>Primates</i>	1865, 545
On the Structure and Affinities of <i>Microrhynchus laniger</i>	1866, 151
Memoir on the "Appendicular Skeleton of the Orang (<i>Simia</i>)"	1866, 558
On the Skull of <i>Indris diadema</i>	1867, 247
On <i>Plethodon persimilis</i> of Gray	1867, 695

MIVART, St. GEORGE J., F.L.S. &c. (*continued*).

Notes on the Myology of <i>Iguana tuberculata</i>	1867, 766
Additional Notes on the Osteology of the <i>Lemuridæ</i>	1867, 960
Notes on <i>Salamandrina perspicillata</i> by Prof. Lessona	1868, 254
On <i>Pachybatrachus robustus</i> , a new Genus of Anu- rous Batrachians	1868, 557
Notes on <i>Pachybatrachus robustus</i>	1869, 227
Notes on the Myology of <i>Menopoma alleghaniense</i>	1869, 254
On the Classification of the Anurous Batrachians	1869, 280
Notes on the Myology of <i>Menobrachus lateralis</i> . .	1869, 450
On the Axial Skeleton of the <i>Urodela</i>	1870, 260
On the Myology of <i>Chamæleon parsonii</i>	1870, 850

MIVART, St. GEORGE J., F.L.S., and MURIE, JAMES, M.D.

Observations on the Anatomy of <i>Nycticebus tardi- gradus</i>	1865, 240
On the Myology of <i>Hyrax capensis</i>	1865, 329
Memoir on the Anatomy of the <i>Lemuroidea</i>	1866, 168
On the Anatomy of the Crested Agouti (<i>Dasyprocta cristata</i> , Desm.)	1866, 383

MONTEIRO, J. J., C.M.Z.S.

Exhibition of a living Pigeon (<i>Columba arquatrix</i>) from Benguela	1864, 18
Notes on Birds collected in Benguela	1865, 89
Notes on the Birds of Angola.—Part I.	1869, 563
Notes on the Birds of Angola.—Part II.	1870, 142

MONTEIRO, L. A.

Letter from, on the habits of <i>Cynocephalus anubis</i> .	1863, 238
--	-----------

MOORE, FREDERIC.

List of Diurnal Lepidoptera collected by Capt. A. M. Lang in the N.W. Himalayas	1865, 486
--	-----------

	Page
MOORE, FREDERIC (<i>continued</i>).	
On the Lepidopterous Insects of Bengal	1865, 755
On the Lepidopterous Insects of Bengal.—Part II.	1867, 44
On the Lepidopterous Insects of Bengal.—Part III.	1867, 612
MOORE, FREDERIC, and WALLACE, A. R., F.Z.S.	
List of Lepidopterous Insects collected at Takow, Formosa, by Mr. R. Swinhoe	1866, 355
MOORE, T. J., C.M.Z.S., Keeper of the Derby Museum, Liverpool.	
On the Habitat of the Derbyan Crested Screamer (<i>Chauna derbiana</i>)	1866, 368
MÜRCH, OTTO A. L., of Copenhagen, C.M.Z.S.	
Review of the <i>Vermetidæ</i> (Part I.)	1861, 145
Review of the <i>Vermetidæ</i> (Part II.)	1861, 326
Review of the <i>Vermetidæ</i> (Part III.)	1862, 54
On the Genera of Mollusca established by H. F. Link in the Catalogue of the Rostock Museum	1862, 226
Supplementary Notes to the Review of <i>Vermetidæ</i>	1865, 96
MOTLEY, JAMES.	
Observations on the Birds of South-eastern Borneo	1863, 206
MUELLER, Dr. FERDINAND VON, F.R.S., C.M.Z.S.	
Letter concerning the Australian Cassowary	1867, 241
Communication from, containing a List of Birds occurring in the Botanic Gardens, Melbourne	1869, 279
MURIE, JAMES, M.D., Prosector to the Society.	
On the Anatomy of a Fin-Whale (<i>Physalus anti- quorum</i>) captured near Gravesend	1865, 206
On Deformity of the Lower Jaw in the Cachalot (<i>Physeter macrocephala</i> , Linn.)	1865, 390

MURIE, JAMES, M.D. &c. (continued).

On a Leech (<i>Trocheta subviridis</i> , Dutroch.) found in the Viscera of a Moluccan Deer (<i>Cervus moluccensis</i> , Müller)	1865, 659
Notes on a Spider Monkey (<i>Ateles cucullatus</i> , Gray) lately living in the Society's Menagerie	1865, 739
Observations upon <i>Presbytes albigena</i> , Gray, and <i>Colobus guereza</i> , Rüpp.	1865, 740
Note upon the Abnormality of a Tail-feather in a male Scemmering's Pheasant	1865, 746
On the Identity of the Hairy-nosed Wombat (<i>Phascodomys lasiorhinus</i> , Gould) with the Broad-fronted Wombat (<i>P. latifrons</i> , Owen), with further Observations on the several Species of the Genus	1865, 838
Notes on the Markhore and the Chimpanzee	1866, 35
Supplementary Notes on the Red-bellied Monkey (<i>Cercopithecus erythrogaster</i> , Gray)	1866, 380
On the Llama and Alpaca in their Summer Dress	1866, 580
On the Occurrence of <i>Æstrus tarandi</i> , Linn., in a Reindeer in the Society's Gardens	1866, 590
Account of a Case of Malformation in the Generative Organs of a Cow	1866, 592
Remarks on an Antelope from the White Nile, allied to or identical with the <i>Kobus sing-sing</i> of Gray	1867, 3
On <i>Cygnus buccinator</i> , Richardson, and <i>Cygnus passmori</i> , Hincks	1867, 8
On the Cause of Death of the Sea-Bear (<i>Otaria hookeri</i>) lately living in the Society's Gardens	1867, 243
On the Tracheal Pouch of the Emu (<i>Dromæus novæ-hollandiæ</i> , Vieill.)	1867, 405
On the Dermal and Visceral Structures of the Kagu (<i>Rhinochetus jubatus</i>)	1867, 475
Notice of a Memoir on the Anatomy of the Pilot Whale (<i>Globiocephalus melas</i>)	1867, 686

MURIE, JAMES, M.D. &c. (*continued*).

On the Platyrhine Wombat (<i>Phascolomys platyrhinus</i> , Owen)	1867, 798
On the Morbid Appearances observed in the Walrus lately living in the Society's Gardens. With a description of a New Species of <i>Ascaris</i> found in the Stomach, by Dr. Baird, F.L.S.	1868, 67
Exhibition of some specimens of young Anthropoid Apes	1868, 157
Remarks on a Rat lately living in the Society's Gardens	1868, 157
On the Nocturnal Ground-Parrakeet (<i>Geopsittacus occidentalis</i> , Gould).....	1868, 158
Extract of a Letter addressed to him by Rev. W. Hincks on <i>Cygnus passmori</i>	1868, 211
Exhibition of supposed examples of Salmon reared in the Society's Fish-house	1868, 213
On the supposed Arrest of Development of the Salmon when retained in Fresh water	1868, 247
Notice of the first portion of a Memoir on the Anatomy of the Sea-Bear (<i>Otaria</i>)	1868, 254
Observations concerning the presence and function of the Gular Pouch in <i>Otis kori</i> and <i>Otis australis</i> ..	1868, 471
Exhibition of, and remarks upon, two Malformed Hoofs of Cattle	1869, 59
Report on the Eared Seals collected by the Society's Keeper François Lecomte in the Falkland Islands ..	1869, 100
Note on the Sublingual Aperture and Spincter of the Gular Pouch in <i>Otis tarda</i>	1869, 140
Additional Memoranda as to the Irregularity in the Growth of Salmon	1870, 30
On a Larval <i>Æstrus</i> found in the Hippopotamus ..	1870, 77
Note on a Specimen of <i>Aquila barthelemyi</i> recently living in the Society's Gardens	1870, 80

MURIE, JAMES, M.D. &c. (*continued*).

Notes on the Anatomy of the Prongbuck, <i>Antilocapra americana</i>	1870, 334
On the Saiga Antelope, <i>Saiga tartarica</i> (Pall.) . .	1870, 451
Notice of a Memoir on the Anatomy of the Walrus	1870, 544
On <i>Phoca grænlandica</i> , Müll. : its Modes of Progression and its Anatomy	1870, 604
On a probably New Species of <i>Tænia</i> from the Rhinoceros	1870, 608
On a case of Variation of the Horns of a Panolian Deer	1870, 611
Notice of a Memoir on the Manatee	1870, 747
Notice of the Second Part of a Memoir on the Anatomy of the Sea-lion	1870, 802

MURIE, JAMES, M.D., Prosector to the Society, and BARTLETT, A. D., Superintendent of the Society's Gardens.

On the Movement of the Symphysis of the Lower Jaw in the Kangaroos	1866, 28
--	----------

MURIE, James, M.D., Prosector to the Society, and MIVART, ST. GEORGE J., F.L.S., F.Z.S., Lecturer on Comparative Anatomy at St. Mary's Hospital.

Observations on the Anatomy of <i>Nycticebus tardigradus</i>	1865, 240
On the Myology of <i>Hyrax capensis</i>	1865, 329
Memoir on the Anatomy of the <i>Lemuroidea</i>	1866, 168
On the Anatomy of the Crested Agouti (<i>Dasyprocta cristata</i> , Desm.)	1866, 383

MURRAY, ANDREW, F.L.S.

Description of <i>Sphyrocephalus labrosus</i> , a New Bat from Old Calabar River, Western Africa	1862, 8
--	---------

	Page
MURRAY, ANDREW, F.L.S. (continued).	
Remarks on a New Crocodile from the Old Calabar River, West Africa	1862, 139
Description of <i>Crocodilus frontatus</i> , a New Crocodile from Old Calabar River, West Africa	1862, 213
Remarks on the Minor Characters of Mammalia ..	1866, 146
On <i>Galago murinus</i> , Murray	1866, 560
Note on the Alleged Occurrence of the Rhinoceros in Borneo	1868, 440
Exhibition of some articles sold as food in the market of Old Calabar	1869, 530
NATION, Prof. WILLIAM, of Lima, Peru, C.M.Z.S.	
Letter from, respecting certain Reptiles destined for the Society	1865, 397
On the Birds of the vicinity of Lima, Peru. By P. L. SCLATER, M.A., Ph.D., F.R.S. With Notes on their Habits by Prof W. Nation.—Part I.	1866, 100
Part II.	1867, 340
Part III.	1869, 146
NEALE, E. VANSITTART, F.Z.S.	
On Typical Selection, as a means of removing the difficulties attending the Doctrine of the Origin of Species by Natural Selection	1861, 1
NEVILL, GEOFFREY, C.M.Z.S.	
Notes on some of the Species of Land Mollusca inhabiting Mauritius and the Seychelles	1868, 257
Additional Notes on the Land-Shells of the Seychelles Islands	1869, 61
NEWTON, ALFRED, M.A., F.L.S., F.Z.S., Professor of Zoology and Comparative Anatomy in the University of Cambridge.	
Description of a New Species of Water-Hen (<i>Galinula</i>) from the Island of Mauritius ..	1861, 18

NEWTON, ALFRED, M.A., F.L.S., &c. (*continued*).

Remarks on Pallas's Sand-Grouse (<i>Syrrhaptes paradoxus</i>).....	1861, 203
On a Hybrid Duck.....	1861, 392
On some New or Rare Birds' Eggs	1861, 393
Exhibition of a Nest containing seventeen hatched-out eggs of <i>Ortyx virginianus</i>	1862, 2
Remarks on the <i>Fringilla incerta</i> of Risso	1862, 128
Exhibition of some Birds collected in Madagascar by Mr. E. Newton and Dr. Roch, Corresponding Members	1862, 142
On the Breeding of the Nutcracker (<i>Nucifraga caryocatactes</i>)	1862, 206
On a New Bird from the Island of Madagascar ..	1863, 85
On an Illustration of the Manner in which Birds may occasionally aid in the Dispersion of Seeds	1863, 127
On Two New Birds from Madagascar	1863, 180
Remarks on the Exhibition of a Natural Mummy of <i>Alca impennis</i>	1863, 435
On the Breeding of the Green Sandpiper	1863, 529
Notes on the Zoology of Spitzbergen	1864, 494
On Two New Birds from the Island of Rodriguez .	1865, 46
Exhibition of a specimen of <i>Porzana carolina</i> , lent to him by Mr. H. S. Eyre, shot at Newbury	1865, 196
On some recently discovered Bones of the largest known species of Dodo (<i>Didus nazarenus</i>)	1865, 199
Exhibition of specimens of several new or little-known Birds' Eggs.....	1865, 256
On a remarkable Discovery of Didine Bones in Rodriguez	1865, 715
Announcement of the discovery of some Bones of the Dodo in Mauritius	1865, 732

NEWTON, ALFRED, M.A., F.L.S., &c. (*continued*).

List of Animals collected at Mohambo, Madagascar, by Mr. W. T. Gerrard	1865, 832
Exhibition of a specimen of the <i>Sylvia aquatica</i> ..	1866, 210
On some New or Rare Birds' Eggs	1867, 161
Notice of an original picture of a Didine Bird	1867, 179
Exhibition of the humerus of a Pelican from the Cambridgeshire Fens	1868, 2
Exhibition of a Skin of the North-American <i>Zonotrichia albicollis</i> shot in Scotland	1870, 52
On <i>Cricetus nigricans</i> as a European Species	1870, 331
Exhibition of Skins of Falcons from Alaska	1870, 384
Exhibition of a Chick of <i>Anarhynchus frontalis</i> ..	1870, 673

NEWTON, EDWARD, M.A., C.M.Z.S.

Descriptions of some New Species of Birds from the Seychelles Islands	1867, 344
Correction of a Misprint in the Society's 'Proceedings'	1867, 821

ORDE, Capt. J. W. P., F.Z.S.

Exhibition of a specimen of a black variety of the Water-Vole (<i>Arvicola amphibius</i> ?) and a Red-crested Duck (<i>Branta rufina</i>)	1862, 163
--	-----------

OSBURN, W.

Notes on the <i>Cheiroptera</i> of Jamaica. Communicated by the Secretary	1865, 61
---	----------

OWEN, Professor RICHARD, D.C.L., F.Z.S., F.R.S., F.L.S., F.G.S., Superintendent of the Natural-History Collections, British Museum.

Memoir on the Anatomy of the Aye-aye.—Part I. .	1862, 11
Memoir on the Anatomy of the Aye-aye.—Part II.	1862, 13
Memoir on the Skeleton of the Great Auk (<i>Alca impennis</i>)	1864, 258

OWEN, Prof. RICHARD, D.C.L., F.R.S., &c. (*continued*)

Memoir on <i>Dinornis</i> , being the ninth of a series of Contributions to the Society's 'Transactions' on this subject	1864, 648
Tenth Memoir on the extinct Dinornithine Birds of New Zealand	1865, 438
On the Morbid Appearances observed in the Dissection of the Penguin (<i>Aptenodytes forsteri</i>)	1865, 438
Descriptions of New Species of Indian Cetaceans observed and collected by Walter Elliot, Esq., F.Z.S.	1865, 511
Memoir on the Osteology of the Dodo	1866, 4
Notice of two Memoirs on the extinct Birds of the Genus <i>Dinornis</i>	1867, 891
Notice of the Thirteenth Part of a series of Memoirs on the extinct Birds of the Genus <i>Dinornis</i>	1868, 404
Notice of the Fourteenth Part of his series of Memoirs on <i>Dinornis</i>	1869, 59
Remarks on Dr. Haast's Letter on the Discovery of Cooking-pits and Kitchen-middens in Canterbury Settlement, Middle Island, New Zealand	1870, 53
Notice of his Fifteenth Memoir on <i>Dinornis</i>	1870, 128
Notice of his Sixteenth Memoir on <i>Dinornis</i>	1870, 334
See also HILL, E. S., and ELLIOT, Sir WALTER, K.C.S.I., F.Z.S.	

PARKER, W. K., F.R.S., F.Z.S.

Abstract of a Memoir on the Osteology of the genera <i>Pterocles</i> , <i>Syrrhaptes</i> , <i>Hemipodius</i> , and <i>Tinamus</i>	1862, 253
On the Systematic Position of the Crested Screamer	1863, 511
On the Osteology of the Kagu (<i>Rhinochetus jubatus</i>)	1864, 70
On the Sternal Apparatus of Birds and other Vertebrata	1864, 339
On the Osteology of <i>Microglossa alecto</i>	1865, 235

PARKER, W. K., F.R.S., F.Z.S. (*continued*).

- Preliminary Notes on some Fossil Birds from the
Zebbug Cave, Malta 1865, 752
- Notice of a Memoir on the Osteology of the Kagu
(*Rhinochetus jubatus*) 1868, 2

PASCOE, F. P., F.L.S., F.Z.S.

- Catalogue of Longicorn Coleoptera collected in the
Island of Penang by James Lamb, Esq.—Part I. . . 1866, 222
- Catalogue of Longicorn Coleoptera collected in the
Island of Penang by James Lamb, Esq.—Part II. . . 1866, 504
- Exhibition of *Taphroderes distortus* from Natal . . 1869, 429

PEASE, W. HARPER, C.M.Z.S.

- Description of a New Species of Mollusca from the
Pacific Islands 1861, 242
- Descriptions of Two New Species of *Helicter* (*Acha-*
tinella, Swains.), from the Sandwich Islands, with a
History of the Genus 1862, 3
- Description of a New Genus of Marine Shells from
the Sandwich Islands 1862, 240
- Descriptions of New Species of Marine Shells from
the Pacific Islands 1862, 240
- Descriptions of New Species of Shells from the
Pacific Islands 1862, 243
- Descriptions of New Species of Marine Shells from
the Pacific Islands 1862, 278
- Letter from, on errors and omissions in former
communications 1863, 510
- Descriptions of New Species of Land-Shells from
the Islands of the Central Pacific. (Communicated by
Dr. P. P. Carpenter.) 1864, 668
- Remarks on the Species of *Succinea* inhabiting the
Tahitian Archipelago, with Description of a New
Species 1864, 676

PEASE, W. HARPER, C.M.Z.S. (*continued*).

On the Synonymy of <i>Sistrum cancellatum</i>	1865, 52
Description of a New Species of <i>Latirus</i> , and Remarks on others, inhabiting the Pacific Islands ..	1865, 53
Descriptions of New Genera and Species of Marine Shells from the Islands of the Central Pacific. (Com- municated by Dr. P. P. Carpenter)	1865, 512
Descriptions of the Animals of certain Genera of <i>Auriculidæ</i>	1869, 59
On the Classification of the <i>Helicterinæ</i>	1869, 644
Remarks on the Genus <i>Triphoris</i> (Desh.), with Descriptions of New Species	1870, 773

PERRIN, J. B.

Notes on the Anatomy of <i>Balenoptera rostrata</i> ..	1870, 805
--	-----------

PETERS, DR. WILLIAM, Director of the Royal Zoological
Museum, Berlin, F.M.Z.S.

On the Asiatic Snake called <i>Taphrometopon lineola-</i> <i>tum</i> by Prof. Brandt	1861, 47
Note on the <i>Galago demidoffii</i> of Fischer	1863, 380
Extract of a Letter from	1864, 377
Note on the Systematic Position of <i>Platacan-</i> <i>thomys lasiurus</i>	1865, 397
Notes on the Mammalia observed by Dr. Welwitsch in Angola	1865, 400
On some Mammalia collected by Capt. A. C. Beavan C.M.Z.S., at Moulmein, Burmah	1866, 426
On <i>Taphozous flaviventris</i> , Gould, a New Species of Bat from Australia	1866, 430
Note on a Collection of Bats from Trinidad	1866, 430
Note on a Bat from the Azores	1866, 558
Note on a Collection of Mice made by Capt. A. C. Beavan at Maubhoum in 1865	1866, 558.

	Page
PETERS, DR. WILLIAM, F.M.Z.S. &c. (continued).	
Note on the Homology of the tympanic Bone	1867, 953
Extract of a Letter from, relating to the locality of <i>Lophiomys imhausii</i>	1868, 183
Letter from, on a Pteropine Bat lately living in the Society's Menagerie	1868, 531
Notice of a Memoir on <i>Pectinator</i>	1870, 673
PFEIFFER, Dr. L., C.M.Z.S.	
Descriptions of Forty-seven New Species of Land- shells from the Collection of H. Cuming, Esq.	1861, 20
Descriptions of New Land-shells in the Collection of H. Cuming, Esq.	1861, 190
Descriptions of Sixteen New Species of Land-shells from the Collection of H. Cuming, Esq.	1861, 386
Descriptions of Eight New Species of <i>Cyclostomacea</i> , from the Collection of H. Cuming, Esq.	1862, 115
Description of a New Species of <i>Helix (Nanina)</i> . .	1862, 117
Descriptions of Thirty-six New Land-shells, from the Collection of H. Cuming, Esq.	1862, 268
Descriptions of Ten New Species of Land-shells, from the Collection of G. French Angas, Esq.	1863, 526
Descriptions of Seven New Species of Land-shells, from the Collection of H. Cuming, Esq.	1864, 603
Descriptions of Thirteen New Species of Land- shells from Formosa, in the Collection of the late Hugh Cuming, collected by Mr. Robert Swinhoe, Vice-Consul of that island	1865, 828
Descriptions of Five New Species of Land-shells, from the Collection of the late Hugh Cuming	1865, 831
PHILIPPI, Dr. R. A., C.M.Z.S.	
Letter from, relating to certain Birds of Chili	1868, 531

PLAYFAIR, Lieut.-Col. R. L., F.Z.S., H.M. Consul-General
in Algeria.

On the Fishes of Cachar	1867, 14
The Fishes of Seychelles	1867, 846
On a Collection of Fishes from Madagascar	1868, 9
Further Contributions to the Ichthyology of Zanzibar	1869, 239
Note on a Freshwater Fish from the Neighbourhood of Aden	1870, 85

PONTON, THOMAS GRAHAM, F.Z.S.

A Review of some of the Species of the Genera <i>Melo</i> and <i>Cymba</i> of Broderip	1868, 374
Communication from, concerning the arrangement of the Shells of the Genus <i>Mangelia</i>	1869, 249

POWERSCOURT, VISCOUNT, F.Z.S.

Exhibition, through Mr. Fraser, of an enormous pair of Antlers with forty-four points	1862, 142
--	-----------

PRIME, TEMPLE, of New York.

Descriptions of Three New Species of Shells belong- ing to the Family of <i>Cyclades</i>	1862, 2
---	---------

QUELCH, T. J.

Exhibition of a supposed hybrid fish of the Genus <i>Rhombus</i>	1869, 473
---	-----------

RAMSAY, EDWARD P., of Dobroyde, New South Wales,
C.M.Z.S.

Notes upon the Cuckoos found near Sydney, New South Wales	1865, 460
Note on the Nidification of <i>Mirafra horsfieldi</i>	1865, 689
Description of a New Species of <i>Atrichia</i> from the Richmond River, New South Wales	1866, 438
Remarks upon the New Species of <i>Atrichia</i> and on <i>A. clamosa</i> of the West Coast	1866, 439

	Page
RAMSAY, EDWARD, P., C.M.Z.S. (continued).	
Notes on the most frequent Foster-parents of the Cuckoos of Australia	1866, 571
Note on the Nidification of <i>Baza subcristata</i>	1867, 392
Note on the Eggs of the Australian Stilt-Plover (<i>Himantopus leucocephalus</i>)	1867, 600
Letter from, relating to the nesting of the Lyre-bird	1868, 49
On certain New and Rare species of Birds found at Rockingham Bay, Queensland	1868, 381
Some further Remarks on the Cuckoos found in the Neighbourhood of Sydney, and their Foster-parents .	1869, 359
READE, W. WINWOOD.	
Notes on the Derbyan Eland, the African Elephant, and the Gorilla	1863, 169
REEVE, LOVELL, F.L.S., F.Z.S.	
On a New Form of <i>Physa</i> , of the Section <i>Ameria</i> , received from George French Angas, Esq., of Angaston, South Australia, Corresponding Member of the Society	1862, 105
REINHARDT, Prof. J., F.M.Z.S.	
Letter from, relating to <i>Potamochoærus porcus</i> and <i>Pteronura sandbachii</i>	1869, 55
RODD, E. H.	
Letter from, announcing the recent occurrence in Cornwall of a female specimen of <i>Scolopax sabini</i>	1862, 13
ROLLESTON, Professor GEORGE, M.D., F.Z.S., &c.	
On the form of the Placenta in the Tenrec	1863, 237
ROWLEY, GEORGE DAWSON, M.A., F.Z.S.	
On the Egg of <i>Æpyornis</i> , the Colossal Bird of Madagascar	1867, 892
Exhibition of, and Remarks upon, a rare Asiatic Thrush (<i>Turdus atrigularis</i>) shot near Lewes	1869, 4

ROWLEY, GEORGE DAWSON, M.A., F.Z.S. (*continued*).

- Exhibition of, and Observations on, some British-killed Pipits 1869, 249
- Exhibition of Specimens of the Siberian Lark, and of some other rare British Birds 1870, 52

SALVADORI, THOMAS, M.D., C.M.Z.S.

- Description of a New Species of the Genus *Leucosticte* 1868, 579

SALVIN, OSBERT, M.A., F.Z.S.

- Descriptions of Three New Species of Birds from Guatemala 1861, 202
- On a Collection of Reptiles from Guatemala 1861, 227
- On a New Species of *Calliste* from Costa Rica 1863, 168
- Descriptions of Thirteen New Species of Birds discovered in Central America by Frederick Godman and Osbert Salvin 1863, 186
- Descriptions of Seventeen New Species of Birds from Costa Rica 1864, 579
- Descriptions of Eight New Species of Birds from Veragua 1866, 67
- On some Collections of Birds from Veragua 1867, 129
- On some Collections of Birds from Veragua.—Part II. 1870, 175

SALVIN, OSBERT, F.Z.S., and SCLATER, PHILIP LUTLEY.

- Notes on a collection of Birds from the Isthmus of Panama 1864, 342
- Catalogue of Birds collected by Mr. E. Bartlett on the River Ucayali, Eastern Peru, with Notes and Descriptions of New Species 1866, 175
- On some Additions to the Catalogue of Birds collected by Mr. E. Bartlett on the River Ucayali 1866, 566
- List of Birds collected on the Blewfields River, Mosquito Coast, by Mr. Henry Wickham 1867, 278
- List of Birds collected by Mr. Wallace on the Lower Amazons and Rio Negro 1867, 566

SALVIN, O., F.Z.S., and SCLATER, P. L. (*continued*).

Catalogue of Birds collected by Mr. E. Bartlett on the River Huallaga, Eastern Peru, with Notes and Descriptions of New Species	1867, 748
List of Birds collected at Pebas, Upper Amazons, by Mr. John Hauxwell, with Notes and Descriptions of New Species	1867, 977
On Peruvian Birds collected by Mr. H. Whitely.— Part I.	1867, 982
Descriptions of New Species of Birds of the Families <i>Dendrocolaptidæ</i> , <i>Strigidæ</i> , and <i>Columbidæ</i>	1868, 53
List of Birds collected at Conchitas, Argentine Republic, by Mr. William H. Hudson	1868, 137
On Venezuelan Birds collected by Mr. A. Goering.— Part I.	1868, 165
On Peruvian Birds collected by Mr. H. Whitely.— Part II.	1868, 173
Descriptions of New or little-known American Birds of the Families <i>Fringillidæ</i> , <i>Oxyrhamphidæ</i> , <i>Bucconidæ</i> , and <i>Strigidæ</i>	1868, 322
Descriptions of Four New Species of Birds from Veragua	1868, 388
Synopsis of the American Rails (<i>Rallidæ</i>)	1868, 442
On Peruvian Birds collected by Mr. H. Whitely.— Part III.	1868, 568
On Venezuelan Birds collected by Mr. A. Goering.— Part II.	1868, 626
Notes on the Species of the Genus <i>Asturina</i>	1869, 129
On Peruvian Birds collected by Mr. H. Whitely.— Part IV.	1869, 151
Second List of Birds collected at Conchitas, Argentine Republic, by Mr. William H. Hudson; together with some Notes upon another Collection from the same locality	1869, 158

SALVIN, O., F.Z.S., and SCLATER, P. L. (*continued*).

On Venezuelan Birds collected by Mr. A. Goering.— Part III.	1869, 250
On a Collection of Birds made by Mr. H. S. le Strange near the City of Mexico	1869, 361
Notes on the Species of the Genus <i>Micrastur</i>	1869, 364
Descriptions of six new Species of American Birds of the Families <i>Tanagridæ</i> , <i>Dendrocolaptidæ</i> , <i>Formi- cariidæ</i> , <i>Tyrannidæ</i> , and <i>Scolopacidæ</i>	1869, 416
On two new Birds collected by Mr. E. Bartlett in Eastern Peru	1869, 437
Descriptions of three new Species of Tanagers from Veragua	1869, 439
On Peruvian Birds collected by Mr. H. Whitely.— Part V.	1869, 596
Third List of Birds collected at Conchitas, Argentine Republic, by Mr. William H. Hudson	1869, 631
Characters of new Species of Birds collected by Dr. Habel in the Galapagos Islands	1870, 322
Synopsis of the <i>Cracidæ</i>	1870, 504
On some recent Additions to the Avifauna of Mexico	1870, 550
On Venezuelan Birds collected by Mr. A. Goering.	1870, 779
On Birds collected by Mr. George M. Whitely on the Coast of Honduras	1870, 835
Descriptions of five new Species of Birds from the United States of Columbia	1870, 840

SANDERS, ALFRED, M.R.C.S., F.Z.S.

Notes on the Myology of <i>Platydactylus japonicus</i> ..	1870, 413
---	-----------

SAUNDERS, HOWARD, F.Z.S.

Exhibition of some Flamingo's Eggs	1869, 432
Exhibition of Nestlings of the Booted Eagle	1870, 544

	Page
SAURIN, DUDLEY EDWARD.	
Notes on the Pheasants found in the neighbourhood of Pekin	1866, 436
SCHLEGEL, Dr. H., F.M.Z.S.	
Extract from a letter respecting <i>Casuarius unisp- pendiculatus</i>	1866, 168
Communication from, on Mammals and Birds col- lected in Madagascar	1866, 419
SCHOMBURGK, Sir ROBERT, H.M. Consul for Siam, Corr. Memb. Z.S.	
Letter from, respecting <i>Diardigallus crawfurdi</i> , with a description of the female bird	1862, 250
SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., F.L.S., &c., Secretary to the Society.	
Announcement of the transfer by Her Majesty the Queen of a specimen of <i>Phacochoerus æliani</i> to the care of the Society	1861, 30
Exhibition of a specimen of the American Meadow- Starling (<i>Sturnella ludoviciana</i>)	1861, 30
Exhibition of a specimen of a Caprimulgine Bird closely allied to <i>Cosmetornis vexillaria</i> , from the col- lection of E. Gabriel, Esq.	1861, 44
Exhibition of the Hoof of a Bull (<i>Bos taurus</i> , var. <i>domesticus</i>) from the Falkland Islands, belonging to Capt. Abbott	1861, 44
Additions and Corrections to the List of Birds of the Falkland Islands	1861, 45
Additions to the Menagerie during the month of December 1860	1861, 59
Exhibition of a living specimen of a Water-Tor- toise (<i>Chelodina longicollis</i>) from South Australia ..	1861, 59
Note on the Reproduction of the Red River-hog (<i>Potamochoerus penicillatus</i>) in the Society's Mena- gerie	1861, 63

	Page
SCLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (<i>continued</i>).	
List of a Collection of Birds made by the late Mr. W. Osburn in Jamaica, with Notes	1861, 69
Exhibition of an example of <i>Pentacrinus caput-medusæ</i>	1861, 87
Additions to the Menagerie during the months of January and February 1861	1861, 101
Characters of some New Species of American Passeres	1861, 127
On a New Species of the Genus <i>Copsychus</i> from Borneo	1861, 185
On the addition to the Menagerie of some Three-toed Sand-grouse and some rare Australian Finches	1861, 196
List of Animals presented to the Society by H.E. Sir George Grey, K.C.B., F.Z.S.	1861, 208
On a New Species of Bird of the Genus <i>Lipaugus</i> of Boié	1861, 209
Additions to the Menagerie during the months of March and April 1861	1861, 234
On the Island-Hen of Tristan d'Acunha	1861, 260
Additions to the Menagerie during the month of May 1861	1861, 264
Report on some specimens of Animals forwarded by Capt. Speke	1861, 268
Exhibition of a cast of the Skull of the Aye-Aye (<i>Chiromys madagascariensis</i>).....	1861, 306
Report of the return of Mr. Benstead from the Cape with a second collection of Animals, presented to the Society by Sir George Grey	1861, 307
Additions to the Menagerie during June 1861....	1861, 365
Additions to the Menagerie during July and August 1861	1861, 366
Additions to the Menagerie during September 1861	1861, 367
Additions to the Menagerie during October 1861..	1861, 368

SCLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (*continued*).

Exhibition of original drawings by Mr. Vigne of <i>Ovis cycloceros</i>	1861, 368
On a New Species of Finch, of the Genus <i>Sycalis</i> , from Mexico	1861, 376
Descriptions of Twelve New Species of American Birds, of the Families <i>Dendrocolaptidæ</i> , <i>Formicariidæ</i> , and <i>Tyrannidæ</i>	1861, 377
Exhibition of the Skins of an Otter from Amoy, and of a Hare from the Island of Formosa, forwarded by Mr. Swinhae	1861, 389
Report on a collection of Skins shipped by Mr. Swinhoe on board the 'Harkaway'	1861, 390
Note on the Ocellated Turkey of Honduras	1861, 402
Index generis <i>Elainææ</i> ex familia Tyrannidarum, additis novarum specierum diagnosibus	1861, 406
Exhibition of a tracing of the Outline of a Skull of the adult male <i>Rhinoceros sumatranus</i> , on behalf of Mr. E. Blyth, Corr. Memb.	1862, 1
Remarks on some specimens forwarded by Capt. Speke	1862, 12
On some Birds recently collected by M. Boucard in Southern Mexico	1862, 18
Additions to the Menagerie in November and De- cember 1861	1862, 22
Remarks on some Snakes received from Bahia	1862, 23
Extracts from Dr. G. Bennett's Letter respecting the Kagus intended to be sent by him to the Society, &c.	1862, 84
On a New Species of <i>Malacoptila</i> from Western Ecuador	1862, 86
Extracts from a Letter from Dr. G. Bennett, F.Z.S., announcing the shipment of a living Kagu for the Society, &c.	1862, 107

SCLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (*continued*).

Characters of Nine New Species of Birds received in collections from Bogota	1862, 109
On Two New Species of Tyrant-birds from Ecuador	1862, 113
Announcement of the arrival of two living Paradise-birds (<i>Paradisea papuana</i>) purchased for the Society by Mr. A. R. Wallace	1862, 123
Additions to the Menagerie during the months of January, February, and March 1862	1862, 139
Report of the arrival of a living Kagu, presented to the Society by Dr. George Bennett, F.Z.S., of Sydney	1862, 141
Note on the Deer of Formosa	1862, 150
Exhibition on behalf of Capt. J. W. P. Orde, F.Z.S., of a specimen of a black variety of the Water-Vole (<i>Arvicola amphibius</i> ?) and of a Red-crested Duck (<i>Branta rufina</i>)	1862, 163
Exhibition of Drawings representing the four known species of Wild Asses	1862, 163
Additions to the Menagerie during the months of April and May 1862	1862, 184
Remarks on some interesting additions to the Menagerie	1862, 186
Extracts from a Letter from Dr. Lamprey, dated Shanghai, July 31, 1862	1862, 220
Notice of a living Aye-aye (<i>Chiromys madagascariensis</i>) in the Society's Menagerie	1862, 222
Extracts from Letters from Dr. G. Bennett, F.Z.S.	1862, { 246 249
Letter from Sir Robert Schomburgk, H.M. Consul for Siam, respecting a <i>Diardigallus crawfurdi</i>	1862, 250
Note on the Japanese Bear	1862, 261
Additions to the Menagerie during the months of June, July, August, September, and October 1862	1862, 321

SCSLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (*continued*).

Notes on the Incubation of <i>Python sebae</i> , as observed in the Society's Gardens	1862, 365
On some Birds to be added to the Avifauna of Mexico	1862, 368
Additions to the Menagerie during the month of November 1862	1862, 376
Remarks on two rare Fruit-Pigeons living in the Society's Gardens	1863, 1
Additions to the Menagerie during the month of December 1862	1863, 47
Exhibition of a collection of insects and freshwater shells from Madagascar, transmitted to him by Mr. J. Caldwell, and notes respecting them communicated by Mr. Caldwell.....	1863, 48
On a New Species of <i>Pipra</i> from New Granada ..	1863, 63
Exhibition of a skin of the female <i>Diardigallus praelatus</i> , transmitted by Sir R. Schomburgk	1863, 76
On the American Spine-tailed Swifts of the Genus <i>Chaetura</i>	1863, 98
Announcement of the arrival of a collection of Indian Pheasants	1863, 104
List of the Species of <i>Phasianidæ</i> , with Remarks on their Geographical Distribution	1863, 113
On the Mammals and Birds collected in Madagascar by Dr. C. Meller	1863, 160
On a new Spine-tailed Swift from Western Africa	1863, 205
Observations on the Birds of South-eastern Borneo by the late James Mottley, Esq., of Banjermassing, with Notes by P. L. Sclater	1863, 206
Observations on some of the Animals in the Zoological Gardens of Amsterdam, Rotterdam, and Antwerp	1863, 224
Record of the Period of Gestation of certain Ruminants which breed in the Society's Gardens	1863, 230

SCLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (*continued*).

Notes on the Method of Incubation of the Birds of the Order Struthionos	1863, 233
Note on the Occurrence of the European Sea-Eagle in North America	1863, 251
Announcement of Mr. James Thompson's departure for India	1863, 370
On some New and Interesting Animals recently acquired for the Society's Menagerie	1863, 374
Exhibition of some variegated wool from Ohio . .	1863, 438
Note on the Breeding of Bennett's Cassowary in the Society's Gardens	1863, 518
List of Birds from Huaheine, Society Islands	1864, 8
On some Additions to the List of the Birds of the Falkland Islands	1864, 73
On the Species of the Genus <i>Chauna</i>	1864, 74
On the Mammals collected and observed by Capt. J. H. Speke during the East-African Expedition; with Notes by Capt. J. H. SPEKE	1864, 98
On the Birds collected by Capt. J. H. Speke during the East-African Expedition; with Notes by Capt. J. H. SPEKE	1864, 106
On the Species of the American Genus <i>Coccyzus</i> . .	1864, 119
On some important Additions to the Menagerie . .	1864, 138
Announcement of the arrival of a living <i>Didunculus</i> and of other Additions to the Society's Menagerie	1864, 158
On Two New Species of Birds from New Granada	1864, 166
Announcement of Mr. James Thompson (the Society's Head Keeper)'s safe arrival at Calcutta	1864, 168
Exhibition of a series of bird-skins collected by the Rev. H. B. Tristram's Expedition in Palestine	1864, 169
List of a Collection of Birds procured by Mr. George H. White in the vicinity of the City of Mexico	1864 172

SCLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (*continued*).

On a New Species of White Cockatoo living in the Society's Gardens (<i>Cacatua ophthalmica</i>)	1864, 187
Notes on the Species of <i>Tadorna</i> living in the Society's Menagerie	1864, 189
Characters of a New Species of Falcon discovered by the late Dr. Dickinson, of the Central African Mission, on the River Shiré	1864, 248
Note on the Species of Cuckoos of the Genus <i>Neomorphus</i>	1864, 249
Remarks on the breeding of Bennett's Cassowary in the Society's Menagerie	1864, 271
Exhibition of a skeleton of Bennett's Cassowary	1864, 271
Characters of Three New American Parrots	1864, 297
Note on the Geographical Distribution of the Ducks of the Genus <i>Dendrocygna</i>	1864, 299
Announcement of Mr. Thompson's return from Calcutta with a valuable collection of animals	1864, 373
Notice of Additions to the Menagerie	1864, 374
Exhibition of a series of specimens of birds' eggs, collected in the vicinity of Barrackpore, and presented to the Society, by Lieut. R. C. Beavan, with notes on their nesting-habits	1864, 375
Description of a New Species of Duck from Madagascar	1864, 487
On some Additions to the Menagerie	1864, 587
Descriptions of Seven New Species of Birds discovered by the late Dr. John Natterer in Brazil	1864, 605
Note on the <i>Quadrumana</i> living in the Society's Menagerie	1864, 709
Notice of a Mantchurian Deer received from Mr. Swinhoe	1865, 1
Notice of a Prong-horned Antelope added to the Society's Menagerie	1865, 60

SELATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (*continued*).

Exhibition of, and Remarks upon, a stuffed specimen of a Water-Pipit, <i>Anthus spinoletta</i> (Linn.), from the collection of the Bishop of Oxford, V.P.Z.S.	1865, 60
Exhibition of the type specimen of <i>Galago monteiri</i> , and Remarks on <i>Galago crassicaudata</i> and <i>G. crassicaudata</i> var. <i>kirkii</i>	1865, 60
Note on the Breeding of a Ground-Pigeon in the Society's Menagerie	1865, 238
Notice of several Additions to the Menagerie	1865, 256
On a New Species of the Genus <i>Basileuterus</i> of Cabanis, with a Synopsis of the known Species of the Genus	1865, 282
Notice of Additions to the Society's Menagerie	1865, 318
Description of a New Species of Passerine Bird from Madagascar	1865, 326
Description of a New Species of Indian Porcupine	1865, 352
Exhibition of, and Remarks upon, a collection of bird-skins formed by the Society's Corresponding Member, M. Adolph Boucard, in the vicinity of Vera Cruz, Mexico	1865, 397
Description of a New Accipitrine Bird from Costa Rica	1865, 429
Remarks on a rare Parrot from Dominica	1865, 437
Exhibition of a photograph of a pair of Gayals intended for the Menagerie	1865, 465
Exhibition of a drawing of <i>Paradisea calva</i> , lately discovered in the Island of Waigiou	1865, 465
Notice of recent Additions to the Menagerie	1865, 466
Exhibition of specimens of <i>Helimaster angelæ</i> , and notes thereupon by Prof. Burmeister, For. Memb.	1865, 466
Report on a Collection of Animals from Madagascar, transmitted to the Society by Mr. J. Caldwell	1865, 467
Announcement of the arrival of a young male African Elephant in the Society's Gardens	1865, 510

	Page
SCLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (<i>continued</i>).	
Notes on the Genera and Species of <i>Cypselidae</i> ..	1865, 593
Exhibition of bird-skins collected by Mr. Henry Whitely in Japan	1865, 618
On a New Parrot of the Genus <i>Nasiterna</i>	1865, 620
On recent Additions to the Menagerie, with Notes	1865, 675
Notices of Animals observed in several Continental Zoological Gardens.....	1865, 676
On the Structure of <i>Leptosoma discolor</i>	1865, 682
Correction of some previous remarks on the sup- posed occurrence of <i>Haliaëtus albicilla</i> in America ..	1865, 731
Notice of the addition of a Gayal (<i>Bos frontalis</i>) to the Society's Menagerie.....	1866, 1
Remarks on <i>Lemur leucomystax</i> , Bartlett.....	1866, 1
Extract of a Letter from Dr. Burmeister on the <i>Tyrannidae</i> of Buenos Ayres	1866, 2
Report on Birds collected at Windvogelberg, South Africa, by Capt. G. E. Bulger, C.M.Z.S.	1866, 21
Exhibition of an Egg of the One-carunculated Cas- sowary (<i>Casuaris uniappendiculatus</i>)	1866, 34
Remarks on the American Lepidosiren (<i>Lepidosiren</i> <i>paradoxa</i>)	1866, 34
On a New American Cuckoo of the Genus <i>Neo-</i> <i>morphus</i>	1866, 59
Remarks on some Monkeys received from St. Kitts, West Indies	1866, 79
Notice of some recent Additions to the Society's Menagerie	1866, 80
Exhibition of a collection of Mammals and Birds from Japan.....	1866, 80
On the Birds of the Vicinity of Lima, Peru. With Notes on their Habits, by Prof. W. NATION, of Lima, C.M.Z.S.—Part I.	1866, 95

SCLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (*continued*).

Notice of a Pudu Deer recently added to the Society's Menagerie	1866, 104
Notes upon the American <i>Caprimulgidæ</i>	1866, 123
Additional Notes on the <i>Anatidæ</i> of the Genera <i>Dendrocygna</i> and <i>Tadorna</i>	1866, 148
Notice of Additions to the Society's Menagerie, and of the transmission of a Manatee to the Society by Mr. G. W. Latimer, of Porto Rico	1866, 201
Remarks on recent Additions to the Society's Menagerie.....	1866, 203
Note on the Genus <i>Geobates</i> of Swainson	1866, 204
Notice of several interesting Species of Mammals and Birds living in the Gardens of the Société Zoologique d'Acclimatation of Paris	1866, 210
On a New Species of the Genus <i>Accipiter</i> from New Granada	1866, 302
Notice of a rare American Monkey (<i>Pithecia leucocephala</i>) lately added to the Society's Menagerie	1866, 305
Descriptions of Six New Species of American Oscines	1866, 320
Notice of a specimen of the Californian Vulture (<i>Cathartes californianus</i>) recently added to the Society's Collection	1866, 366
Note on <i>Chauna nigricollis</i>	1866, 369
Exhibition of a young specimen of <i>Chauna derbiana</i> , forwarded to him by Dr. W. Huggins of San Fernando, Trinidad, C.M.Z.S.....	1866, 417
Notice of recent Additions to the Society's Menagerie	1866, 418
Exhibition of some specimens of <i>Eustephanus fernandensis</i> and <i>E. stokesi</i>	1866, 556
Exhibition of some Feathers supposed to be those of <i>Casuaris australis</i>	1866, 557

	Page
SCLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (<i>continued</i>).	
Additional Notes on the <i>Caprimulgidae</i>	1866, 581
Exhibition of Mexican Birds, and Characters of a New Species of <i>Zonotrichia</i>	1867, 1
Extracts from Letters received from Mr. E. Bartlett	1867, 2
Notice of a New Species of Ratel (<i>Mellivora leuco- nota</i>)	1867, 98
Notices of Additions to the Menagerie	1867, 179
Notes upon some Parrots living in the Society's Menagerie	1867, 183
Notices of Additions to the Society's Menagerie ..	1867, 240
Remarks on Specimens of Snakes (<i>Boidae</i>) in the Society's Menagerie	1867, 315
Remarks on Gulls (<i>Laridae</i>) living in the Society's Menagerie	1867, 315
Notes on the Birds of Chili	1867, 319
On the Birds of the Vicinity of Lima, Peru. With Notes on their Habits; by Prof. W. NATION, of Lima, C.M.Z.S.—Part II.	1867, 340
Announcement of the arrival of a Lyre-bird (<i>Menura superba</i>) in the Society's Gardens	1867, 391
Report of the birth of a young Male Giraffe, and a List of Giraffes that have lived in the Society's Gardens	1867, 391
Notices of Additions to the Society's Menagerie ..	1967, 473
Exhibition of a Skull of <i>Tapirus bairdi</i> from Nica- ragua	1867, 473
Notices of Additions to the Society's Menagerie ..	1867, 686
Exhibition of a rare Snake (<i>Siphlophis fitzingeri</i>) ..	1867, 687
Exhibition of the Nest and Eggs of the Nutcracker (<i>Nucifraga caryocatactes</i>)	1867, 687
Notices of Additions to the Society's Menagerie ..	1867, 815
Notice of the arrival of a collection of Animals from Calcutta	1867, 820

SCLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (*continued*).

Notices of Additions to the Menagerie	1867, 890
Notice of the Exhibition of a Skin of <i>Chionis minor</i>	1867, 891
Remarks on the Breeding of the Eland in Captivity	1867, 953
Exhibition of a drawing of a New Species of Impeyan (<i>Lophophorus Vhuysi</i>)	1868, 1
Remarks upon a Bear recently added to the Society's Menagerie	1868, 71
Exhibition of an Egg of the Guacharo (<i>Steatornis caripensis</i>)	1868, 73
Exhibition of a stuffed specimen of a Monkey (<i>Cercocebus albigena</i>) from Cabinda, north of the River Congo	1868, 183
On the Seals of the Falkland Islands; by Capt. C. C. ABBOTT. Communicated, with Notes, by	1868, 189
Notes on Baker's Antelope (<i>Hippotragus bakeri</i>) . .	1868, 214
Remarks on recent Additions to the Society's Menagerie	1868, 261
Notes on the Pelicans living in the Society's Gardens	1868, 264
Notice of the shipment from Australia of two living examples of Owen's Apteryx	1868, 319
Exhibition of, and Remarks upon, a Skin of the Australian Cassowary	1868, 376
Exhibition of Heads of the Spanish Ibex (<i>Capra pyrenaica</i>)	1868, 403
Notices of recent Additions to the Society's Menagerie	1868, 404
On Additions to the Society's Menagerie, and report on Lecomte's expedition to the Falkland Islands	1868, 526
Announcement of the arrival of a Skin and Skeleton of <i>Elaphkurus davidianus</i>	1868, 531
On Additions to the Society's Menagerie	1868, 566
Remarks on the Breeding of the Eleonora Falcon near Mogadore	1868, 567

	Page
SCLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (<i>continued</i>).	
Descriptions of some New or little-known Species of Formicarians	1868, 571
On Additions to the Society's Menagerie	1868, 622
Exhibition of, and Remarks upon, specimens of <i>Ampeliceps coronatus</i> and <i>Euplocamus cuvieri</i>	1868, 622
On the Breeding of Mammals in the Society's Me- nagerie during the past Twenty Years	1868, 623
Exhibition of a Skin of <i>Spizaetus</i> from Japan	1869, 1
Exhibition of, and Remarks upon, some Specimens of the Potto (<i>Perodicticus potto</i>)	1869, 1
On a Collection of Birds from the Solomon Islands	1869, 118
Exhibition of some Reptiles transmitted to the So- ciety by Mr. G. Wilks, of Buenos Ayres, C.M.Z.S ..	1869, 135
On the Birds of the Vicinity of Lima, Peru. With Notes on their Habits, by Prof. W. NATION.—Part III.	1869, 146
Exhibition of some New Australian Birds lately described by Mr. E. P. Ramsay	1869, 149
Notices of Additions to the Society's Menagerie during the months of January and February	1869, 149
Exhibition of a Hybrid Pheasant	1869, 149
Notice of Additions to the Society's Menagerie ..	1869, 276
Exhibition of Drawings illustrative of Wart-hogs	1869, 277
Notices of recent Additions to the Menagerie	1869, 407
Notices of recent Additions to the Menagerie	1869, 430
Exhibition of Snakes from Buenos Ayres.....	1869, 432
Exhibition of some Drawings of <i>Hippocampi</i>	1869, 432
Notices of recent Additions to the Menagerie	1869, 467
Characters of a New Species of <i>Ocydromus</i>	1869, 472
Remarks on Animals observed in various Zoological Gardens on the Continent	1869, 527
Exhibition of, and Remarks upon, the Egg of a Species of Megapode	1869, 528

SLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (*continued*).

Description of a new Species of Mexican Wren . .	1869, 591
Remarks on two Species of Mammals described from Specimens recently living in the Society's Gardens	1869, 592
Remarks on the recent Additions to the Society's Menagerie	1869, 602
On the Breeding of Birds in the Gardens of the Zoo- logical Society of London during the past Twenty Years	1869, 626
On some new Species of <i>Synallaxinæ</i>	1869, 636
Notices of recent Additions to the Menagerie	1870, 1
Remarks on the Hairy Tapir (<i>Tapirus roulini</i>) of the Columbian Andes	1870, 51
On some new or little-known Birds from Rio Paraná	1870, 57
On Additions to the Menagerie in January 1870..	1870, 86
Exhibition of a Specimen of a newly described Lemur (<i>Propithecus damanus</i>)	1870, 112
Notice of a Memoir on the Deer of the Old World	1870, 114
Remarks on the Arrangement and Distribution of the <i>Cervidæ</i>	1870, 114
On Additions to the Menagerie in February 1870	1870, 125
Further Remarks on the Locality of Amherst's Pheasant.	1870, 128
Exhibition of a Coloured Drawing of a remarkable Pigeon (<i>Otidiphaps nobilis</i>)	1870, 157
Notice of the arrival in the Society's Gardens of living Specimens of two newly described Species of <i>Phasianidæ</i>	1870, 162
Further Notes on the Cuckoos of the Genus <i>Coccyzus</i>	1870, 165
On Additions to the Society's Menagerie in March 1870	1870, 219
On Additions to the Society's Menagerie in April 1870, and Description of <i>Canis lateralis</i>	1870, 279
Notices of some new or little-known Species of South-American Birds	1870, 328

SCLATER, PHILIP LUTLEY, Ph.D., F.R.S., &c. (*continued*).

Report on Additions to the Society's Menagerie during the month of May 1870, and Description of *Cervus alfredi* 1870, 380

Reports on Additions to the Society's Menagerie in June, July, August, and September 1870, and Description of *Buceros subcylindricus* 1870, 663

Exhibition of a Specimen of *Ceratodus forsteri* 1870, 747

Reports on Additions to the Society's Menagerie in October and November 1870 1870, 796

Descriptions of three apparently new Species of Tyrant-birds of the Genus *Elainea*, with Remarks on other known Species 1870, 831

SCLATER, PHILIP LUTLEY, and SALVIN, OSBERT.

Notes on a Collection of Birds from the Isthmus of Panama 1864, 342

Catalogue of Birds collected by Mr. E. Bartlett on the River Ucayali, Eastern Peru, with Notes and Descriptions of New Species 1866, 175

On some Additions to the Catalogue of Birds collected by Mr. E. Bartlett on the River Ucayali 1866, 566

List of Birds collected on the Blewfields River, Mosquito Coast, by Mr. Henry Wickham 1867, 278

List of Birds collected by Mr. Wallace on the Lower Amazons and Rio Negro 1867, 566

Catalogue of Birds collected by Mr. E. Bartlett on the River Huallaga, Eastern Peru, with Notes and Descriptions of New Species 1867, 748

List of Birds collected at Pebas, Upper Amazons, by Mr. John Hauxwell, with Notes and Descriptions of New Species 1867, 977

On Peruvian Birds collected by Mr. H. Whitely.—Part I. 1867, 982

SCLATER, P. L., and SALVIN, O. (*continued*).

Descriptions of New Species of Birds of the Families <i>Dendrocolaptidæ</i> , <i>Strigidæ</i> , and <i>Columbidæ</i>	1868, 53
List of Birds collected at Conchitas, Argentine Republic, by Mr. William H. Hudson	1868, 137
On Venezuelan Birds collected by Mr. A. Goering.— Part I.	1868, 165
On Peruvian Birds collected by Mr. H. Whitely.— Part II.	1868, 173
Descriptions of New or little-known American Birds of the Families <i>Fringillidæ</i> , <i>Oxyrhamphidæ</i> , <i>Bucconidæ</i> , and <i>Strigidæ</i>	1868, 322
Descriptions of Four New Species of Birds from Veragua	1868, 388
Synopsis of the American Rails (<i>Rallidæ</i>)	1868, 442
On Peruvian Birds collected by Mr. H. Whitely.— Part III.	1868, 568
On Venezuelan Birds collected by Mr. A. Goering.— Part II.	1868, 626
Notes on the Species of the Genus <i>Asturina</i>	1869, 129
On Peruvian Birds collected by Mr. H. Whitely.— Part IV.	1869, 151
Second List of Birds collected at Conchitas, Argentine Republic, by Mr. William H. Hudson; together with some Notes upon another Collection from the same locality	1869, 158
On Venezuelan Birds collected by Mr. A. Goering.— Part III.	1869, 250
On a Collection of Birds made by Mr. H. S. le Strange near the City of Mexico	1869, 361
Notes on the Species of the Genus <i>Micrastur</i>	1869, 364
Descriptions of Six New Species of American Birds of the Families <i>Tanagridæ</i> , <i>Dendrocolaptidæ</i> , <i>Formicariidæ</i> , <i>Tyrannidæ</i> , and <i>Scolopaciidæ</i>	1869, 416

SCLATER, P. L., and SALVIN, O. (*continued*).

On Two New Birds collected by Mr. E. Bartlett in Eastern Peru	1869, 437
Descriptions of Three New Species of Tanagers from Veragua	1869, 439
On Peruvian Birds collected by Mr. H. Whitely.—Part V.	1869, 596
Third List of Birds collected at Conchitas, Argentine Republic, by Mr. William H. Hudson	1869, 631
Characters of New Species of Birds collected by Dr. Habel in the Galapagos Islands	1870, 322
Synopsis of the <i>Cracidæ</i>	1870, 504
On some recent Additions to the Avifauna of Mexico	1870, 550
On Venezuelan Birds collected by Mr. A. Goering	1870, 779
On Birds collected by Mr. George M. Whitely on the Coast of Honduras	1870, 835
Descriptions of Five New Species of Birds from the United States of Columbia	1870, 840

SCOTT, WALTER J., C.M.Z.S.

Extract of a Letter addressed to the Secretary by, relating to the Australian Cassowary	1866, 557
---	-----------

SEMPER, Dr. C., C.M.Z.S.

Some Remarks on the New Genus <i>Macrobrachium</i> of Mr. Spence Bate	1868, 585
---	-----------

SEMPER, OTTO.

Descriptions of New Species of Mollusks of the Genera <i>Registoma</i> and <i>Pupina</i>	1864, 251
--	-----------

SHARPE, R. B., F.L.S., Librarian to the Society.

On Two New or little-known Kingfishers belonging to the Genera <i>Ceyx</i> and <i>Cittura</i>	1868, 270
---	-----------

	Page
SHARPE, R. B., F.L.S. &c. (<i>continued</i>).	
On the Genus <i>Ceyx</i>	1868, 587
On the Genus <i>Chætops</i>	1869, 163
On the Genus <i>Alcyone</i>	1869, 351
Additional Notes on the Genus <i>Ceyx</i>	1869, 507
Exhibition of a rare Indian Kingfisher (<i>Alcedo grandis</i>)	1869, 530
On the Birds of Angola.—Part I. With Notes by the Collector, J. J. Monteiro	1869, 563
On a New Kingfisher belonging to the Genus <i>Tanysiptera</i>	1869, 630
On the Genus <i>Pelargopsis</i> , Gloger.....	1870, 61
On <i>Campephaga anderssoni</i> , an apparently undescribed Species of this Genus from South-Western Africa	1870, 69
On the Birds of Angola.—Part II.	1870, 142
On the <i>Hirundinidæ</i> of the Ethiopian Region	1870, 286
Exhibition of a Specimen of <i>Podoces panderi</i>	1870, 334
Contributions to the Ornithology of Madagascar.—Part I.	1870, 384
SHARPE, R. B., and DRESSER, H. E.	
On some new or little-known points in the Economy of the Common Swallow (<i>Hirundo rustica</i>)	1870, 244
Notes on <i>Lanius excubitor</i> and its allies	1870, 590
SHORTT, Dr. JOHN, F.Z.S.	
Letter respecting an Indian Snake	1861, 265
Letter from, giving some notes on <i>Daboia elegans</i> (<i>Vipera russellii</i>)	1862, 251
Letter on the fishing-propensities of the <i>Pteropus</i> of India	1863, 438
SIMPSON, B., M.D.	
Note on <i>Ailurus fulgens</i>	1869, 507

SMEE, Miss E. M.

Letter from, relating to the habits of the larva of
Phryganea 1863, 78

SMITH, Dr. C. J.

Letter from, on the breeding of the Elephant in
Captivity 1865, 731

SMITH, FREDERICK.

List of Insects collected by Capt. Speke during the
East-African Expedition 1864, 118

SOWERBY, G. B., F.L.S.

Descriptions of Four New *Scintillæ* and One New
Pythina from the Collection of Mr. H. Cuming 1865, 517

Descriptions of Two New Species of *Conus* from the
Collection of H. Cuming, Esq., and Two from the Col-
lection of the late Mr. Denisson 1865, 518

Descriptions of Forty-eight New Species of Shells. 1870, 249

SPEKE, Capt. J. H.

Letter from, relating to some specimens of animals
from Zanzibar 1861, 267

List of specimens forwarded by..... 1862, 12

Letter from, relating to the Zoology of Eastern
Africa..... 1863, 1

STAVELEY, Miss E. F.

Notes on the Form of the Comb (Pecten) in dif-
ferent *Andrenidæ* and *Apidæ*, and on the alar hooks
of the species of *Sphæcodes* and *Halictus* 1862, 118

Note on the Presence of Teeth on the Maxillæ of
Spiders. (Communicated by Dr. J. E. Gray.) 1865, 673

STEVENS, SAMUEL, F.Z.S.

Exhibition of Birds forwarded by Mr. Wallace from
Mysol and Waigiou 1861, 306

Exhibition of a nearly perfect egg of a *Dinornis*,
supposed to be that of *D. ingens*, Owen 1865, 617

STEWART, JOHN A.

- Description of *Asteronyx loveni*, Müll. et Trosch., a
New British Starfish 1861, 96

STEWART, THOMAS HOWARD, M.R.C.S., F.Z.S.

- Observations on the Anatomy of the Echinoderms. 1861, 53

SWINHOE, ROBERT, F.Z.S., H.B.M. Consular Service.

- Letter relating to specimens from Peking 1861, 134
- Extracts from his Letter respecting the Formosan
Deer 1861, 235
- Extracts from his Letter relating to specimens sent
from China 1861, 390
- On a Bird supposed to be the Female of *Crossoptilon*
auritum, Pall., from Northern China 1862, 286
- On some Tientsin Birds, collected by Mr. Fleming,
R.A., in the possession of Mr. Whitely 1862, 315
- On the Mammals of the Island of Formosa 1862, 347
- Exhibition of some new and remarkable species of
Birds 1863, 62
- On New and little-known Birds from China 1863, 87
- Exhibition of *Pseudosclopax semipalmatus* 1863, 181
- On the Species of *Zosterops* inhabiting China and
Japan, with the Description of a New Species 1863, 203
- Exhibition of a skin of a Royal Tiger 1863, 237
- Catalogue of the Birds of China, with Remarks
principally on their Geographical Distribution 1863, 259
- Extracts from a Letter from, respecting animals in-
tended for the Society's Menagerie 1864, 168
- On a New Rat from Formosa 1864, 185
- Amendments to his "Catalogue of the Birds of
China" 1864, 271
- Extracts from Letters from, addressed to Dr. J. E.
Gray 1864, 378
- Extract from a Letter concerning a Chinese Deer . 1865, 1

SWINHOE, ROBERT, F.Z.S. &c. (*continued*).

List of Species of Mollusks recently collected by him at Formosa	1865, 196
Extract of a Letter concerning a Chinese Hog-deer and a <i>Sus</i>	1865, 510
Extracts of Letters concerning animals intended for the Society	1865, 677
Letter to the Secretary respecting a Monkey from the Island of North Lena, near Hongkong	1866, 556
Letter from, on <i>Elaphurus davidianus</i> , and on his collections in Hainan	1868, 530
On the Cervine Animals of the Island of Hainan (China)	1869, 652
Exhibition of, and remarks upon, a skin of a Manchurian Tiger and Chinese Leopard	1870, 3
On a New Deer from China	1870, 89
Remarks on the Locality of Amherst's Pheasant	1870, 111
On the Pied Wagtails of China.—Part I.	1870, 120
On a New Species of <i>Accentor</i> from North China	1870, 124
On the Pied Wagtails of China.—Part II.	1870, 129
Descriptions of Seven New Species of Birds procured during a Cruise up the River Yangtze (China)	1870, 131
On the Plovers of the Genus <i>Ægialites</i> found in China	1870, 136
On the Mammals of Hainan	1870, 224
List of Reptiles and Batrachians collected in the Island of Hainan (China), with Notes	1870, 239
Note on Reptiles and Batrachians collected in various parts of China	1870, 409
Zoological Notes of a Journey from Canton to Peking and Kalgan	1870, 427
List of Birds collected by Mr. Cuthbert Collingwood during a Cruise in the China and Japan Seas, with Notes	1870, 600
Catalogue of the Mammals of China (south of the River Yangtze) and of the Island of Formosa	1870, 615

TEGETMELER, W. B., F.Z.S.

- Exhibition of some living specimens illustrating an undescribed abnormal variation of Plumage in the domestic Fowl 1861, 102
- Exhibition of a singular variety of the Domestic Fowl 1863, 1
- Exhibition of experiments in a new mode of pinioning wild birds 1864, 41
- Exhibition of a supposed Original Drawing of the Dodo 1866, 201
- Remarks on the Progress of Salmon-breeding in the Stormontfield Ponds 1868, 377
- Exhibition of some Horns of the Cape Buffalo (*Bos caffer*) and of the Domestic Goat 1869, 111
- Exhibition of living specimens of the Axolotl 1870, 160

TENNANT, Prof. JAMES, F.Z.S.

- Exhibition of a fossil egg of the *Æpyornis maxima* 1863, 438

TENNENT, Sir JAMES EMERSON, K.C.B., V.P.Z.S., &c.

- Note on the Gigantic Earth-Worm (*Megascolex caeruleus*) from Ceylon 1862, 26

THEOBALD, WILLIAM (of the Geological Survey of India).

- Observations on a paper by Dr. Gray, entitled "Notes on the Family and Genera of Tortoises" 1870, 674

THOMSON, J. H.

- Letter relating to the occasional Deformity of the Lower Jaw of the Sperm Whale 1867, 246

TOMES, ROBERT F., C.M.Z.S.

- Additions to the monograph of the Genus *Epomophorus* 1861, 11
- Notes on a Collection of Bats made by Mr. Anderson in the Damara Country, South-western Africa, with Notices of some other African species 1861, 31

	Page
TOMES, ROBERT F., C.M.Z.S. (continued).	
Notes on a Collection of Mammals made by the late Mr. Osburn in Jamaica	1861, 63
On the Genus <i>Monophyllus</i> of Leach	1861, 87
Observations on the Genus <i>Vampyrus</i> and its Allies	1861, 102
Report of a Collection of Mammals made by Osbert Salvin, Esq., F.Z.S., at Dueñas, Guatemala, with Notes on some of the species by Mr. Fraser	1861, 278
Notice of a New American Form of Marsupial . .	1863, 50
On a New Genus and Species of Leaf-nosed Bats in the Museum at Fort Pitt	1863, 81
TRISTRAM, REV. HENRY BAKER, M.A., F.L.S., C.M.Z.S.	
Catalogue of a Collection of Terrestrial and Flu- viatile Mollusks made by O. Salvin, Esq., M.A., F.Z.S., in Guatemala	1861, 229
Exhibition of a Snake from Pekin, and of a Series of Pipits	1861, 391
Catalogue of a Collection of Mollusks from Bermuda	1861, 403
Note on some Freshwater Shells sent from Mada- gascar by J. Caldwell, Esq.	1863, 60
Supplemental Catalogue of Terrestrial and Fluvia- tile Mollusks collected in Guatemala by O. Salvin, Esq., M.A., F.Z.S.	1863, 411
Descriptions of New Birds from Palestine	1864, 169
Exhibition of a pair of Sanderlings (<i>Calidris are- naria</i>) from Grimsey Island, Iceland, and three Eggs, supposed to be those of that bird	1864, 377
Report on the Birds of Palestine	1864, 426
Report on the Terrestrial and Fluviatile Mollusca of Palestine	1865, 530
Report on the Mammals of Palestine	1866, 84
Notice of the capture of a Ribbonfish (<i>Gymnetrus banksii</i>) off the coast of Durham	1866, 147

TRISTRAM, REV. HENRY BAKER, M.A. &c. (*continued*).

- On New Species of Birds from South Africa 1867, 886
- Exhibition of Skins of *Aquila navioides* and of
other Indian Eagles 1870, 4
- Exhibition of Skins of *Luscinola melanopogon* and
other Indian Warblers 1870, 221

VERREAUX, JULES, C.M.Z.S.

- Extract of a Letter from, describing the female of
Perdix barbata 1863, 371

VERREAUX, JULES, C.M.Z.S., et DESMURS, P. O., C.M.Z.S.

- Description d'une nouvelle espèce de Perdrix 1863, 62

WALDEN, ARTHUR, Viscount, F.L.S., F.Z.S.

- Notes on Birds collected in Tennasserim and in
the Andaman Islands 1866, 537

WALKER, DR. DAVID, F.L.S., C.M.Z.S.

- Natural-History Notes made during a passage from
Liverpool to Vancouver's Island 1863, 378

WALKER, FRANCIS, F.L.S.

- On some Insects collected in Madagascar by Mr.
J. Caldwell 1863, 165

WALLACE, ALFRED RUSSELL, F.Z.S.

- Narrative of Search after Birds of Paradise 1862, 153
- On some New and Rare Birds from New Guinea 1862, 164
- Descriptions of Three New Species of *Pitta* from the
Moluccas 1862, 187
- List of Birds from the Sula Islands (east of Celebes),
with Descriptions of the New Species 1862, 333
- List of Birds collected in the Island of Bouru (one
of the Moluccas), with Descriptions of the New Species 1863, 18
- Exhibition of a nestling of *Buceros bicornis* 1863, 48
- Remarks on a Hornbill (*Buceros pica*) 1863, 85

WALLACE, ALFRED RUSSELL, F.Z.S. (*continued*).

On the Identification of the *Hirundo esculenta* of Linnæus, with a Synopsis of the described Species of *Collocalia* 1863, 382

A List of the Birds inhabiting the Islands of Timor, Flores, and Lombock, with Descriptions of the New Species 1863, 480

On the Parrots of the Malayan Region, with Remarks on their Habits, Distribution, and Affinities, and the Descriptions of Two New Species 1864, 272

List of the Land-Shells collected by him in the Malay Archipelago; with Descriptions of the New Species by Mr. Henry Adams 1865, 405

Descriptions of New Birds from the Malayan Archipelago 1865, 474

WALLACE, A. R., F.Z.S., and MOORE, F.

List of Lepidopterous Insects collected at Takow, Formosa, by Mr. R. Swinhoe 1866, 355

WARD, EDWIN, F.Z.S.

Exhibition of a Variety of *Scolopax rusticula* 1869, 473

WELCH, FRANCIS H., Assistant-Surgeon 22nd Regiment.

Observations on *Lepus americanus*, especially with reference to the Modifications in the Fur consequent on the rotation of the Seasons, and the Change of Colour on the advent of Winter; based on Specimens obtained in the province of New Brunswick, North America 1869, 228

WHITE, ADAM, Assistant Zool. Dept., British Museum.

Description of Two Species of Crustacea belonging to the Families *Callianassidæ* and *Squillidæ* 1861, 42

WHITE, ROBERT B., C.M.Z.S.

Letters from, concerning the Hairy Tapir (*Tapirus roulini*) of the highlands of Columbia 1870, 51

	Page
WILLIAMS, J. C., H.B.M. Consul at the Samoan Islands.	
Letter from, respecting <i>Didunculus strigirostris</i> ..	1863, 102
WILLIAMS, WILLIAM (of Tregulow), F.Z.S.	
On the Breeding of a West-Indian Tortoise in this Country	1862, 266
Note on the Breeding of an Exotic Tortoise at Tre- gulow.....	1863, 511
WOOD, T. W., F.Z.S.	
Remarks on the habits of the Pinnated Grouse (<i>Tetrao cupido</i>) now living in the Society's Gardens..	1862, 153
WRAY, GEORGE O.	
Extract from a letter of Col. Abbott to	1862, 107
WUCHERER, DR. OTHO, C.M.Z.S.	
On the Ophidians of the Province of Bahia, Brazil. (Part I.).....	1861, 113
On the Ophidians of the Province of Bahia, Brazil. (Part II.)	1861, 322
Description of a New Species of <i>Elapomorphus</i> from Brazil	1861, 325
A List of Snakes from Bahia.....	1862, 23
On the species of <i>Craspedocephalus</i> which occur in the Province of Bahia, Brazil	1863, 51
On the Ophidians of the Province of Bahia, Brazil. (Part III.)	1863, 55

INDEX OF SPECIES

DESCRIBED AND REFERRED TO.

1861-70.

	Page		Page
<i>Aptos adriatica</i>	1867,	<i>Aburria carunculata</i>	1870,
	519		543
<i>Abila freyerii</i>	1867,	<i>Acalle recurvata</i>	1867,
	523		552
<i>lævis</i>	1867,	<i>Acalles drouetii</i>	1867,
	539		377
<i>Ablabes collaris</i>	1861,		387
	216		391
<i>coronella</i>	1864,	<i>Acanthella acuta</i>	1867,
	489		512
<i>decemlineatus</i>	1864,	<i>obtusa</i>	1867,
	489		512
<i>humberti</i>	1869,	<i>Acanthicus hystrix</i>	1868,
	501		233
<i>modestus</i>	1864,	<i>Acanthidium calceus</i> ..	1864,
	489		262
<i>owenii</i>	1861,	<i>Acanthion cuvieri</i>	1866,
	217		308
<i>punctatus</i>	1861,		309
	366		311
<i>rappii</i>	1861,	<i>flemingii</i>	1866,
	216		310
<i>Abramis cotio</i>	1867,	<i>hodgsonii</i>	1866,
	17		307
<i>Abraxas capitata</i>	1867,	<i>javanicum</i>	1866,
	613		310
<i>compositata</i>	1867,	<i>Acanthiza chrysoorhoa</i> ..	1869,
	653		279
<i>irrorata</i>	1867,	<i>lineata</i>	1865,
	652		461
<i>lapsariata</i>	1867,		462
	652		464
<i>leopardinata</i>	1867,		465
	651		465
<i>martaria</i>	1867,		466
	651		467
<i>metachromata</i>	1867,		468
	653		469
<i>pardaria</i>	1867,		470
	652		471
<i>picaria</i>	1867,		472
	652		473
<i>tenebraria</i>	1867,		474
	652		475
<i>tigrata</i>	1867,		476
	651		477
<i>Abromys lordi</i>	1868,		478
	202		479
<i>Abromnis albigularis</i>	1861,		480
	200		481
<i>albiventris</i>	1861,		482
	199		483
<i>albugularis</i>	1870,		484
	132		485
<i>castaneiceps</i>	1870,		486
	132		487
<i>fulvifacies</i>	1870,		488
	132		489
<i>hodgsoni</i>	1861,		490
	199		491
<i>melanops</i>	1861,		492
	200		493
<i>superciliaris</i>	1861,		494
	200		495
<i>Abrostola subapicalis</i> ..	1867,		496
	62		497
<i>Abrota ganga</i>	1865,		498
	764		499
	1868,		500
	615		501
<i>jumna</i>	1865,		502
	764		503
	1868,		504
	615		505
<i>Abryna vomicososa</i>	1866,		506
	234		507
<i>Aburria carunculata</i>	1870,		508
	507		509
	1870,		510
	530		511
	1870,		512
	531		513
	1870,		514
	542		515
			516
			517
			518
			519
			520
			521
			522
			523
			524
			525
			526
			527
			528
			529
			530
			531
			532
			533
			534
			535
			536
			537
			538
			539
			540
			541
			542
			543
			544
			545
			546
			547
			548
			549
			550
			551
			552
			553
			554
			555
			556
			557
			558
			559
			560
			561
			562
			563
			564
			565
			566
			567
			568
			569
			570
			571
			572
			573
			574
			575
			576
			577
			578
			579
			580
			581
			582
			583
			584
			585
			586
			587
			588
			589
			590
			591
			592
			593
			594
			595
			596
			597
			598
			599
			600
			601
			602
			603
			604
			605
			606
			607
			608
			609
			610
			611
			612
			613
			614
			615
			616
			617
			618
			619
			620
			621
			622
			623
			624
			625
			626
			627
			628
			629
			630
			631
			632
			633
			634
			635
			636
			637
			638
			639
			640
			641
			642
			643
			644
			645
			646
			647
			648
			649
			650
			651
			652
			653
			654
			655
			656
			657
			658
			659
			660
			661
			662
			663
			664
			665
			666
			667
			668
			669
			670
			671
			672
			673
			674
			675
			676
			677
			678
			679
			680
			681
			682
			683
			684
			685
			686
			687
			688
			689
			690
			691
			692
			693
			694
			695
			696
			697
			698
			699
			700

	Page		Page
<i>Acanthiza reguloides</i> ..	1865, 464	<i>Acanthylis brachyura</i> ..	1865, 611
	1865, 465		1870, 329
<i>Acanthobrama</i> —? ..	1864, 490		1870, 558
<i>Acanthocheilonema dra-</i>		<i>caudacuta</i>	1863, 263
<i>cunculoides</i>	1870, 10		1863, 333
	1870, 52		1865, 607
<i>Acanthochites carinatus</i> .	1864, 194		1865, 608
	1867, 224		1865, 614
<i>costatus</i>	1864, 194	<i>cinereicauda</i>	1863, 101
	1867, 224		1865, 611
<i>scutiger</i>	1865, 188		1870, 329
	1867, 224		1870, 330
<i>Acanthochærus bartlettii</i>	1866, 310	<i>collaris</i>	1861, 79
<i>grotei</i>	1866, 310		1863, 99
	1866, 417		1865, 609
<i>Acanthodon petiti</i>	1870, 107	<i>coracina</i>	1865, 614
<i>Acanthogenys rufogularis</i>	1869, 279	<i>fusca</i>	1865, 608
<i>Acanthogorgia atlantica</i> .	1862, 194	<i>gigantea</i>	1865, 608
	1862, 197		1865, 614
<i>flabelliformis</i>	1862, 197	<i>leucopygialis</i>	1865, 614
<i>grayi</i>	1861, 296	<i>nudipes</i>	1865, 608
	1862, 194	<i>oxyura</i>	1863, 101
	1862, 196		1865, 611
	1862, 197		1870, 330
<i>hirsuta</i>	1861, 296	<i>pelasgia</i>	1863, 100
	1862, 196		1865, 610
	1862, 197	<i>polioura</i>	1865, 611
<i>infundibulifera</i>	1862, 197	<i>poliurus</i>	1870, 558
<i>Acantholabrus</i>	1861, 416	<i>rutila</i>	1863, 100
<i>Acanthomys leucopus</i> ..	1867, 598		1865, 613
<i>Acanthophis antarctica</i> ..	1862, 224	<i>semicollaris</i>	1863, 99
<i>ceramensis</i>	1863, 58		1865, 609
<i>cerastinus</i>	1863, 58	<i>spinicauda</i>	1863, 101
<i>Acanthopleura confossa</i> .	1865, 512		1865, 612
<i>nigropunctata</i>	1865, 511	<i>sylvatica</i>	1865, 614
<i>Acanthopsis bermorei</i> .	1869, 550	<i>vauxii</i>	1863, 100
<i>choirorhynchus</i> ...	1869, 549		1865, 611
<i>Acanthorhynchus tenui-</i>		<i>Acar divaricata</i>	1865, 655
<i>rostris</i>	1865, 464	<i>gradata</i>	1865, 655
	1869, 279	<i>laminata</i>	1865, 655
<i>Acanthosaura armata</i> ..	1861, 189		1865, 697
<i>capra</i>	1861, 188	<i>squamosa</i>	1865, 697
<i>coronata</i>	1861, 187	<i>Acara morosella</i>	1867, 667
<i>Acanthotrias</i>	1862, 307	<i>Acarnia cliftoni</i>	1867, 515
<i>Acanthurus annularis</i> ..	1870, 688	<i>Acarnus innominatus</i> ..	1867, 544
<i>chirurgus</i>	1869, 238		1868, 130
<i>ctenodon</i>	1870, 688	<i>Accentor alpinus</i>	1863, 335
<i>lineatus</i>	1870, 677		1870, 125
	1870, 688		1870, 447
<i>matoides</i>	1865, 29	<i>altaicus</i>	1870, 125
	1867, 858	<i>erythropygius</i>	1870, 124
<i>triostegus</i>	1867, 858		1870, 447
	1870, 688	<i>modularis</i>	1862, 280
<i>velifer</i>	1867, 858		1863, 159
<i>Acanthylis albicollis</i> ...	1863, 99		1864, 442
	1865, 609	<i>montanellus</i>	1870, 125
<i>bicolor</i>	1863, 205	<i>nipalensis</i>	1870, 124
	1865, 613		1870, 125

	Page		Page
<i>Accentor rubidus</i>	1863, 335	<i>Accipiter nisus</i>	1864, 429
<i>Accipiter æquatorialis</i> ..	1865, 474		1868, 395
	1867, 175		1870, 443
<i>affinis</i>	1867, 171	<i>palumbarius</i>	1870, 448
<i>approximans</i>	1863, 484	<i>pectoralis</i>	1866, 304
<i>bicolor</i>	1869, 252	<i>pileatus</i>	1864, 369
	1870, 215		1866, 304
	1870, 782		1867, 329
	1870, 838	<i>poliocephalus</i>	1861, 433
<i>castanilius</i>	1866, 304		1867, 177
<i>chilensis</i>	1867, 320	<i>polyzonoides</i>	1864, 2
	1867, 329		1864, 4
	1867, 338	<i>rubricollis</i>	1863, 19
<i>chionogaster</i>	1868, 632		1863, 21
<i>collaris</i>	1864, 369		1867, 177
	1866, 304	<i>rufitorques</i>	1865, 474
	1867, 158		1867, 178
<i>cooperi</i>	1866, 304	<i>soloensis</i>	1862, 315
	1867, 329	<i>sphenurus</i>	1864, 429
<i>cruentus</i>	1861, 433	<i>stevensoni</i>	1863, 261
	1863, 22		1870, 600
	1863, 484	<i>sylvestris</i>	1863, 484
	1863, 487		1863, 487
	1865, 475		1867, 176
	1867, 170	<i>tachiro</i>	1864, 2
	1867, 175	<i>tinus</i>	1866, 304
	1867, 176		1867, 158
<i>dubius</i>	1866, 303	<i>torquatus</i>	1867, 176
<i>erythrauchen</i>	1863, 21		1867, 393
	1867, 177		1867, 394
	1867, 778		1869, 279
<i>erythrocnemis</i>	1866, 303	<i>ventralis</i>	1866, 303
	1868, 632		1866, 304
<i>fontanieri</i>	1866, 304		1870, 782
<i>fuscus</i>	1864, 178		1870, 788
	1866, 303	<i>virgatus</i>	1863, 207
	1867, 280		1868, 395
	1870, 216	<i>Acephalocystis endogena</i>	1862, 310
<i>gabar</i>	1864, 4	<i>exogena</i>	1862, 310
	1867, 178	<i>granulosa</i>	1862, 310
<i>griseogularis</i>	1865, 474	<i>macaci</i>	1861, 120
	1867, 175		1862, 310
<i>gularis</i>	1862, 315	<i>ovis-tragelaphi</i>	1861, 120
	1863, 332		1862, 310
<i>hiogaster</i>	1863, 487	<i>ovoidea</i>	1862, 310
	1865, 475	<i>surculigera</i>	1862, 310
<i>hyogaster</i>	1867, 173	<i>Acestrura heliodori</i>	1870, 804
<i>minullus</i>	1864, 2	<i>mulsanti</i>	1870, 804
	1864, 4	<i>Acestura heliodori</i>	1870, 782
<i>monogrammicus</i>	1867, 178	<i>Achæa melicerta</i>	1866, 364
<i>muelleri</i>	1865, 475	<i>melicerte</i>	1867, 75
	1867, 175	<i>subsignata</i>	1867, 67
<i>nisoides</i>	1867, 171	<i>Achatina brevis</i>	1861, 387
<i>nisus</i>	1861, 367	<i>calabarica</i>	1865, 832
	1861, 368	<i>cassiacæ</i>	1869, 449
	1863, 261	<i>foxcrofti</i>	1861, 25
	1863, 332	<i>fulica</i>	1869, 62
	1863, 516		1869, 64

	Page		Page
<i>Achatina lamarckiana</i> ..	1865, 232	<i>Acidalia bicaudata</i>	1867, 643
<i>obtusa</i>	1869, 449	<i>contigara</i>	1867, 644
<i>octona</i>	1861, 230	<i>gemmifera</i>	1867, 644
<i>panthera</i>	1863, 412	<i>ligataria</i>	1866, 365
<i>planti</i>	1865, 232	<i>platyleucata</i>	1867, 647
<i>semigranosa</i>	1869, 62	<i>tephrosaria</i>	1867, 643
<i>spekei</i>	1861, 25	<i>Acipenser sturio</i>	1870, 847
<i>subfusiformis</i>	1861, 25	<i>Acmaea biradiata</i>	1865, 277
<i>trypanoides</i>	1864, 117	<i>calamus</i>	1865, 186
<i>ustulata</i>	1864, 118	<i>conoidea</i>	1865, 186
<i>Achatinella</i>	1869, 449	<i>fascicularis</i>	1865, 155
<i>spekei</i>	1863, 411	<i>filosa</i>	1865, 277
<i>ustulata</i>	1863, 412	<i>floccata</i>	1865, 277
<i>Achatinellastrum adus-</i>		<i>mesoleuca</i>	1863, 361
<i>tum</i>	1864, 117	<i>pelta</i>	1865, 155
<i>bilineatum</i>	1862, 3	<i>scabrilirata</i>	1865, 154
<i>buddi</i>	1863, 416	<i>strigatella</i>	1865, 186
<i>castaneum</i>		<i>strigillata</i>	1867, 220
<i>cucumis</i>	1869, 646	<i>subrotundata</i>	1865, 277
<i>dubium</i>	1869, 646	<i>subundulata</i>	1865, 155
<i>formosum</i>	1869, 646	<i>tenera</i>	1865, 186
<i>fulgens</i>	1869, 646	<i>vespertina</i>	1867, 220
<i>grayanum</i>	1869, 646	<i>Acomys cahirrinus</i>	1865, 277
<i>johnsoni</i>	1869, 646	<i>dimidiatus</i>	1866, 88
<i>liliaceum</i>	1869, 646	<i>russatus</i>	1866, 88
<i>olivaceum</i>	1869, 646	<i>Aconthea epiona</i>	1866, 88
<i>productum</i>	1869, 646	<i>Acontia maculosa</i>	1868, 602
<i>pulcherrimum</i>	1869, 646	<i>olivea</i>	1866, 363
<i>radiatum</i>	1869, 646	<i>signifera</i>	1867, 61
<i>trilineatum</i>	1869, 646	<i>tropica</i>	1867, 61
<i>versipilis</i>	1869, 646	<i>Acraea andromacha</i>	1870, 777
<i>vulpinum</i>	1869, 646	<i>lycia</i>	1863, 477
<i>Acherontia atropos</i>	1863, 166	<i>obeira</i>	1863, 65
<i>circe</i>	1866, 305	<i>rakeli</i>	1863, 64
<i>lethe</i>	1863, 167	<i>serena</i>	1863, 64
<i>medusa</i>	1866, 361	<i>zitja</i>	1863, 64
<i>mortis</i>	1863, 167	<i>Acridium</i> —?	1864, 118
<i>satanas</i>	1863, 167	<i>ruficorne</i>	1863, 480
<i>styx</i>	1865, 793	<i>Acridotheres cristatellus</i> .	1863, 302
<i>Acheta</i>	1866, 361	<i>fuscus</i>	1863, 337
<i>achinoë australis</i>	1863, 166	<i>ginginianus</i>	1866, 552
<i>achlyodes sura</i>	1864, 118	<i>philippensis</i>	1862, 185
<i>vasava</i>	1867, 546	<i>siamensis</i>	1870, 446
<i>Achthophora dactylon</i> ..	1865, 786	<i>tristis</i>	1863, 303
<i>mauritiana</i>	1865, 786	<i>tristis</i>	1864, 376
<i>mauritiana</i>	1866, 226	<i>tristis</i>	1865, 693
<i>mauritiana</i>	1866, 246	<i>tristis</i>	1865, 836
<i>mauritiana</i>	1866, 246	<i>tristis</i>	1866, 571
<i>mauritiana</i>	1869, 290	<i>Acritus minutus</i>	1867, 362
<i>mauritiana</i>	1869, 294	<i>mauritiana</i>	1867, 373
<i>mauritiana</i>	1867, 643	<i>Acrocephala australis</i> ..	1863, 25
<i>mauritiana</i>	1866, 365	<i>magnirostris</i>	1863, 298

	Page		Page
<i>Acrocephala orientalis</i> ..	1863,	<i>Adelomyia maculata</i> ..	1870,
<i>Acrocladia</i>	1861,	<i>Adenota kob</i>	1864,
<i>trigonaria</i>	1861,		1867,
<i>Acrocyrta macilenta</i>	1866,	<i>leche</i>	1864,
<i>Acronotus lunatus</i>	1870,		1867,
<i>Acronurus melanurus</i> ..	1865,		1867,
<i>Acronycta flavala</i>	1867,	<i>Adeorbis</i>	1863,
<i>indica</i>	1867,	<i>abjecta</i>	1863,
<i>pruinosa</i>	1867,		1863,
<i>Acryllium</i>	1863,	<i>angasi</i>	1863,
<i>Actias leto</i>	1867,		1863,
<i>maenas</i>	1865,		1867,
<i>selene</i>	1865,	<i>carinata</i>	1863,
<i>Actinia crassicornis</i>	1869,		1863,
<i>mesembryanthemum</i> 1861,	301	<i>clausa</i>	1863,
<i>virgata</i>	1861,	<i>corniculum</i>	1863,
<i>Actinodoris australis</i> ..	1867,	<i>depressa</i>	1863,
<i>Actinopus tarsalis</i>	1870,	<i>diaphana</i>	1863,
<i>Actitis empusa</i>	1869,	<i>japonica</i>	1863,
<i>hypoleuca</i>	1867,	<i>nanula</i>	1863,
	1868,	<i>orbella</i>	1863,
	1868,	<i>patruelis</i>	1863,
<i>hypoleucos</i>	1866,	<i>plana</i>	1863,
	1869,	<i>prominula</i>	1863,
<i>hypoleucus</i>	1866,	<i>subangulata</i>	1863,
	1870,	<i>subcarinata</i>	1863,
<i>macularius</i>	1870,		1863,
<i>Actiturus bartramius</i> ..	1864,	<i>suturalis</i>	1863,
	1866,	<i>trochula</i>	1863,
	1867,	<i>verreauxii</i>	1863,
	1868,	<i>Adesmia</i> — ?	1864,
	1869,	<i>Adocia simulans</i>	1867,
	1870,	<i>Adolias aconthea</i>	1868,
<i>Actodromas bairdii</i>	1862,		1868,
	1868,		1868,
<i>maculata</i>	1862,		1868,
	1864,	<i>action</i>	1868,
<i>minuta</i>	1861,	<i>adima</i>	1867,
<i>Aeus assimilis</i>	1867,		1868,
	1867,	<i>adonia</i>	1868,
	1867,	<i>agnis</i>	1868,
<i>bicolor</i>	1867,	<i>alpheda</i>	1865,
	1867,		1868,
	1867,	<i>amanda</i>	1868,
<i>trilineata</i>	1867,	<i>ambalika</i>	1868,
<i>Acusta assimilis</i>	1866,	<i>anosia</i>	1868,
	1866,	<i>anyte</i>	1868,
<i>Adamsia adelaidæ</i>	1863,	<i>apaturina</i>	1863,
	1863,	<i>aphidas</i>	1865,
	1865,		1868,
	1867,	<i>apiades</i>	1865,
<i>typica</i>	1863,		1868,
	1865,	<i>apicalis</i>	1868,
	1867,	<i>apsarasa</i>	1868,
<i>Adamsiella osberti</i>	1861,	<i>aruna</i>	1868,
<i>Addax nasomaculata</i> ..	1861,	<i>asoka</i>	1868,
	1864,	<i>balarama</i>	1865,
	1867,	<i>belarama</i>	1868,
<i>Adelomyia castaneiventris</i> 1867,	153		609

	Page		Page
<i>Adolias bipunctata</i>	1868,	<i>Adolias lutala</i>	1868,
<i>blumei</i>	1868,	<i>mahadeva</i>	1868,
<i>boisduvalii</i>	1868,	<i>merta</i>	1868,
<i>calliphorus</i>	1868,	<i>mitra</i>	1868,
<i>clathrata</i>	1868,	<i>monina</i>	1868,
<i>cocyta</i>	1868,		1868,
<i>cocytina</i>	1868,	<i>nara</i>	1868,
<i>cocytus</i>	1865,	<i>nesimachus</i>	1865,
	1868,		1868,
	1868,	<i>nicea</i>	1865,
	1868,		1868,
<i>confinis</i>	1865,	<i>ninus</i>	1868,
	1868,	<i>octogesima</i>	1868,
<i>confucius</i>	1865,	<i>palguna</i>	1868,
	1868,	<i>panopus</i>	1868,
<i>decoratus</i>	1868,	<i>pardalis</i>	1868,
	1868,	<i>parta</i>	1868,
<i>derma</i>	1868,	<i>phemius</i>	1865,
<i>diardi</i>	1868,		1868,
<i>dirtea</i>	1868,	<i>pulasara</i>	1868,
<i>dolope</i>	1868,		1868,
<i>doubledayi</i>	1865,	<i>puseda</i>	1868,
<i>doubledayii</i>	1868,	<i>raja</i>	1865,
<i>dunya</i>	1868,		1868,
<i>durga</i>	1865,	<i>ramada</i>	1868,
	1868,	<i>sahadeva</i>	1865,
<i>epiona</i>	1865,		1868,
	1868,	<i>salia</i>	1868,
<i>eva</i>	1868,		1868,
<i>evelina</i>	1867,	<i>sananda</i>	1865,
	1868,		1868,
<i>franciæ</i>	1865,	<i>sancara</i>	1867,
	1868,		1868,
<i>gandarva</i>	1868,	<i>schrenkii</i>	1868,
<i>garuda</i>	1865,	<i>sedeva</i>	1865,
	1865,		1868,
	1868,	<i>sikandi</i>	1868,
<i>godartii</i>	1868,	<i>siva</i>	1865,
<i>gopia</i>	1868,		1868,
<i>hesperus</i>	1868,	<i>soma</i>	1868,
<i>imperator</i>	1868,	<i>somadeva</i>	1868,
<i>indras</i>	1868,	<i>surjas</i>	1868,
<i>iva</i>	1867,	<i>telchinea</i>	1868,
	1868,	<i>telchinia</i>	1865,
<i>jahnu</i>	1867,	<i>teuta</i>	1865,
	1868,		1868,
<i>jama</i>	1868,	<i>trigerta</i>	1868,
<i>japis</i>	1868,	<i>vacillaria</i>	1868,
<i>kanda</i>	1868,		1868,
<i>kardama</i>	1868,	<i>valmiki</i> s	1868,
<i>kesava</i>	1865,		1868,
	1868,	<i>varuna</i>	1868,
	1868,	<i>vasanta</i>	1868,
<i>lepidea</i>	1868,	<i>xiphones</i>	1868,
<i>lubentina</i>	1865,		1868,
	1868,	<i>Adorium chrysomeloides</i>	1866,
<i>ludekingii</i>	1868,	<i>Adreus fascicularis</i>	1867,
<i>lusiada</i>	1868,	<i>Adula multivalvis</i>	1861,
	603		145

	Page		Page
<i>Aëdon familiaris</i>	1864,	<i>Ægialites vociferus</i>	1870,
<i>galactodes</i>	1864,		137
<i>leucophrys</i>	1864,		219
<i>pœna</i>	1864,		870,
	2	<i>wilsonius</i>	1868,
	1870,		169
	142	<i>Ægialitis collaris</i>	1866,
<i>Ægialites azaræ</i>	1870,		199
<i>cantianus</i>	1864,	<i>melodus</i>	1861,
	372		80
	1863,	<i>philippensis</i>	1864,
	310		376
	1864,	<i>tricollaris</i>	1866,
	450		23
	1868,	<i>Ægiothus canescens</i>	1863,
	176		299
	1870,	<i>linarius</i>	1863,
	138		160
	1870,		1863,
	139	<i>minor</i>	1863,
<i>collaris</i>	1867,		160
	591	<i>Ægithalus consobrinus</i> ..	1870,
	1869,		133
	252	<i>pendulinus</i>	1870,
<i>curonicus</i>	1870,		133
<i>dealbatus</i>	1870,	<i>Ægocera venulia</i>	1865,
	138		795
	1870,	<i>Ægoceros leucophæus</i> ..	1864,
	139		99
<i>falklandica</i>	1868,		1864,
	138		103
	1868,		1864,
	144	<i>niger</i>	1864,
<i>falklandicus</i>	1867,		99
	331		1864,
	1867,		103
	339	<i>Ægocerus equinus</i>	1870,
<i>geoffroyi</i>	1870,		475
	136	<i>Ægogropila varians</i>	1867,
	1870,		533
	141	<i>Ægomomus insularis</i> ..	1866,
	1870,		222
	428	<i>Ægosoma marginale</i> ..	1866,
<i>geoffroyii</i>	1870,		228
<i>hartingi</i>	1870,		1866,
	136		536
	1870,	<i>scabricorne</i>	1866,
	430		536
<i>hiaticula</i>	1863,	<i>Ægotheles novæ-hollan-</i>	
	309	<i>diæ</i>	1867,
	1864,		454
	450		1869,
	1870,	<i>wallacei</i>	1861,
	137		433
<i>intermedius</i>	1870,	<i>Ægus capitatus</i>	1866,
<i>leschenaultii</i>	1863,		347
<i>minor</i>	1863,	<i>formosæ</i>	1866,
	309		347
	1864,	<i>lævicollis</i>	1866,
	450		348
	1870,	<i>Ælara arrogans</i>	1866,
	137		225
<i>leschenaultii</i>	1863,		1866,
<i>minor</i>	309	<i>concisa</i>	230
	1864,		1866,
	450	<i>excisa</i>	230
	1870,	<i>ferdinandi</i>	1866,
	137		230
	1870,	<i>Ællo cuvieri</i>	1866,
	139		147
	1870,	<i>Ælurus fulgens</i>	1870,
	138		752
<i>mongolicus</i>	1863,		1870,
<i>mongolus</i>	310		769
	1870,		1870,
	140		771
	1870,	<i>Æmene taprobanis</i>	1867,
	141		669
	1870,	<i>Æolis foulisi</i>	1867,
	428		230
<i>niveifrons</i>	1870,	<i>macleayi</i>	1867,
<i>nivosa</i>	139		230
<i>nivosus</i>	1867,	<i>Æolus melliculus</i>	1867,
	339		365
	1868,		1867,
	176	<i>moreleti</i>	375
	1868,		1867,
	570	<i>Æpyceros melampus</i> ..	1864,
<i>perronii</i>	1870,		101
<i>philippinus</i>	139		1864,
	1863,		656
	222	<i>Æpyornis grandidieri</i> ..	1867,
	1863,		892
	310		1867,
<i>semipalmata</i>	1870,		895
<i>semipalmatus</i>	323	<i>maxima</i>	1863,
<i>tricollaris</i>	1867,		438
	591		1867,
	1870,	<i>Æsalon ardesiacus</i>	1869,
	136		437
	1870,		
	137		
<i>veredus</i>	1870,		
<i>vociferus</i>	141		
	1864,		
	178		
	1864,		
	372		
	1868,		
	176		
	1868,		
	570		
	1870,		
	136		

	Page		Page
<i>Æschna</i>	1863,	<i>Agelasta lambii</i>	1866,
<i>Æsopida malasiaca</i>	1866,		1866,
	1866,	<i>newmani</i>	1866,
<i>Æsopus filusus</i>	1867,	<i>polynesus</i>	1866,
	1867,		1866,
<i>Æthopyga miles</i>	1866,	<i>sobrina</i>	1866,
<i>Ætobatis narinari</i>	1865,		1866,
	1867,	<i>substrigosa</i>	1866,
	1870,		1866,
<i>Agabus congener</i>	1867,		1866,
<i>dispar</i>	1867,	<i>wallacei</i>	1866,
<i>godmanni</i>	1867,	<i>Agelasticus chrysopterus</i>	1869,
	1867,	<i>thilius</i>	1867,
	1867,		1867,
<i>niger</i>	1867,		1869,
<i>uliginosus</i>	1867,		1869,
<i>Agadina cucullata</i>	1867,	<i>Agelastus</i>	1863,
<i>gouldi</i>	1867,	<i>meleagrides</i>	1863,
	1867,	<i>Agelena labyrinthica</i>	1865,
	1867,	<i>Ageniosus brevifilis</i>	1868,
<i>stimpsoni</i>	1867,	<i>Aglaia francescæ</i>	1864,
	1867,	<i>Aglenus brunneus</i>	1867,
<i>Agama</i>	1864,		1867,
<i>mossambica</i>	1864,	<i>Aglossa argentalis</i>	1867,
<i>occipitalis</i>	1864,	<i>Agnidra discipilaria</i>	1867,
	1864,	<i>muscularia</i>	1867,
<i>versicolor</i>	1861,	<i>specularia</i>	1867,
<i>Agamia picta</i>	1862,		1867,
<i>Aganopsis subquadrata</i>	1867,		1867,
<i>Aganus ramonianus</i>	1866,	<i>Agonischius obscuripes</i>	1866,
<i>violaceus</i>	1870,	<i>Agonostoma plicatile</i>	1869,
<i>viridis</i>	1870,	<i>Agoua rachay</i>	1868,
<i>Agapornis</i>	1864,	<i>Agriopis discalis</i>	1867,
<i>pullaria</i>	1863,		1867,
	1865,	<i>lepada</i>	1867,
	1865,	<i>Agriornis andicola</i>	1869,
<i>roseicollis</i>	1862,	<i>insolens</i>	1869,
	1870,		1869,
<i>Agaronia testacea</i>	1863,	<i>livida</i>	1867,
<i>Agathia arcuata</i>	1867,		1867,
<i>catenaria</i>	1867,	<i>maritima</i>	1867,
<i>discriminata</i>	1867,		1867,
<i>hemithearia</i>	1867,	<i>pollens</i>	1869,
<i>hilarata</i>	1867,	<i>solitaria</i>	1869,
<i>lycanaria</i>	1867,	<i>Agrisius guttivitta</i>	1867,
<i>quinaria</i>	1867,	<i>Agrotis basiclavis</i>	1867,
<i>Agathodes diversalis</i>	1867,	<i>suffusa</i>	1867,
<i>ostentalis</i>	1867,	<i>Agrypnus politus</i>	1866,
<i>Agathopus</i>	1864,	<i>Agyrtia maculata</i>	1867,
<i>Agelæus gubernator</i>	1864,	<i>milleri</i>	1867,
<i>Agelaius chrysopterus</i>	1869,	<i>Ahætulla irregularis</i>	1864,
<i>thilius</i>	1869,		1864,
<i>xanthocarpus</i>	1869,		1864,
	1869,	<i>liocerca</i>	1861,
<i>Agelasta balteata</i>	1866,		1863,
	1866,	<i>natalensis</i>	1864,
	1866,	<i>semivariiegata</i>	1864,
<i>irrorata</i>	1866,	<i>Aigoceros equina</i>	1868,
<i>lambii</i>	1866,	<i>leucophæa</i>	1868,

	Page		Page
<i>Aigoceros niger</i>	1868,		218
<i>Ailia bengaliensis</i>	1869,		307
<i>Ailurus fulgens</i>	1864,		708
	1869,		408
	1869,		507
ochraceus	1864,		708
<i>Aiptasia couchii</i>	1861,		300
<i>Aix</i>	1863,		529
galericulata	1863,		324
	1869,		629
sponsa	1861,		44
	1861,		82
	1861,		84
	1861,		85
	1869,		629
<i>Akera soluta</i>	1865,		189
	1867,		227
<i>Alaba monile</i>	1865,		173
pagodula	1865,		173
phasianella	1867,		113
	1867,		117
	1867,		210
pulchra	1865,		173
	1867,		210
supralirata	1865,		272
<i>Alaemon jessii</i>	1869,		430
<i>Alamis albicincta</i>	1867,		65
brevipalpis	1867,		65
continua	1867,		65
glaucinans	1867,		65
optatura	1867,		65
<i>Alasmodon angasana</i> ..	1863,		418
<i>Alauda</i>	1864,		340
arborea	1862,		324
	1864,		435
	1865,		836
arvensis	1863,		89
	1863,		160
	1863,		271
	1863,		334
	1864,		434
cantarella	1863,		271
	1864,		434
cinerea	1866,		23
coelivox	1863,		89
	1863,		272
	1863,		334
galerita	1863,		272
gulgula	1866,		571
hova	1866,		424
intermedia	1863,		89
	1863,		271
japonica	1863,		271
	1863,		334
leantungensis	1863,		272
leucoptera	1870,		53
mongolica	1863,		271
	1870,		428
<i>Alauda pekinensis</i>	1863,		89
	1863,		271
pispoletta	1863,		271
	1864,		434
pyrrhonota	1866,		23
rufa	1867,		135
	1868,		173
sibirica	1870,		52
	1870,		53
<i>Alausa melanura</i>	1865,		311
microlepis	1867,		17
<i>Alavona barbarella</i>	1867,		669
<i>Albersia granulata</i>	1865,		410
najas	1865,		411
zonulata	1865,		410
<i>Albula bananus</i>	1864,		308
<i>Alca impennis</i>	1863,		435
	1864,		258
	1864,		339
	1867,		455
	1868,		361
monocerata	1863,		330
torda	1862,		186
	1862,		321
	1863,		330
	1863,		517
	1867,		430
<i>Alcedo amboinensis</i>	1869,		568
australis	1869,		356
azurea	1869,		355
bengalensis	1863,		209
	1863,		333
	1865,		692
biru	1863,		484
caeruleocephala	1866,		325
capensis	1866,		553
	1870,		65
	1870,		66
	1870,		69
chloris	1866,		554
	1869,		121
chlorocephala	1869,		121
chlorocephalus	1866,		554
collaris	1862,		338
	1863,		23
	1866,		554
cristata	1865,		96
	1869,		568
cyanipectus	1869,		353
dea	1863,		24
	1863,		25
erithaca	1868,		594
grandis	1869,		530
ispida	1861,		264
	1862,		186
	1862,		321
	1862,		323
	1863,		269

	Page		Page
Alcedo ispida	1863, 516	Alcyoncellumgelatinosum	1867, 530
	1864, 432		1867, 557
	1865, 238		1868, 132
	1870, 280	robustum	1867, 527
	1870, 281	speciosum	1867, 351
	1870, 282		1867, 352
	1870, 283		1867, 353
ispidioides.....	1863, 269		1867, 354
javana	1870, 65		1867, 358
javanica	1870, 64		1867, 359
leucocephala	1870, 64		1867, 530
	1870, 65		1868, 133
leucocephalus	1866, 553		1869, 67
melanorhyncha	1862, 338		1869, 77
	1870, 62		1869, 326
meningting	1863, 484		1869, 344
moluccensis	1863, 18		1869, 345
	1863, 25		1869, 347
	1863, 484		1869, 348
occipitalis	1866, 554		1869, 351
purpurea	1868, 589	Alcyone.....	1863, 481
	1868, 590	affinis.....	1869, 352
	1868, 593		1869, 354
pusilla	1869, 357	azurea	1861, 433
rubra	1868, 589		1869, 279
	1868, 593		1869, 352
semitorquata	1866, 22		1869, 353
smyrnensis.....	1866, 554		1869, 354
solitaria	1868, 597		1869, 355
tribrachys	1869, 356	cincta.....	1869, 353
tridactyla	1868, 589	cyanipectus	1868, 591
	1868, 590	cyanopectus	1869, 352
	1868, 591		1869, 353
	1868, 592	diemensis	1869, 352
	1868, 593		1869, 355
vintsioides	1866, 421		1869, 356
	1870, 398	lessoni	1869, 352
Alcelaphus bubalis	1864, 67		1869, 353
	1866, 86		1869, 354
pygargus	1864, 67	pulchra	1869, 352
Alces americana	1870, 460		1869, 356
palmatum	1866, 86		1869, 357
Alcippe brucei	1869, 432	pusilla	1868, 383
brunnea	1862, 280		1869, 352
	1863, 333		1869, 357
monacha.....	1861, 434	solitaria	1868, 597
morrisonia	1863, 333	Alcyonidium rubrum ..	1865, 706
murina	1861, 434	Alcyonium arboreum ..	1867, 494
Alcithoë kreusleræ	1865, 55	asbestinum.....	1867, 494
	1865, 165		1867, 525
pacifica	1865, 165	aurantium	1867, 541
thatcheri	1869, 561	cranium	1867, 543
Alcyon smyrnensis	1864, 432	digitatum	1865, 706
Alcyoncellum aspergillum	1867, 529		1865, 707
	1867, 530		1868, 131
corbicula	1867, 358	exos	1865, 705
	1867, 359	floridum.....	1862, 27
	1867, 531	glomeratum	1865, 706

	Page		Page
<i>Alcyonium glomeratum</i>	1865, 707	<i>Allope ocellifera</i>	1865, 807
<i>lyncurium</i>	1867, 541	<i>semicineta</i>	1865, 805
<i>mülleri</i>	1867, 548	<i>Alopex europæus</i>	1869, 247
<i>ocellatum</i>	1867, 237	<i>Alora gouldii</i>	1861, 272
<i>palmatum</i>	1867, 511	<i>Alosa finta</i>	1870, 847
<i>poculum</i>	1865, 705	<i>microlepis</i>	1867, 17
<i>rubrum</i>	1867, 524	<i>squamo-pinnata</i>	1868, 377
<i>sanguineum</i>	1865, 706	<i>venenosa</i>	1867, 868
<i>serpens</i>	1865, 707	<i>Alpheia abdominalis</i>	1867, 682
<i>Alebion australis</i>	1867, 239	<i>folvohirta</i>	1865, 807
<i>hyndmani</i>	1867, 534	<i>fulvohirta</i>	1867, 682
<i>Alecthelia urvillii</i>	1861, 288	<i>Alphitobius piceus</i>	1867, 361
<i>Alecto dinemelli</i>	1864, 42	<i>Aluco aculeatus</i>	1867, 381
<i>Alectops ater</i>	1864, 109	<i>auritus</i>	1862, 228
<i>Alectrophasis pyronotus</i>	1866, 114	<i>fuscus</i>	1862, 228
<i>Alectura lathamii</i>	1863, 120	<i>nodula</i>	1862, 228
<i>Aleochara nitida</i>	1861, 288	<i>Alutarius lævis</i>	1865, 313
<i>puberula</i>	1867, 362	<i>Alvania tumida</i>	1863, 353
<i>Alpidosaurus</i>	1867, 381	<i>Alycæus bacca</i>	1862, 275
<i>Alepisaurus ferox</i>	1867, 362	<i>globosus</i>	1870, 794
<i>Alepocephalus</i>	1867, 381	<i>japonicus</i>	1867, 314
<i>Aletes</i>	1864, 301	<i>mouhoti</i>	1862, 275
<i>centiquadrus</i>	1862, 126	<i>spiracellum</i>	1862, 278
<i>Alphetes</i>	1862, 115	<i>swinhoei</i>	1867, 314
<i>Alphitobius</i>	1861, 334	<i>Alysse</i>	1866, 318
<i>Alphitobius</i>	1861, 361	<i>Alyselminthus cuniceps</i>	1866, 319
<i>Alphitobius</i>	1861, 154	<i>ellipticus</i>	1862, 312
<i>Alphitobius</i>	1861, 336	<i>Alzelina metagonaria</i>	1862, 647
<i>Alphitobius</i>	1861, 362	<i>Amadina</i>	1867, 481
<i>Alphitobius</i>	1862, 76	<i>castanotis</i>	1863, 481
<i>Alphitobius</i>	1863, 358	<i>cucullata</i>	1863, 495
<i>Alphitobius</i>	1865, 98	<i>erythrocephala</i>	1862, 186
<i>Alphitobius</i>	1861, 164	<i>insularis</i>	1866, 329
<i>Alphitobius</i>	1862, 76	<i>lathamii</i>	1864, 7
<i>Alphitobius</i>	1867, 869	<i>modesta</i>	1864, 160
<i>Alphitobius</i>	1864, 242	<i>Amalda marginata</i>	1863, 486
<i>Alphitobius</i>	1865, 528	<i>oblonga</i>	1863, 495
<i>Alicia angustata</i>	1867, 908	<i>Amalthea australis</i>	1862, 324
<i>Alicia angustata</i>	1867, 911	<i>conica</i>	1866, 78
<i>Alicia angustata</i>	1867, 914	<i>Amara trivialis</i>	1869, 279
<i>Alicia angustata</i>	1867, 914	<i>Amara trivialis</i>	1869, 627
<i>Alicia angustata</i>	1867, 914	<i>Amara trivialis</i>	1862, 185
<i>Alicia angustata</i>	1861, 303	<i>Amalda marginata</i>	1867, 192
<i>Alligator lucius</i>	1861, 59	<i>oblonga</i>	1867, 193
<i>Alligator lucius</i>	1861, 367	<i>Amalthea australis</i>	1865, 175
<i>Alligator lucius</i>	1862, 322	<i>conica</i>	1865, 175
<i>Alligator lucius</i>	1867, 776	<i>Amara trivialis</i>	1865, 183
<i>Alligator lucius</i>	1869, 400	<i>Amara trivialis</i>	1867, 364
<i>Alloionema appendiculatum</i>	1862, 301	<i>Amara trivialis</i>	1867, 368
<i>Allopora maderensis</i>	1862, 196	<i>Amatra affinis</i>	1869, 650
<i>Aloa bifrons</i>	1862, 197	<i>anthonii</i>	1869, 649
<i>lactinea</i>	1866, 362	<i>assimilis</i>	1869, 650
<i>Alloporia</i>	1867, 682	<i>biplicata</i>	1869, 649
<i>Alloporia</i>	1867, 682	<i>cylindrica</i>	1869, 650
<i>Alloporia</i>	1867, 682	<i>deshayesii</i>	1869, 649
<i>Alloporia</i>	1867, 682	<i>elongata</i>	1869, 650
<i>Alloporia</i>	1867, 682	<i>farcimen</i>	1869, 649
<i>Alloporia</i>	1867, 682		

	Page		Page
<i>Amastra flavescens</i>	1869, 650	<i>Amazilia riefferi</i>	1870, 210
<i>humilis</i>	1869, 650	<i>Ambassis alta</i>	1869, 297
<i>inflata</i>	1869, 649	<i>baculis</i>	1869, 515
<i>intermedia</i>	1869, 650	<i>commersonii</i>	1864, 307
<i>irregularis</i>	1869, 649		1865, 12
<i>lineolata</i>	1869, 650		1867, 850
<i>luctuosa</i>	1869, 650	<i>dussumieri</i>	1865, 12
<i>luteola</i>	1869, 650		1867, 850
<i>mastersii</i>	1869, 650		1869, 298
<i>melanosis</i>	1869, 650		1870, 681
<i>micans</i>	1869, 650	<i>lala</i>	1869, 298
<i>modesta</i>	1869, 650	<i>macracanthus</i>	1870, 681
<i>mucronata</i>	1869, 650	<i>nalua</i>	1865, 12
<i>nigra</i>	1869, 649	<i>nama</i>	1869, 298
<i>nubilosa</i>	1869, 650	<i>notatus</i>	1869, 515
<i>nucleola</i>	1869, 649	<i>phula</i>	1869, 298
<i>obesa</i>	1869, 649	<i>productus</i>	1868, 10
	1869, 650	<i>ranga</i>	1867, 14
<i>petricola</i>	1869, 650	<i>thomasii</i>	1870, 369
<i>porphyrea</i>	1869, 650	<i>urotænia</i>	1867, 850
<i>porphyrostoma</i>	1869, 649		1870, 681
<i>pusilla</i>	1869, 650	<i>Amblycetes cæcutiens</i>	1869, 524
<i>reticulata</i>	1869, 649	<i>mangois</i>	1869, 524
<i>rubens</i>	1869, 650	<i>tenuipinnis</i>	1869, 524
<i>rugulosa</i>	1869, 649	<i>Amblychia angeronaria</i>	1867, 625
<i>sericea</i>	1869, 650	<i>Amblyodon</i>	1864, 539
<i>similaris</i>	1869, 649	<i>doratus</i>	1864, 541
<i>solida</i>	1869, 649	<i>Amblyopus brevis</i>	1864, 151
<i>soror</i>	1869, 650	<i>broussonetii</i>	1862, 194
<i>sphærica</i>	1869, 649	<i>cæculus</i>	1865, 29
	1869, 650		1869, 304
<i>spirizona</i>	1869, 650		1869, 518
<i>textilis</i>	1869, 649	<i>cirrhatius</i>	1869, 518
<i>tristis</i>	1869, 649	<i>hermannianus</i>	1865, 28
<i>turritella</i>	1869, 650		1870, 694
<i>variegata</i>	1869, 650	<i>sagitta</i>	1862, 193
<i>ventulus</i>	1869, 649		1862, 194
<i>Amathina bicarinata</i>	1867, 312	<i>Amblypharyngodon at-</i>	
<i>nobilis</i>	1867, 312	<i>kinsonii</i>	1869, 371
	1867, 315	<i>jerdoni</i>	1867, 294
<i>tricarinata</i>	1867, 312		1868, 278
<i>trigona</i>	1870, 251	<i>mola</i>	1869, 370
<i>Amathusia amythaon</i>	1865, 485	<i>pellucidus</i>	1869, 371
	1867, 673	<i>Amblypodia abseus</i>	1865, 774
<i>Amaura diocletia</i>	1866, 294	<i>amantes</i>	1865, 774
<i>Amaurella glabrata</i>	1867, 311	<i>ameria</i>	1865, 774
<i>semistriata</i>	1867, 311	<i>areste</i>	1865, 774
<i>Amauris echeria</i>	1866, 43	<i>atrax</i>	1865, 774
<i>egialea</i>	1866, 43	<i>camdeo</i>	1865, 775
<i>navius</i>	1866, 44	<i>centaurus</i>	1865, 775
<i>Amauropsis moerchi</i>	1863, 421	<i>chinensis</i>	1865, 774
	1863, 423	<i>eumolpus</i>	1865, 774
	1867, 198	<i>fulgida</i>	1867, 675
<i>Amauornis femoralis</i>	1868, 461	<i>hypatada</i>	1865, 776
<i>Amauropsiza cærulatra</i>	1870, 583	<i>nakula</i>	1865, 775
<i>Amazilia beryllina</i>	1864, 177	<i>narada</i>	1865, 774
<i>riefferi</i>	1864, 365	<i>perimuta</i>	1867, 674
	1867, 156	<i>quercetorum</i>	1867, 674

	Page		Page
<i>Amblypodia rama</i>	1867,	<i>Ampeliceps coronatus</i> ..	1868, 623
<i>rochana</i>	1865,	<i>Ampelio arcuatus</i>	1870, 781
<i>selimnus</i>	1867,	<i>Ampelion</i>	1864, 583
<i>Amblypterus anomalus</i> ...	1866,	<i>Ampelis cedrorum</i>	1861, 368
<i>Amblyrhamphus holose-</i>		<i>cineracea</i>	1864, 173
<i>riceus</i>	1869, 161	<i>garrula</i>	1861, 210
	1869, 632		1863, 298
	1870, 114		1863, 336
<i>ruber</i>	1869, 161	<i>hypopyrrha</i>	1861, 211
<i>Amblystoma punctatum</i>	1870, 272	<i>phoenicoptera</i>	1863, 336
<i>Ambulyx maculifera</i>	1867, 676	<i>Amphacanthus margari-</i>	
<i>substrigilis</i>	1865, 793	<i>tifera</i>	1867, 855
	1867, 676	<i>Amphidasys bengaliaria</i>	1867, 625
<i>Ameria aliciae</i>	1862, 106	<i>Amphidesma bicolor</i> ..	1863, 367
<i>bonus-henricus</i>	1863, 417	<i>ellipticum</i>	1863, 367
<i>carinata</i>	1861, 143	<i>proximum</i>	1863, 367
<i>cumingii</i>	1861, 144	<i>pulchrum</i>	1863, 367
<i>lirata</i>	1863, 60	<i>striosum</i>	1863, 367
<i>mæsta</i>	1861, 144	<i>tortuosum</i>	1863, 367
<i>obesa</i>	1861, 144	<i>ventricosum</i>	1863, 367
<i>truncata</i>	1861, 144	<i>Amphidiscus</i>	1863, 443
<i>Amerila astræa</i>	1867, 682	<i>Amphidromus contrarius</i>	1865, 412
<i>Amesisa consularis</i>	1866, 226	<i>formosensis</i>	1866, 317
	1866, 244		1866, 319
<i>Ametrida centurio</i>	1866, 117	<i>interruptus</i>	1865, 412
<i>Ammocætes branchialis</i> .	1862, 103	<i>macassariensis</i>	1865, 412
	1870, 845	<i>perversus</i>	1865, 412
<i>Ammodromus longicau-</i>		<i>sinensis</i>	1865, 412
<i>datus</i>	1869, 161	<i>sinistralis</i>	1865, 412
<i>manimbe</i>	1863, 189	<i>Amphigonias comprimens</i>	1867, 81
<i>petenicus</i>	1863, 189	<i>Amphioxus lanceolatus</i> ..	1862, 99
<i>Ammomanes deserti</i>	1864, 434	<i>Amphipeplea phillipsi</i> ..	1863, 416
<i>fraterculus</i>	1864, 434	<i>vinosa</i>	1863, 415
<i>isabellina</i>	1864, 434	<i>Amphiperas hordacea</i> ..	1867, 207
<i>Ammonia lævis</i>	1865, 157	<i>semistriata</i>	1862, 241
	1867, 186	<i>Amphiprion akallopisus</i> ..	1870, 695
<i>Ammonoceras guayaqui-</i>		<i>bifasciatus</i>	1870, 695
<i>lensis</i>	1866, 441	<i>ephippium</i>	1870, 695
<i>thomasi</i>	1870, 375	<i>percula</i>	1870, 695
<i>Ammophila</i> — ?	1864, 118	<i>tricolor</i>	1870, 695
<i>Amnemopsyche charmi-</i>		<i>Amphiprionichthys zey-</i>	
<i>one</i>	1869, 44	<i>lonensis</i>	1869, 515
<i>expandens</i>	1869, 44	<i>Amphirene superba</i>	1866, 456
	1869, 45		1866, 457
<i>Amnicola hindsii</i>	1863, 67	<i>Amphisbæna alba</i>	1865, 443
<i>Amniscos morum</i>	1867, 542		1865, 444
<i>Amoria exoptanda</i>	1864, 53		1865, 447
	1865, 165	<i>americana</i>	1865, 443
<i>maculata</i>	1864, 53		1865, 444
<i>marmorata</i>	1864, 53		1865, 447
<i>prætexta</i>	1864, 53	<i>cinerea</i>	1865, 446
<i>turneri</i>	1864, 53	<i>cæca</i>	1865, 449
<i>undulata</i>	1864, 52		1865, 450
	1865, 165	<i>darwinii</i>	1865, 443
<i>volva</i>	1864, 53		1865, 444
<i>zebra</i>	1864, 53		1865, 447
<i>Ampedus</i> — ?	1867, 375		1865, 448
<i>Ampeliceps coronatus</i> ..	1863, 371		

	Page		Page
<i>Amphisbæna elegans</i> ..	1865, 445	<i>Anabates lophotes</i>	1868, 636
<i>fuliginosa</i>	1865, 447	<i>melanopezus</i>	1870, 88
<i>kingii</i>	1865, 450	<i>ochrolæmus</i>	1864, 354
<i>leucura</i>	1865, 448	<i>poliocephalus</i>	1861, 378
<i>macrura</i>	1865, 448	<i>pyrrhodes</i>	1861, 378
<i>oxyura</i>	1865, 446	<i>ruficaudatus</i>	1861, 378
<i>petræi</i>	1865, 443	<i>ruficollis</i>	1861, 378
	1865, 444	<i>striaticollis</i>	1861, 378
<i>punctata</i>	1865, 450	<i>superciliaris</i>	1861, 378
	1865, 452	<i>turdinus</i>	1866, 184
<i>rufus</i>	1865, 446	<i>unirufus</i>	1868, 636
<i>scutigera</i>	1865, 454	<i>Anabazenops lineatus</i> ..	1870, 192
<i>vermicularis</i>	1865, 443	<i>subalaris</i>	1870, 192
	1865, 448	<i>variegaticeps</i>	1870, 192
<i>violacea</i>	1865, 443	<i>Anableps dovii</i>	1864, 27
	1865, 448	<i>dowii</i>	1861, 30
<i>vulgaris</i>	1865, 447	<i>Anacanthus asperrimus</i> ..	1867, 871
<i>Amphisile punctulata</i> ..	1867, 864	<i>barbatus</i>	1870, 703
<i>Amphithalamus obesus</i> ..	1865, 754	<i>Anachis atomella</i>	1865, 516
<i>pupoideus</i>	1865, 754	<i>atramentaria</i>	1863, 344
<i>Amphiuma</i>	1863, 203	<i>conspicua</i>	1863, 344
<i>Ampullacera fragilis</i> ..	1865, 189	<i>costellata</i>	1863, 344
	1867, 232	<i>costellifera</i>	1862, 279
<i>Ampullaria adusta</i>	1863, 60	<i>diminuta</i>	1863, 344
<i>lattrei</i>	1863, 414	<i>fluctuata</i>	1863, 344
<i>sordida</i>	1863, 60	<i>fulva</i>	1863, 344
<i>speciosa</i>	1864, 117	<i>gaskoini</i>	1865, 273
	1864, 118	<i>guatemalensis</i>	1863, 345
<i>vitrea</i>	1867, 1001	<i>lyrata</i>	1863, 344
<i>Ampullarina fragilis</i> ...	1865, 189	<i>mœsta</i>	1863, 345
	1867, 231	<i>nigricans</i>	1863, 345
<i>quoyana</i>	1865, 189	<i>pygmæa</i>	1863, 345
	1867, 232	<i>rugosa</i>	1863, 345
<i>Amussium pieuronectes</i> ..	1866, 146	<i>scalarina</i>	1863, 344
<i>Amycla modesta</i>	1863, 345	<i>serrata</i>	1865, 273
<i>sagitta</i>	1865, 517	<i>tæniata</i>	1865, 273
<i>Amyda mutica</i>	1864, 77	<i>varia</i>	1863, 345
	1864, 80	<i>Anacyrtus affinis</i>	1868, 246
	1869, 212	<i>amazonum</i>	1868, 246
<i>Amydoma basalis</i>	1865, 821	<i>Anæretes agilis</i>	1866, 188
<i>pallida</i>	1865, 821	<i>albocristatus</i>	1867, 987
<i>prasina</i>	1865, 821		1868, 569
<i>Amydrus fulvipennis</i> ..	1865, 93	<i>cristatellus</i>	1868, 175
<i>tristramii</i>	1864, 445	<i>parulus</i>	1867, 327
<i>Amyna selenampha</i>	1867, 53		1867, 338
<i>spoliata</i>	1867, 53	<i>Anagnia subfascia</i>	1865, 796
<i>Anabas oligolepis</i>	1869, 521	<i>Anahyster calabaricus</i> ..	1864, 56
<i>scandens</i>	1865, 31		1865, 130
	1865, 35	<i>Anaitis medmaria</i>	1867, 664
	1867, 15	<i>vastata</i>	1867, 649
	1869, 304	<i>Anancylus griseatus</i> ...	1866, 225
<i>Anabates amaurotis</i>	1861, 378		1866, 231
<i>atricapillus</i>	1861, 378	<i>Anapa cuneata</i>	1865, 648
<i>cervinigularis</i>	1864, 354	<i>triquetra</i>	1865, 648
	1864, 355	<i>Anarhynchus brasiliensis</i>	1869, 635
<i>cristatus</i>	1868, 636	<i>frontalis</i>	1869, 360
<i>erythrocerus</i>	1861, 378		1869, 434

	Page		Page
Anarhynchus frontalis ..	1869, 435	Anas iopareia	1867, 340
	1870, 673		1868, 531
	1870, 674	leucogenys	1869, 157
Anarrhichas	1862, 138	leucophrys	1869, 635
lupus	1865, 325	maculirostris	1868, 146
Anarsia candida	1867, 670	marila	1861, 84
Anartia fatima	1863, 248	marmorata	1864, 453
Anas acuta	1861, 84	melanocephala	1867, 335
	1862, 84		1867, 340
	1863, 324	melanota	1866, 426
	1864, 453	melanotus	1870, 401
arborea	1864, 300	melleri	1864, 487
assimilis	1866, 426	metopias	1867, 335
atra	1863, 324	mollissima	1861, 83
autumnalis	1864, 299	moschata	1868, 531
badia	1864, 300	nævosa	1864, 192
bimaculata	1861, 393		1869, 280
boschas	1861, 84	nigra	1861, 83
	1861, 392	obscura	1864, 487
	1863, 160		1869, 629
	1863, 324	oxyptera	1867, 335
	1863, 517		1867, 990
	1863, 529		1867, 991
	1864, 373	oxyyura	1867, 335
	1864, 453	penelope	1863, 324
	1865, 753	peposaca	1867, 687
—, var. domestica ..	1865, 837		1870, 666
cæruleata	1861, 84	perspicillata	1861, 83
cana	1864, 190	pœcilorhyncha	1863, 324
casarca	1864, 190	puna	1869, 157
cheneros	1864, 191	punctata	1869, 280
chiloënsis	1869, 635	pyrrhogaster	1867, 335
circia	1870, 427		1867, 990
clangula	1861, 84	querquedula	1861, 84
	1863, 324		1863, 324
clypeata	1861, 83	radjah	1863, 36
	1861, 84		1864, 190
	1863, 324	spectabilis	1861, 83
crecca	1863, 324		1863, 324
	1864, 453	specularis	1867, 335
cristata	1867, 335		1867, 340
	1867, 340	spinicauda	1867, 335
	1867, 990		1869, 157
	1868, 570	sponsa	1865, 325
erythrorhyncha	1866, 426	stelleri	1863, 324
	1867, 827	strepera	1863, 324
	1867, 828		1864, 453
falcaria	1863, 324		1869, 629
fulva	1864, 301	superciliosa	1863, 487
	1869, 635		1864, 9
fusca	1861, 83		1864, 11
gibbifrons	1863, 487		1864, 487
glocitans	1861, 393		1866, 418
	1863, 324		1867, 832
guttulata	1863, 36		1868, 4
histrionica	1863, 324		1868, 8
iopareia	1867, 320		1868, 118
	1867, 335		1869, 280

	Page		Page
<i>Anas superciliosa</i>	1869,	<i>Andrena nitida</i>	1862,
<i>tadorna</i>	1864,	<i>Andropadus flavescens</i> ..	1867,
<i>tadornoides</i>	1864,		1867,
<i>torquata</i>	1869,	<i>importunus</i>	1861,
<i>variegata</i>	1864,	<i>Angasella</i>	1863,
<i>virgata</i>	1864,	<i>Angasia pavonina</i>	1863,
	1869,	<i>Angasiella edwardsii</i> ..	1867,
<i>xanthorhyncha</i>	1864,	<i>Angerona pallicostaria</i> ..	1867,
	1869,	<i>poeusaria</i>	1867,
<i>zonorhyncha</i>	1870,	<i>Anguilla amblyodon</i> ...	1867,
<i>Anaspis humeralis</i>	1867,	<i>australis</i>	1864,
<i>proteus</i>	1867,	<i>bengalensis</i>	1861,
<i>Anastomus lamelligerus</i>	1866,	<i>bicolor</i>	1870,
<i>oscitans</i>	1865,	<i>elphinstonei</i>	1861,
<i>Anatina</i>	1864,	<i>johannæ</i>	1868,
<i>alta</i>	1863,	<i>labiata</i>	1870,
<i>angasi</i>	1865,	<i>microptera</i>	1864,
<i>brevis</i>	1867,	<i>porphyrea</i>	1861,
<i>crassa</i>	1867,	<i>variegata</i>	1861,
<i>creccina</i>	1865,	<i>virescens</i>	1870,
	1867,	<i>Anguis</i>	1862,
<i>gracilis</i>	1865,		1862,
<i>pandoræformis</i>	1867,	<i>fragilis</i>	1862,
<i>prolongata</i>	1867,	<i>Angulus amplexans</i> ...	1865,
<i>tasmanica</i>	1867,	<i>decumbens</i>	1865,
<i>Anchastus rufivellus</i>	1867,	<i>Anisodactylus binotatus</i>	1867,
<i>Anchinoë perarmata</i>	1867,		1867,
<i>Anchistia æsopia</i>	1863,	<i>Anisodes diffusaria</i> ...	1867,
	1863,	<i>hyriaria</i>	1867,
<i>ensifrons</i>	1863,	<i>oblivaria</i>	1867,
<i>Anchylostoma duodenale</i>	1862,	<i>pallivittata</i>	1867,
<i>Anchomenus albipes</i>	1867,	<i>platycerata</i>	1867,
	1867,	<i>pluristriata</i>	1867,
<i>aptinoides</i>	1867,		1867,
	1867,	<i>plynusaria</i>	1867,
<i>elongatus</i>	1867,	<i>pyriniata</i>	1866,
<i>marginatus</i>	1867,		1867,
	1867,	<i>sanguinaria</i>	1867,
<i>nichollsii</i>	1867,	<i>similaria</i>	1867,
<i>parum punctatus</i> ..	1867,	<i>vinacearia</i>	1867,
	1867,	<i>Anisoneura hypocyana</i> ..	1867,
<i>Ancillaria marginata</i> ..	1867,	<i>salebrosa</i>	1867,
<i>oblonga</i>	1867,	<i>Anoa depressicornis</i> ...	1864,
<i>Ancistrops lineaticeps</i> ..	1866,		1869,
	1867,	<i>Anobium domesticum</i> ..	1867,
<i>Ancorina aptos</i>	1867,		1867,
<i>crebra</i>	1867,	<i>panicum</i>	1867,
<i>virescens</i>	1867,		1867,
<i>Ancylostomum duodenale</i>	1862,	<i>striatum</i>	1867,
<i>Ancylus kootaniensis</i> ..	1863,	<i>tomentosum</i>	1867,
<i>Andamia expansa</i>	1869,		1867,
	1870,	<i>villosum</i>	1867,
<i>Andraca bipunctata</i>	1865,		1867,
<i>trilochoides</i>	1865,	<i>Anodon dalei</i>	1864,
<i>Andrena cingulata</i>	1862,	<i>tenuis</i>	1867,
	1862,	<i>Anodonta alba</i>	1862,
<i>clarkella</i>	1862,	<i>ensiformis</i>	1866,
<i>nitida</i>	1862,	<i>gibba</i>	1867,
	119		490

	Page		Page
Anodonta harlandi	1867, 492	Anser albifrons	1861, 365
pulcherrima	1865, 814	andicola	1863, 323
swinhoei	1866, 446	bernicla	1869, 156
tenebricosa	1870, 376	brenta	1863, 323
tenuis	1867, 490	canadensis	1863, 323
wheatleyi	1866, 433	cinereus	1861, 368
Anolis	1863, 236	cygnoides	1863, 323
Anomala corrugata	1866, 343	erythropus	1869, 629
inconcinna	1866, 343	ferus	1862, 22
Anomalocardia subimbri-		grandis	1863, 323
cata	1863, 365	hyperboreus	1863, 323
subrugosa	1863, 365	leucopsis	1863, 323
trapezia	1867, 931	melanopterus	1869, 156
trapezina	1866, 146	minutus	1863, 323
Anomalurus beecroftii	1861, 275	montanus	1869, 156
beldeni	1862, 180	paludosus	1861, 19
derbianus	1861, 275	palustris	1863, 517
Anomia — ?	1863, 362	phœnicopus	1861, 19
lampe	1863, 359	ruficollis	1861, 234
tenuis	1863, 372	segetum	1863, 323
Anomis fulvida	1863, 362	sinensis	1861, 234
guttanivis	1866, 64	Anseranas melanoleuca	1861, 266
Anophia acronyctoides	1867, 64	1862, 185
.	1866, 363	1869, 280
.	1867, 67	Antalis erecta	1867, 220
Anoplosomatum antillense	1868, 100	Antechinomys lanigera	1866, 434
pallasii	1868, 83	Antechinus	1866, 432
paretti	1868, 100	affinis	1866, 432
utriculus	1868, 100	albipes	1866, 433
Anops bulis	1865, 777	apicalis	1866, 432
kingii	1865, 444	ferruginifrons	1866, 432
.	1865, 450	flavipes	1866, 432
thetys	1865, 777	leucogaster	1866, 432
Anoratha costalis	1867, 82	maculatus	1866, 432
.	1867, 98	minutissimus	1866, 432
Anosia archippus	1866, 45	swainsonii	1866, 432
eresima	1866, 45	unicolor	1866, 432
erippe	1866, 44	Antennarius leopardinus	1864, 151
megalippe	1866, 46	leucosoma	1867, 862
vincetoxici	1866, 45	marmoratus	1867, 861
Anota	1863, 196	multiocellatus	1867, 862
Anoura geoffroyi	1866, 116	1869, 238
Anous brachyrhynchus	1864, 498	nigromaculatus	1869, 239
brenta	1864, 453	pinniceps	1869, 238
inca	1867, 337	Anthea cereus	1861, 301
.	1867, 340	Antheræa assama	1865, 818
segetum	1864, 453	eucalypti	1865, 462
stolidus	1863, 329	frithii	1865, 818
.	1864, 9	helferi	1865, 818
.	1864, 11	miranda	1865, 818
.	1868, 9	paphia	1865, 818
.	1868, 118		
.	1868, 388		
.	1870, 603		
.	1870, 838		
Anser albifrons	1861, 59		

	Page		Page
<i>Antheræa roylei</i>	1867,	<i>Anthus blakistonii</i>	1863,
<i>Antheua discalis</i>	1865,	<i>bogotensis</i>	1870,
<i>Anthia striatopunctata</i> ..	1864,	<i>breviunguis</i>	1870,
<i>Anthias fronticinctus</i> ..	1868,	<i>campestris</i>	1864,
<i>orientalis</i>	1869,		1864,
<i>rasor</i>	1869,	<i>cervinus</i>	1863,
<i>richardsonii</i>	1869,		1863,
<i>Anthicus floralis</i>	1867,		1864,
	1867,	<i>chii</i>	1867,
<i>hispidus</i>	1867,		1867,
	1867,		1868,
<i>humilis</i>	1867,	<i>correndera</i>	1867,
	1867,		1867,
<i>Antho involvens</i>	1867,		1868,
<i>Anthocephala castanei-</i>	1867,		1868,
<i>ventris</i>	1864,		1870,
	1864,		1870,
	1864,	<i>fuscus</i>	1866,
	1870,	<i>gustavi</i>	1863,
<i>Anthochæra</i>	1863,		1863,
<i>lunulata</i>	1869,	<i>japonicus</i>	1863,
<i>mellivora</i>	1869,		1863,
<i>Anthocharis daphalis</i> ..	1865,		1865,
	1865,	<i>malayensis</i>	1866,
<i>etrida</i>	1870,	<i>medius</i>	1863,
<i>halimede</i>	1866,		1863,
<i>ione</i>	1865,	<i>obscurus</i>	1863,
<i>leo</i>	1866,		1863,
<i>phlegyas</i>	1865,		1869,
<i>Anthophila hæmorrhoida</i>	1867,	<i>parvus</i>	1867,
<i>roseifascia</i>	1866,		1868,
	1867,	<i>pœcilopterus</i>	1866,
<i>Anthrenus varius</i>	1867,		1866,
	1867,	<i>pratensis</i>	1861,
<i>Anthreptes javanica</i>	1862,		1862,
<i>lepida</i>	1862,		1863,
	1862,		1863,
	1863,		1864,
	1863,	<i>raaltenii</i>	1867,
<i>phœnicotis</i>	1866,	<i>richardi</i>	1862,
<i>singalensis</i>	1866,		1863,
<i>Anthropoides</i>	1864,	<i>rufulus</i>	1866,
<i>virgo</i>	1868,	<i>rufus</i>	1864,
<i>Anthrostomus nigrescens</i>	1866,		1867,
	1866,		1867,
<i>Anthus</i>	1863,		1868,
<i>agilis</i>	1863,		1868,
	1863,		1868,
	1870,		1868,
<i>aquaticus</i>	1863,	<i>spinoletta</i>	1861,
	1863,		1864,
	1869,		1865,
<i>arboreus</i>	1863,	<i>thermophilus</i>	1863,
	1863,	<i>Anticlea cuprearia</i>	1867,
	1864,	<i>Anticyra approximata</i> ..	1865,
<i>australis</i>	1865,	<i>combusta</i>	1865,
	1869,	<i>Antigone montignesia</i> ..	1863,
<i>blakistonii</i>	1863,	<i>Antilocapra americana</i> ..	1865,
	1863,		60

	Page		Page
<i>Antilocapra americana</i>	1865, 718	<i>Antilope picta</i>	1866, 565
	1866, 105	<i>pygarga</i>	1862, 137
	1869, 528	<i>saiga</i>	1865, 262
	1870, 334		1870, 451
	1870, 338		1870, 467
	1870, 340		1870, 487
	1870, 360		1870, 496
<i>Antilope addax</i>	1862, 137		1870, 501
	1866, 86	<i>saltatrix</i>	1863, 4
<i>bennettii</i>	1862, 136	<i>saltiana</i>	1863, 4
<i>bezoarctica</i>	1862, 136		1868, 157
<i>bubalis</i>	1862, 137	<i>scripta</i>	1862, 136
	1869, 51	<i>soemmeringii</i>	1863, 3
<i>caama</i>	1861, 307	<i>unctuosa</i>	1867, 4
	1862, 22		1869, 528
	1862, 136	<i>vardonii</i>	1864, 657
<i>capreola</i>	1861, 307	<i>Antipathes</i>	1862, 196
	1862, 22	<i>Antirrhinum orontium</i>	1865, 494
	1862, 137	<i>Antrostomus æquicauda-</i>	
<i>capreolus</i>	1869, 528	<i>tus</i>	1867, 342
<i>cervicapra</i>	1862, 323		1867, 987
	1864, 67		1868, 569
	1870, 488	<i>carolinensis</i>	1866, 136
	1870, 498		1866, 145
<i>dama</i>	1865, 675		1870, 203
<i>defossa</i>	1867, 4	<i>cubanensis</i>	1866, 585
<i>depressicornis</i>	1865, 677	<i>longirostris</i>	1866, 140
<i>dorcas</i>	1862, 136		1868, 142
<i>ellipsiprymna</i>	1862, 12	<i>macromystax</i>	1866, 137
<i>equina</i>	1868, 217		1866, 145
<i>euchore</i>	1862, 137	<i>maculicaudus</i>	1866, 586
<i>euryceros</i>	1861, 276		1866, 587
<i>gutturosa</i>	1867, 246	<i>nigrescens</i>	1867, 583
	1870, 345		1870, 203
	1870, 431	<i>nutalli</i>	1866, 137
	1870, 434		1866, 145
	1870, 462	<i>ocellatus</i>	1866, 137
	1870, 487		1866, 138
	1870, 488		1866, 145
	1870, 493	<i>ornatus</i>	1866, 586
	1870, 494		1866, 587
<i>harnieri</i>	1867, 5	<i>parvulus</i>	1866, 136
<i>isabellina</i>	1862, 136		1866, 138
	1864, 67		1866, 145
<i>leucoryx</i>	1862, 136		1866, 588
	1866, 86		1867, 343
<i>leucotis</i>	1864, 103		1867, 752
<i>lichtensteini</i>	1869, 52	<i>rufus</i>	1866, 136
<i>maxwellii</i>	1862, 137		1866, 145
<i>melampus</i>	1862, 12		1866, 585
	1864, 99	<i>rutilus</i>	1866, 136
<i>melanotis</i>	1862, 137		1866, 586
<i>mergens</i>	1862, 137	<i>saturus</i>	1870, 176
<i>mhorr</i>	1865, 675		1870, 203
<i>moschata</i>	1864, 649	<i>sericeo-caudatus</i>	1866, 137
<i>oreas</i>	1862, 136		1866, 145
<i>palæindica</i>	1870, 354		1866, 586
<i>picta</i>	1864, 270	<i>vociferus</i>	1866, 124

	Page		Page
<i>Antrostomus vociferus</i> ..	1866, 137	<i>Aphareus cærulescens</i> ..	1867, 852
	1866, 145	<i>furcatus</i>	1867, 852
	1866, 585	<i>Aphelocoma floridana</i> ..	1869, 362
<i>Anuga constricta</i>	1867, 62	<i>Aphnæus etolus</i>	1865, 776
<i>lunulata</i>	1867, 62	<i>ictis</i>	1867, 674
<i>Anumbius acuticaudatus</i>	1868, 141	<i>lahita</i>	1865, 776
	1870, 672	<i>syama</i>	1865, 776
<i>striaticeps</i>	1869, 599	<i>Aphodius granarius</i> ...	1867, 362
<i>Anyperodon leucogram-</i>			1867, 374
<i>micus</i>	1867, 846	<i>lividus</i>	1867, 374
<i>lividus</i>	1867, 362	<i>Aphriza virgata</i>	1867, 331
<i>Aonyx</i>	1864, 57		1867, 339
<i>aurobrunnea</i>	1865, 131	<i>Aphrocallistes beatrix</i> ..	1867, 507
<i>horsfieldi</i>	1870, 229		1869, 75
<i>horsfieldii</i>	1865, 130		1869, 325
<i>indigitata</i>	1865, 131		1869, 327
	1870, 230		1869, 330
<i>inunguis</i>	1865, 130	<i>Aphroceras alcornis</i> ..	1867, 558
<i>lalandii</i>	1865, 129	<i>Aphrodite superba</i>	1865, 484
	1865, 130	<i>Aphusia speiplena</i> ...	1867, 668
<i>leptonyx</i>	1865, 130	<i>Aphyocharax pusillus</i> ..	1868, 245
	1870, 229	<i>Apicalia scitula</i>	1867, 308
<i>Aoria quinquemaculata</i> ..	1866, 354		1867, 315
<i>Apatela radians</i>	1867, 666	<i>Apion chalybeipenne</i> ..	1867, 364
<i>Apathus campestris</i>	1862, 121		1867, 377
<i>Apatura ambica</i>	1865, 764	<i>Apis mellifica</i>	1862, 121
	1865, 765		1862, 122
	1868, 601	<i>Apistus niger</i>	1870, 686
<i>erminia</i>	1868, 614	<i>Aplexa hypnorum</i>	1863, 417
<i>lavinia</i>	1866, 39	<i>Aploceros americanus</i> ..	1870, 363
	1866, 42	<i>Aplonis metallica</i>	1869, 120
<i>parisatis</i>	1865, 765	<i>tabuensis</i>	1869, 547
<i>parvata</i>	1865, 765	<i>Aplysia melanopus</i>	1870, 173
<i>sordida</i>	1865, 765		1870, 174
	1865, 822	<i>tigrina</i>	1867, 228
<i>Apela divisa</i>	1867, 683	<i>Aplysina aerophoba</i>	1867, 509
<i>Aper æthiopicus</i>	1868, 46	<i>carnosa</i>	1867, 509
<i>orientalis</i>	1868, 42	<i>Apocryptes bato</i>	1869, 303
<i>Aperostoma bartletti</i> ..	1870, 375	<i>cantoris</i>	1870, 693
	1870, 380	<i>lanceolata</i>	1870, 692
<i>blanchetianum</i>	1866, 443	<i>lanceolatus</i>	1869, 303
<i>connivens</i>	1866, 443	<i>macrolepis</i>	1870, 692
	1866, 451	<i>punctatus</i>	1867, 941
<i>perdistinctum</i>	1866, 443		1869, 303
<i>Apha lanuginosa</i>	1867, 681	<i>Apoderus</i> — ?	1863, 166
<i>subdives</i>	1867, 681	<i>Apogon axillaris</i>	1868, 225
<i>Aphanopus</i>	1862, 173	<i>chrysotænia</i>	1870, 682
	1862, 174	<i>cyanosoma</i>	1867, 850
	1862, 175	<i>dovii</i>	1861, 371
<i>carbo</i>	1865, 435	<i>fasciatus</i>	1867, 850
<i>Aphantochilus rogersii</i> ..	1870, 728		1870, 682
	1870, 744	<i>hyalosoma</i>	1867, 850
	1870, 747		1870, 681
<i>Aphantochroa cirrho-</i>		<i>multitæniatus</i>	1870, 681
<i>chloris</i>	1862, 124	<i>notata</i>	1867, 936
<i>gularis</i>	1867, 752	<i>orbicularis</i>	1870, 681
<i>hyposticta</i>	1862, 124	<i>Apogonichthys auritus</i> ..	1870, 682
<i>roberti</i>	1861, 203	<i>Apola</i>	1864, 467

	Page		Page
<i>Apola lateralis</i>	1864, 467	<i>Aquila chrysaëtos</i>	1864, 426
	1864, 473		1870, 81
	1864, 473	<i>desmursii</i>	1862, 145
<i>Apona cashmirensis</i>	1865, 806		1862, 146
<i>pallida</i>	1865, 806	<i>clanga</i>	1864, 427
<i>rosea</i>	1865, 821	<i>fuscata</i>	1861, 59
<i>Aporia agathon</i>	1865, 489		1861, 101
<i>soracta</i>	1865, 489	<i>fulvescens</i>	1868, 395
<i>Aprion virescens</i>	1867, 486		1870, 5
<i>Apriona germari</i>	1866, 226	<i>gurneyi</i>	1861, 433
	1866, 247	<i>hastata</i>	1870, 5
<i>Aprosmictus amboinensis</i>	1863, 21	<i>heliaca</i>	1863, 259
<i>erythropterus</i>	1861, 234		1864, 427
	1861, 365	<i>imperialis</i>	1863, 259
	1861, 436		1868, 395
	1863, 232	<i>mogilnik</i>	1863, 259
<i>scapulatus</i>	1861, 234	<i>nævica</i>	1862, 145
	1869, 279		1863, 332
<i>splendens</i>	1864, 158		1863, 371
<i>vulneratus</i>	1863, 484		1864, 427
	1864, 282	<i>nævicaoides</i>	1870, 5
<i>Apsarasa radians</i>	1867, 666		1862, 22
<i>Aptenodytes chrysocome</i>	1861, 46		1862, 145
<i>forsteri</i>	1865, 438		1864, 427
<i>longirostris</i>	1861, 438		1870, 4
<i>pennantii</i>	1861, 47		1870, 5
<i>Apternus tridactylus</i> ..	1863, 333	<i>pennata</i>	1862, 22
<i>Apterodytes pennantii</i> ..	1865, 318		1862, 145
	1868, 527		1864, 427
<i>Apteryx</i>	1862, 255		1866, 377
	1862, 260		1866, 378
	1863, 515		1866, 379
<i>australis</i>	1863, 517		1866, 380
	1867, 424		1868, 396
	1870, 334		1870, 544
<i>mantelli</i>	1867, 894	<i>vindhiana</i>	1870, 5
	1868, 329	<i>vulturina</i>	1869, 407
<i>mantellii</i>	1863, 234	<i>Ara</i> <i>alecto</i>	1864, 281
	1863, 235	<i>ambigua</i>	1867, 183
	1864, 374	<i>aracanga</i>	1864, 367
<i>owenii</i>	1864, 1	<i>ararauna</i>	1862, 139
	1868, 319		1862, 322
<i>owenni</i>	1869, 468		1862, 323
<i>Aptornis defossor</i>	1870, 128		1867, 587
<i>otidiformis</i>	1870, 128	<i>chloroptera</i>	1864, 367
<i>Apua fusca</i>	1869, 549	<i>hyacinthina</i>	1867, 587
<i>Apurima xanthogastrella</i>	1867, 666		1867, 595
<i>Aquias luctus</i>	1866, 81	<i>macao</i>	1864, 368
<i>trifoliata</i>	1866, 81		1866, 197
	1866, 83		1867, 587
<i>Aquila audax</i>	1867, 393		1867, 753
<i>barthelemyi</i>	1870, 80	<i>militaris</i>	1864, 368
	1870, 81		1867, 183
<i>bifasciata</i>	1864, 427		1870, 213
<i>bonellii</i>	1864, 427	<i>nobilis</i>	1867, 587
<i>braccata</i>	1861, 45	<i>severa</i>	1861, 365
	1867, 329		1864, 368
<i>chrysaëtos</i>	1863, 332		1866, 197

	Page		Page		
Ara severa	1867,	979	Arca divaricata	1867,	931
Arachnechthra asiatica .	1864,	375	emarginata	1863,	364
	1865,	664	fasciata	1867,	931
	1866,	542	gradata	1863,	364
	1866,	569	grandis	1863,	364
flammaxillaris	1866,	541		1865,	273
	1866,	542	lactea	1861,	405
insignis	1865,	663	lima	1865,	665
lotenia	1865,	664	lobata	1867,	931
	1866,	542	multicostata	1865,	273
magna	1866,	540	mutabilis	1863,	364
Arachnocebus	1863,	150	noë	1861,	405
	1864,	644	pholadiformis	1863,	364
Arachnothera longirostris	1863,	220	pusilla	1867,	931
novæ guineæ	1861,	434	reeviana	1863,	364
Aramides albiventris . .	1868,	447	reversa	1863,	364
	1868,	470	similis	1863,	364
	1870,	838	solida	1863,	364
axillaris	1868,	449	tobagensis	1863,	364
	1868,	470	trapezia	1867,	931
cayanensis	1861,	367	tuberculosa	1863,	364
cayennensis	1867,	161	Archæa mercatoria	1867,	75
	1867,	280	Archæopteryx	1863,	512
	1868,	446		1863,	517
	1868,	447		1863,	518
	1868,	448	Archaius	1864,	475
	1868,	449	Archibuteo lagopus	1862,	140
	1868,	470	Architectonica maxima .	1866,	146
	1868,	629	reevei	1867,	201
chiricote	1868,	447	Arconaiia lanceolata . . .	1867,	491
gigas	1868,	145	Arcopagia decussata . . .	1865,	647
	1868,	448	Arctia imbuta	1867,	682
maculatus	1868,	444	Arctibeus — ?	1865,	64
mangle	1868,	449		1865,	81
	1868,	470	achradophilus	1861,	64
maximus	1868,	447	brachyotus	1861,	64
nigricans	1868,	446		1865,	81
plumbeus	1868,	449	carpolegus	1861,	64
rhytirhynchus	1867,	990		1865,	62
	1868,	145		1865,	64
	1868,	446		1865,	70
saracara	1868,	449		1865,	74
	1868,	470		1865,	76
ypecaha	1868,	144		1865,	81
	1868,	145		1865,	83
	1868,	448	jamaicensis	1861,	64
	1868,	470		1865,	65
zelebori	1867,	990	perspicillata	1865,	64
	1868,	446	perspicillatus	1861,	64
Aramus giganteus	1861,	81	sulphureus	1861,	64
scolopaceus	1861,	81	Arctictis	1864,	508
	1869,	160		1864,	525
Aratinga perlata	1867,	588		1864,	528
Arbelorhina longirostris.	1870,	561	aureus	1864,	526
Arca — ?	1863,	364		1864,	532
alternata	1863,	364	binturong	1864,	525
aviculoides	1863,	364		1869,	30
decussata	1865,	196	penicillatus	1864,	525

	Page		Page
Arctocebus	1863, 150	Ardea atricollis	1866, 425
	1864, 334	brasiliensis	1870, 589
	1864, 335	bubulcus	1863, 164
	1864, 616		1865, 837
	1864, 630		1866, 425
	1864, 631	cærulea	1867, 280
	1864, 637		1869, 252
	1864, 644		1870, 244
calabarensis	1863, 150	caledonicus	1863, 35
	1864, 314	candidissima	1867, 280
	1864, 612		1867, 334
Arctocephalus delalandii	1864, 34		1867, 339
falklandicus	1868, 192	cinerea	1863, 223
gillespii	1864, 34		1863, 319
hookeri	1864, 34		1863, 321
lobatus	1864, 34		1863, 516
monteriensis	1864, 33		1867, 437
nigrescens	1864, 34		1870, 444
nivosus	1869, 108	cocoi	1866, 199
Arctogale	1864, 508		1867, 319
	1864, 528		1867, 334
	1864, 542		1867, 339
alba	1864, 160		1867, 979
cinerea	1864, 450		1869, 634
comata	1864, 160	comata	1867, 823
garzetta	1864, 160		1867, 827
leuce	1864, 73	cyanura	1868, 145
purpurea	1864, 451	egretta	1867, 334
trivirgata	1864, 528		1867, 339
	1864, 529		1869, 156
	1864, 543	egrettoides	1863, 319
Arctomys alpinus	1862, 135	elegans	1866, 425
empetra	1862, 321		1867, 823
eversmanni	1870, 445	flavicollis	1863, 35
ludovicianus	1868, 624	garzetta	1865, 89
Arctonyx collaris	1863, 370		1866, 425
	1865, 138		1867, 823
	1865, 140	goisagi	1863, 320
	1865, 680	greyii	1861, 438
	1865, 681	grisea	1870, 589
	1867, 821	gularis	1866, 330
	1868, 207		1866, 425
	1868, 209		1867, 827
	1869, 278		1867, 828
	1870, 622	herodias	1861, 81
isonyx	1865, 138		1870, 323
taxoides	1865, 138	ibis	1866, 425
Arctularia coronata	1862, 227	idæ	1865, 837
Ardea agami	1862, 369		1866, 425
	1866, 567	involucris	1869, 634
	1867, 754	javanica	1863, 35
aruensis	1861, 438	jugularis	1861, 438
atricapilla	1863, 164	leuce	1869, 156
	1866, 330	leucogaster	1870, 589
	1866, 425	leucoptera	1866, 425
	1867, 828	minuta	1863, 321
	1869, 570		1865, 90
atricollis	1865, 89	minuta australis ..	1866, 425

	Page		Page
<i>Ardea modesta</i>	1863,	<i>Argina syringa</i>	1865,
<i>nigrirostris</i>	1862,	<i>Argiope aurelia</i>	1870,
<i>novæ guineæ</i>	1861,	<i>barrettiana</i>	1866,
<i>purpurea</i>	1861,		1866,
	1862,	<i>cuneata</i>	1866,
	1862,	<i>decollata</i>	1866,
	1863,	<i>lordii</i>	1870,
	1863,	<i>sericea</i>	1870,
	1863,	<i>woodwardiana</i>	1866,
	1863,		1866,
	1865,	<i>Argiva caprimulgus</i>	1867,
<i>pusilla</i>	1867,	<i>hieroglyphica</i>	1867,
<i>ruficristata</i>	1866,	<i>Argobuccinum nodosum</i>	1863,
<i>sacra</i>	1867,	<i>Argonauta argo</i>	1865,
	1868,		1867,
	1868,	<i>nodosa</i>	1865,
	1868,	<i>oryzata</i>	1862,
	1869,		1865,
	1869,		1867,
<i>scapularis</i>	1870,	<i>tuberculata</i>	1865,
<i>schistacea</i>	1866,		1867,
<i>sibilatrix</i>	1869,	<i>tuberculosa</i>	1865,
<i>speciosa</i>	1863,	<i>Argus</i>	1863,
<i>sumatrana</i>	1868,		1863,
<i>syrmatophora</i>	1863,	<i>giganteus</i>	1863,
<i>typhon</i>	1863,		1863,
<i>virescens</i>	1867,		1863,
<i>xanthopoda</i>	1866,		1863,
<i>Ardeola erythromelas</i>	1869,	<i>ocellatus</i>	1863,
	1869,	<i>Argynnis childreni</i>	1865,
<i>exilis</i>	1869,		1865,
<i>leucoptera</i>	1865,	<i>hippomenes</i>	1865,
	1865,	<i>issæa</i>	1865,
<i>minuta</i>	1864,		1865,
<i>podiceps</i>	1866,	<i>jainadeva</i>	1865,
<i>prasinosceles</i>	1863,		1865,
<i>sinensis</i>	1863,	<i>kamala</i>	1865,
<i>Ardetta cinnamomea</i>	1863,		1865,
	1863,	<i>niphe</i>	1865,
<i>erythromelas</i>	1867,		1865,
<i>exilis</i>	1861,		1870,
	1864,	<i>Argyris insignata</i>	1867,
	1867,	<i>mysticata</i>	1867,
	1867,	<i>ocellata</i>	1867,
<i>flavicollis</i>	1863,	<i>ommatophoraria</i>	1867,
	1863,	<i>Argyropes aurelia</i>	1869,
<i>involucris</i>	1869,		1869,
<i>minuta</i>	1862,		1869,
<i>pusilla</i>	1868,	<i>Ariadne mellissii</i>	1869,
<i>sinensis</i>	1862,		1869,
	1863,		1869,
<i>stagnatilis</i>	1861,	<i>Arichanna maculata</i>	1867,
<i>sturni</i>	1870,	<i>marmorata</i>	1867,
<i>Areas orientalis</i>	1865,		1867,
<i>Arestha antica</i>	1865,	<i>plagifera</i>	1867,
<i>Argina argus</i>	1865,	<i>ramosa</i>	1867,
<i>astrea</i>	1865,	<i>ramosaria</i>	1867,
<i>dulcis</i>	1865,		1867,
	799		799

	Page		Page
<i>Arichanna tramesata</i> ..	1867, 658	<i>Artamus leucorhynchus</i> .	1868, 117
	1867, 686		1868, 118
<i>Aricia arabicula</i>	1863, 340	<i>melanops</i>	1865, 198
<i>punctulata</i>	1863, 340	<i>monachus</i>	1862, 335
<i>thersites</i>	1865, 170		1862, 340
<i>Ariela</i>	1864, 509	<i>papuensis</i>	1861, 435
<i>taenionota</i>	1864, 565		1863, 29
<i>Arinia scalatella</i>	1862, 184	<i>perspicillatus</i>	1863, 485
<i>Arion extraneus</i>	1864, 250	<i>sordidus</i>	1865, 199
<i>Ariteus flavescens</i>	1866, 117		1869, 279
<i>Arius andamanensis</i>	1870, 699	<i>superciliosus</i>	1866, 418
<i>australis</i>	1867, 103		1869, 279
<i>burmanicus</i>	1869, 618	<i>Artaxa digramma</i>	1867, 680
<i>cælatus</i>	1865, 292	<i>fervida</i>	1863, 167
<i>falcarius</i>	1868, 12		1863, 168
<i>gagora</i>	1865, 291	<i>guttata</i>	1867, 680
<i>kirkii</i>	1864, 308	<i>inconcisa</i>	1865, 806
<i>netuma</i>	1865, 292	<i>justiciae</i>	1867, 680
<i>sona</i>	1869, 523	<i>subfasciata</i>	1867, 680
<i>subrostratus</i>	1865, 293	<i>varians</i>	1865, 806
<i>sumatranus</i>	1870, 699	<i>Artemis dunkeri</i>	1863, 365
<i>surinamensis</i>	1867, 103	<i>saccata</i>	1863, 365
<i>thalassinus</i>	1869, 308	<i>scabriuscula</i>	1867, 923
<i>Aroa pyrrochroma</i>	1865, 803	<i>sculpta</i>	1867, 923
<i>socrus</i>	1867, 680	<i>Artibeus jamaicensis</i> ..	1866, 116
<i>substrigosa</i>	1867, 680	<i>Artimpaza odontoceroide</i>	1866, 511
<i>Aromochelys</i>	1863, 202	<i>Artynes compressa</i>	1867, 555
<i>odorata</i>	1869, 181		1868, 133
<i>Arpacticus kronii</i>	1868, 541	<i>Arundinax canturians</i> ..	1863, 294
<i>Arremon aurantirostris</i> .	1864, 342		1870, 601
	1864, 351	<i>flemingi</i>	1870, 440
	1867, 140	<i>minutus</i>	1863, 294
	1870, 188	<i>olivaceus</i>	1862, 316
<i>silens</i>	1867, 572		1863, 294
	1867, 595	<i>Arundinicola citreola</i> ..	1867, 320
	1870, 553		1867, 326
<i>Arrenga</i>	1863, 277		1869, 160
<i>Arses kaupi</i>	1868, 383	<i>leucocephala</i>	1867, 978
<i>Artamia bicolor</i>	1866, 423		1869, 252
<i>leucocephala</i>	1866, 423	<i>Arvicola amphibius</i>	1862, 163
	1870, 389		1866, 89
<i>rufa</i>	1865, 835	<i>arvalis</i>	1866, 89
<i>viridis</i>	1866, 423	<i>groenlandiæ</i>	1868, 349
	1870, 389	<i>indica</i>	1870, 635
<i>Artamus albiventer</i>	1865, 199	<i>monticola</i>	1866, 89
<i>albiventris</i>	1868, 383	<i>socialis</i>	1866, 89
<i>cinereus</i>	1863, 233	<i>Ascaris alata</i>	1862, 295
	1865, 199		1862, 296
<i>fuscus</i>	1863, 287	<i>bicolor</i>	1868, 69
	1865, 692		1868, 70
<i>leucogaster</i>	1863, 28		1868, 71
	1863, 217	<i>canis</i>	1862, 302
	1863, 485	<i>cati</i>	1862, 295
	1868, 117	<i>depressa</i>	1861, 122
<i>leucopygialis</i>	1863, 233	<i>dispar</i>	1861, 122
	1866, 555	<i>ensicaudata</i>	1865, 325
	1866, 556	<i>felis</i>	1862, 295
<i>leucorhynchus</i>	1868, 116		1862, 296

	Page		Page
<i>Ascaris lineata</i>	1861,	<i>Aspidonectes asper</i>	1864,
<i>lumbricoides</i>	1862,	<i>aspilus</i>	1864,
	1862,		1869,
	1862,	<i>gangeticus</i>	1864,
	1862,	<i>indicus</i>	1864,
	1862,	<i>javanicus</i>	1864,
<i>marginata</i>	1862,	<i>spinifer</i>	1864,
<i>martis</i>	1862,	<i>Aspidoparia morar</i>	1869,
<i>megalcephala</i>	1862,	<i>sardina</i>	1869,
<i>mystax</i>	1862,	<i>Aspidosiphon clavatum</i> .	1868,
	1862,	<i>coyi</i>	1868,
	1862,	<i>cumingii</i>	1868,
<i>nigrovenosa</i>	1870,		1868,
<i>renalis</i>	1862,	<i>eremita</i>	1868,
<i>retusa</i>	1861,	<i>laeve</i>	1868,
<i>simplex</i>	1868,	<i>mülleri</i>	1868,
<i>suilla</i>	1862,	<i>radiatum</i>	1868,
<i>teres felis</i>	1862,	<i>rhyssaspis</i>	1868,
<i>tribothrioides</i>	1861,	<i>spratti</i>	1868,
<i>trichiura</i>	1862,	<i>steenstrupii</i>	1868,
<i>unduloso-striata</i> ..	1862,	<i>truncatum</i>	1868,
<i>vermicularis</i>	1862,	<i>Aspilates falconaria</i>	1867,
<i>vesicularis</i>	1861,	<i>obliquaria</i>	1867,
<i>visceralis</i>	1862,	<i>susceptaria</i>	1867,
<i>Ascosoma blumenbachii</i> .	1868,	<i>uvaria</i>	1867,
<i>Ascosomum blumenbachii</i> .	1868,	<i>Aspilus carinatus</i>	1869,
<i>Asellia tricuspadata</i>	1866,	<i>cariniferus</i>	1864,
<i>tridens</i>	1866,		1864,
<i>Asilaris zonatus</i>	1866,		1869,
	1866,	<i>ornatus</i>	1864,
	1866,	<i>punctulatus</i>	1864,
<i>Asilus</i> — P	1864,	<i>Assimineia bridgesi</i>	1863,
<i>Asinus hemionus</i>	1862,	<i>latericia</i>	1863,
<i>hemippus</i>	1862,	<i>nitida</i>	1864,
	1866,	<i>Astacus caldwelli</i>	1865,
<i>indicus</i>	1862,		1865,
<i>onager</i>	1862,	<i>Astathes nigricornis</i>	1866,
<i>taeniopus</i>	1862,		1866,
	1864,	<i>perplexa</i>	1866,
<i>vulgaris</i>	1866,	<i>splendida</i>	1866,
<i>Asio brachyotus</i>	1863,		1866,
	1870,	<i>terminata</i>	1866,
<i>madagascariensis</i> ..	1865,		1866,
<i>otus</i>	1863,	<i>Asterias</i>	1864,
	1863,	<i>Asteronyx loveni</i>	1861,
<i>Asmedia mimetes</i>	1866,	<i>Astrape dipterygia</i>	1865,
	1866,	<i>Astrapia carunculata</i> ..	1861,
	1866,	<i>nigra</i>	1861,
<i>Aspastus miltocheilus</i> ..	1869,		1862,
<i>Aspergillum strangei</i> ..	1867,		1862,
<i>Aspidiotes melanocephalus</i>	1864,		1862,
	1864,		1862,
<i>Aspidochelys</i>	1864,	<i>Astrospongia polypoides</i> .	1867,
<i>livingstonii</i>	1864,	<i>Astrostoma bowerbankii</i> .	1867,
	1865,	<i>Astur albus</i>	1867,
	1865,	<i>approximans</i>	1867,
<i>Aspidonectes</i>	1864,		1867,
<i>egyptiacus</i>	1864,		1868,

	Page		Page
<i>Astur approximans</i>	1869, 279	<i>Asturina magnirostris</i>	1869, 132
<i>atricapillus</i>	1870, 384		1869, 133
<i>cristatus</i>	1867, 178		1870, 215
<i>cruentus</i>	1863, 22	<i>nattereri</i>	1869, 132
	1867, 170		1869, 133
	1867, 176		1869, 593
	1868, 381	<i>nitida</i>	1864, 178
<i>griseiceps</i>	1867, 178		1864, 369
<i>griseogularis</i>	1867, 174		1867, 589
<i>henicogrammus</i>	1867, 174		1868, 119
<i>indicus</i>	1867, 178		1868, 173
<i>leucorrhous</i>	1869, 134		1869, 129
<i>macrorhynchus</i>	1869, 131		1869, 130
	1869, 132		1869, 131
<i>magnirostris</i>	1869, 132		1869, 133
	1869, 133		1870, 556
	1869, 134	<i>plagiata</i>	1868, 173
<i>mirandollei</i>	1867, 759		1869, 129
<i>mirandollii</i>	1869, 365		1869, 130
	1869, 366		1870, 838
<i>monogrammicus</i>	1861, 234	<i>pucherani</i>	1869, 133
	1861, 365		1869, 134
<i>nitidus</i>	1869, 130		1869, 634
	1870, 556	<i>ruficauda</i>	1869, 133
<i>novæ hollandiæ</i>	1861, 433		1869, 134
	1867, 179		1870, 215
	1868, 382		1870, 838
	1869, 279	<i>unicincta</i>	1868, 143
<i>palumbarius</i>	1863, 261	<i>Asychis fibulata</i>	1867, 539
	1863, 332	<i>variantia</i>	1867, 539
	1864, 429	<i>Asynonychus godmanni</i>	1867, 378
	1866, 379		1867, 389
<i>radiatus</i>	1867, 177		1867, 391
	1867, 393	<i>Ateles arachnoides</i>	1862, 333
<i>rayii</i>	1867, 179	<i>ater</i>	1862, 102
	1868, 382		1865, 732
<i>trinotatus</i>	1867, 172	<i>bartlettii</i>	1867, 992
<i>trivirgatus</i>	1867, 178		1870, 608
	1868, 394	<i>belzebuth</i>	1861, 247
<i>unicinctus</i>	1870, 554		1862, 324
<i>Astura punctiferalis</i>	1867, 96		1862, 333
<i>Asturina albicollis</i>	1870, 555		1864, 337
<i>albifrons</i>	1869, 600		1864, 333
<i>brachyura</i>	1870, 215		1865, 241
<i>cinerea</i>	1869, 129		1865, 733
	1869, 130		1865, 740
<i>gularis</i>	1869, 134		1870, 608
<i>leucorrhœa</i>	1869, 130	<i>chameck</i>	1862, 333
	1869, 134	<i>cucullatus</i>	1865, 733
<i>magnirostris</i>	1864, 178		1865, 739
	1864, 369	<i>frontalis</i>	1862, 322
	1866, 198	<i>frontatus</i>	1862, 186
	1867, 158		1862, 321
	1867, 589		1864, 710
	1867, 753		1865, 740
	1868, 169		1870, 797
	1869, 129	<i>fusciceps</i>	1865, 733
	1869, 131	<i>geoffroyii</i>	1862, 333

	Page		Page
<i>Ateles griseus</i>	1865,	<i>Atherina forskalii</i>	1865,
<i>hybridus</i>	1862,		18
	1862,		32
	1862,		321
<i>marginatus</i>	1864,	<i>pectoralis</i>	1867,
<i>ornatus</i>	1870,	<i>pinguis</i>	1867,
<i>paniscus</i>	1861,	<i>sibama</i>	1861,
	1862,		221
	1862,	<i>Atherinichthys guate-</i>	
	1865,	<i>malensis</i>	1864,
<i>subpentadactylus</i> ..	1865,	<i>pachylepis</i>	1864,
<i>variegatus</i>	1870,	<i>Atheris burtonii</i>	1863,
<i>vellerosus</i>	1865,	<i>Athous obsoletus</i>	1867,
<i>Atella egista</i>	1865,		363
	1867,		375
	1867,	<i>Athylax</i>	1864,
<i>phalanta</i>	1863,		508
	1865,		556
	1865,	<i>paludosus</i>	1864,
	1865,		557
<i>phalantha</i>	1870,		558
<i>sinha</i>	1867,	<i>robustus</i>	1864,
<i>Atelopus flavescens</i> ..	1868,		558
<i>Atelornis pittoides</i> ..	1870,		559
<i>Athene bactriana</i>	1870,		557
<i>boobook</i>	1869,	<i>vansire</i>	1864,
<i>brama</i>	1868,	<i>Athyma bahula</i>	1865,
<i>cuculoides</i>	1863,	<i>cama</i>	1865,
	1868,	<i>chevana</i>	1865,
	1867,		822
<i>cunicularia</i>	1867,		801
<i>florensensis</i>	1863,		764
	1863,	<i>inara</i>	1865,
	1863,	<i>jina</i>	1865,
<i>glaux</i>	1870,	<i>leucothoe</i>	1865,
	1870,		497
	1870,		763
<i>guteruhi</i>	1863,		359
<i>hantu</i>	1863,	<i>mahesa</i>	1865,
	1863,	<i>opalina</i>	1865,
	1863,	<i>ranga</i>	1867,
<i>hirsuta</i>	1863,	<i>selenophora</i>	1865,
<i>humeralis</i>	1861,	<i>subrata</i>	1865,
<i>infuscata</i>	1870,	<i>Athyrma divulsa</i>	1867,
<i>meridionalis</i>	1864,	<i>polyspila</i>	1867,
<i>noctua</i>	1863,	<i>tessellata</i>	1867,
	1870,	<i>Atilax vansire</i>	1864,
	1870,	<i>Atimura bacillina</i>	1866,
<i>pardalota</i>	1863,		225
<i>passerina</i>	1864,		242
<i>perlata</i>	1865,	<i>Atkinsonia clerodendrella</i>	1867,
<i>phalaenoides</i>	1870,		672
<i>plumipes</i>	1870,	<i>Atlapetes rubricatus</i>	1868,
<i>radiata</i>	1864,	<i>Atomaria munda</i>	1867,
	1868,		362
	1863,		372
<i>squamipila</i>	1863,	<i>Atossa atomaria</i>	1866,
<i>strenua</i>	1869,		226
<i>tæniata</i>	1869,		254
	1869,		267
	1869,	<i>strenua</i>	1866,
<i>theomacha</i>	1861,		254
<i>torquata</i>	1870,	<i>Atractaspis irregularis</i> ..	1864,
<i>variegata</i>	1869,	<i>Atractilites belemniticus</i>	1862,
	1869,		228
	1869,	<i>Atrichia clamosa</i>	1866,
<i>Atherina affinis</i>	1867,		438
<i>afra</i>	1867,		439
	1867,		440
	1867,	<i>rufescens</i>	1866,
	1867,		438
	1867,	<i>Attacus atlas</i>	1865,
	1867,	<i>cynthia</i>	1865,
	1867,	<i>edwardsii</i>	1865,
	1867,		818
	1867,		819
	1867,		818

	Page		Page
<i>Attacus guerini</i>	1867, 683	<i>Atys debilis</i>	1865, 516
<i>lunula</i>	1865, 819	<i>succisa</i>	1865, 516
<i>ricini</i>	1865, 819	<i>Auchenia glama</i>	1861, 101
<i>Attagen ariel</i>	1861, 438		1862, 102
<i>Attagis</i>	1862, 257		1863, 230
<i>gayi</i>	1867, 331		1868, 624
	1867, 339	<i>huanaco</i>	1864, 68
<i>molouina</i>	1861, 46		1865, 262
<i>Attalus miniatocollis</i> ..	1867, 375	<i>huanacus</i>	1868, 624
	1867, 387	<i>llama</i>	1870, 475
	1867, 391	<i>paco</i>	1862, 102
<i>ruficollis</i>	1867, 375	<i>pacos</i>	1862, 321
	1867, 387		1863, 230
<i>Atteva niveigutta</i>	1867, 669		1864, 68
<i>niveiguttella</i>	1866, 365		1865, 262
<i>Atthis heloisæ</i>	1870, 208		1868, 624
<i>Atticora albiceps</i>	1870, 291	<i>vicugna</i>	1862, 102
<i>albiscapulata</i>	1870, 290		1870, 475
<i>cinerea</i>	1869, 599	<i>Auchmis perspicillaris</i> ..	1867, 49
<i>cyanoleuca</i>	1866, 178	<i>sikkimensis</i>	1867, 49
	1867, 749		1867, 97
	1867, 984	<i>Aulacomya hirsuta</i>	1865, 652
	1868, 568	<i>menkeana</i>	1865, 653
	1868, 569	<i>rostrata</i>	1865, 653
	1868, 627	<i>Aulacorampus albivittis</i>	1870, 782
	1869, 159	<i>atrigularis</i>	1866, 24
	1870, 184	<i>cæruleogularis</i>	1866, 24
<i>cypseloides</i>	1870, 313		1867, 130
<i>fasciata</i>	1866, 178		1867, 157
	1867, 569		1870, 211
	1867, 749	<i>castaneorhynchus</i> ..	1868, 220
	1870, 287	<i>cyanolæmus</i>	1866, 24
<i>griseopyga</i>	1870, 313	<i>hæmatopygius</i>	1868, 220
<i>hamigera</i>	1864, 108	<i>prasinus</i>	1870, 837
	1870, 288	<i>sexnotatus</i>	1868, 219
	1870, 311	<i>sulcatus</i>	1868, 109
<i>holomelas</i>	1870, 288		1868, 629
<i>leucosternon</i>	1869, 279	<i>Aulastoma eximio-stria-</i>	
<i>melbina</i>	1870, 313	<i>tum</i>	1869, 314
<i>murina</i>	1869, 599	<i>planum</i>	1869, 313
<i>nigrita</i>	1870, 304	<i>Aulia hypopyrrha</i>	1861, 211
<i>nitens</i>	1870, 291	<i>Aulica marmorata</i>	1867, 193
<i>obscura</i>	1870, 288	<i>norrisii</i>	1869, 560
	1870, 289	<i>rueckeri</i>	1869, 560
<i>pristoptera</i>	1870, 290	<i>Auliskia bowerbankii</i> ..	1867, 510
<i>tibialis</i>	1869, 598	<i>Aulopoma</i> — ?	1862, 108
<i>Attila citreopygius</i>	1864, 361	<i>Aulostoma coloratum</i> ..	1868, 225
	1867, 146	<i>Aulus grayanus</i>	1861, 427
	1870, 837	<i>japonicus</i>	1861, 426
<i>sclateri</i>	1864, 358	<i>rostratus</i>	1861, 427
	1867, 146	<i>Auricula australis</i>	1867, 231
	1870, 196	<i>Auriculella ambusta</i> ...	1869, 649
<i>spadicea</i>	1864, 358	<i>auricula</i>	1869, 649
<i>thamnophiloides</i> ..	1866, 187	<i>cerea</i>	1869, 649
	1867, 577	<i>chamissoi</i>	1869, 649
<i>Attus nigro-fuscus</i>	1869, 543	<i>expansa</i>	1869, 649
<i>sanguinolentus</i>	1870, 820	<i>lurida</i>	1869, 649
<i>Atys alicula</i>	1865, 516	<i>obeliscus</i>	1869, 649

	Page		Page
<i>Auriculella petitiiana</i> ..	1869, 649	<i>Azinis hilarella</i>	1866, 365
<i>pulchra</i>	1869, 649	<i>Azor minutus</i>	1861, 425
<i>punicata</i>	1869, 649	<i>oblongus</i>	1861, 425
<i>triplicata</i>	1869, 649	<i>solidus</i>	1861, 425
<i>uniplicata</i>	1869, 649		
<i>Ausonia cuvieri</i>	1866, 332	<i>Babirusa alfurus</i>	1868, 42
	1866, 336		1868, 43
	1866, 337	<i>Bacillus geisovii</i>	1866, 578
<i>Authades indianus</i>	1866, 253	<i>gerhardii</i>	1866, 577
<i>Automolus cervinigularis</i>	1867, 143	<i>hookeri</i>	1866, 578
<i>erythropterus</i>	1866, 566	<i>Badis buchhanani</i>	1869, 304
<i>pallidigularis</i>	1867, 143		1870, 370
	1870, 192	<i>dario</i>	1870, 370
<i>rufescens</i>	1870, 329	<i>Bagarius yarrellii</i>	1869, 309
<i>sclateri</i>	1867, 750	<i>Bagrus arioides</i>	1869, 523
<i>Auxima debitaria</i>	1867, 624	<i>bilineatus</i>	1865, 292
<i>restitutaria</i>	1867, 624	<i>exodon</i>	1869, 617
<i>trilineata</i>	1867, 624	<i>malabaricus</i>	1870, 370
<i>Auxis rochei</i>	1869, 238	<i>montanus</i>	1870, 370
<i>Auzea apicata</i>	1867, 617	<i>vacha</i>	1867, 16
<i>torridaria</i>	1867, 617	<i>Baikia africana</i>	1865, 443
<i>Avahis laniger</i>	1863, 141		1865, 451
	1866, 151	<i>Baikiea elegans</i>	1869, 215
<i>Avicida cafer</i>	1866, 420		1869, 222
<i>cuculoides</i>	1866, 420		1869, 225
<i>verreauxii</i>	1866, 420	<i>Balæna</i>	1862, 96
<i>Avicula</i>	1862, 228		1863, 198
<i>brunnea</i>	1862, 244	<i>affinis</i>	1864, 199
<i>fimbriata</i>	1867, 930	<i>angulata</i>	1864, 201
<i>libella</i>	1863, 363	<i>antartica</i>	1864, 171
<i>margaritifera</i>	1863, 363	<i>antipodarum</i>	1864, 171
<i>meleagrina</i>	1865, 654		1864, 202
<i>placunoides</i>	1867, 930		1864, 203
<i>pulchella</i>	1865, 654	<i>antiquarum</i>	1864, 216
	1867, 930	<i>australis</i>	1864, 200
<i>punctulata</i>	1865, 654		1864, 202
<i>radiata</i>	1862, 244		1864, 226
<i>rutila</i>	1865, 654		1865, 731
<i>scalpta</i>	1865, 654	<i>biscayensis</i>	1864, 201
<i>sterna</i>	1863, 363		1864, 592
<i>Axinæa arabica</i>	1870, 792		1865, 42
<i>Axinella cannabina</i>	1867, 514		1868, 547
<i>cinnamomea</i>	1867, 238	<i>boops</i>	1862, 102
	1867, 513		1864, 208
<i>foveolaria</i>	1867, 514		1864, 228
<i>polypoides</i>	1867, 238	<i>borealis</i>	1864, 200
	1867, 514		1864, 223
<i>verrucosa</i>	1867, 238		1864, 224
	1867, 514	<i>definita</i>	1864, 199
<i>Axinia glycimemis</i>	1867, 932	<i>emarginata</i>	1864, 197
<i>grayana</i>	1867, 932	<i>gibbosa</i>	1864, 199
<i>holosericea</i>	1867, 932		1868, 547
<i>obliqua</i>	1865, 655	<i>islandica</i>	1868, 546
<i>radians</i>	1865, 655	<i>longimana</i>	1864, 208
<i>tenuicostata</i>	1867, 932	<i>macrocephala</i>	1864, 234
<i>Axos cliffoni</i>	1867, 546	— <i>bipennis</i>	1864, 231
<i>Axus cliffoni</i>	1867, 526	— <i>tripinna</i>	1864, 234
<i>Azazia rubricans</i>	1867, 78	<i>major</i>	1864, 234

	Page		Page
<i>Balæna maximus</i>	1865, 211	<i>Balænoptera bonaërensis</i>	1867, 707
<i>maximus borealis</i> ..	1864, 228		1867, 709
<i>minimus borealis</i> ..	1864, 228		1867, 710
<i>minor</i>	1864, 246		1867, 711
<i>musculus</i>	1864, 216	<i>boops</i>	1864, 216
	1864, 220		1864, 225
	1864, 228		1864, 228
<i>mysticetus</i>	1864, 170		1868, 548
	1864, 196	<i>carolinæ</i>	1868, 187
	1864, 199		1868, 188
	1864, 200	<i>gibbar</i>	1864, 216
	1864, 201	<i>gigas</i>	1864, 224
	1864, 386		1868, 332
	1864, 387		1868, 335
	1864, 390		1868, 340
	1864, 391		1868, 547
	1864, 394		1868, 548
	1864, 395	<i>indica</i>	1864, 408
	1864, 396	<i>laticeps</i>	1864, 223
	1864, 416		1864, 399
	1864, 419	<i>longimana</i>	1864, 408
	1864, 502	<i>musculus</i>	1864, 216
	1864, 592		1865, 216
	1865, 207		1865, 730
	1865, 702		1868, 188
	1865, 704		1868, 547
	1868, 332		1869, 604
	1868, 335		1869, 605
	1868, 340		1870, 330
	1868, 345	<i>patachonica</i>	1865, 190
	1868, 534		1865, 195
	1868, 539	<i>physalis</i>	1864, 216
	1868, 546	<i>physalus</i>	1864, 397
<i>nordcaper</i>	1868, 546	<i>robusta</i>	1865, 41
<i>physalus</i>	1864, 197	<i>rorqual</i>	1864, 224
	1864, 203	<i>rostrata</i>	1864, 196
	1864, 216		1864, 219
	1868, 547		1864, 227
<i>rostrata</i>	1864, 197		1864, 228
	1864, 204		1864, 229
	1864, 223		1864, 230
	1864, 227		1864, 252
	1864, 253		1864, 386
	1864, 501		1864, 387
<i>rostrata, var. major</i> ..	1869, 605		1864, 390
<i>sulcata arctica</i>	1869, 605		1864, 393
<i>tripennis</i>	1864, 215		1864, 394
<i>Balæniceps</i>	1861, 131		1864, 395
	1862, 255		1864, 399
	1864, 72		1864, 400
<i>rex</i>	1863, 517		1864, 409
<i>Balænoptera</i>	1863, 199		1864, 418
	1864, 215		1864, 419
<i>acuto-rostrata</i>	1864, 216		1864, 501
<i>antiquorum</i>	1864, 216		1865, 209
<i>arctica</i>	1862, 348		1865, 703
	1869, 605		1865, 704
<i>australis</i>	1865, 731		1865, 725

	Page		Page
Balænoptera rostrata ..	1865, 727	Barbatia pusilla.....	1867, 931
	1867, 478	radula.....	1865, 655
	1867, 480	reeviana.....	1863, 364
	1867, 481	solida.....	1863, 364
	1867, 482	Barbatula formosa	1869, 437
	1867, 708	leucolæma.....	1870, 119
	1867, 710	Barbus ambassis	1868, 583
	1867, 711		1869, 374
	1868, 332	amphibius.....	1870, 373
	1868, 335	arulius.....	1868, 584
	1868, 340		1868, 585
	1868, 547		1870, 373
	1868, 548	beavani.....	1869, 373
	1870, 805	blythii.....	1869, 555
	1870, 812	brachiatus.....	1861, 223
	1870, 813	carnaticus.....	1867, 292
swinhoii.....	1865, 725		1870, 373
	1870, 231	chagunio.....	1869, 373
	1870, 652	chola.....	1869, 374
tenuirostris	1864, 225	chrysopoma.....	1869, 374
	1864, 226	compressus.....	1869, 555
Balanophyllia.....	1862, 201	conirostris.....	1870, 373
Balanus.....	1862, 78	cosuatis.....	1869, 376
Balea taylori.....	1861, 27	cumingii.....	1869, 375
Balearica.....	1864, 71	diplocheilus.....	1861, 224
pavonina.....	1868, 567	dubius.....	1870, 373
regulorum.....	1868, 567	filamentosus.....	1868, 581
Balicassius albirictus ..	1866, 547	gelius.....	1869, 374
philippensis.....	1866, 547	grayii.....	1868, 584
pyrrhops.....	1866, 547		1868, 585
Balistes aculeatus.....	1870, 703	guentheri.....	1868, 582
flavimarginatus.....	1870, 703	hexastichus.....	1861, 224
niger.....	1867, 869	innominatus.....	1869, 556
undulatus.....	1870, 703	jerdoni.....	1870, 372
viridescens.....	1870, 703	longiceps.....	1864, 490
Balitora anisura.....	1869, 553	m'clellandi.....	1869, 619
brucei.....	1867, 348	macrocephalus.....	1869, 556
Bambusicola sonorivox..	1862, 285	macularius.....	1869, 557
	1863, 338	malabaricus.....	1869, 619
thoracica.....	1863, 307	megalepis.....	1861, 223
Bankivia major.....	1865, 182	melanampyx.....	1868, 584
purpurascens.....	1865, 181	mosal.....	1861, 223
	1867, 216		1869, 557
varians.....	1865, 181		1870, 372
	1867, 216		1870, 373
Banksia serrata.....	1865, 464	mysorensis.....	1870, 373
Barangia nepalensis....	1865, 124	nashii.....	1868, 584
sumatrana.....	1865, 123	neilli.....	1868, 581
	1865, 124	nigrofasciatus.....	1869, 375
Barbala magnifica.....	1867, 491	phutunio.....	1869, 375
Barbatia alternata.....	1863, 364	pulchellus.....	1870, 372
	1865, 269	puntio.....	1870, 100
fasciata.....	1867, 931	russellii.....	1869, 374
gradata.....	1863, 364	sarana.....	1869, 374
illota.....	1863, 364	sophore.....	1867, 16
laminata.....	1865, 655		1869, 376
	1865, 697		1869, 512
lima.....	1865, 655	sophoroides.....	1869, 374

	Page		Page
<i>Barbus stevensonii</i>	1870, 100	<i>Basileuterus cinereicollis</i>	1865, 285
<i>stigma</i>	1869, 375	<i>coronatus</i>	1864, 167
<i>terio</i>	1869, 376	1865, 283
<i>ticto</i>	1869, 375	1865, 284
.	1869, 620	1865, 286
<i>tor</i>	1869, 374	<i>culicivorus</i>	1865, 282
.	1870, 372	1865, 283
.	1870, 373	<i>delatirii</i>	1870, 183
<i>unimaculatus</i>	1869, 557	1864, 347
<i>vittatus</i>	1869, 376	1865, 283
<i>Bargosa fasciata</i>	1867, 634	1865, 284
.	1867, 686	1867, 136
<i>Barilius bakeri</i>	1865, 305	<i>griseiceps</i>	1868, 166
.	1867, 295	1868, 170
<i>barila</i>	1869, 378	<i>hypoleucus</i>	1868, 170
<i>barna</i>	1869, 378	<i>leucoblepharus</i>	1865, 283
<i>canarensis</i>	1870, 374	1865, 285
<i>cocoa</i>	1867, 296	<i>melanogenys</i>	1870, 183
<i>cosca</i>	1869, 377	<i>melanotis</i>	1870, 183
<i>gatensis</i>	1870, 373	<i>mesochrysus</i>	1865, 284
.	1870, 374	1867, 136
<i>interrupta</i>	1869, 559	1868, 170
<i>lineatus</i>	1869, 378	1870, 183
<i>nigrofasciatus</i>	1869, 620	<i>mesoleucus</i>	1865, 283
<i>papillatus</i>	1869, 378	1865, 286
<i>rerio</i>	1869, 620	<i>nigricristatus</i>	1870, 780
<i>rugosus</i>	1867, 282	<i>ruber</i>	1865, 282
.	1867, 294	<i>rufifrons</i>	1865, 283
.	1870, 373	1865, 284
<i>Barita destructor</i>	1866, 78	1867, 136
<i>Barnea australasiæ</i>	1865, 643	<i>semicervinus</i>	1864, 347
<i>candida</i>	1863, 369	1865, 283
<i>similis</i>	1865, 643	1865, 286
<i>Barsine defecta</i>	1865, 797	1867, 136
<i>linga</i>	1867, 677	<i>stragulatus</i>	1865, 283
<i>nubifascia</i>	1865, 797	1865, 285
<i>Bartlettia pitipii</i>	1870, 720	<i>uropygialis</i>	1861, 128
.	1870, 721	1864, 167
<i>stefanensis</i>	1866, 444	1864, 347
.	1866, 451	1865, 283
<i>Basanistes cissoides</i>	1863, 105	1865, 286
.	1864, 3	1867, 136
.	1864, 109	1867, 749
<i>Basiana bilineata</i>	1867, 676	<i>vermivorus</i>	1865, 283
<i>cervina</i>	1865, 793	1870, 565
<i>superba</i>	1865, 793	<i>Basilornis celebensis</i>	1861, 184
.	1867, 676	<i>corythaix</i>	1861, 184
<i>Basileuterus bellii</i>	1865, 283	<i>Bassaris astuta</i>	1862, 102
<i>bivittatus</i>	1865, 283	1864, 512
.	1865, 285	1869, 10
.	1870, 780	1869, 31
<i>brasieri</i>	1865, 282	1869, 527
.	1865, 283	1870, 95
<i>chrysogaster</i>	1865, 283	<i>astuta fulvescens</i>	1864, 513
.	1865, 284	<i>sumichrasti</i>	1864, 513
<i>chrysophrys</i>	1865, 283	<i>Basta marina</i>	1869, 51
<i>cinereicollis</i>	1864, 166		
.	1865, 283		

	Page		Page
Batagur baska	1869, 200	Bellia crassicollis	1869, 197
dhongoka	1861, 214	1869, 198	
dongoka	1869, 202	Bellonella granulata	1862, 37
elliotti	1862, 264	Belone annulata	1865, 309
lineata	1861, 214	cancila	1865, 309
1863, 253		1867, 302	
picta	1862, 264	1869, 309	
smithii	1863, 253	caudimaculata	1865, 309
thurga	1870, 708	1870, 699	
trivittata	1870, 676	choram	1870, 700
Bathmidurus d'orbignyi. 1867, 986		lovii	1868, 226
variegatus	1866, 2	Belostoma	1863, 166
1870, 118		Beluga	1863, 201
Bathyergus caecutiens .. 1864, 124		catodon	1864, 197
1864, 125		1864, 246	
Batissa solidula	1862, 3	1864, 494	
sphaericula	1862, 2	1864, 501	
Batocera thomsoni	1866, 226	1868, 336	
1866, 247		1868, 338	
victoriana	1866, 226	1868, 339	
1866, 247		1868, 340	
Batrachocephalus minor. 1865, 294		1868, 430	
Batrachostomus auritus. 1863, 212		1868, 534	
crinifrons	1863, 212	1868, 551	
javensis	1863, 211	leucas	1864, 246
moniliger	1863, 212	1864, 418	
psilopterus	1863, 212	1864, 419	
stellatus	1863, 212	Bembidium cupreo-	
Batrachus grunniens	1865, 29	aeneum	1867, 385
surinamensis	1861, 369	dubium	1867, 369
trispinosus	1865, 29	hesperus	1867, 369
1865, 29		1867, 385	
Bayonia velox	1865, 402	laetum	1867, 369
Baza madagascariensis . . 1866, 420		1867, 385	
magnirostris	1862, 335	rufescens	1867, 364
1862, 337		1867, 369	
reinwardtii	1863, 21	schmidtii	1867, 364
1863, 484		1867, 369	
stenozona	1861, 433	Benedenia knoxii	1864, 196
subcristata	1867, 392	1864, 212	
1867, 393		1864, 213	
Bazisa detecta	1867, 680	1864, 214	
Bdeogale crassicauda . . . 1864, 567		1865, 224	
nigripes	1864, 567	1865, 730	
1865, 402		1865, 731	
Beguina concamerata . . . 1861, 146		Bengalia — ?	1864, 118
Bela australis	1863, 420	Berardius arnouxii	1865, 529
1865, 159		Beregra replenens	1867, 73
mitralis	1863, 420	Bergia catenularis	1867, 239
1867, 202		serpens	1867, 239
nebula	1863, 420	Bernicla antarctica	1867, 320
turricula	1863, 348	1867, 334	
1863, 420		1867, 339	
Belemnites listeri	1862, 228	brenta	1861, 101
Belenois mesentina	1870, 726	1861, 365	
Belgoræa subnotata	1865, 819	1865, 753	
Belideus breviceps	1868, 625	canadensis	1861, 264
sciureus	1862, 185	1862, 325	
1862, 325			

	Page		Page
<i>Bernicla canadensis</i>	1868, 211	<i>Bithynia cerameopoma</i>	1869, 446
<i>chiloënsis</i>	1867, 320	<i>ceranospatana</i>	1869, 446
<i>dispar</i>	1867, 320	<i>goniophthalmus</i>	1869, 446
<i>hutchinsii</i>	1867, 334	<i>iravadica</i>	1869, 446
<i>jubata</i>	1868, 211	<i>nassa</i>	1869, 446
<i>leucopsis</i>	1864, 587	<i>robusta</i>	1870, 8
<i>magellanica</i>	1869, 280	<i>turrita</i>	1869, 446
<i>melanoptera</i>	1869, 629	<i>Bithynis longimana</i>	1868, 587
	1867, 334	<i>Bittium granarium</i>	1865, 171
	1867, 320	<i>lacertinum</i>	1867, 208
	1867, 334	<i>lawleyanum</i>	1865, 171
	1867, 339	<i>turritella</i>	1865, 171
	1869, 156	<i>Bivonia albida</i>	1861, 332
<i>Bernieria crossleyi</i>	1870, 392	<i>constrictor</i>	1862, 63
<i>major</i>	1866, 421	<i>contorta</i>	1861, 344
<i>minor</i>	1866, 421	<i>decussata</i>	1865, 97
<i>Berta chrysolineata</i>	1867, 638	<i>glomerata</i>	1861, 343
<i>Bertula brevivittalis</i>	1867, 87	<i>goreensis</i>	1861, 333
<i>chalybealis</i>	1867, 87	<i>quoyi</i>	1863, 358
<i>hisbonalis</i>	1867, 98	<i>coralliophila</i>	1862, 63
<i>stigmatalis</i>	1867, 87	<i>flos-lactis</i>	1862, 59
<i>Beryx affinis</i>	1864, 182	<i>fulgurata</i>	1867, 211
<i>Bessonornis albigularis</i>	1864, 441	<i>granifera</i>	1862, 60
<i>phoenicurus</i>	1866, 23	<i>laquearis</i>	1862, 62
<i>semirufa</i>	1869, 436	<i>lilacina</i>	1862, 61
<i>Bessornis heuglini</i>	1870, 148	<i>papillosa</i>	1862, 59
<i>Bettongia grayii</i>	1868, 625	<i>planorboides</i>	1862, 59
<i>penicillata</i>	1868, 625	<i>punctata</i>	1862, 60
<i>Bezoardica abbreviata</i>	1863, 345	<i>rugoso-squa-</i>	1862, 62
<i>Bharetta cinnamomea</i>	1865, 820	<i>mosa</i>	1862, 60
	1865, 823	<i>strigata</i>	1862, 60
<i>Biblis leucocyma</i>	1861, 53	<i>triquetra</i>	1862, 61
<i>Bicon sanguineus</i>	1866, 288	<i>variegata</i>	1862, 62
	1866, 522	<i>semisurrecta</i>	1862, 57
	1866, 536	<i>subcancellata</i>	1862, 70
<i>Biemna peachii</i>	1867, 538	<i>subtriquetra</i>	1861, 355
<i>Biensis madagascariensis</i>	1865, 837	<i>subtriquetra squami-</i>	1862, 58
	1870, 400	<i>fera</i>	1862, 58
<i>Bilharzia hæmatobia</i>	1862, 288	<i>sutilis</i>	1862, 55
	1862, 292	<i>triquetra</i>	1862, 55
	1862, 293	<i>aletes</i>	1862, 55
<i>magna</i>	1861, 118	<i>ampliata</i>	1862, 56
	1862, 293	<i>expansa</i>	1862, 56
<i>Binsitta niviferana</i>	1867, 670	<i>fascicularis</i>	1862, 56
<i>Bison americanus</i>	1864, 68	<i>pinnicola</i>	1862, 55
	1868, 625	<i>serpulina</i>	1862, 56
	1870, 488	<i>spirorbis</i>	1862, 55
<i>bonasus</i>	1866, 85	<i>typica</i>	1862, 59
<i>Bithynia gaillardoti</i>	1865, 545	<i>Biziura lobata</i>	1869, 280
<i>havadieriana</i>	1865, 545	<i>Bizone amatara</i>	1863, 167
<i>hebræorum</i>	1865, 540	<i>arama</i>	1867, 678
<i>moquiniana</i>	1865, 545		
<i>phialensis</i>	1865, 541		
<i>rubens</i>	1865, 541		
<i>saulcyi</i>	1865, 545		
<i>Bithynia badiella</i>	1865, 376		

	Page		Page
Bizone delicata	1865,	Bogota infuscata	1869,
divakara	1865,	Bola pama	1869,
	1865,		1869,
fasciculata	1865,	Bolborhynchus orbigne-	
guttifera	1865,	sius	1868,
perornata	1865,		1869,
signa	1867,		1868,
Blacicus pallidus	1861,	Boleophthalmus boddaerti	1868,
Blandfordia striatula	1863,		1869,
Blanus cinereus	1865,		1870,
	1865,	inornatus	1869,
	1865,	pectinirostris	1869,
rufus	1865,	Bolone annulata	1867,
Blaps gages	1867,	Boltanea sublævis	1863,
	1867,	Bolyeria multica rinata	1862,
similis	1867,	Bombinator oxycephalus	1869,
	1867,	Bombus latreilliellus	1862,
Blatta orientalis	1862,	lucorum	1862,
Blaeneria gracilis	1869,	terrestris	1862,
pellucida	1869,	Bombyx bengalensis	1867,
Blechrus glabratus	1867,	certhia	1866,
maurus	1867,	croesi	1867,
Blemmya humeralis	1866,	fortunatus	1867,
Blennius brevipinnis	1861,	hearseyana	1867,
lupulus	1864,	lucina	1866,
palmicornis	1862,	religiosa	1867,
Blephephæus succinator	1866,	sanguinea	1867,
	1866,	sherwillii	1867,
Boa constrictor	1861,	sinensis	1867,
	1861,	siva	1865,
	1861,	spectabilis	1866,
	1862,		1867,
	1862,	textor	1867,
eques	1867,	wallichii	1866,
Boarmia albidaria	1867,		1867,
alienaria	1867,	Bonellia fabricii	1868,
combustaria	1867,	fuliginosa	1868,
comparataria	1867,	viridis	1868,
contiguata	1867,	Boodon lineatus	1861,
gelidaria	1867,		1861,
imparata	1867,		1864,
inconclusa	1867,		1864,
mucidaria	1867,	Borassus fiabelliformis	1865,
objectaria	1867,	Bornella hermanni	1867,
obliterata	1867,	Borsonia corrugata	1865,
perspicuata	1867,	nebulosa	1865,
propulsaria	1867,	Bos bison	1868,
reparata	1867,	brachyceros	1864,
sublavaria	1867,	bubalus	1866,
transcissa	1867,	caffer	1863,
trispinaria	1867,		1864,
vicaria	1867,		1864,
Bocana basalis	1867,		1869,
murinalis	1867,	chinensis	1870,
quadrilinealis	1867,		1870,
turpitalis	1867,	frontalis	1863,
viridialis	1867,		1863,
Bodianus guttatus	1867,		1865,

	Page		Page
<i>Bos frontalis</i>	1866,	<i>Bothryocephalus latus</i> ..	1862,
	1867,		1862,
<i>grunniens</i>	1861,	<i>berdmorei</i>	1869,
	1864,	<i>histrionica</i>	1869,
	1865,	<i>nebulosa</i>	1869,
	1868,	<i>Botyodes asialis</i>	1867,
	1868,	<i>flavibasalis</i>	1867,
<i>indicus</i>	1868,	<i>Botys adhæsalis</i>	1866,
	1862,	<i>admensalis</i>	1866,
	1868,	<i>amyntusalis</i>	1867,
	1870,	<i>caletoralis</i>	1867,
<i>planiceros</i>	1863,	<i>concatenalis</i>	1867,
<i>primigenius</i>	1866,	<i>damasalis</i>	1866,
	1868,	<i>damoalis</i>	1866,
<i>sondaicus</i>	1864,		1867,
	1869,	<i>evaxalis</i>	1867,
	1862,	<i>flexissimalis</i>	1867,
<i>taurus</i>	1861,	<i>illialis</i>	1866,
	1862,		1867,
	1864,	<i>incisalis</i>	1867,
	1864,	<i>incoloralis</i>	1867,
	1866,	<i>luciferalis</i>	1867,
	1868,	<i>maccalis</i>	1867,
	1868,	<i>megapteralis</i>	1867,
	1870,	<i>monesusalis</i>	1867,
	1870,	<i>multilinealis</i>	1867,
	1870,	<i>patulalis</i>	1867,
<i>urus</i>	1862,	<i>phanasalis</i>	1867,
<i>Boselaphus bubalis</i>	1869,	<i>plagalis</i>	1867,
	1869,	<i>punctiferalis</i>	1867,
	1869,	<i>scinialis</i>	1867,
	1869,	<i>sellalis</i>	1866,
<i>caama</i>	1864,	<i>silhetalis</i>	1867,
	1864,	<i>subtessallalis</i>	1867,
	1869,	<i>thyasalis</i>	1866,
	1869,	<i>tullalis</i>	1867,
	1869,	<i>unitalis</i>	1867,
<i>lichtensteini</i>	1864,	<i>zealis</i>	1867,
	1864,	<i>Bourciera fraseri</i>	1870,
	1864,	<i>Bourciera conradi</i>	1870,
<i>major</i>	1869,		1870,
	1869,	<i>terquata</i>	1870,
<i>Botaurus australis</i>	1869,	<i>Brachyalestes acutidens</i> .	1864,
<i>heliosyla</i>	1861,	<i>Brachygalba albigularis</i> .	1869,
<i>lentiginosus</i>	1864,	<i>goeringi</i>	1869,
<i>minutus</i>	1863,		1869,
<i>stellaris</i>	1863,	<i>inornata</i>	1867,
	1864,		1867,
<i>Bothridium arcuatum</i> ..	1865,		1867,
<i>laticeps</i>	1865,		1869,
<i>pythonis</i>	1865,	<i>melanosterna</i>	1869,
<i>Bothriocephalus junceus</i> .	1862,	<i>Brachygramma jerdonii</i> .	1865,
<i>Bothrops alternans</i>	1863,	<i>Brachymerus bifasciatus</i> .	1864,
<i>castelnaudii</i>	1863,	<i>Brachyotus palustris</i> . . .	1863,
<i>Bothryocephalus cordatus</i> .	1862,	<i>Brachypteracias leptoso-</i>	
	1862,	<i>mus</i>	1865,
	1862,		1870,
<i>latus</i>	1862,	<i>pittoides</i>	1870,

	Page		Page
<i>Brachypternus fokiensis</i>	1863, 87	<i>Briada præcedens</i>	1867, 66
<i>Brachypteryx</i>	1862, 256	<i>varians</i>	1867, 66
<i>cruralis</i>	1861, 201		1867, 97
<i>hyperythra</i>	1861, 201	<i>Brihaspa atrostigmella</i>	1867, 666
<i>nipalensis</i>	1861, 201		1867, 686
<i>rufifrons</i>	1861, 201	<i>Brissonia nigerrima</i>	1866, 422
<i>stellatus</i>	1868, 218		1870, 396
<i>Brachyphylla cavernarum</i>	1866, 115		1870, 397
<i>Brachysoma diadema</i>	1862, 226	<i>Bronchocela cristatella</i>	1861, 189
<i>Brachyteles frontatus</i>	1862, 186	<i>Bronia brasiliana</i>	1865, 444
	1870, 797		1865, 448
<i>hypoxanthus</i>	1862, 333		1865, 449
<i>Brachyurus calvus</i>	1865, 586	<i>Brookesia superciliaris</i>	1864, 467
<i>ouacari</i>	1870, 1		1864, 477
<i>Bradycellus distinctus</i>	1867, 363	<i>Brotia pagodula</i>	1866, 150
	1867, 369	<i>Brotogerys chrysosema</i>	1864, 298
<i>Bradyornis mariquensis</i>	1864, 2	<i>jugularis</i>	1866, 197
	1864, 5	<i>pyrrhopterys</i>	1862, 325
<i>ruficauda</i>	1863, 105	<i>tovi</i>	1864, 367
<i>spekei</i>	1863, 105		1870, 214
	1866, 436	<i>tui</i>	1866, 197
<i>spekii</i>	1864, 107	<i>tuipara</i>	1870, 553
	1864, 108		1870, 586
<i>Bradypodium cucullatum</i>	1864, 467	<i>Brotula ensiformis</i>	1868, 196
	1864, 476	<i>maculata</i>	1868, 196
<i>pardalis</i>	1864, 467	<i>Bruchus azoricus</i>	1867, 378
	1864, 479		1867, 390
<i>pumilum</i>	1864, 467	<i>breweri</i>	1867, 379
	1864, 474		1867, 389
<i>verrucosum</i>	1864, 467	<i>jugularis</i>	1867, 753
	1864, 468	<i>notatus</i>	1867, 588
<i>Bradypus didactylus</i>	1862, 102	<i>pisi</i>	1867, 363
<i>ursiformis</i>	1864, 700		1867, 378
<i>ursinus</i>	1864, 700	<i>tuipara</i>	1867, 588
<i>Brahmaea certhia</i>	1866, 118	<i>virescens</i>	1867, 588
	1866, 120		1867, 595
	1867, 685	<i>xanthopterus</i>	1867, 979
<i>hearseyana</i>	1866, 458	<i>Bryopa australis</i>	1867, 912
<i>lucina</i>	1866, 121	<i>Bryophila albistigma</i>	1867, 45
<i>lunulata</i>	1866, 458	<i>Buarremon albifrænatus</i>	1870, 785
<i>petiveri</i>	1866, 120	<i>albinuchus</i>	1864, 173
	1866, 458	<i>brunneinuchus</i>	1864, 174
<i>whitei</i>	1866, 119		1867, 140
	1866, 458		1868, 627
	1867, 685	<i>castaneiceps</i>	1866, 72
<i>Brama princeps</i>	1863, 36		1867, 140
<i>rai</i>	1863, 38	<i>chrysopogon</i>	1870, 189
<i>Branchellion intybilifolium</i>	1869, 310	<i>crassirostris</i>	1867, 140
<i>lineare</i>	1869, 311		1870, 188
<i>pinnatum</i>	1869, 312	<i>meridæ</i>	1870, 779
<i>punctatum</i>	1869, 311		1870, 781
<i>Branchiobdella menziesi</i>	1869, 312		1870, 785
<i>Branta rufina</i>	1862, 163	<i>mesoxanthus</i>	1866, 72
<i>Bregmaceros atripinnis</i>	1869, 522		1867, 140
<i>maccllelandii</i>	1865, 287	<i>schistaceus</i>	1870, 781
<i>Briada bolinoides</i>	1867, 67	<i>semirufus</i>	1868, 167
<i>cervina</i>	1867, 66	<i>Bubalus brachyceros</i>	1863, 157

	Page		Page
Bubalus brachyceros....	1863, 158	Buccinum fasciatum....	1865, 162
	1866, 373	filiceum	1865, 162
caffer	1863, 157		1867, 190
	1866, 371	humphreysianum ..	1865, 97
	1866, 372	insigne	1863, 343
	1866, 373	jacksonianum	1867, 190
	1870, 80	labradorensense	1865, 97
depressicornis	1865, 677	laciniatum	1862, 374
planiceros	1866, 371	lugubre	1863, 343
reclinis	1863, 157	niveum	1862, 227
	1863, 158	nucleus	1861, 404
Bubaris vermicularis ..	1867, 522	olivaceum	1861, 404
Bubo ascalaphus	1864, 430	pagodus	1863, 343
	1868, 400	pauperatum	1867, 190
atheniensis	1863, 262	plumatum	1861, 404
caligatus	1863, 332	pristis	1863, 343
capensis	1870, 125	ringens	1863, 343
crassirostris	1867, 539	sanguinolentum....	1863, 343
	1868, 532	scutulatum.....	1867, 208
fasciolatus	1863, 376	semiconvexum	1867, 194
lacteus	1861, 59	stimpsonianum	1863, 343
	1864, 2	succinctum	1867, 191
maculosus	1865, 91	suturale	1867, 190
maximus	1862, 325	tritonis	1865, 175
	1863, 262	Bucco africanus.....	1865, 683
	1863, 332	bicinctus	1868, 168
	1869, 627		1868, 628
	1870, 2		1870, 554
nudipes	1868, 57	collaris	1867, 582
poënsis	1863, 376		1867, 751
virginianus	1861, 367	corvinus	1866, 540
	1862, 102	dysoni	1870, 201
	1862, 185	dysonii	1864, 363
	1867, 339	faiostriatus	1866, 540
	1869, 155	grandis	1863, 269
	1870, 216	hyperhynchus	1867, 582
Buccanodon anchietæ ..	1869, 436		1867, 594
	1870, 118		1867, 595
duchailloi	1869, 437	leucocrissus	1864, 363
	1870, 120	macroductylus	1866, 192
Buccinulus affinis	1867, 225		1867, 594
solidulus	1867, 225		1867, 751
Buccinum acuminatum .	1865, 97	napensis	1867, 582
acutinodosum	1865, 161	pectoralis	1864, 363
adelaïdense	1865, 162	pulmentum	1867, 582
	1867, 189	ruficollis.....	1870, 781
alveolatum.....	1865, 162	subtectus	1864, 363
ambiguum	1861, 404	tamatia	1867, 582
amygdala	1867, 191		1867, 595
angasi.....	1865, 162	tectus	1864, 363
assimile	1867, 187		1867, 582
australe	1865, 175	torquatus	1864, 112
ciliatum	1865, 97	Bucephalus capensis....	1861, 209
costatum	1865, 161		1861, 265
crassum	1863, 343		1864, 115
dermestoides	1865, 167		1864, 307
distortum	1863, 343	Buceros albirostris	1865, 676
eburneum	1865, 162	atratus	1867, 890

	Page		Page
<i>Buceros atratus</i>	1868, 622	<i>Budytes cinereocapilla</i>	1863, 274
<i>bicornis</i>	1863, 48		1864, 436
	1867, 890	<i>flava</i>	1863, 274
	1868, 622		1863, 334
	1870, 220		1864, 108
<i>cavatus</i>	1863, 371		1870, 601
	1864, 373	<i>nigricapilla</i>	1864, 436
	1865, 676	<i>raii</i>	1863, 334
	1869, 145		1863, 516
<i>coronatus</i>	1864, 111	<i>taivana</i>	1863, 334
<i>corrugatus</i>	1868, 261	<i>viridis</i>	1863, 214
	1868, 622	<i>Bufo cæruleostictus</i>	1868, 480
	1869, 142	<i>calamita</i>	1861, 366
	1869, 150	<i>carinatus</i>	1861, 220
<i>cristatus</i>	1864, 111	<i>galeatus</i>	1868, 480
<i>cylindricus</i>	1870, 668	<i>glaberrimus</i>	1868, 480
<i>elatus</i>	1867, 817		1868, 483
	1867, 890	<i>guineensis</i>	1864, 307
	1868, 622	<i>gymnauchen</i>	1868, 479
<i>fistulator</i>	1870, 668	<i>hæmatiticus</i>	1870, 401
<i>flavirostris</i>	1865, 87	<i>melanostictus</i>	1861, 189
<i>gracilis</i>	1870, 220		1861, 220
<i>homrai</i>	1866, 538		1868, 397
<i>limbatus</i>	1865, 87	<i>pantherinus</i>	1864, 480
<i>pica</i>	1863, 85		1864, 489
	1863, 104	<i>spinus</i>	1867, 845
	1868, 622	<i>tuberosus</i>	1867, 846
<i>plicatus</i>	1870, 220	<i>vulgaris</i>	1862, 103
<i>pusaran</i>	1863, 371	<i>Bulimella abbreviata</i>	1869, 647
<i>rhinoceros</i>	1862, 102	<i>bacca</i>	1869, 647
	1864, 373	<i>bulimoides</i>	1869, 646
	1865, 676	<i>byronii</i>	1869, 646
	1867, 890	<i>colorata</i>	1869, 647
	1868, 622	<i>decipiens</i>	1869, 646
<i>ruficollis</i>	1861, 436	<i>elegans</i>	1869, 646
	1862, 85	<i>fab</i>	1869, 646
	1862, 141	<i>germana</i>	1869, 647
	1863, 516	<i>glabra</i>	1869, 646
	1869, 122	<i>hanleyana</i>	1869, 646
	1869, 124	<i>multicolor</i>	1869, 647
	1869, 125	<i>ovata</i>	1869, 646
<i>subcylindricus</i>	1870, 668	<i>rosea</i>	1869, 646
<i>subruficollis</i>	1870, 220	<i>rugosa</i>	1869, 646
<i>tickellii</i>	1863, 371		1869, 647
<i>Buchanga intermedia</i>	1866, 545	<i>rutila</i>	1869, 646
<i>longicaudata</i>	1866, 546	<i>solitaria</i>	1869, 647
<i>Bucorax abyssinicus</i>	1865, 676	<i>sordida</i>	1869, 647
	1867, 473	<i>sowerbyana</i>	1869, 646
	1869, 116	<i>subvirens</i>	1869, 646
<i>Bucorvus abyssinicus</i>	1864, 111	<i>swainsoni</i>	1869, 646
	1867, 891	<i>tæniolata</i>	1869, 646
	1868, 622	<i>viridans</i>	1869, 646
<i>Budorcas taxicolor</i>	1864, 168	<i>Buliminus adelaidæ</i>	1863, 522
	1864, 377	<i>catenatus</i>	1865, 232
	1869, 470	<i>fulvicans</i>	1868, 258
	1869, 660	<i>kirkii</i>	1865, 232
	1870, 163	<i>lepidulus</i>	1864, 38
<i>Budytes cinereocapilla</i>	1862, 317	<i>niger</i>	1868, 258

	Page		Page
<i>Buliminus velutinus</i>	1868,	<i>Bulimus pazianus</i>	1861,
<i>Bulimulus damarensis</i>	1870,	<i>phœbus</i>	1862,
<i>pusillus</i>	1867,	<i>phryne</i>	1862,
<i>pygmæus</i>	1870,	<i>physoides</i>	1863,
<i>tauricus</i>	1870,	<i>piperitus</i>	1866,
<i>Bulimus acutus</i>	1865,	<i>portii</i>	1861,
<i>angasianus</i>	1863,	<i>pupa</i>	1865,
<i>annectens</i>	1863,	<i>pyrgiscus</i>	1861,
<i>areolatus</i>	1864,	<i>recedens</i>	1863,
<i>argutus</i>	1864,	<i>rhombostomus</i>	1861,
<i>attenuatus</i>	1865,	<i>römeri</i>	1862,
<i>auris</i>	1865,	<i>rubrovariegatus</i>	1863,
<i>benjamiticus</i>	1865,	<i>san-christovalensis</i>	1870,
<i>carneus</i>	1865,	<i>sauleyi</i>	1865,
<i>comes</i>	1861,	<i>seemanni</i>	1861,
<i>crystallinus</i>	1865,	<i>semipellucidus</i>	1861,
<i>decollatus</i>	1865,	<i>septemdentatus</i>	1865,
<i>demerarensis</i>	1861,	<i>sidoniensis</i>	1865,
<i>dohrnii</i>	1863,	<i>sinensis</i>	1862,
<i>dux</i>	1861,	<i>sphæroconus</i>	1865,
<i>dysoni</i>	1861,	<i>subangulatus</i>	1862,
<i>fasciolatus</i>	1865,	<i>swinhoei</i>	1865,
<i>felix</i>	1861,	<i>syriacus</i>	1865,
<i>flavus</i>	1861,	<i>tæniolus</i>	1866,
<i>floccosus</i>	1866,	<i>tenuilabris</i>	1865,
<i>formosensis</i>	1866,	<i>tricuspis</i>	1865,
<i>fulvicans</i>	1869,	<i>trilineatus</i>	1863,
<i>gealei</i>	1867,	<i>turgidus</i>	1864,
<i>glaucolarynx</i>	1861,	<i>undatus</i>	1863,
<i>gloriosus</i>	1861,	<i>uriæ</i>	1865,
<i>halepensis</i>	1865,	<i>ventricosus</i>	1861,
<i>hepatostomus</i>	1861,	<i>virgulatus</i>	1863,
<i>honduratianus</i>	1861,	<i>zebrinus</i>	1861,
<i>incertus</i>	1865,	<i>Bulla adamsii</i>	1863,
<i>inclinatus</i>	1861,	<i>angasi</i>	1865,
<i>iodostylus</i>	1861,	<i>arachis</i>	1867,
<i>juarezi</i>	1865,	<i>australis</i>	1865,
<i>labrosus</i>	1865,	<i>brevis</i>	1867,
<i>lamas</i>	1868,	<i>ceylanica</i>	1865,
<i>lamelliferus</i>	1868,	<i>coreanica</i>	1867,
<i>luridus</i>	1865,	<i>cymbalum</i>	1865,
<i>mastersi</i>	1867,	<i>eumicra</i>	1865,
<i>maximus</i>	1836,	<i>flexilis</i>	1865,
<i>melanocheilus</i>	1866,	<i>hirundinina</i>	1867,
<i>melo</i>	1863,	<i>infrequens</i>	1863,
<i>meridionalis</i>	1863,	<i>lauta</i>	1867,
<i>mitlocheilus</i>	1869,	<i>lineata</i>	1867,
<i>moricandi</i>	1861,	<i>luticola</i>	1863,
<i>mouhoti</i>	1861,	<i>magdelus</i>	1867,
<i>niloticus</i>	1861,	<i>media</i>	1861,
<i>nucifragus</i>	1865,	<i>oblonga</i>	1867,
<i>obesatus</i>	1865,	<i>occidentalis</i>	1861,
<i>oblongus</i>	1870,	<i>ovulum</i>	1867,
<i>ornatus</i>	1869,		
<i>ovularis</i>	1865,		
<i>pan</i>	1861,		

	Page		Page
<i>Bulla physis</i>	1867, 225	<i>Buteo albifrons</i>	1869, 600 ✓
<i>punctata</i>	1863, 358	<i>borealis</i>	1864, 369 ✓
<i>punctulata</i>	1863, 358	1870, 215 ✓	
1867, 226		<i>brachypterus</i>	1866, 420 ✓
1867, 227		<i>brachyurus</i>	1869, 130 ✓
<i>quadripartita</i>	1867, 227	1869, 600	
<i>scabra</i>	1867, 225	1870, 215 ✓	
<i>solida</i>	1867, 226	<i>canescens</i>	1868, 397 ✓
<i>soluta</i>	1865, 189	<i>desertorum</i>	1868, 397 ✓
<i>tenuis</i>	1867, 227	<i>elegans</i>	1869, 364 ✓
<i>Bullina eximia</i>	1863, 67	<i>erythronotus</i>	1861, 45
<i>lineata</i>	1867, 225	1867, 329 ✓	
<i>Bungarus cæruleus</i>	1863, 371	1867, 338 ✓	
<i>fasciatus</i>	1869, 502	1867, 988 ✓	
1861, 391		1868, 570 ✓	
1863, 371		1869, 155 ✓	
<i>Bunodes listeri</i>	1861, 302	<i>ghiesbrechti</i>	1864, 369 ✓
<i>Buphaga africana</i>	1865, 94	<i>ghiesbrechtii</i>	1867, 158 ✓
<i>Buphus coromandelicus</i> .	1863, 320	<i>hemilasius</i>	1863, 332 ✓
<i>coromandus</i>	1870, 603	<i>jacal</i>	1861, 307 ✓
<i>ralloides</i>	1864, 451	1862, 22	
<i>russatus</i>	1864, 451	<i>japonicus</i>	1863, 260 ✓
<i>Burmeisteria retusa</i>	1865, 381	1863, 332	
<i>Bursa asperrima</i>	1862, 238	1868, 398	
<i>concinna</i>	1862, 239	<i>kaupi</i>	1867, 589 ✓
<i>cruentata</i>	1862, 238	1867, 590 ✓	
<i>cumingiana</i>	1862, 238	<i>pennsylvanicus</i>	1864, 369
<i>fusco-costata</i>	1862, 239	1869, 129	
<i>grayana</i>	1862, 238	1870, 215	
<i>lamellosa</i>	1862, 240	<i>plagiatus</i>	1869, 131
<i>leucostoma</i>	1867, 189	<i>plumipes</i>	1868, 398
<i>rana</i>	1866, 146	<i>pœcilonotus</i>	1870, 555 ✓
<i>tumida</i>	1862, 239	<i>poliogenys</i>	1863, 332 ✓
<i>zelebori</i>	1862, 239	<i>poliosoma</i>	1861, 45
<i>Burtinella contraria</i> ...	1861, 148	<i>pteroles</i>	1869, 634 ✓
<i>nodus</i>	1861, 148	1870, 782 ✓	
<i>nystii</i>	1861, 148	<i>pyrogenys</i>	1863, 260 ✓
1862, 82		<i>rufinus</i>	1864, 427 ✓
<i>phillipsii</i>	1861, 148	<i>rufiventer</i>	1868, 397 ✓
<i>sowerbii</i>	1861, 148	<i>tachardus</i>	1862, 140 ✓
<i>turbinata</i>	1861, 148	1866, 420 ✓	
1862, 82		<i>tricolor</i>	1861, 45
<i>Buserinus albigularis</i> ..	1865, 95	<i>unicolor</i>	1861, 45
<i>rufilatus</i>	1866, 328	<i>varius</i>	1861, 45
<i>Butalis</i> — ?	1864, 109	1867, 988 ✓	
<i>cinereo-alba</i>	1870, 450	<i>vulgaris</i>	1861, 264 ✓
<i>ferruginea</i>	1863, 288	1863, 516 ✓	
<i>griseisticta</i>	1863, 288	1864, 427 ✓	
1863, 335		1868, 397 ✓	
<i>grisola</i>	1863, 288	<i>Buteogallus nigricollis</i> .	1866, 198
1864, 443		1867, 749	
<i>latirostris</i>	1863, 288	<i>Buthraupis arcæi</i>	1869, 439
1863, 335		1870, 187	
<i>rufescens</i>	1863, 288	<i>cucullata</i>	1869, 439
<i>triozellata</i>	1867, 670	<i>edwardsi</i>	1869, 439
<i>Buteo albicaudatus</i>	1869, 634 ✓	<i>Butorides atricapilla</i> ...	1869, 570
1870, 215 ✓		<i>cyanurus</i>	1868, 138
<i>albicollis</i>	1870, 555 ✓	1868, 145	

	Page		Page
<i>Butorides flavicollis</i>	1868, 387	<i>Cacatua moluccensis</i>	1862, 141
<i>javanica</i>	1868, 387		1864, 188
<i>javanicus</i>	1863, 35		1864, 279
	1863, 223	<i>ophthalmica</i>	1864, 293
	1863, 320		1864, 188
	1863, 487		1864, 189
	1865, 692		1864, 280
<i>scapularis</i>	1870, 323		1864, 293
	1866, 199	<i>philippinarum</i>	1867, 184
	1868, 145		1861, 234
<i>virescens</i>	1864, 371		1864, 188
	1869, 252		1864, 279
	1870, 218		1864, 293
	1870, 589	<i>rosacea</i>	1867, 184
—, var. <i>scapularis</i>	1863, 320		1865, 227
<i>Butyrinus glossodontis</i>	1867, 868	<i>roseicapilla</i>	1862, 140
<i>Buzura multipunctaria</i>	1867, 625		1862, 184
<i>Byssosarca mutabilis</i>	1863, 364		1864, 188
		<i>sanguinea</i>	1862, 323
<i>Cabera margarita</i>	1867, 647		1864, 188
<i>platyleucata</i>	1867, 647		1867, 184
<i>Cacatua</i>	1863, 18	<i>sulphurea</i>	1862, 322
—?	1864, 160		1863, 484
	1864, 276		1864, 188
	1864, 279		1864, 280
<i>æquatorialis</i>	1861, 437		1864, 293
	1864, 188		1865, 227
	1864, 280	<i>triton</i>	1861, 437
	1864, 293		1864, 160
<i>citrimo-cristata</i>	1864, 160		1864, 188
	1864, 188		1864, 280
	1864, 280		1864, 293
<i>cristata</i>	1861, 365		1867, 184
	1861, 366	<i>Caccabis</i>	1862, 285
	1864, 188	<i>chukar</i> ?	1862, 322
	1864, 279		1870, 124
	1864, 280		1870, 439
	1864, 293		1870, 447
	1867, 184	<i>heyi</i>	1865, 675
<i>cristatella</i>	1864, 279	<i>heyii</i>	1864, 449
	1864, 280	<i>melanocephala</i>	1867, 818
	1864, 293		1867, 890
<i>ducorspii</i>	1864, 159	<i>rufa</i>	1861, 234
	1864, 187		1863, 127
	1864, 188		1869, 628
	1864, 189	<i>saxatilis</i>	1864, 160
	1864, 280		1864, 449
	1864, 293	<i>Cacia herbacea</i>	1866, 225
	1867, 184		1866, 233
	1869, 118		1866, 267
	1869, 124	<i>inculta</i>	1866, 225
<i>galerita</i>	1864, 188		1866, 232
	1867, 443		1866, 233
<i>goffini</i>	1869, 122	<i>latifascia</i>	1866, 223
	1869, 124	<i>melanopsis</i>	1866, 225
<i>leadbeaterii</i>	1864, 188		1866, 232
<i>macrolopha</i>	1864, 280		1866, 267
	1864, 293	<i>obsessa</i>	1866, 225

	Page		Page
<i>Cacia obsessa</i>	1866,	<i>Caica hæmatotis</i>	1870,
<i>pistor</i>	1866,	<i>melanocephala</i>	1867,
	1866,		1867,
<i>Cacicus chrysocarpus</i> ..	1867,	<i>vulturina</i>	1867,
<i>cristatus</i>	1870,		1867,
<i>hæmorrhous</i>	1867,	<i>Cairina moschata</i>	1861,
<i>microrhynchus</i>	1867,		1864,
	1870,		1864,
<i>persicus</i>	1867,		1866,
<i>Cacomantis assimilis</i> ..	1863,		1867,
<i>sepulchralis</i>	1863,	<i>Calamanthus fuliginosus</i> .	1869,
<i>tymbonomus</i>	1863,	<i>Calamaria brachyorrhos</i> .	1861,
	1863,	<i>coronella</i>	1864,
<i>Cacophis blackmanii</i> ..	1869,	<i>fusca</i>	1861,
<i>fordei</i>	1869,	<i>Calamodyta aquatica</i> ..	1863,
	1869,	<i>maackii</i>	1863,
<i>harriettæ</i>	1869,	<i>melanopogon</i>	1864,
<i>Cacopus globulosus</i>	1868,	<i>newtoni</i>	1866,
<i>Cacospongia cavernosa</i> ..	1867,	<i>phragmitis</i>	1863,
<i>mollior</i>	1867,		1863,
<i>scalaris</i>	1867,		1863,
<i>Cacotus maculatus</i>	1868,		1864,
	1868,	<i>sorghophila</i>	1863,
	1868,		1863,
<i>Cactornis abingdoni</i>	1870,	<i>Calamoherpe aëdon</i>	1863,
	1870,		1863,
<i>assimilis</i>	1870,		1870,
<i>pallida</i>	1870,	<i>arundinacea</i>	1864,
	1870,		1870,
<i>scandens</i>	1870,	<i>bistrigiceps</i>	1863,
	1870,		1863,
<i>Cadea punctata</i>	1865,	<i>cantans</i>	1863,
	1865,		1863,
<i>Cadium</i>	1862,	<i>cantillans</i>	1863,
<i>Cadphises maculata</i>	1865,		1863,
	1865,	<i>canturians</i>	1863,
<i>Cæcilianella tumulorum</i> .	1865,		1863,
<i>Cæcum diminutum</i>	1863,	<i>concinens</i>	1870,
<i>eburneum</i>	1863,	<i>dumetorum</i>	1870,
<i>firmatum</i>	1863,	<i>fumigata</i>	1863,
<i>læve</i>	1863,		1863,
<i>laqueatum</i>	1863,		1870,
<i>monstrosum</i>	1863,	<i>minuta</i>	1863,
<i>parvum</i>	1863,		1863,
<i>pygmæum</i>	1863,	<i>newtoni</i>	1863,
<i>undatum</i>	1863,	<i>orientalis</i>	1863,
<i>Cænopithecus lemuroides</i> .	1864,		1863,
<i>Cæquosa triangularis</i> ..	1865,		1870,
<i>Cæreba carneipes</i>	1867,		1870,
<i>cyanea</i>	1867,	<i>palustris</i>	1863,
<i>lucida</i>	1867,		1864,
<i>Cæsio maculatus</i>	1867,	<i>subflavescens</i>	1870,
<i>striatus</i>	1867,		1870,
<i>Caica barrabandi</i>	1866,	<i>turdoides</i>	1863,
	1867,		1863,
<i>hæmatotis</i>	1862,		1863,
	1864,	<i>Calamotropha atkinsoni</i> .	1867,
	1867,		668

	Page		Page
<i>Calandra granaria</i>	1867, 361	<i>Callichthys armatus</i>	1868, 231
	1867, 377	<i>asper</i>	1868, 276
<i>oryzæ</i>	1867, 361	<i>littoralis</i>	1868, 287
	1867, 377	<i>subulatus</i>	1868, 276
<i>Calandrella brachydactyla</i>	1863, 271	<i>Callichrous bimaculatus</i>	1869, 613
	1864, 434	<i>checkra</i>	1870, 370
<i>hermonensis</i>	1864, 434	<i>macrophthalmus</i>	1869, 306
<i>pispoletta</i>	1863, 271	<i>nigrescens</i>	1869, 613
<i>reboudia</i>	1864, 434	<i>notatus</i>	1869, 616
<i>Calandria mielera</i>	1869, 362	<i>Callicore astarte</i>	1869, 616
<i>nogalera</i>	1869, 362	<i>clymena</i>	1866, 579
<i>Calathus flavipes</i>	1867, 363		1866, 578
	1867, 367	<i>janeira</i>	1866, 579
<i>fulvipes</i>	1867, 367	<i>Callidium annulare</i>	1866, 521
<i>mollis</i>	1867, 363	<i>Callidryas alcmeone</i>	1865, 493
	1867, 367	<i>argante</i>	1865, 760
<i>Calcispongia botryoides</i>	1867, 555	<i>bracteolata</i>	1866, 357
<i>ciliata</i>	1867, 554	<i>catilla</i>	1863, 243
<i>compressa</i>	1867, 555	<i>catilla</i>	1865, 458
<i>inflata</i>	1867, 554	<i>catilla</i>	1870, 727
<i>nivea</i>	1867, 556	<i>hilaria</i>	1865, 493
<i>Calesia comosa</i>	1867, 75		1865, 760
<i>gastropachoides</i>	1867, 75	<i>philippina</i>	1865, 493
<i>Calicalicus madagascariensis</i>	1866, 423		1865, 760
	1870, 390	<i>pyranthe</i>	1865, 493
<i>Calictis</i>	1864, 509		1865, 759
	1864, 564	<i>statira</i>	1866, 357
<i>smithii</i>	1864, 565	<i>trite</i>	1870, 727
<i>Calicula exempta</i>	1867, 67	<i>Callidula petavia</i>	1863, 242
<i>Calidris arenaria</i>	1863, 315	<i>trite</i>	1863, 243
	1863, 317	<i>Callidula petavia</i>	1865, 796
	1864, 377	<i>Callinia microcephala</i>	1869, 222
	1864, 452	<i>spicifera</i>	1869, 214
	1865, 95		1869, 222
	1867, 339	<i>Calliopæa bellula</i>	1869, 110
	1868, 176	<i>Calliope camtschatkensis</i>	1862, 316
	1868, 570	<i>kamtschatkensis</i>	1863, 292
	1870, 323		1863, 336
<i>Caligo ajax</i>	1863, 248		1865, 695
<i>oileus</i>	1863, 248	<i>Calliostoma æquisculpta</i>	1865, 279
<i>Caligula thibeta</i>	1867, 684	<i>antonii</i>	1863, 355
<i>Calinaga buddha</i>	1865, 758	<i>eximium</i>	1865, 279
<i>Callene albiventris</i>	1867, 833	<i>imbricatum</i>	1863, 360
	1867, 834	<i>leanum</i>	1863, 355
<i>frontalis</i>	1867, 833	<i>lima</i>	1865, 279
<i>rufiventris</i>	1867, 833	<i>versicolor</i>	1865, 279
<i>Callia</i>	1864, 252	<i>Callipepla californica</i>	1869, 628
<i>splendens</i>	1862, 183	<i>Calliphlox amethystina</i>	1867, 752
<i>wallacei</i>	1862, 117	<i>Callirhynchus masesus</i>	1869, 147
	1865, 414	<i>nasesus</i>	1869, 147
<i>Callianassa longimana</i>	1864, 668	<i>Callispiza frantzii</i>	1867, 138
<i>turnerana</i>	1861, 42	<i>Callista aurantia</i>	1863, 365
	1869, 530	<i>chionæa</i>	1863, 365
<i>Callichroma cinderella</i>	1866, 518	<i>citrina</i>	1866, 146
<i>thomsoni</i>	1866, 517	<i>concinna</i>	1863, 365
<i>Callichthys armatus</i>	1868, 230	<i>consanguinea</i>	1863, 365

	Page		Page
Callista disrupta	1867, 922	Callithrix	1862, 329
rutila	1867, 922		1864, 338
Calliste boliviana	1866, 180	personatus	1865, 555
	1867, 571		1865, 584
	1867, 595	sciureus	1865, 586
	1867, 977		1862, 325
cayana	1870, 553		1864, 710
	1870, 780	Callocephalus barbatus	1868, 424
cyaneicollis	1869, 252	foetidus	1862, 202
	1869, 597		1864, 30
	1870, 780		1864, 497
cyanescens	1868, 627		1864, 499
cyanoptera	1868, 167	greenlandicus	1868, 416
desmaresti	1868, 627	hispidus	1864, 28
	1870, 599		1864, 29
dowii	1863, 168	lagurus	1868, 416
	1863, 169	leporinus	1868, 424
	1869, 417	oceanicus	1868, 416
	1870, 187	vitulinus	1864, 29
flaviventris	1867, 571		1864, 30
	1870, 579		1864, 31
florida	1869, 416		1864, 33
francescæ	1863, 169		1868, 335
	1864, 350		1868, 339
	1869, 417		1868, 340
franciscæ	1867, 138		1868, 411
	1870, 187		1868, 412
frantzii	1863, 169		1868, 413
guttata	1868, 627		1868, 414
	1869, 417		1868, 416
	1870, 187		1868, 422
	1870, 579	Callochiton elenensis	1863, 362
gyroloides	1863, 169	pulchellus	1863, 362
	1864, 350		1865, 276
	1867, 138	Callogorgia verticillaris	1863, 505
	1867, 749	Callomphala lucida	1864, 35
	1869, 417		1867, 190
	1870, 186	Callomystax gagata	1869, 309
hannahæ	1869, 252	Callophis annularis	1870, 368
icterocephala	1867, 138	bivirgatus	1870, 368
	1869, 417		1870, 369
	1870, 186	calligaster	1870, 368
inornata	1863, 169	gracilis	1870, 368
	1864, 350		1870, 369
larvata	1863, 169	intestinalis	1870, 368
	1864, 350		1870, 369
	1870, 836	maclellandii	1861, 219
nigriviridis	1863, 168	m'clellandi	1870, 368
schranki	1866, 180	maculiceps	1870, 368
	1867, 749	nigrescens	1870, 368
	1867, 977	trimaculatus	1870, 368
	1869, 417	univirgatus	1861, 219
vieilloti	1870, 579	Callopoma fluctuatum	1863, 356
xanthogastra	1866, 180	fluctuosum	1863, 356
	1867, 977	saxosum	1863, 356
yeni	1866, 180	tessellatum	1863, 356
	1867, 749	Callopietria exotica	1867, 61
	1867, 977	Callorhinus ursinus	1864, 34

	Page		Page
Callorhinus ursinus	1868, 342	Calopsitta novæ hollandiæ	1862, 323
	1868, 357		1869, 627
Callotus	1863, 132	Caloptera ocellata	1867, 645
	1863, 145	Caloramphus sanguino-	
	1864, 624	lentus	1863, 210
	1864, 645	Calornis albifrons	1863, 302
montei	1863, 145	amboinensis	1862, 343
	1864, 458	cantor	1863, 218
	1864, 627	cantoroides	1861, 431
	1864, 637		1861, 436
	1864, 646		1862, 343
	1864, 712	fulvipennis	1869, 124
	1865, 60	gularis	1861, 431
Callula guttulata	1868, 479		1861, 436
	1868, 490	kittlitzii	1867, 830
natatrix	1869, 284		1868, 4
	1869, 285		1868, 7
obscura	1868, 481		1868, 117
Callyna monoleuca	1867, 66		1868, 118
siderea	1867, 66	metallica	1862, 335
Callyodon viridescens	1867, 865		1862, 343
	1870, 698		1868, 385
Calobates boarula	1870, 601		1869, 120
sulphurea	1865, 694		1869, 124
	1866, 570	minor	1863, 218
Caloenas	1861, 234	mysolensis	1861, 431
gouldiæ	1866, 79		1861, 436
nicobarica	1861, 438		1862, 343
	1863, 372	obscura	1862, 335
	1864, 139		1862, 343
	1866, 78		1863, 32
	1869, 628	placidus	1862, 343
rufigula	1861, 438	viridescens	1861, 436
Calogale	1864, 509		1862, 343
	1864, 560	Calosoma azoricum	1867, 365
badia	1864, 563		1867, 366
	1864, 564	maderæ	1867, 365
gracilis	1864, 563	olivieri	1867, 367
grantii	1864, 561	Calotes — ?	1863, 371
grisea	1864, 561	jerdoni	1870, 779
melanura	1864, 562	maria	1870, 778
microcephala	1864, 561		1870, 779
mutgigella	1864, 561	nemoricola	1869, 507
nepalensis	1864, 560	platyceps	1870, 778
nyula	1864, 554	rouxi	1869, 501
	1864, 560	versicolor	1861, 189
	1864, 561		1861, 215
	1864, 562		1869, 501
ornata	1864, 562		1870, 240
punctulata	1864, 562	Calothorax lucifer	1864, 177
rutila	1864, 561	Calotragus	1861, 235
sanguinea	1864, 561		1861, 268
thysanura	1864, 564	campestris	1862, 323
venatica	1864, 563		1870, 338
Calogramma festiva	1867, 52	melanotis	1861, 209
picta	1867, 52		1861, 264
Calopsitta novæ hollandiæ	1862, 140		1864, 99
	1862, 185		1864, 101

	Page		Page
Calotragus tragulus	1861, 209	Calyptraea cepacea	1863, 359
	1861, 264	chinensis	1867, 740
Calpe minuticornis	1867, 63	comma-notata	1867, 736
Calumma	1864, 468	concamerata	1867, 744
cucullata	1864, 476	conica	1863, 359
	1864, 476	corrugata	1867, 741
	1864, 478	dentata	1867, 746
Calybura	1864, 585	dilatata	1863, 359
isaura	1864, 585	extinctoria	1867, 736
melanorrhoea	1864, 585	fastigiata	1867, 743
Calycia crystallina	1865, 412	hispidata	1867, 741
Calymnia panopus	1867, 675	imbricata	1863, 359
Calyptomena viridis	1863, 214	laevigata	1863, 359
Calyptorhynchus	1863, 483	lamarcki	1867, 743
banksii	1862, 141	lichen	1867, 211
	1862, 185	lividum	1867, 742
naso	1869, 279	maculata	1867, 743
Calyptra adamsii	1867, 747	mamillaris	1863, 359
alveolata	1867, 747	maxillaris	1867, 736
balanoides	1867, 747	morbidum	1867, 746
cancellata	1867, 747	pectinata	1867, 741
cepacea	1867, 747	pellucida	1867, 735
cicatricosa	1867, 747	pileus	1863, 359
cornea	1867, 747	planulata	1867, 742
cyathella	1867, 747	poculum	1863, 359
depressa	1867, 747	radiata	1867, 744
diaphana	1867, 747	regularis	1863, 359
dormitoria	1867, 747	scutella	1867, 745
equestris	1867, 747	serrata	1867, 743
fibulata	1867, 747	solida	1867, 742
hipponiceformis	1867, 747	striata	1867, 745
layardi	1867, 746	umbella	1863, 359
martiniana	1867, 747	unguis	1863, 360
ossea	1867, 747	verrucosum	1867, 742
papyracea	1867, 747	Calyptrophora japonica	1866, 25
porosa	1867, 747		1866, 26
radiosa	1867, 747	Camæna bairdii	1866, 316
saccharimeta	1867, 747		1866, 319
scabies	1867, 747	succincta	1866, 316
scutulum	1867, 747		1866, 319
stallonia	1867, 747	Camarhynchus habeli	1870, 323
stella	1867, 747		1870, 325
tectum-sinense	1867, 747	prosthemeles	1870, 323
tortilis	1867, 747		1870, 325
tubifera	1867, 747		1870, 326
umbo	1867, 746	psittaculus	1870, 323
	1867, 747		1870, 325
uncinata	1867, 747	variegatus	1870, 323
vanikorensis	1867, 747		1870, 324
varia	1867, 747	Camariolius pictus	1864, 48
Calyptraea	1861, 405	varius	1864, 47
	1862, 226	Camaroptera olivacea	1864, 2
aberrans	1863, 359	Camelopardalis giraffa	1862, 102
adspersa	1867, 741		
aspersa	1863, 359		
aurita	1867, 742		
bilobata	1867, 745		

	Page		Page
Camelopardalis giraffa . . .	1862, 137	Campephilus hæmato-	
	1863, 230	gaster	1867, 157
	1864, 67		1870, 212
	1864, 105	magellanicus	1867, 328
	1864, 160		1867, 338
	1864, 269	malherbii	1864, 366
	1864, 656		1867, 157
	1868, 624		1868, 629
	1870, 475		1870, 212
Camelus bactrianus	1862, 102	trachelopyrus	1867, 586
	1865, 257		1867, 595
	1865, 258		1867, 753
dromedarius	1870, 475	Campethera chrysuræ . . .	1869, 570
	1862, 102	Campicola livingstonii . .	1867, 888
	1865, 258	pileata	1866, 22
	1866, 87		1867, 887
	1870, 80		1867, 888
Camena ctesia	1865, 775	Camptosternus fulgens . .	1866, 350
Caminus vulcani	1867, 549	Camptostoma flaviventre	1864, 358
Campephaga anderssoni . . .	1863, 282		1866, 188
	1870, 69		1867, 577
	1870, 70		1870, 197
atrovirens	1861, 435	imberbe	1864, 358
avensis	1863, 282		1870, 197
boyeri	1861, 435		1870, 554
cana	1870, 389	Campulotus	1861, 334
cæruleogrisea	1861, 435		1862, 65
culminatus	1863, 282	antiquus	1863, 435
desgrazii	1861, 435	cumingii	1863, 430
frenata	1870, 69	Campylopterus æquato-	
	1870, 70	rialis	1867, 752
hypoleuca	1861, 435		1867, 979
larvata	1861, 435	cuvieri	1864, 365
marginata	1863, 19	ensipennis	1868, 169
	1863, 31	hemileucurus	1864, 176
melæna	1861, 435		1870, 205
melanolora	1861, 435	inornatus	1865, 466
melanops	1861, 435	lazulus	1868, 169
melanotis	1862, 335		1870, 782
	1862, 342	largipennis	1867, 584
melas	1862, 165		1867, 594
nigra	1864, 3	obscurus	1867, 584
	1864, 6		1867, 594
novæ guineæ	1861, 435		1867, 595
papuensis	1861, 435	Campylorhynchus	1864, 345
plumbea	1861, 435	balteatus	1869, 146
	1863, 31	capistratus	1870, 836
	1863, 485	hypostictus	1866, 178
polygrammica	1861, 435	megalopterus	1869, 147
schisticeps	1861, 429	nuchalis	1868, 626
	1861, 435		1870, 554
silens	1863, 282	pallescens	1869, 146
Campephilus albirostris . .	1866, 196		1869, 147
	1867, 586	zonatoides	1869, 146
	1867, 595		1869, 147
	1867, 753	Cancellaria affinis	1863, 347
guatemalensis	1864, 177	australis	1867, 208
	1867, 157	excavata	1865, 171

	Page		Page
Cancellaria goniostoma .	1863, 347	Canis borealis	1868, 339
granosa	1865, 171		1868, 340
	1867, 208		1868, 360
lævigata	1867, 208	brachyotus	1868, 498
pusilla	1869, 274	brasiliensis	1868, 512
pygmæa	1863, 347		1868, 514
spirata	1865, 171	caama	1868, 520
	1867, 189	cabulensis	1868, 493
undulata	1865, 171	campestris	1868, 506
	1867, 208	cancrivorus	1868, 514
urceolata	1863, 347	cerdo	1868, 519
Cancer	1864, 664		1869, 149
bellianus	1861, 240	ceylanicus	1868, 509
Cancilla strangei	1867, 194	chanco	1863, 94
Cancroma	1861, 133		1868, 501
cochlearia	1863, 517	chrysurus	1868, 517
	1864, 371	cinereo-argentatus..	1868, 519
	1867, 473		1868, 522
	1867, 475	corsac	1868, 517
	1870, 218		1868, 518
	1870, 589	crocuta	1868, 525
Candyba punctata	1865, 819	cruciger	1868, 518
Canerkes euschemoides..	1865, 802	decussatus	1868, 518
	1865, 823	dhola	1868, 500
Canidia fusca	1861, 384	dingo	1862, 102
Canirallus kioloides	1865, 836		1862, 323
Canis adusta	1868, 515		1865, 573
adustus	1865, 400		1865, 579
	1870, 280		1868, 509
ægyptiacus	1868, 515	domesticus	1868, 624
alopex	1868, 515	dorsalis	1868, 508
	1869, 247	dukhunensis	1868, 519
alpinus	1863, 94	enterrianus	1868, 500
	1868, 498	famelicus	1868, 514
	1868, 500	familiaris	1868, 519
antarcticus	1868, 513		1869, 149
	1868, 529	familiaris	1866, 91
	1870, 797		1868, 334
anthus	1868, 502		1868, 339
	1869, 113		1868, 340
argentatus	1862, 186		1868, 346
	1868, 518		1868, 360
	1868, 519		1868, 508
	1868, 524		1870, 79
auratus	1868, 624	familiaris leoninus..	1868, 510
aureus	1862, 322	fennicus	1868, 520
	1862, 324	frustror	1868, 506
	1866, 91	fuliginosus	1868, 521
	1868, 497	fulvicaudatus	1868, 511
	1868, 504	fulvipes	1868, 514
azaræ	1868, 185	fulvus	1862, 325
	1868, 511		1868, 518
	1868, 512	griseus	1868, 512
	1868, 513		1868, 522
	1868, 624	himalaicus	1868, 516
barbarus	1868, 504	himalayanus	1868, 498
bengalensis	1868, 517	hippophylax	1868, 500
borealis	1868, 334	hodophylax	1868, 500

	Page		Page
<i>Canis hyæna</i>	1868, 524	<i>Canis rutilans</i>	1868, 500
<i>isatis</i>	1868, 521	<i>simensis</i>	1868, 501
<i>javanicus</i>	1868, 500	<i>sumatrensis</i>	1868, 500
<i>jubatus</i>	1868, 501	<i>syriacus</i>	1866, 91
<i>karagan</i>	1868, 517	<i>tetradactyla</i>	1868, 509
<i>kokree</i>	1868, 517	<i>thous</i>	1868, 513
<i>lagopus</i>	1862, 321	<i>tricolor</i>	1868, 497
	1862, 323	<i>variabilis</i>	1868, 501
	1864, 496	<i>variegatus</i>	1868, 516
	1864, 497	<i>velox</i>	1868, 519
	1868, 521	<i>vetulus</i>	1868, 511
<i>lalandii</i>	1867, 523	<i>virginianus</i>	1868, 522
<i>laniger</i>	1867, 819	<i>viverrinus</i>	1870, 631
<i>lateralis</i>	1870, 279	<i>vulpes</i>	1868, 515
<i>latrans</i>	1868, 506	1869, 247	
<i>lupus</i>	1861, 368	<i>xanthurus</i>	1868, 517
	1862, 186	<i>zerda</i>	1868, 519
	1862, 323	<i>Canna pulchripicta</i>	1867, 61
	1863, 94		1867, 97
	1866, 90	<i>Canrena</i>	1862, 227
	1868, 501	<i>Cantharus assimilis</i>	1867, 187
	1868, 624	<i>grandoculis</i>	1867, 853
	1869, 25	<i>porcatus</i>	1863, 430
<i>lycaon</i>	1866, 91	<i>unicolor</i>	1867, 110
	1868, 501		1867, 117
	1868, 502		1867, 187
<i>magellanicus</i>	1868, 185	<i>Canthiridus decoratus</i> ..	1864, 37
	1868, 512	<i>rubiginosa</i>	1865, 180
	1870, 664	<i>tiberianus</i>	1867, 215
	1870, 665	<i>variegatus</i>	1865, 181
<i>megalotis</i>	1868, 523	<i>Caperea antipodarum</i> ..	1864, 202
<i>melampus</i>	1868, 514	<i>Capila jayadeva</i>	1865, 785
<i>melanostomus</i>	1868, 512		1865, 823
<i>melanotus</i>	1868, 518	<i>Capito amazonicus</i>	1867, 586
<i>mesomelas</i>	1862, 324		1867, 593
	1868, 516		1867, 979
	1868, 624	<i>aurantiicollis</i>	1866, 196
	1870, 279	<i>aurovirens</i>	1866, 196
<i>mexicanus</i>	1868, 502		1867, 753
	1868, 506	<i>bourcierii</i>	1870, 212
<i>microtis</i>	1868, 519	<i>lineatus</i>	1866, 540
<i>micrurus</i>	1868, 504	<i>maculicoronatus</i> ..	1864, 366
<i>niloticus</i>	1868, 515		1867, 157
<i>nubilus</i>	1868, 502	<i>melanotis</i>	1866, 196
<i>occidentalis</i>	1865, 574	<i>peruvianus</i>	1866, 195
	1868, 347		1867, 753
	1868, 359	<i>Capnolymma capreola</i> ..	1866, 227
	1868, 502		1866, 504
<i>ochropus</i>	1868, 508		1866, 536
<i>pallidus</i>	1868, 520	<i>stygium</i>	1866, 227
<i>pallipes</i>	1868, 504		1866, 504
	1868, 624	<i>Capoeta lepidus</i>	1868, 196
<i>pictus</i>	1868, 497	<i>puckelli</i>	1868, 197
<i>primævus</i>	1868, 498	<i>Capparidæ sepiaria</i>	1865, 491
	1868, 500		1865, 759
<i>procyonoides</i>	1868, 522	<i>Capra ægagrus</i>	1868, 262
<i>rufescens</i>	1868, 517		
<i>rüppellii</i>	1868, 519		

	Page		Page
Capra ægagrus	1868, 625	Caprimulgus æquicaudatus	1867, 342
	1870, 80		1867, 343
angorensis	1862, 137	æthereus	1866, 128
	1866, 85	affinis	1863, 212
beden	1863, 47		1863, 263
	1864, 160	albicollis	1866, 144
	1866, 85	albonotatus	1864, 375
caucasica	1862, 102		1864, 431
hircus	1861, 264	americanus	1861, 77
	1862, 102		1866, 144
	1862, 184	andinus	1866, 140
	1864, 139		1867, 320
	1866, 85		1867, 328
	1868, 339	asiaticus	1864, 375
	1868, 340		1864, 431
	1868, 356	bifasciatus	1866, 140
	1870, 80	brasilianus	1866, 137
	1870, 475		1866, 138
hispanica	1869, 469	campestris	1866, 132
ibex	1862, 376	candicans	1866, 588
	1868, 625	caripensis	1866, 130
mambrica	1866, 85	carolinensis	1866, 136
megaceros	1866, 35	cayanensis	1866, 140
	1866, 418	cayanus	1866, 140
	1868, 625	conterminus	1866, 140
	1869, 55	cornutus	1866, 129
	1870, 342	cortopao	1866, 137
nepalensis	1870, 475	decussatus	1866, 140
nubiana	1864, 160	diurnus	1866, 132
	1868, 625	dytiscivorius	1863, 263
pyrenaica	1868, 403	europæus	1863, 160
	1868, 526		1863, 263
sinitica	1866, 85		1863, 516
	1869, 530	exilis	1867, 328
Capreolus leucotis	1869, 497		1868, 175
pygargus	1870, 434	forcipatus	1866, 143
	1870, 647	furcifer	1866, 142
Capricornis bubalina	1862, 361	grandis	1866, 128
caudatus	1870, 647	guianensis	1866, 144
crispa	1862, 263	hirundinaceus	1866, 135
	1862, 349	jamaicensis	1861, 77
	1862, 361		1866, 129
crispus	1870, 647	jotaka	1866, 144
sumatrana	1862, 263		1863, 263
sumatrensis	1862, 361		1863, 333
	1869, 660		1865, 618
	1870, 647	leopetes	1866, 140
swinhoii	1862, 263	leucopterus	1866, 130
	1862, 361	leucopygus	1866, 135
	1870, 647	leucurus	1866, 140
Caprilia specularia	1867, 649		1866, 588
	1867, 686	longicaudatus	1866, 128
vesicularia	1867, 649	longipennis	1866, 421
	1867, 650		
Caprimulgus acutipennis	1866, 134		
acutus	1866, 134		
æquicaudatus	1866, 138		
	1866, 588		

	Page		Page
<i>Caprimulgus longipennis</i>	1867, 821	<i>Caradina cincinnuli</i>	1863, 500
<i>longirostris</i>	1866, 140		1863, 505
<i>lunulatus</i>	1866, 138	<i>tenuirostris</i>	1863, 501
<i>macromystax</i>	1866, 137		1863, 505
<i>macrourus</i>	1863, 22	<i>truncifrons</i>	1863, 499
	1863, 484		1863, 505
	1868, 383	<i>Caragana versicolor</i>	1865, 489
<i>macrurus</i>	1861, 433	<i>Caranx</i> — ?	1864, 24
<i>madagascariensis</i> . .	1866, 834	<i>armatus</i>	1865, 20
	1870, 397		1867, 860
<i>megalurus</i>	1866, 143		1869, 302
<i>minutus</i>	1866, 136	<i>atropus</i>	1865, 23
<i>mixtus</i>	1866, 138	<i>bajad</i>	1867, 860
<i>monticola</i>	1863, 263	<i>bicolor</i>	1864, 24
<i>monticolus</i>	1864, 375	<i>blochii</i>	1870, 689
	1868, 401	<i>calla</i>	1870, 689
<i>nacunda</i>	1866, 132	<i>caninus</i>	1866, 601
<i>nattereri</i>	1866, 132	<i>carangus</i>	1864, 24
<i>nigrescens</i>	1866, 138	<i>ciliaris</i>	1866, 25
<i>nuttalli</i>	1866, 137		1870, 689
<i>ocellatus</i>	1866, 138	<i>compressus</i>	1870, 689
<i>parvulus</i>	1866, 138	<i>crumenophthalmus</i> .	1867, 858
	1867, 343		1869, 238
<i>platura</i>	1866, 589	<i>dentex</i>	1868, 225
<i>psalurus</i>	1866, 142	<i>djeddaba</i>	1870, 689
<i>ruficollis</i>	1864, 430	<i>dorsalis</i>	1864, 24
	1866, 379	<i>fulvoguttatus</i>	1867, 800
<i>rufus</i>	1866, 136	<i>gallus</i>	1865, 25
<i>rupestris</i>	1866, 135	<i>hasseltii</i>	1867, 860
<i>sapiti</i>	1866, 134	<i>helvolus</i>	1867, 859
<i>semitorquatus</i>	1866, 132	<i>hippos</i>	1864, 24
	1866, 135		1865, 23
	1866, 138		1869, 238
<i>stictomus</i>	1863, 263		1870, 688
	1863, 333	<i>kurra</i>	1865, 24
	1866, 124	<i>leucurus</i>	1864, 24
	1866, 126	<i>macrophthalmus</i> . .	1867, 859
<i>swinhoii</i>	1863, 263	<i>malabaricus</i>	1867, 860
<i>tamaricis</i>	1864, 170	<i>mate</i>	1870, 689
	1864, 430	<i>mauritanus</i>	1867, 858
<i>torquatus</i>	1866, 142	<i>melampygyus</i>	1867, 860
<i>virginianus</i>	1866, 133		1870, 688
<i>vociferus</i>	1866, 137	<i>melanostethos</i>	1865, 23
<i>Capromys brachyurus</i> . .	1861, 64	<i>muroadsi</i>	1868, 225
	1862, 186	<i>nigrescens</i>	1867, 704
<i>fournieri</i>	1866, 395	<i>oblongus</i>	1870, 689
	1866, 397	<i>plumieri</i>	1867, 858
<i>prehensilis</i>	1862, 321	<i>rotleri</i>	1865, 22
<i>Caprovis argali</i>	1870, 80	<i>rüppellii</i>	1867, 861
<i>Capsa</i> — ?	1861, 405	<i>sansun</i>	1867, 860
<i>altior</i>	1863, 366	<i>speciosus</i>	1865, 25
<i>Capulus danieli</i>	1865, 175		1867, 859
<i>subfuscus</i>	1865, 175		1867, 860
<i>violaceus</i>	1867, 114		1870, 689
	1867, 117	<i>venator</i>	1867, 859
	1867, 212	<i>vomerinus</i>	1867, 860
<i>Caracal melanotis</i>	1867, 277	<i>xanthurus</i>	1865, 24
<i>Caracara montanus</i>	1867, 329		1867, 860

	Page		Page
<i>Caranx</i> <i>morus sacrestinus</i>	1867,	<i>Carnifex</i> <i>naso</i>	1869,
<i>Carassius</i> <i>auratus</i>	1869,	<i>Carolia</i> <i>couchii</i>	1867,
<i>Carbo</i> <i>filamentosus</i>	1863,	<i>Carollia</i> <i>bevicaudata</i>	1866,
<i>melanoleucus</i>	1868,	<i>Carpiodes</i>	1864,
	1868,	<i>Carpococcyx</i> <i>radiatus</i>	1863,
	1868,	<i>Carpodacus</i> <i>cassinii</i>	1869,
<i>pygmæus</i>	1864,	<i>erythrinus</i>	1862,
<i>Carcharias</i> <i>acutus</i>	1867,		1862,
<i>bleekeri</i>	1867,		1863,
<i>melanopterus</i>	1870,		1863,
<i>vulpes</i>	1868,	<i>githagineus</i>	1870,
<i>walbeehmii</i>	1870,	<i>mongolicus</i>	1870,
<i>Carcinops</i> <i>pumilo</i>	1867,	<i>obsoletus</i>	1870,
	1867,	<i>phœnicopterus</i>	1864,
<i>14-striatus</i>	1867,	<i>purpureus</i>	1869,
<i>Cardellina</i>	1863,	<i>roseus</i>	1863,
<i>rubra</i>	1864,	<i>sanguineus</i>	1864,
<i>versicolor</i>	1863,	<i>Carpodectes</i> <i>nitidus</i>	1864,
<i>Cardinalis</i> <i>phœniceus</i>	1868,	<i>Carpophaga</i> <i>ænea</i>	1863,
	1868,		1863,
	1869,		1867,
	1870,	<i>albogularis</i>	1861,
	1870,	<i>bicolor</i>	1861,
<i>virginialis</i>	1869,		1863,
<i>virginiana</i>	1869,	<i>chalybura</i>	1861,
<i>Cardita</i> <i>affinis</i>	1863,	<i>cineracea</i>	1863,
<i>ajar</i>	1870,	<i>ianthina</i>	1863,
<i>crassicostata</i>	1865,	<i>leclancheri</i>	1861,
<i>excavata</i>	1867,	<i>lepida</i>	1869,
<i>laticostata</i>	1863,	<i>luctuosa</i>	1862,
<i>radiata</i>	1863,		1862,
<i>tridacnoides</i>	1865,		1863,
<i>Cardium</i> <i>australiense</i>	1867,		1867,
<i>cygnorum</i>	1865,	<i>melanura</i>	1863,
<i>echinatum</i>	1862,	<i>microcera</i>	1862,
<i>graniferum</i>	1863,		1863,
<i>muticum</i>	1867,		1866,
<i>obovale</i>	1863,	<i>mülleri</i>	1861,
<i>papyraceum</i>	1867,	<i>myristicivora</i>	1861,
	1867,	<i>oceanica</i>	1867,
<i>planicostatum</i>	1863,	<i>pacifica</i>	1861,
<i>procerum</i>	1863,		1868,
<i>pulchellum</i>	1867,		1868,
<i>senticosum</i>	1862,		1868,
	1863,	<i>paulina</i>	1862,
<i>serratum</i>	1861,		1862,
<i>striatulum</i>	1867,	<i>perspicillata</i>	1861,
<i>tenuicostatum</i>	1865,		1863,
	1867,	<i>pinon</i>	1861,
<i>Carduelis</i> <i>elegans</i>	1863,	<i>pistrinaria</i>	1869,
	1864,		1869,
<i>stanleyi</i>	1867,	<i>puella</i>	1861,
<i>Cariama</i>	1862,	<i>rosacea</i>	1863,
	1863,	<i>rubracera</i>	1869,
<i>Carinea</i> <i>emarginata</i>	1863,		1869,
<i>gibbosa</i>	1863,		1869,
<i>Carmia</i> <i>floria</i>	1867,	<i>rubricera</i>	1862,
<i>macilenta</i>	1867,	<i>rufigaster</i>	1861,

	Page		Page
<i>Carpophaga sundevallii</i>	1861, 437	<i>Cassidea tuberosa</i>	1862, 227
<i>zoeae</i>	1861, 437	<i>Cassidix baritus</i>	1864, 354
<i>Carpophilus dimidiatus</i>	1867, 361	<i>crassirostris</i>	1864, 354
<i>mutilatus</i>	1867, 361	<i>oryzivora</i>	1864, 354
<i>Carteria japonica</i>	1867, 371		1867, 279
<i>Carychium mauritianum</i> 1869, 62	1867, 540		1867, 573
	1869, 65		1867, 978
<i>Caryocatactes</i>	1862, 207	<i>Cassidula</i>	1862, 227
<i>Caryophyllia clavus</i>	1862, 199	<i>parva</i>	1867, 306
<i>smithii</i>	1862, 119		1867, 315
	1862, 200	<i>zonata</i>	1867, 231
	1869, 92	<i>Cassina senegalensis</i>	1864, 307
<i>Casarca cana</i>	1864, 189	<i>Cassis</i>	1862, 227
	1864, 190	<i>abbreviata</i>	1863, 345
<i>castanea</i>	1864, 191	<i>achatina</i>	1867, 196
<i>rutila</i>	1861, 59	<i>coarctata</i>	1863, 345
	1863, 324	<i>fimbriata</i>	1865, 168
	1864, 159	<i>inflata</i>	1863, 345
	1864, 189	<i>paucirugis</i>	1865, 168
	1864, 190		1867, 197
	1864, 453	<i>pyrum</i>	1867, 197
<i>tadornoïdes</i>	1862, 184	<i>semigranosa</i>	1865, 168
	1862, 185	<i>testiculus</i>	1861, 404
	1864, 159	<i>zeylanica</i>	1867, 197
	1864, 189	<i>Castabala roseata</i>	1865, 799
	1864, 191	<i>Castalia chandra</i>	1865, 765
<i>variegata</i>	1864, 189	<i>cordata</i>	1866, 444
	1864, 191	<i>dichroa</i>	1865, 497
	1864, 192	<i>Castor canadensis</i>	1861, 59
<i>Casiornis rubra</i>	1870, 57		1868, 624
<i>Casmaria paucirugis</i>	1865, 168	<i>fiber</i>	1862, 102
<i>Cassidula microrhynchus</i>	1864, 353		1862, 135
<i>Cassidula nigerrimus</i>	1864, 353		1868, 427
<i>Cassidula nigerrimus</i>	1866, 182	<i>zibethicus</i>	1862, 135
<i>Cassidula prevosti</i>	1867, 142	<i>Casuarius australis</i>	1866, 168
	1870, 190		1866, 557
	1870, 836		1867, 242
<i>prevostii</i>	1864, 174		1867, 473
	1864, 353		1867, 482
<i>solitarius</i>	1864, 182		1868, 376
	1867, 978		1868, 377
<i>uropygialis</i>	1864, 353		1868, 381
<i>Cassicus icteronotus</i>	1864, 353		1868, 388
	1870, 578	<i>bennettii</i>	1862, 1
<i>oseryi</i>	1867, 755		1862, 324
<i>persicus</i>	1864, 138		1863, 234
	1864, 159		1863, 518
	1864, 353		1864, 271
	1866, 182		1866, 168
	1870, 578		1867, 179
<i>vitellinus</i>	1864, 353		1869, 126
<i>Cassidea cornuta</i>	1862, 227		1869, 628
<i>flammea</i>	1862, 227	<i>bicarunculatus</i>	1862, 137
<i>pennata</i>	1862, 227		1866, 168
<i>rufa</i>	1862, 227		1869, 149
<i>testiculus</i>	1862, 227	<i>emu</i>	1861, 438

	Page		Page
Casuarium galeatus	1862, 137	Catharus aurantiirostris .	1868, 166
	1863, 234	dryas	1866, 68
	1866, 168		1866, 69
	1867, 179	frantzii	1864, 580
	1867, 242		1866, 68
	1867, 483		1866, 69
	1868, 376		1867, 132
	1868, 377		1870, 480
	1869, 628	gracilirostris	1864, 580
johnsonii	1867, 242		1866, 68
	1867, 483		1866, 69
kaupi	1861, 438	griseiceps	1866, 68
	1866, 168		1866, 69
uniappendiculatus .	1863, 225		1867, 132
	1866, 34		1870, 179
	1866, 168	immaculatus	1868, 169
Catagramma astarte	1866, 579	lusciniæ	1866, 69
clymena	1866, 578	maculatus	1866, 68
codomanus	1866, 579		1866, 69
cynosura	1866, 579	melpomene	1866, 68
eluina	1866, 579		1868, 170
janeira	1866, 578	mexicanus	1864, 172
	1866, 579		1866, 68
marchalii	1866, 578		1866, 69
Catamenia analis	1869, 152		1867, 132
	1869, 599		1870, 179
analoides	1866, 97	occidentalis	1866, 69
homochroa	1866, 97	Catherpes mexicanus . .	1864, 172
Cataulax blanfordi	1862, 202	Catheturus australis . . .	1861, 288
recurvatus	1862, 116	cuvieri	1861, 288
	1862, 117	novæ hollandiæ	1861, 288
Catellina pectinatum . . .	1867, 743	Catillina pectinata	1867, 744
Catephia linteola	1867, 66	Catillus affinis	1867, 995
Cathartes atratus	1864, 369	clypeolum	1867, 995
	1865, 675	cookii	1867, 996
	1867, 328	cumingianus	1867, 997
	1867, 338	janelli	1867, 995
	1867, 589	lineatus	1867, 994
aura	1863, 225		1867, 998
	1864, 369	porcellanus	1867, 994
	1865, 675	tessellatus	1867, 998
	1867, 328	ornatus	1864, 35
	1867, 338	Catinus zonalis	1865, 167
	1867, 440		1867, 199
	1867, 463	Catla buchani	1861, 226
	1867, 589		1869, 370
	1867, 753	Catoblepas gnu	1864, 159
	1867, 988		1869, 528
	1868, 569		1870, 80
californianus	1866, 366		1870, 475
	1867, 463	gorgon	1862, 12
	1868, 183		1864, 99
	1868, 184		1864, 103
foetens	1867, 463		1864, 660
urubitinga	1863, 224		1869, 528
	1867, 589		1870, 80
Catharus aurantiirostris .	1866, 68	Catocala dotata	1867, 68
	1866, 69	longipennis	1865, 795

	Page		Page
<i>Catocala nepcha</i>	1867, 68	<i>Cebus capucinus</i>	1865, 827
<i>Catodon</i>	1863, 199		1867, 482
<i>australis</i>	1864, 587		1868, 624
	1864, 590	<i>chrysopus</i>	1865, 827
	1865, 439	<i>cirrhifer</i>	1862, 333
<i>krefftii</i>	1865, 439	<i>cirrifera</i>	1865, 825
	1865, 440		1865, 826
	1865, 441	<i>elegans</i>	1865, 826
<i>macrocephalus</i>	1864, 197	<i>fatuellus</i>	1862, 333
	1864, 231	<i>flavescens</i>	1865, 825
	1865, 439		1865, 826
	1868, 336	<i>gracilis</i>	1865, 827
	1868, 340	<i>hypoleucus</i>	1862, 333
	1868, 549		1864, 710
<i>sibbaldii</i>	1864, 246		1865, 826
<i>Catolynx charltoni</i>	1867, 268	<i>leucocephalus</i>	1865, 825
<i>marmoratus</i>	1867, 267		1865, 827
<i>Catopra malabarica</i>	1865, 30	<i>leucogenys</i>	1865, 825
<i>nandioides</i>	1869, 615	<i>monachus</i>	1865, 826
<i>siamensis</i>	1862, 191		1868, 261
<i>tetracanthus</i>	1862, 192	<i>pallidus</i>	1865, 826
<i>Catoptropelicanus conspi-</i>		<i>robustus</i>	1865, 827
<i>cillatus</i>	1869, 590	<i>subcristatus</i>	1865, 827
<i>Catoptrophorus semipal-</i>		<i>vellerosus</i>	1865, 825
<i>matus</i>	1870, 588		1865, 826
<i>Catreus</i>	1863, 117	<i>xanthocephalus</i>	1865, 825
<i>wallichii</i>	1863, 104		1865, 826
<i>Caudivolvulus flavus</i> ..	1867, 707	<i>Cecropis abyssinica</i>	1870, 319
<i>Cautoloma ennomosaria</i> .	1867, 619	<i>alpestris</i>	1870, 314
<i>Causus rhombeatus</i>	1864, 480	<i>boissoneauti</i>	1870, 306
<i>rostratus</i>	1864, 115	<i>capensis</i>	1870, 318
<i>Cavia aperia</i>	1866, 383	<i>filicauda</i>	1870, 312
<i>cobaya</i>	1869, 423	<i>gordoni</i>	1870, 317
<i>Cavernularia</i>	1862, 31	<i>melanocrissus</i>	1870, 315
<i>Cavolina gibbosa</i>	1867, 186		1870, 316
<i>globulosa</i>	1867, 186	<i>riocouri</i>	1870, 305
<i>Ceblepyris cana</i>	1866, 423	<i>ruffrons</i>	1870, 309
<i>major</i>	1870, 389	<i>rufula</i>	1870, 314
<i>temminckii</i>	1862, 342	<i>senegalensis</i>	1870, 316
<i>Cebogale</i>	1864, 642	<i>striolata</i>	1870, 319
<i>Cebus</i>	1861, 250	<i>Celæno brookesii</i>	1866, 147
— ?	1862, 323	<i>Celeia auritracta</i>	1865, 811
	1862, 333	<i>plusiata</i>	1865, 811
	1863, 47	<i>Celeopicus fraseri</i>	1864, 367
	1864, 160	<i>jumana</i>	1867, 758
<i>albifrons</i>	1865, 826	<i>multifasciatus</i>	1867, 556
<i>annellatus</i>	1865, 827	<i>rufus</i>	1867, 587
<i>apella</i>	1862, 333	<i>Celerena divisa</i>	1867, 679
	1864, 710	<i>Celesdera schistifusata</i> ..	1867, 650
	1865, 825	<i>Celeus castaneus</i>	1870, 837
<i>capillatus</i>	1865, 827	<i>cinnamomeus</i>	1867, 586
<i>capucinus</i>	1861, 59		1868, 169
	1861, 365		1870, 587
	1862, 140	<i>citreopygius</i>	1867, 586
	1862, 184		1867, 753
	1862, 323		1867, 758
	1862, 333		1867, 759
	1865, 826	<i>citrinus</i>	1866, 196

	Page		Page
Celeus citrinus	1867, 753	Centropristis brasiliensis	1868, 225
	1867, 759	dispilurus	1867, 99
	1868, 169	macropoma	1864, 145
fraseri	1864, 367	phœbe	1867, 99
grammicus	1866, 197	Centropus affinis	1863, 209
jumana	1866, 196		1863, 485
	1867, 586	ateralbus	1869, 122
	1867, 594		1869, 124
	1867, 595	bengalensis	1863, 266
	1867, 759	eurycercus	1863, 266
mentalis	1864, 367		1863, 267
multifasciatus	1867, 595	lafresnayi	1866, 424
rufus	1867, 587	madagascariensis	1866, 424
squamatus	1864, 367	medius	1863, 23
tinnunculus	1866, 196	menebiki	1861, 437
Cellepora areolata	1865, 269	milo	1869, 118
Cellularia	1862, 65		1869, 124
Cenchrus piscivorus	1861, 13	monachus	1867, 826
Cenodocus adustus	1866, 225		1867, 828
	1866, 238	phasianus	1863, 28
antennatus	1866, 238	philippensis	1863, 209
granulosus	1866, 225	rufipennis	1863, 266
	1866, 238		1863, 267
	1866, 267		1866, 568
Centetes ecaudatus	1863, 161	senegalensis	1869, 276
	1863, 237	sinensis	1863, 266
	1866, 420	spilopterus	1861, 437
Centrites niger	1867, 326	supercilius	1865, 91
	1867, 338		1866, 424
	1867, 987		1867, 826
	1868, 142		1870, 145
	1868, 569		1870, 149
	1869, 154	tolu	1863, 164
	1870, 87		1865, 834
	1870, 333		1866, 424
oreas	1869, 151	viridis	1863, 266
	1869, 154		1863, 267
Centrolabrus	1861, 416		1863, 333
Centrolophus	1863, 378	Centroscymnus cœlolepis	1864, 263
Centrophanes lapponica	1863, 301	Centurio senex	1866, 118
	1863, 337	Centuriosus pliciceps	1862, 17
Centrophorus crepidalbus	1864, 262		1868, 41
crepidater	1864, 262	Centurus albifrons	1869, 364
granulosus	1864, 260	elegans	1864, 179
	1864, 262	pucherani	1864, 367
lusitanicus	1864, 260		1867, 280
	1864, 262		1870, 837
squamosus	1864, 260	radiolatus	1861, 79
	1864, 263	rubriventris	1864, 367
Centropogon	1862, 190	santacruzii	1864, 177
australis	1862, 190		1869, 364
	1862, 191		1870, 837
marmoratus	1862, 190	subelegans	1867, 157
Centropomus appendicu-		tricolor	1864, 367
latus	1864, 144		1867, 157
brevis	1864, 145		1868, 169
medius	1864, 144		1870, 213
nigrescens	1864, 144	Cephalobares globiceps	1870, 735

	Page		Page
Cephalobares globiceps .	1870, 746	Cephalotes peronii	1866, 64
Cephalopeltis cuvieri ..	1865, 454	Cephus grylle	1864, 495
lepidosterna	1865, 444	Cerace onustana	1867, 668
lepidosternon	1865, 454	stipatana	1867, 668
scutigera	1865, 454	Cerambyx denticornis ..	1866, 526
Cephalophacus	1863, 151	globosus	1866, 534
Cephalophorus maxwelli	1862, 146	marginalis	1866, 536
Cephalophus altifrons ..	1865, 205	maxilloso	1866, 533
	1865, 206	micaceus	1866, 529
badius	1861, 366	nigripes	1866, 533
	1869, 594	plumosus	1866, 251
	1869, 595	pruinosis	1866, 288
bicolor	1862, 263		1866, 526
	1864, 13	sanguinolentus	1866, 533
breviceps	1866, 202	splendidus	1866, 258
	1869, 594	tigrinus	1866, 252
	1869, 595		1866, 253
burchelli	1868, 625	Cerastoma burnettii....	1862, 373
coronatus	1865, 205	emarginatum.....	1862, 373
	1865, 206	fournieri.....	1862, 373
dorsalis	1869, 594	monachus	1862, 373
	1869, 595	rorifluum	1862, 373
	1869, 596	Ceratella fusca	1868, 579
	1870, 500	Ceratodon	1864, 247
grimmius	1865, 205	Ceratodus forsteri.....	1870, 221
	1865, 206		1870, 222
longiceps	1865, 204		1870, 747
	1865, 205	Ceratophrys megastoma .	1870, 401
	1865, 206	Ceratorhinus monspelli-	
maxwelli	1868, 625	anus	1867, 1023
maxwellii	1864, 67	sumatranus	1867, 1007
	1869, 595		1867, 1008
	1869, 596		1867, 1021
mergens	1864, 67		1867, 1022
	1868, 625	Ceratorhyncha monoce-	
natalensis	1865, 205	rata	1863, 330
ocularis	1864, 625	Ceratotherium oswelli ..	1867, 1029
	1865, 205	simum	1867, 1027
ogilbyi	1865, 205	Cerberus acutus	1863, 58
pygmæus	1861, 209	boæformis	1863, 58
	1861, 264	Cercaria cercopithecii ..	1861, 119
rufilatus	1861, 367	cervi	1861, 119
	1862, 140	macaci	1861, 119
	1865, 206	Cercocebus æthiops	1864, 710
	1869, 595		1865, 742
sylvicultrix	1865, 204		1865, 743
	1865, 205	albigena	1865, 741
	1870, 220		1865, 745
whitfieldii	1862, 263		1868, 183
Cephalopterus	1864, 583	fuliginosus	1862, 140
glabricollis	1867, 129		1863, 47
	1867, 150		1865, 742
	1870, 201		1865, 743
ornatus	1866, 191	lunulatus	1864, 710
	1867, 150	Cercolabes novæ hispaniæ	1861, 288
	1867, 581	prehensilis	1862, 185
	1867, 593		1862, 323
	1867, 751	Cercoleptes	1864, 706

	Page		Page
<i>Cercoleptes brachyotus</i>	1864,	<i>Cercopithecus erythroga-</i>	
<i>caudivolvulus</i>	1861,	<i>ter</i>	1869, 430
	1862,		1869, 527
	1862,	<i>erythrotis</i>	1862, 325
	1864,		1868, 182
	1865,	<i>fuliginosus</i>	1862, 293
	1870,	<i>grayii</i>	1868, 182
	1870,	<i>griseo-viridis</i>	1864, 709
<i>megalotus</i>	1864,	<i>lalandii</i>	1862, 22
<i>Cercomacra caeruleascens</i>	1868,		1862, 184
<i>cinerascens</i>	1866,		1864, 709
	1867,	<i>leucampyx</i>	1868, 182
	1867,	<i>ludio</i>	1868, 182
	1868,	<i>lunulatus</i>	1862, 322
	1868,	<i>martinii</i>	1868, 182
	1868,	<i>melanogenys</i>	1868, 182
<i>napensis</i>	1868,	<i>mona</i>	1862, 184
	1868,		1864, 710
<i>tyrannina</i>	1864,		1868, 182
	1867,	<i>nictitans</i>	1862, 325
	1868,		1863, 47
	1870,		1868, 182
	1870,	<i>nigripes</i>	1861, 274
<i>Cercomela asthenia</i>	1864,	<i>petaurista</i>	1868, 182
<i>Cercopithecus</i>	1864,	<i>pluto</i>	1862, 322
	1864,		1868, 182
	1864,		1870, 670
<i>albigularis</i>	1864,	<i>pogonias</i>	1868, 182
	1865,	<i>pygerythrus</i>	1864, 649
	1865,		1868, 624
	1865,	<i>ruber</i>	1861, 101
	1865,		1865, 549
	1868,		1865, 568
	1870,	<i>sabæus</i>	1861, 234
<i>burnettii</i>	1868,		1865, 43
<i>callithrix</i>	1864,	<i>saimango</i>	1868, 182
<i>callitrichus</i>	1866,	<i>samango</i>	1865, 400
<i>campbellii</i>	1866,	<i>Cercyon centromacula-</i>	
<i>cephus</i>	1862,	<i>tum</i>	1867, 364
	1866,		1867, 370
	1866,	<i>inquinitum</i>	1867, 364
	1868,		1867, 370
<i>delalandii</i>	1861,	<i>littorale</i>	1867, 364
	1861,		1867, 370
	1861,	<i>obsoletum</i>	1867, 362
<i>diana</i>	1862,		1867, 370
	1864,	<i>Cereopsis novæ hollandiæ</i>	1861, 234
	1866,		1869, 280
	1866,		1689, 629
	1868,	<i>Cereopsius whitei</i>	1866, 226
<i>erxlebenii</i>	1861,		1866, 244
	1868,	<i>Ceresium raripilum</i>	1866, 228
	1864,		1866, 532
<i>erythrarchus</i>	1866,	<i>simplex</i>	1866, 228
<i>erythrogaster</i>	1866,		1866, 532
	1866,	<i>versutum</i>	1866, 228
	1866,		1866, 532
	1868,	<i>vestigiale</i>	1866, 228

	Page		Page
<i>Ceresium vestigiale</i>	1866, 532	<i>Cerithium litratum</i>	1861, 405
<i>zeylanicum</i>	1866, 228	<i>maculosum</i>	1863, 349
	1866, 532	<i>mediolæve</i>	1863, 349
<i>Cerionis blythii</i>	1870, 162	<i>mitræformis</i>	1866, 146
	1870, 163	<i>monachus</i>	1865, 171
	1870, 164	<i>mutabile</i>	1861, 405
	1870, 219	<i>neglectum</i>	1863, 349
<i>caboti</i>	1863, 115	<i>nodulosum</i>	1862, 62
	1863, 122	<i>obesum</i>	1863, 349
	1863, 123	<i>pacificum</i>	1863, 349
	1863, 307	<i>pauperculum</i>	1863, 350
	1870, 163	<i>peloritatum</i>	1861, 405
	1870, 164	<i>pulchrum</i>	1863, 350
<i>melanocephala</i>	1863, 122	<i>reevianum</i>	1863, 350
	1863, 127	<i>stercusmuscarum</i>	1863, 349
	1870, 164	<i>turritella</i>	1865, 171
<i>satyra</i>	1863, 104	<i>uncinatum</i>	1863, 349
	1863, 122	<i>validum</i>	1863, 350
	1863, 127	<i>variegatum</i>	1866, 146
	1865, 256	<i>Cerosterna approximata</i>	1866, 226
	1869, 628		1866, 248
	1870, 164	<i>clathrator</i>	1866, 248
<i>temminckii</i>	1863, 123	<i>reticulata</i>	1866, 248
	1863, 307	<i>Cerostoma albofasciella</i>	1867, 669
	1864, 159	<i>rugosella</i>	1867, 669
	1870, 162	<i>Certhia</i> — ?	1865, 618
	1870, 163	<i>borbonica</i>	1866, 422
	1870, 164	<i>brasiliensis</i>	1866, 543
<i>Cerithidea albonodosa</i>	1863, 350	<i>brasiliensis nigricans</i>	1867, 824
<i>mazatlanica</i>	1863, 350	— <i>violacea</i>	1866, 543
<i>montagnei</i>	1863, 350	<i>coccinea</i>	1866, 544
<i>pulchra</i>	1863, 350	<i>cruentata</i>	1866, 554
<i>rhizoporarum</i>	1865, 197	<i>familiaris</i>	1863, 160
<i>varicosa</i>	1863, 350		1863, 270
<i>Cerithiopsis assimolata</i>	1863, 349		1863, 333
	1865, 281		1867, 975
<i>bimarginata</i>	1863, 349	<i>lepida</i>	1862, 343
	1865, 281	<i>lotenia</i>	1866, 542
<i>intercalaris</i>	1865, 281	<i>malaccensis</i>	1866, 544
<i>neglecta</i>	1863, 349	<i>philippensis minor</i>	1866, 542
<i>tuberculoides</i>	1863, 350	<i>trigonostigma</i>	1866, 545
<i>Cerithium adustum</i>	1863, 349	<i>Certhidea fusca</i>	1870, 323
<i>alpicola</i>	1861, 405		1870, 324
<i>assimilatum</i>	1863, 349	<i>olivacea</i>	1870, 323
<i>australe</i>	1867, 208		1870, 324
<i>bifasciatum</i>	1865, 197	<i>Certhilauda cunicularia</i>	1867, 323
<i>bimarginatum</i>	1863, 349		1867, 324
<i>bornii</i>	1865, 197	<i>desertorum</i>	1864, 435
<i>carbonarium</i>	1865, 171	<i>frobeni</i>	1867, 320
<i>ebeninum</i>	1867, 208	<i>isabellina</i>	1867, 320
<i>eriense</i>	1861, 405		1867, 323
<i>famelicum</i>	1863, 349	<i>nigrifasciata</i>	1867, 324
<i>galapaginis</i>	1863, 349	<i>semitorquata</i>	1865, 94
<i>gemmatum</i>	1863, 349	<i>subcoronata</i>	1866, 23
<i>granarium</i>	1865, 171	<i>tenuirostris</i>	1866, 98
	1867, 208		1869, 153
<i>interruptum</i>	1863, 349	<i>Certhiola chloropyga</i>	1867, 570
<i>irroratum</i>	1863, 349	<i>flaveola</i>	1861, 73

	Page		Page
<i>Certhiola flaveola</i>	1870, 561	<i>Cervus campestris</i>	1868, 625
<i>guianensis</i>	1867, 570		1870, 116
<i>luteola</i>	1864, 349	<i>canadensis</i>	1862, 136
	1866, 179		1862, 321
	1867, 137		1863, 230
	1868, 167		1868, 625
	1870, 185		1870, 116
	1870, 561	— <i>occidentalis</i>	1865, 618
<i>maritima</i>	1861, 71	— <i>verus</i>	1865, 618
<i>mexicana</i>	1864, 349	<i>capreolus</i>	1866, 86
<i>Certium</i>	1862, 65		1870, 80
<i>Cerura damodara</i>	1865, 812		1870, 475
<i>liturata</i>	1865, 812	—, var. <i>pygargus</i>	1870, 431
<i>prasana</i>	1865, 812	<i>cashmeerianus</i>	1870, 115
<i>Cervicapra bezoarctica</i>	1864, 67	<i>chilensis</i>	1869, 496
<i>Cervulus</i>	1861, 390		1869, 497
<i>cambojensis</i>	1861, 138		1870, 116
<i>reevesii</i>	1862, 361	<i>columbianus</i>	1866, 110
	1864, 187		1870, 116
	1869, 652	<i>dama</i>	1863, 47
	1869, 653		1864, 169
	1869, 660		1870, 80
	1870, 92		1870, 475
	1870, 644		1870, 644
<i>vaginalis</i>	1869, 652	<i>dauidianus</i>	1870, 115
	1869, 653	<i>dimorphe</i>	1867, 842
	1869, 660		1869, 654
<i>Cervus affinis</i>	1870, 115	<i>duvauceli</i>	1867, 565
<i>alces</i>	1862, 136	<i>duvaucelli</i>	1868, 625
	1864, 68		1870, 115
	1864, 160	<i>duvaucellii</i>	1862, 136
	1870, 80		1862, 151
	1870, 93		1863, 230
<i>antisiensis</i>	1870, 116	<i>elaphus</i>	1862, 321
<i>aristotelis</i>	1862, 151		1864, 168
	1862, 324		1864, 169
	1863, 230		1866, 86
	1864, 67		1869, 659
	1868, 625		1870, 80
	1869, 658		1870, 115
	1869, 659		1870, 341
	1870, 115	<i>eldi</i>	1867, 759
<i>auritus</i>	1862, 136		1867, 821
<i>axis</i>	1861, 59		1869, 653
	1861, 264		1869, 654
	1862, 136		1869, 655
	1862, 325		1870, 115
	1863, 230		1870, 611
	1864, 169		1870, 644
	1865, 2	<i>equinus</i>	1863, 224
	1868, 625		1864, 160
	1870, 115		1869, 659
	1870, 381		1870, 115
	1870, 644	<i>frontalis</i>	1863, 370
<i>barbarus</i>	1862, 136		1867, 842
	1862, 321	<i>gymnotis</i>	1865, 677
	1868, 625		1870, 116
	1870, 115	<i>hippelaphus</i>	1862, 136

	Page		Page
<i>Cervus hippelaphus</i>	1862, 185	<i>Cervus pseudaxis</i>	1861, 236
	1867, 760		1862, 150
	1869, 416		1862, 151
	1869, 659		1864, 169
	1870, 647		1865, 1
<i>hortulorum</i>	1864, 169		1870, 644
	1865, 1		1870, 646
<i>indicus</i>	1862, 136	<i>puđu</i>	1866, 104
<i>kuhlii</i>	1861, 138		1866, 105
	1863, 224		1870, 116
	1870, 115	<i>rufinus</i>	1870, 116
<i>leucurus</i>	1870, 116	<i>rufus</i>	1870, 116
<i>lyratus</i>	1867, 842	<i>rusa</i>	1862, 151
<i>macrotis</i>	1870, 80		1863, 224
	1870, 116		1863, 230
<i>malaccensis</i>	1862, 136		1868, 625
<i>mantchuricus</i>	1864, 168		1869, 656
	1864, 169		1869, 659
	1865, 1		1870, 115
	1869, 659	<i>savannarum</i>	1870, 116
	1870, 115	<i>schomburgki</i>	1863, 155
	1870, 434		1863, 225
	1870, 644		1867, 565
<i>maral</i>	1868, 625		1870, 115
	1870, 115	<i>sika</i>	1861, 235
<i>mariannus</i>	1866, 367		1861, 236
<i>marianus</i>	1870, 115		1861, 237
	1870, 279		1862, 150
<i>melanoleucus</i>	1870, 430		1862, 151
<i>mexicanus</i>	1862, 102		1862, 324
	1862, 136		1862, 349
	1864, 67		1862, 363
	1868, 625		1863, 230
	1870, 116		1864, 169
<i>moluccensis</i>	1862, 151		1865, 1
	1862, 321		1865, 2
	1868, 625		1868, 625
	1869, 659		1870, 115
	1870, 115		1870, 644
<i>nemorivagus</i>	1862, 102	<i>superciliaris</i>	1862, 136
	1862, 224	<i>swinhooi</i>	1862, 151
	1863, 224		1862, 152
	1870, 93		1862, 184
	1870, 94		1862, 185
	1870, 116		1862, 324
<i>paludosus</i>	1870, 116		1862, 364
<i>peronii</i>	1861, 138		1862, 365
	1870, 115		1864, 169
<i>philippinus</i>	1866, 367		1865, 678
<i>porcinus</i>	1862, 22		1867, 818
	1862, 136		1869, 658
	1862, 324		1869, 659
	1863, 224		1870, 115
	1863, 230		1870, 647
	1868, 625	<i>taëvanus</i>	1862, 22
	1870, 115		1862, 150
	1870, 279		1862, 151
<i>pseudaxis</i>	1861, 235		1862, 152

	Page		Page
<i>Cervus taëvanus</i>	1865,	<i>Ceryle cabanisi</i>	1867,
	1865,		1867,
	1866,		1868,
	1868,		1868,
	1870,		1869,
<i>taiouanus</i>	1861,		1870,
	1861,		1870,
	1862,	<i>inda</i>	1864,
<i>taivanus</i>	1862,		1867,
	1862,	<i>lugubris</i>	1863,
	1862,	<i>maxima</i>	1870,
	1864,	<i>rudis</i>	1863,
	1864,		1864,
	1865,		1865,
	1865,	<i>stellata</i>	1867,
	1869,		1867,
	1870,		1867,
<i>tarandus</i>	1862,		1870,
	1864,		1870,
	1864,		1870,
	1866,	<i>superciliosa</i>	1864,
—, var. <i>a.</i> <i>arctica</i> ..	1864,		1867,
<i>timoriensis</i>	1869,		1867,
<i>toltecus</i>	1870,		1867,
<i>virginianus</i>	1862,		1870,
	1864,		1870,
	1868,	<i>torquata</i>	1864,
	1870,		1866,
<i>wallichii</i>	1861,		1867,
	1861,		1867,
	1861,		1867,
	1862,		1867,
	1862,		1870,
	1863,	<i>Cestoideum amadinæ</i> ..	1861,
	1864,	<i>Cestrum auriculum</i>	1866,
<i>xanthopygus</i>	1870,	<i>Cethosia biblis</i>	1865,
	1870,	<i>cyane</i>	1865,
	1870,	<i>Cetochilus arcticus</i>	1868,
<i>Ceryle alcyon</i>	1861,	<i>septentrionalis</i>	1868,
	1864,	<i>Cetodiodon hunteri</i>	1864,
<i>amazona</i>	1867,	<i>Cetola dentata</i>	1867,
	1867,	<i>Cetonia flammula</i>	1865,
	1867,		1865,
	1867,	<i>Cettia sericea</i>	1864,
	1869,	<i>Cetus</i>	1864,
	1870,	<i>Ceuthorhynchus nigro-</i>	
	1870,	<i>terminatus</i>	1867,
<i>amazonia</i>	1864,		1867,
	1866,	<i>Ceyx affinis</i>	1868,
	1866,	<i>azurea</i>	1869,
<i>americana</i>	1864,		1869,
	1866,	<i>cajeli</i>	1863,
	1867,		1863,
	1867,		1868,
	1867,		1868,
	1868,		1868,
	1868,		1868,
	1869,		1868,
	1870,		1868,

	Page		Page
<i>Ceyx cajeli</i>	1868, 599	<i>Ceyx purpureus</i>	1868, 590
	1869, 509		1868, 593
<i>cyanea</i>	1869, 356	<i>pusilla</i>	1861, 433
<i>cyanopterus</i>	1868, 404		1869, 357
	1869, 353	<i>rubra</i>	1868, 590
<i>dillwynni</i>	1868, 588		1868, 391
	1868, 591	<i>rufidorsa</i>	1868, 593
	1868, 593		1863, 213
	1868, 598		1863, 484
	1868, 599		1868, 271
	1869, 508		1868, 588
	1869, 509		1868, 589
	1869, 510		1868, 590
	1869, 511		1868, 591
<i>erythaca</i>	1868, 594		1868, 592
<i>europygialis</i>	1869, 509		1868, 598
	1869, 510		1868, 599
<i>innominata</i>	1869, 509		1869, 508
	1869, 510		1869, 509
	1869, 511		1869, 510
<i>lepida</i>	1861, 433		1869, 511
	1862, 335	<i>sharpii</i>	1869, 509
	1862, 338		1869, 510
	1863, 25		1869, 511
	1868, 270	<i>solitaria</i>	1861, 433
	1868, 588		1868, 271
	1868, 591		1868, 588
	1868, 592		1868, 591
	1868, 596		1868, 597
	1868, 598		1868, 599
	1868, 599		1869, 352
	1869, 509		1869, 509
	1869, 510	<i>tribrachys</i>	1869, 356
<i>luzoniensis</i>	1868, 594	<i>tridactyla</i>	1868, 270
<i>melanura</i>	1868, 271		1868, 588
	1868, 588		1868, 590
	1868, 590		1868, 592
	1868, 591		1868, 593
	1868, 594		1868, 598
	1868, 598		1868, 599
	1868, 599		1869, 508
	1869, 508		1869, 509
	1869, 509		1869, 510
	1869, 510		1869, 511
	1869, 511	<i>uropygialis</i>	1868, 271
<i>meninting</i>	1868, 598		1868, 588
<i>microsoma</i>	1868, 594		1868, 591
<i>philippinensis</i>	1868, 404		1868, 592
	1868, 588		1868, 596
	1868, 591		1868, 598
	1868, 597		1868, 599
	1868, 598		1869, 509
	1868, 599	<i>wallacii</i>	1868, 270
	1869, 352		1868, 271
	1869, 353		1868, 588
	1869, 509		1868, 591
	1869, 510		1868, 595
<i>purpurea</i>	1868, 593		1868, 598

	Page		Page
<i>Ceyx wallacii</i>	1868,	<i>Chætura australis</i>	1865,
	599	<i>bicolor</i>	1863,
	1869,		1865,
	509	<i>biscutata</i>	1865,
<i>Chaca lophioides</i>	1861,	<i>brachycerca</i>	1867,
<i>Chænocetus rostratus</i> ..	1868,		1867,
<i>Chærocampa alecto</i>	1865,		1870,
<i>bisecta</i>	1865,		1870,
<i>celerio</i>	1865,	<i>brachyura</i>	1870,
<i>clotho</i>	1865,	<i>brunneitorques</i>	1863,
<i>lineosa</i>	1865,		1865,
<i>lucasi</i>	1865,	<i>cassini</i>	1863,
<i>lycetus</i>	1865,		1865,
<i>swinhoei</i>	1866,	<i>caudacuta</i>	1865,
<i>thyelia</i>	1865,	<i>cinereicauda</i>	1870,
<i>Chætocercus bombus</i> ..	1870,		1870,
	803	<i>cinereiventris</i>	1860,
	1870,		1863,
<i>cristicauda</i>	1866,		1863,
<i>rosæ</i>	1868,		1865,
	629		1870,
	1870,	<i>coracina</i>	1865,
	804	<i>fumosa</i>	1870,
<i>Chætoderma nitidulum</i> .	1868,		1870,
<i>Chætodon argus</i>	1861,	<i>gigantea</i>	1865,
<i>atromaculatus</i>	1861,	—, var. <i>celebensis</i> ..	1865,
<i>dichrous</i>	1869,	<i>grandidieri</i>	1866,
	238	<i>hartlaubi</i>	1865,
	1869,	<i>macroptera</i>	1863,
	239		1865,
<i>dizoster</i>	1870,	<i>nudipes</i>	1863,
<i>orbicularis</i>	1867,		1865,
<i>pairatalis</i>	1861,	<i>pelasgia</i>	1863,
<i>pentacanthus</i>	1867,		1863,
<i>pictus</i>	1870,		1863,
<i>plebejus</i>	1870,		1865,
<i>pretextatus</i>	1865,		1865,
<i>sanctæ helenæ</i>	1868,		1865,
	225		1863,
	1868,		1863,
	227		1863,
<i>setifer</i>	1867,		1863,
<i>trifasciatus</i>	1867,		1865,
<i>vagabundus</i>	1870,		1863,
<i>vittatus</i>	1869,		1865,
<i>zanzibarensis</i>	1867,		1865,
<i>Chætopleura conspersa</i> ..	1864,	<i>poliura</i>	1863,
	193		1863,
	1865,		1863,
<i>rugosa</i>	1867,		1865,
<i>Chætops aurantius</i>	1869,		1870,
	163		1870,
	1869,		1870,
<i>burchelli</i>	1869,		1870,
<i>frenatus</i>	1866,		1870,
	23	<i>rutila</i>	1863,
	1869,		1863,
	163		1865,
	1869,		1869,
<i>grayi</i>	1869,		1870,
	163	<i>sabinei</i>	1865,
	1869,	<i>sabini</i>	1863,
	164		1865,
<i>Chætostomus aspidolepis</i>	1866,	<i>semicollaris</i>	1863,
<i>dentex</i>	603		1865,
<i>depressus</i>	1868,	<i>spinicauda</i>	1863,
<i>fordii</i>	233		1863,
<i>fordii</i>	1868,		1865,
<i>heteracanthus</i>	231		1870,
<i>heteracanthus</i>	1869,	<i>sabinei</i>	1865,
<i>latifrons</i>	425	<i>sabini</i>	1863,
<i>latifrons</i>	1869,		1865,
<i>megacephalus</i>	426		1863,
	232		1863,
<i>Chætura</i> — P.	1868,		1865,
	1863,		1870,
	100	<i>sylvatica</i>	1865,
	1865,		614
<i>australis</i>	1863,		
	263		

	Page		Page
<i>Chætura vauxi</i>	1863, 98	<i>Chalybura buffonii</i>	1864, 365
	1863, 99	<i>carmioli</i>	1867, 153
	1863, 100	<i>isauræ</i>	1867, 131
	1865, 611		1867, 152
<i>zonaris</i>	1861, 79	<i>melanorrhœa</i>	1867, 131
	1863, 99		1867, 152
	1865, 594	<i>Chama</i>	1862, 83
	1865, 595	<i>albida</i>	1865, 644
	1865, 609		1867, 915
	1867, 752	<i>buddiana</i>	1863, 364
	1870, 204	<i>corrugata</i>	1863, 364
<i>Chætusia wagleri</i>	1863, 309	<i>cristella</i>	1865, 651
<i>Chalcinus brachypoma</i> ..	1868, 229	<i>echinata</i>	1863, 364
<i>Chalciope lycopodia</i>	1867, 77	<i>fragum</i>	1865, 651
<i>Chalcites lucidus</i>	1865, 460	<i>frondosa</i> , var. <i>forni-</i>	
	1865, 462	<i>cata</i>	1863, 364
	1865, 464	<i>iostoma</i>	1861, 405
	1866, 573	<i>macrophylla</i>	1861, 405
	1869, 359	<i>mexicana</i>	1863, 364
<i>Chalcopelia afra</i>	1864, 113	<i>spinosa</i>	1867, 925
<i>chalcospilos</i>	1864, 113	<i>Chamaeleo</i> — ?	1864, 160
<i>Chalcophanes jamaicen-</i>		<i>abyssinicus</i>	1863, 95
<i>sis</i>	1870, 577	<i>affinis</i>	1863, 95
<i>lugubris</i>	1870, 577	<i>africanus</i>	1861, 234
<i>minor</i>	1870, 577		1861, 367
<i>Chalcophaps</i> — ?	1862, 185		1862, 322
<i>chrysochlora</i>	1869, 471		1862, 325
<i>indica</i>	1861, 365		1863, 47
	1862, 321	<i>bibronii</i>	1864, 477
	1864, 139	<i>bifurcus</i>	1864, 478
<i>javanica</i>	1863, 486	<i>brookesianus</i>	1864, 477
<i>moluccensis</i>	1862, 335	<i>capuchon</i>	1864, 476
	1862, 345	<i>cristatus</i>	1864, 473
	1863, 34	<i>cucullatus</i>	1864, 476
<i>stephani</i>	1861, 437	<i>dilepis</i>	1861, 209
<i>timoriensis</i>	1863, 486		1861, 265
<i>Chalcopsitta atra</i>	1861, 436		1861, 268
	1864, 289		1864, 62
	1864, 294	<i>gutturalis</i>	1864, 307
<i>bernsteini</i>	1864, 289	<i>lævigatus</i>	1863, 95
<i>novæ guineæ</i>	1861, 436	<i>namaquensis</i>	1864, 474
<i>rubiginosa</i>	1861, 436	<i>nasutus</i>	1864, 477
	1864, 289	<i>pardalis</i>	1864, 479
	1864, 294	<i>parsonii</i>	1864, 479
<i>rubrifrons</i>	1861, 436	<i>pumilus</i>	1864, 474
	1864, 289		1864, 475
<i>scintillata</i>	1861, 436	<i>owenii</i>	1864, 477
	1864, 289	<i>rhinoceratus</i>	1864, 478
	1864, 294	<i>senegalensis</i>	1863, 94
<i>Chalcopterus temminckii</i>	1866, 62	<i>superciliaris</i>	1864, 477
<i>Chalcosia adalifa</i>	1867, 678	<i>tæniabronchus</i>	1864, 476
<i>corusca</i>	1865, 801	<i>tigris</i>	1864, 475
<i>pectinicornis</i>	1865, 801	<i>tuberculiferus</i>	1864, 480
<i>zehna</i>	1867, 678	<i>ventralis</i>	1864, 475
<i>zuleika</i>	1865, 801	<i>vulgaris</i>	1862, 139
<i>Chalina oculata</i>	1867, 512	<i>Chamaeleon abyssinicus</i> .	1864, 472
<i>seriata</i>	1867, 515	<i>affinis</i>	1864, 467
<i>Chalybura buffoni</i>	1868, 628		

	Page		Page
Chamæleon affinis	1864, 472	Chamæleon pumilus fordii	1864, 475
africanus	1864, 469	pusillus	1864, 475
auratus	1864, 467	rimulosus	1864, 469
.	1864, 469	senegalensis	1864, 465
balteatus	1864, 467	1864, 467
.	1864, 472	1864, 471
bifidus	1864, 465	1864, 480
bifurcus	1864, 466	tæniabronchus	1864, 466
.	1865, 837	tuberculiferus	1864, 474
bilobus	1864, 472	verrucosus	1864, 467
brongniartii	1864, 478	1864, 468
brookesii	1864, 477	vulgaris	1864, 465
burchelli	1864, 467	1864, 466
.	1864, 472	1864, 467
calyptratus	1864, 467	1864, 469
.	1864, 468	— marmoratus	1864, 469
coromandelicus	1864, 469	Chamæospiza torquata	1868, 326
crassicornis	1864, 478	Chamæpelina	1862, 259
cucullatus	1864, 466	albivitta	1870, 554
.	1864, 467	amazilia	1864, 370
.	1864, 470	1866, 100
dilepis	1864, 465	1867, 753
.	1864, 467	anais	1866, 100
.	1864, 470	1867, 989
.	1864, 471	cruziana	1866, 100
.	1864, 472	1867, 989
.	1865, 228	1868, 176
fordii	1864, 475	1868, 570
gracilis	1864, 467	erythrothorax	1867, 989
.	1864, 471	1868, 570
granulosus	1864, 467	1869, 155
.	1864, 472	granatina	1864, 370
gutturalis	1864, 466	passerina	1861, 80
hispanicus	1864, 469	1864, 178
kirkii	1864, 270	1867, 591
lævigatus	1864, 467	rufipennis	1864, 370
.	1864, 471	1867, 159
lateralis	1864, 473	1868, 629
.	1865, 469	1870, 217
leiocephalus	1864, 471	1870, 838
leptopus	1864, 471	talpacoti	1867, 591
marmoratus	1864, 469	trochila	1861, 80
monachus	1864, 470	Chamæpetes goudoti	1867, 159
namaquensis	1864, 466	1867, 160
nasutus	1864, 477	1870, 507
owenii	1864, 465	1870, 508
.	1864, 477	1870, 531
pardalis	1864, 465	1870, 542
.	1864, 467	1870, 543
parsonii	1864, 465	leucogastra	1870, 539
.	1864, 466	unicolor	1867, 159
.	1864, 470	1867, 160
.	1864, 479	1870, 217
.	1870, 850	1870, 511
.	1870, 858	1870, 531
petersii	1864, 467	1870, 541
— kirkii	1864, 470	1870, 543
pumilus	1864, 467	Chamætortus aulicus	1864, 307

	Page		Page
<i>Chamæortus aulicus</i> ..	1864,	<i>Charadrius minor</i>	1863,
	310		310
<i>Chamæza olivacea</i>	1868,	<i>minutus</i>	1870,
	168		137
<i>Chamelea aphrodina</i>	1865,	<i>mongolicus</i>	1863,
	648		310
<i>conularis</i>	1865,		1864,
	649		450
<i>peroni</i>	1865,		1870,
	649		140
<i>scalarina</i>	1865,	<i>mongolus</i>	1870,
	649		140
<i>strigosa</i>	1865,	<i>morinellus</i>	1864,
	649		450
<i>Chamostrea albida</i>	1865,	<i>nivifrons</i>	1866,
	644		425
	1867,	<i>perronii</i>	1870,
	915		139
<i>Champsodon vorax</i>	1867,	<i>philippinus</i>	1863,
	102		310
<i>Chanda ranga</i>	1867,	<i>pluvialis</i>	1862,
	14		321
<i>Chanos chloropterus</i>	1867,		1864,
	868		450
<i>pala</i>	1865,		1867,
	310		426
<i>Chaptia ænea</i>	1866,		1867,
	546		427
<i>brauneana</i>	1863,		1867,
	335		428
<i>malayensis</i>	1863,	<i>pyrrhоторax</i>	1863,
	218		310
<i>Charadrius alexandrianus</i>	1863,		1870,
	310		140
<i>asiaticus</i>	1864,	<i>ruficollis</i>	1863,
	450		310
— (<i>caspius</i>)....	1863,		1867,
	309		989
— (<i>caspius</i>)	1870,	<i>rufinellus</i>	1863,
	140		310
<i>brevirostris</i>	1867,	<i>sanguineus</i>	1863,
	591		310
	1870,	<i>semipalmatus</i>	1870,
	588		588
<i>calidris</i>	1863,	<i>tenellus</i>	1863,
	315		164
<i>cantianus</i>	1863,		1866,
	310		425
	1868,	<i>veredus</i>	1870,
	117		141
<i>cirrhipedesmos</i>	1868,		1870,
	118		430
<i>curonicus</i>	1863,	<i>virginianus</i>	1870,
	310		587
	1870,	<i>virginicus</i>	1863,
	137		309
<i>frontalis</i>	1869,		1866,
	435		567
<i>fulvus</i>	1868,		1867,
	4		331
	1868,		1867,
	8		334
	1868,		1868,
	117		176
	1868,		1868,
	118		570
	1869,	<i>xanthocheilus</i>	1861,
	548		438
	1870,	<i>Charaxes æson</i>	1865,
	588		636
<i>geoffroyi</i>	1863,	<i>affinis</i>	1865,
	309		636
	1865,		1865,
	95		639
	1866,		1866,
	425		457
	1867,	<i>ameliae</i>	1865,
	827		630
	1868,	<i>amycus</i>	1865,
	117		636
	1868,	<i>anticlea</i>	1865,
	118		627
<i>grallator</i>	1866,		1866,
	61		457
<i>hiaticula</i>	1863,	<i>argynnides</i>	1865,
	517		637
	1867,		1866,
	827		457
	1869,	<i>athamas</i>	1865,
	237		632
	1870,		1865,
	137		634
<i>indicus</i>	1870,	<i>baya</i>	1865,
	137		636
<i>inornatus</i>	1861,		1865,
	438		637
<i>leschenaultii</i>	1863,		1865,
	309		639
	1863,	<i>berenice</i>	1865,
	487		637
<i>longipes</i>	1862,	<i>bernardus</i>	1865,
	319		636
	1863,	<i>bohemani</i>	1865,
	222		630
	1863,	<i>boueti</i>	1865,
	308		628
	1863,	<i>brutus</i>	1865,
	487		625
<i>magnirostris</i>	1862,	<i>cacuthis</i>	1863,
	346		478
	1863,		1865,
	35		629
<i>melanopterus</i>	1866,	<i>calydonia</i>	1865,
	23		638

	Page		Page
Charaxes calydonia	1867, 874	Charaxes psaphon	1865, 636
candiope	1865, 628	pyrrhus	1865, 637
caphontis	1865, 632	rayi	1865, 632
castor	1865, 625	saturnus	1866, 457
citheron	1865, 631	schreiberi	1865, 639
cognatus	1865, 634	sempronius	1865, 633
concha	1865, 635	smaragdalis	1865, 630
cynthia	1865, 626	solon	1865, 639
delphis	1865, 635	thersander	1865, 628
dolon	1865, 635	thieste	1865, 639
ephyra	1865, 629	tiridates	1865, 631
epijasius	1865, 623	tyrtæus	1865, 629
eteocles	1865, 629	viola	1865, 630
etesipe	1865, 629	xiphares	1865, 633
ethalion	1865, 627	zoolina	1865, 627
etheta	1863, 478	Charmosyna	1864, 275
eudamippus	1865, 629	papua	1861, 436
eudoxus	1865, 635	papuana	1862, 159
eupale	1865, 626	papuensis	1864, 292
euryalus	1865, 638	placentis	1864, 295
fabius	1865, 631	puchella	1864, 292
galaxia	1866, 457	rubronotata	1864, 293
hebe	1865, 633	Charnidas litura	1864, 295
horatius	1865, 639	Chasmina cygnus	1867, 680
iocaste	1866, 457	nudicollis	1866, 362
jahlusa	1866, 628	tricarunculatus	1867, 50
jason	1865, 655	Chasmorhynchus niveus	1867, 580
kadunii	1866, 457	variegatus	1870, 574
lampedo	1865, 623	modestus	1867, 452
latona	1865, 633	Chauna chavaria	1867, 130
lucretius	1865, 628	manmina	1867, 150
marmax	1865, 631	modestus	1870, 200
miltiades	1865, 639	chacunda	1868, 168
mycerina	1865, 636	manmina	1868, 172
narceus	1865, 638	modestus	1868, 628
neanthes	1865, 635	chacunda	1869, 251
nesiope	1865, 638	manmina	1870, 574
nitebis	1865, 639	Chatoessus altus	1865, 313
numenes	1865, 635	chacunda	1865, 313
pleione	1865, 630	manmina	1870, 700
pollux	1865, 624	modestus	1861, 226
phœbus	1865, 625	chacunda	1869, 385
pbraortes	1865, 639	manmina	1869, 322
pleione	1865, 625	Chauna chavaria	1863, 377
pollux	1866, 457	chacunda	1864, 14
protoclea	1865, 623	manmina	1864, 74
protoclea	1865, 625	modestus	1864, 75
protoclea	1865, 627		

	Page		Page
<i>Chauna chavaria</i>	1866, 370	<i>Cheirogaleus milii</i>	1864, 621
	1868, 145		1864, 622
<i>derbiana</i>	1863, 377		1864, 639
	1864, 74		1864, 642
	1864, 75		1867, 961
	1865, 676		1867, 962
	1866, 368		1867, 963
	1866, 417		1867, 964
<i>nigricollis</i>	1864, 74		1867, 965
	1864, 75		1867, 967
	1865, 676		1867, 969
	1866, 369	<i>minor</i>	1863, 149
	1866, 370	<i>samati</i>	1867, 975
<i>Chaus jacquemontii</i>	1867, 275	<i>smithii</i>	1863, 143
<i>lybicus</i>	1867, 261		1863, 144
	1867, 273		1864, 615
	1867, 275		1864, 618
<i>ornatus</i>	1867, 275		1864, 619
	1867, 876		1864, 620
<i>pulchella</i>	1863, 184		1864, 641
<i>servalina</i>	1867, 272	<i>smithsii</i>	1867, 966
	1867, 401		1867, 967
<i>servalinus</i>	1863, 184		1867, 972
	1863, 185	<i>typicus</i>	1863, 142
<i>Checupa fortissima</i>	1867, 60		1863, 143
	1867, 97		1864, 618
<i>Cheilinus chlorurus</i>	1870, 696		1864, 619
<i>fasciatus</i>	1867, 865		1864, 641
<i>hexatænia</i>	1861, 409		1867, 966
<i>punctatus</i>	1867, 865		1867, 967
<i>trilobatus</i>	1867, 865		1867, 971
<i>Cheilio</i>	1861, 410	<i>Cheiromys</i>	1864, 637
<i>Cheilodipterus quinque-</i>		<i>madagascariensis</i> ..	1863, 151
<i>lineatus</i>	1870, 682	<i>Cheirosciurus</i>	1863, 145
<i>Cheirogale</i>	1863, 145	<i>Chela argentea</i>	1867, 301
<i>Cheirogaleus</i>	1863, 132	<i>bacaila</i>	1869, 382
	1837, 961	<i>gora</i>	1869, 381
<i>commersonii</i>	1863, 143	<i>novacula</i>	1869, 382
<i>furcifer</i>	1863, 145	<i>untrahi</i>	1869, 381
	1864, 642	<i>phulo</i>	1869, 381
	1866, 419	<i>sladoni</i>	1869, 622
	1867, 960	<i>Cheletropis huxleyi</i>	1867, 231
	1867, 963	<i>Chelidon albigena</i>	1870, 292
	1867, 964		1870, 320
	1867, 965	<i>blakistoni</i>	1862, 320
	1867, 966		1863, 287
	1867, 967		1863, 335
	1867, 968	<i>cashmerensis</i>	1862, 320
	1867, 969	<i>lagopoda</i>	1862, 320
	1867, 970		1863, 287
	1867, 971		1863, 335
	1867, 973	<i>leucosoma</i>	1870, 309
	1867, 974	<i>pristoptera</i>	1870, 290
<i>griseus</i>	1863, 142	<i>urbica</i>	1862, 320
	1864, 612		1863, 287
<i>milii</i>	1863, 142		1864, 443
	1864, 619		1865, 603
	1864, 620		1870, 292

	Page		Page
<i>Chelidon urbica</i>	1870,	<i>Chemnitzia turrita</i>	1863,
<i>whiteleyi</i>	1862,	<i>undata</i>	1863,
<i>Chelidonura adamsii</i> ..	1867,	<i>vancouverensis</i>	1863,
<i>hirundinina</i>	1867,	<i>Chenalopex</i>	1863,
<i>Chelidoptera brasiliensis</i>	1867,	<i>egyptiaca</i>	1864,
<i>tenebrosa</i>	1866,	<i>jubatus</i>	1869,
.....	1867,	<i>Chera progne</i>	1866,
.....	1867,	<i>Chersina angulata</i>	1866,
.....	1867,	1869,
.....	1870,	<i>Chetoderma nitidulum</i> ..	1868,
.....	1870,	<i>Chettusia lateralis</i>	1864,
<i>Chelodina collicii</i>	1864,	<i>leucura</i>	1870,
.....	1869,	<i>Chiamela lineata</i>	1869,
<i>expansa</i>	1870,	<i>Chiasmodon niger</i>	1863,
<i>longicollis</i>	1861,	<i>Chiasmodus niger</i>	1866,
.....	1861,	1866,
.....	1864,	<i>Chibia hottentota</i>	1862,
.....	1868,	<i>hottentotta</i>	1863,
.....	1868,	<i>Chicoreus adustus</i>	1862,
.....	1864,	<i>palmiferus</i>	1867,
.....	1868,	<i>sinensis</i>	1862,
.....	1864,	<i>Chilena similis</i>	1867,
<i>Chelone midas</i>	1864,	<i>Chilocorus bipustulatus</i> .	1867,
.....	1864,	1867,
<i>Chelonemys dumeriliana</i>	1870,	<i>Chilonycteris</i> —— ?....	1865,
<i>Chelonia</i> —— ?	1864,	<i>fuliginosa</i>	1861,
<i>dubia</i>	1864,	<i>grisea</i>	1861,
<i>imbricata</i>	1861,	1865,
<i>polyaspis</i>	1864,	<i>gymnonota</i>	1861,
<i>Cheloniscus gigas</i>	1865,	1863,
<i>Chelostoma florissomne</i> ..	1862,	<i>macleayi</i>	1861,
<i>Chelura bifasciata</i>	1865,	1866,
<i>Chelyconus anemone</i> ..	1865,	<i>osburni</i>	1861,
<i>borbonicus</i>	1868,	1865,
<i>novæ hollandiæ</i> ..	1865,	<i>quadridens</i>	1861,
<i>Chelydra</i>	1863,	1865,
.....	1864,	<i>rubiginosa</i>	1861,
.....	1869,	<i>Chilosecyllium plagiosum</i>	1865,
.....	1864,	<i>Chinchilla lanigera</i>	1868,
.....	1869,	1870,
<i>Chelymys dentata</i>	1864,	1864,
<i>macquaria</i>	1864,	<i>Chioglossa lusitanica</i> ..	1864,
<i>Chelys matamata</i>	1864,	1864,
<i>Chemnitzia aculeus</i>	1863,	<i>Chione alatus</i>	1867,
<i>acuminata</i>	1863,	<i>alta</i>	1865,
<i>affinis</i>	1863,	<i>amathusia</i>	1863,
<i>c. b. adamsii</i>	1863,	<i>aphrodina</i>	1865,
<i>clathratula</i>	1863,	<i>australis</i>	1865,
<i>communis</i>	1863,	1867,
<i>gracilior</i>	1863,	<i>calophylla</i>	1867,
<i>gracillima</i>	1863,	<i>conularis</i>	1865,
<i>major</i>	1863,	<i>crenifera</i>	1863,
<i>marginata</i>	1863,	<i>dysera</i>	1866,
<i>panamensis</i>	1863,	<i>fabia</i>	1865,
.....	1863,	<i>fumigata</i>	1867,
.....	1863,	<i>laevigata</i>	1867,
.....	1863,	<i>lamellata</i>	1865,
.....	1863,		

	Page		Page
<i>Chione lordii</i>	1863,	<i>Chirotes lumbricoides</i> ..	1865,
<i>peroni</i>	1865,		443
<i>pulchella</i>	1870,		446
	1870,	<i>Chiroxiphia caudata</i> . . .	1864,
	1870,	<i>lanceolata</i>	1864,
<i>roborata</i>	1867,		362
<i>scalarina</i>	1865,		362
<i>striatissima</i>	1867,		150
<i>strigosa</i>	1865,		168
<i>tiara</i>	1865,		168
<i>Chionis</i>	1862,		628
<i>alba</i>	1862,		200
<i>minor</i>	1867,		554
	1868,		574
	1868,	<i>linearis</i>	1864,
<i>Chionobas bore</i>	1866,		362
<i>Chirocentrus dorab</i>	1865,		150
	1865,	<i>melanocephala</i>	1867,
	1869,		150
	1869,	<i>pareola</i>	1870,
	1866,		574
	1866,		580
<i>Chiroderma pictum</i>	1866,	<i>Chiton</i>	1862,
<i>villosum</i>	1866,	<i>antiquus</i>	1867,
	1866,	<i>apparata</i>	1867,
	1869,	<i>australis</i>	1867,
<i>Chirodon alburnus</i>	1869,	<i>carnosus</i>	1867,
<i>Chirogaleus</i>	1863,	<i>ciliatus</i>	1865,
	1864,	<i>cimolius</i>	1867,
	1864,	<i>clathratus</i>	1863,
	1864,		362
<i>furcifer</i>	1864,		276
<i>griseus</i>	1863,	<i>concentricus</i>	1867,
<i>milii</i>	1864,	<i>dispar</i>	1863,
<i>smithii</i>	1864,		362
<i>typicus</i>	1864,		274
<i>Chiroleptes alboguttatus</i> .	1867,		275
<i>Chiromachæris aurantiaca</i>	1870,	<i>elenensis</i>	1867,
	1870,	<i>fruticosus</i>	1865,
	1870,		187
	1870,		222
<i>candæi</i>	1870,	<i>glaucus</i>	1867,
	1870,	<i>incanus</i>	1867,
	1870,	<i>incei</i>	1867,
	1870,	<i>jugosus</i>	1867,
<i>gutturosa</i>	1870,	<i>limans</i>	1867,
<i>manacus</i>	1866,	<i>longicymba</i>	1865,
	1867,		187
	1867,		222
	1867,	<i>luridus</i>	1863,
	1867,	<i>magellanicus</i>	1867,
	1870,	<i>muricatus</i>	1867,
	1870,	<i>oculatus</i>	1867,
	1870,	<i>perviridis</i>	1865,
<i>vitellina</i>	1864,	<i>petholatus</i>	1865,
	1870,		187
	1870,		224
<i>Chiromys</i>	1863,	<i>piceus</i>	1867,
<i>madagascariensis</i> ..	1861,	<i>proteus</i>	1867,
	1862,	<i>pulchellus</i>	1863,
	1862,	<i>quoyi</i>	1867,
	1862,	<i>squamosus</i>	1861,
	1862,	<i>stokesii</i>	1863,
	1862,		362
	1863,		275
	1863,	<i>striatosquamosus</i> ..	1865,
	1864,	<i>striatus</i>	1867,
	1869,	<i>tulipa</i>	1865,
	1867,	<i>velox</i>	1867,
<i>Chironectes leprosus</i> ..	1867,	<i>virosus</i>	1865,
<i>multiocellatus</i>	1867,	<i>viridis</i>	1867,
<i>Chirotes caniculatus</i> . . .	1865,		224
	1865,		186
	1865,		224
	1865,		405
	1865,		362
	1865,		275
	1865,		511
	1865,		511
	1865,		222

	Page		Page
<i>Chitonellus gunni</i>	1865,	<i>Chlorœnas rufina</i>	1866,
<i>striatus</i>	1867,	<i>vinacea</i>	1864,
<i>Chitra</i>	1864,		1866,
<i>indica</i>	1861,	<i>Chlorolampis</i> — ?	1864,
	1864,	<i>assimilis</i>	1864,
	1864,		1867,
	1864,		1870,
	1869,	<i>Chloronerpes ærugino-</i>	
<i>Chlœnius mellyi</i>	1866,	<i>sus</i>	1864,
	1866,	<i>aurulentus</i>	1870,
<i>planicornis</i>	1866,	<i>caboti</i>	1867,
<i>swinhoei</i>	1866,		1870,
<i>Chlamydera guttata</i>	1862,	<i>callopterus</i>	1864,
<i>maculata</i>	1862,		1870,
<i>nuchalis</i>	1862,	<i>canipileus</i>	1870,
<i>Chlamydochen jubata</i>	1868,	<i>ceciliæ</i>	1867,
<i>Chlamydodera nuchalis</i>	1868,		1870,
<i>Chlamydephorus trunca-</i>		<i>erythropis</i>	1867,
<i>tus</i>	1865,	<i>flavigularis</i>	1867,
	1865,		1867,
<i>Chlamyphorus retusa</i>	1865,	<i>hæmatostigma</i>	1866,
<i>truncatus</i>	1865,		1867,
<i>Chlamys bifrons</i>	1865,		1867,
<i>formosana</i>	1866,		1867,
<i>Chloëphaga antarctica</i>	1868,	<i>kirkii</i>	1868,
	1868,	<i>oleagineus</i>	1864,
<i>dispar</i>	1867,	<i>rubiginosus</i>	1868,
	1867,		1870,
<i>magellanica</i>	1861,		1870,
	1862,	<i>simplex</i>	1870,
	1868,		1870,
	1868,	<i>tephrodops</i>	1867,
	1869,	<i>Chlorophanes atricapilla</i>	1864,
<i>poliocephala</i>	1861,		1866,
	1862,		1867,
	1867,		1867,
	1867,		1868,
	1869,		1870,
<i>rubidiceps</i>	1861,	<i>flavirostris</i>	1861,
	1869,	<i>guatemalensis</i>	1861,
<i>sandvicensis</i>	1869,		1864,
<i>Chloremys abnormis</i>	1870,		1870,
<i>Chloridolum cinderella</i>	1866,		1870,
<i>cinnyris</i>	1866,		1870,
	1866,	<i>spiza</i>	1867,
	1866,	<i>Chlorophonia calophrys</i>	1870,
<i>thomsoni</i>	1866,	<i>occipitalis</i>	1864,
	1866,	<i>pretii</i>	1870,
	1866,	<i>Chloropipo</i> — ?	1867,
<i>Chlorippe laurentia</i>	1866,		1867,
<i>lavinia</i>	1866,	<i>Chloroscartes fasciatus</i>	1862,
<i>Chloris canicollis</i>	1866,	<i>Chlorosoma vernale</i>	1861,
<i>Chloroceryle americana</i>	1870,	<i>Chlorospingus albitem-</i>	
<i>cabanisi</i>	1864,	<i>poralis</i>	1868,
<i>superciliosa</i>	1864,		1868,
	1870,		1870,
<i>Chlorodius imbricatus</i>	1864,		1870,
<i>Chlorœnas inornata</i>	1861,		1870,
<i>rufina</i>	1861,	<i>castaneicollis</i>	1870,

	Page		Page
Chlorospingus flavigularis	1867, 750	Chondropoma pudicum ..	1862, 277
	1868, 389	rubicundum	1861, 232
flavipectus	1864, 581	shuttleworthi	1862, 277
goeringi	1870, 779	solare	1862, 277
	1870, 780	Chondrostoma boggut ..	1869, 372
	1870, 784	Chondrula adelaidæ ...	1864, 38
hypophæus	1868, 389	cantori	1866, 146
	1870, 176	lepidula	1863, 522
	1870, 188		1864, 38
ignobilis	1870, 780	Chondrus lamelliferus ..	1865, 545
	1870, 784	nucifragus	1865, 538
oleagineus	1862, 110	ovularis	1865, 538
	1870, 784	saulcyi	1865, 538
ophthalmicus	1868, 630	septemdentatus	1865, 538
	1869, 440	tricuspis	1865, 538
pileatus	1864, 581	Chordeiles acutipennis..	1866, 133
	1869, 440		1866, 134
punctulatus	1869, 440		1866, 145
	1870, 176		1868, 175
	1870, 188	acutus	1866, 134
rubrirostris	1862, 110	brasilianus	1866, 134
superciliaris	1862, 110	gundlachii	1861, 77
	1864, 581	henryi	1866, 133
xanthophrys	1870, 780		1866, 145
Chlorospiza chloris	1862, 129	labeculatus	1866, 134
	1864, 447	leucopygus	1866, 133
chlorotica	1864, 447		1866, 135
erythronota	1867, 320		1866, 145
incerta	1862, 128	minor	1861, 77
kawariba	1863, 336		1866, 133
plumbea	1867, 320		1866, 145
	1867, 322	nattereri	1866, 132
	1870, 785	peruvianus	1868, 175
sinica	1863, 299		1868, 569
	1863, 336	popetue	1866, 133
	1870, 433		1870, 203
Chlorostilbon atala	1870, 554	pruinus	1866, 134
chrysogaster	1870, 803		1868, 175
daphne	1866, 195	pusillus	1861, 182
napensis	1867, 979		1866, 133
phaëthon	1865, 467		1866, 135
Chlorostoma argyrostoma	1865, 196		1866, 145
funebre	1865, 196	rupestris	1866, 133
Chnaura octavialis	1867, 90		1866, 135
Chærocampa elpenor ..	1867, 676		1866, 145
pallicosta	1867, 676		1866, 193
Chærodes embolophora .	1867, 545		1867, 583
nucula	1867, 545		1867, 593
testacea	1867, 615	semitorquatus	1866, 132
Chærops	1861, 416		1868, 175
anchorago	1870, 696	texensis	1866, 133
Choiropotamus africanus	1868, 34		1866, 134
larvatus	1868, 35		1866, 145
pictus	1868, 36	virginianus	1861, 77
Cholcepus didactylus ..	1869, 602		1864, 364
hoffmannii	1869, 602		1866, 133
Chondestes grammica ..	1864, 174		1866, 134
Chondropoma ottonis ..	1863, 412		1866, 145

	Page		Page
Chorinemus lysan.....	1865, 25	Chrysochloris holosericea	1865, 679
	1869, 302	hottentotta	1865, 679
sancti-petri	1865, 25	obtusirostris	1865, 679
tala.....	1865, 25	rubra	1865, 679
	1870, 689	rutilans	1865, 679
toloo	1867, 861	villosa	1865, 679
tooloo.....	1870, 689	Chrysococeyx	1863, 28
Chorisodon sibiricum ..	1861, 47	auratus	1865, 94
	1861, 50		1867, 826
Choristodon rubiginosum.....	1867, 924		1867, 828
Chorizoopes frontalis ..	1870, 738		1870, 145
	1870, 747	chalcites.....	1863, 209
Chorodna erebusaria ..	1867, 613		1863, 484
metaphæaria	1867, 613	clausii.....	1869, 570
muricolaria	1867, 614	cupreus	1870, 145
pallidularia	1867, 613	hodgsoni	1864, 73
patulata	1867, 614	intermedius	1866, 329
plagidotata	1867, 614	lucidus	1869, 280
rectata	1867, 614	minutillus	1868, 74
vulpinaria	1867, 614	pœcilurus	1861, 431
Chorocephalus atricilla	1864, 179		1861, 437
brunneicephalus ..	1863, 327	russata	1868, 76
capistratus	1863, 327	schomburgki	1864, 73
ichthyaëtus	1863, 327	smaragdineus.....	1864, 74
	1867, 166		1866, 329
kittlitzii	1863, 328	xanthorhynchus ..	1863, 209
minutus	1863, 328		1864, 74
ridibundus.....	1863, 327	Chrysocolaptes cardinalis	1861, 437
	1864, 55	Chrysoceyon jubata	1868, 506
sabinii	1863, 328	latrans	1868, 506
tibetanus	1864, 54	Chrysodomus antiquus..	1863, 347
Chromis andreae	1864, 490	tubulatus	1863, 66
	1864, 492	Chrysolampis moschitus	1868, 629
lateristriga.....	1864, 308		1870, 562
	1864, 312		1870, 782
mossambicus	1864, 308	Chrysolaptes cardinalis..	1861, 437
nilotica	1864, 490	Chrysomitris atrata	1867, 322
niloticus.....	1864, 311		1867, 323
	1868, 9		1869, 597
	1868, 12	atriceps	1863, 190
simonis	1864, 490	barbata	1867, 320
	1864, 492		1867, 322
squamipinnis.....	1864, 308		1867, 338
	1864, 311		1868, 140
Chromoptila	1863, 474		1870, 549
Chrotopterus auritus ..	1866, 113	bryanti	1870, 785
Chrysalida clathratula..	1863, 351	capitalis	1867, 985
communis	1863, 351		1868, 569
effusa	1863, 351		1869, 597
marginata	1863, 351	columbiana	1868, 167
ovulum	1863, 354		1870, 190
telescopium	1863, 351	cucullata	1868, 167
Chrysemys	1863, 202		1870, 553
picta	1869, 191	icterica	1867, 985
Chrysochloris albirostris.	1865, 679	macroptera	1869, 362
aurata.....	1865, 679	magellanica	1861, 46
damariensis	1865, 679		1867, 322
		marginalis	1867, 322

	Page		Page
<i>Chrysomitris marginalis</i>	1868, 140	<i>Chrysotis festiva</i>	1866, 197
<i>mexicana</i>	1864, 353		1870, 554
	1870, 190		1870, 586
<i>notata</i>	1863, 190	<i>finschi</i>	1864, 298
	1864, 174	<i>glauciceps</i>	1864, 368
<i>pinus</i>	1864, 174	<i>guatemalæ</i>	1870, 214
	1869, 362		1870, 837
<i>spinus</i>	1863, 299	<i>ochrocephala</i>	1870, 586
	1863, 336	<i>pœcilorhyncha</i>	1866, 567
	1870, 433	<i>prisca</i>	1861, 79
<i>uropygialis</i>	1867, 322	<i>sallæi</i>	1862, 324
	1867, 338	<i>viridigenalis</i>	1864, 298
<i>xanthogastra</i>	1870, 781		1864, 368
	1870, 785	<i>Chrysuronia eliciæ</i>	1864, 365
<i>Chrysomus frontalis</i>	1869, 159		1870, 211
	1870, 548	<i>josephinae</i>	1867, 752
<i>icterocephalus</i>	1870, 576		1867, 979
<i>Chrysonotus intermedius</i>	1864, 118	<i>œnone</i>	1868, 629
<i>Chrysonycteris fulva</i>	1866, 82		1870, 782
<i>Chrysopelea ornata</i>	1861, 366	<i>Chthonicola minima</i>	1865, 465
<i>Chrysophanus kasyapa</i>	1865, 506		1869, 360
	1865, 509	<i>Chunga burmeisteri</i>	1870, 665
<i>pavana</i>	1865, 506		1870, 666
<i>timæus</i>	1867, 674	<i>Ciccaba nigrolineata</i>	1870, 216
<i>timeus</i>	1865, 506	<i>virgata</i>	1870, 216
<i>Chrysophrys berda</i>	1868, 10	<i>Cichladusa arquata</i>	1866, 436
<i>calamara</i>	1865, 14	<i>Cicigna ornata</i>	1865, 469
	1865, 16	<i>Cicindela argentata</i>	1866, 340
	1868, 10	<i>aurulenta</i>	1866, 342
	1870, 684	<i>craspedota</i>	1866, 341
<i>grandoculis</i>	1867, 854	<i>kaleea</i>	1866, 340
<i>hasta</i>	1865, 16	<i>niveicineta</i>	1866, 342
	1868, 10	<i>psilica</i>	1866, 341
<i>longispinis</i>	1868, 10	<i>punctatissima</i>	1866, 342
<i>sarba</i>	1865, 16	<i>semivittata</i>	1866, 342
	1867, 854	<i>sexpunctata</i>	1866, 342
<i>Chrysopicus atricollis</i>	1869, 148	<i>Cicinnurus regius</i>	1862, 156
<i>chlorozostus</i>	1868, 143		1862, 160
<i>Chrysoptilus atricollis</i>	1869, 148	<i>Ciconia abdimii</i>	1869, 468
<i>chlorozostus</i>	1868, 143	<i>alba</i>	1861, 101
	1870, 158		1863, 319
<i>melanochlorus</i>	1868, 143		1864, 451
<i>punctigularis</i>	1866, 197	<i>leucocephala</i>	1866, 418
<i>speciosus</i>	1866, 197	<i>maguari</i>	1864, 138
	1867, 979		1867, 334
<i>Chrysostomus jugularis</i>	1866, 542		1867, 339
<i>Chrysothrix sciureus</i>	1861, 250	<i>nigra</i>	1863, 319
<i>Chrysotis agilis</i>	1861, 79		1864, 451
<i>amazonica</i>	1867, 753		1866, 380
	1870, 586	<i>Cidaria argentilineata</i>	1867, 660
<i>augusta</i>	1865, 437		1867, 686
<i>autumnalis</i>	1870, 837	<i>aurantiaria</i>	1867, 661
<i>coccineifrons</i>	1864, 298		1867, 686
<i>collaria</i>	1861, 79	<i>aurata</i>	1867, 664
<i>diademata</i>	1870, 214	<i>calamistrata</i>	1867, 662
<i>farinosa</i>	1867, 588		1867, 686
	1867, 595	<i>cervinaria</i>	1867, 664
		<i>chalybearia</i>	1867, 663

	Page		Page
<i>Cidaria cinereata</i>	1867, 662	<i>Cinclus pallasii</i>	1863, 277
<i>inextricata</i>	1867, 560		1863, 334
<i>interplagata</i>	1867, 660	<i>Cingula inconspicua</i>	1863, 354
<i>obscurata</i>	1867, 663	<i>paupercula</i>	1863, 354
	1867, 686		1865, 272
<i>reticulata</i>	1867, 662	<i>saxicola</i>	1863, 354
<i>russata</i>	1867, 662	<i>terebellum</i>	1863, 354
	1867, 663	<i>turrita</i>	1863, 354
<i>signata</i>	1867, 661	<i>Cingulina circinata</i>	1865, 169
<i>subapicaria</i>	1867, 663		1867, 201
<i>substituta</i>	1867, 660	<i>spina</i>	1865, 169
<i>tresignata</i>	1867, 663	<i>Cinnyris bianconii</i>	1867, 825
<i>viridata</i>	1867, 663	<i>clementiæ</i>	1863, 32
<i>Cidaris</i>	1861, 54	<i>discolor</i>	1867, 825
<i>Cilissa leporina</i>	1862, 121	<i>frenata</i>	1866, 542
<i>Cimicodes castanearia</i> ..	1867, 616	<i>magna</i>	1866, 540
	1867, 686	<i>miles</i>	1866, 541
<i>costalis</i>	1867, 616	<i>zenobia</i>	1863, 32
<i>cruentaria</i>	1867, 616	<i>Cinosternon scorpioides</i> ..	1869, 181
<i>Cinlocerthia gutturalis</i> ..	1866, 320	<i>Ciocalypta penicillus</i> ..	1867, 26
	1866, 321		1867, 27
<i>macrorhyncha</i>	1866, 320		1867, 522
	1866, 321	<i>Ciopera decolorata</i>	1866, 227
<i>ruficauda</i>	1866, 320		1866, 511
	1866, 321		1866, 536
<i>Cinclodes albidiventris</i> .	1870, 786	<i>Circaëtus gallicus</i>	1864, 427
<i>ardesiacus</i>	1867, 134	<i>Circaëtus cinerascens</i> ..	1870, 149
<i>bifasciatus</i>	1867, 324	<i>zonurus</i>	1870, 149
<i>fuscus</i>	1867, 985	<i>Circe gibbia</i>	1866, 146
	1868, 140	<i>gibbosa</i>	1865, 196
	1868, 569	<i>latirostris</i>	1864, 177
	1869, 153	<i>minima</i>	1865, 460
	1870, 333	<i>rivularis</i>	1865, 650
	1870, 781	<i>undatina</i>	1866, 146
	1870, 786		1867, 922
<i>minor</i>	1867, 324	<i>Circomphalus altus</i>	1865, 648
	1867, 338	<i>lamellatus</i>	1865, 648
<i>nigrifumosus</i>	1867, 324	<i>Circus aeruginosus</i>	1863, 180
	1867, 338		1863, 332
	1867, 985		1864, 429
	1868, 569		1868, 398
<i>patachonicus</i>	1867, 324	<i>assimilis</i>	1863, 180
	1867, 338		1865, 824
<i>vulgaris</i>	1861, 47		1867, 393
	1868, 140		1869, 279
<i>Cincloramphus cruralis</i> .	1863, 233	<i>cineraceus</i>	1862, 321
<i>rufescens</i>	1869, 279		1862, 325
<i>Cinclus aquaticus</i>	1861, 365		1863, 516
	1864, 436	<i>cinerarius</i>	1864, 2
	1865, 49	<i>cinerascens</i>	1864, 429
	1870, 384	<i>cinereus</i>	1867, 330
<i>ardesiacus</i>	1867, 134		1867, 338
<i>interpres</i>	1861, 438		1868, 143
<i>leucocephalus</i>	1869, 599		1869, 155
<i>leuconotus</i>	1869, 599	<i>cyaneus</i>	1861, 365
	1870, 780		1863, 180
	1870, 783		1863, 261
<i>mexicanus</i>	1867, 134		1863, 332

	Page		Page
<i>Circus cyaneus</i>	1863,	<i>Cissopis leveriana</i>	1866,
	1864,	<i>media</i>	1866,
<i>hudsonicus</i>	1864,		1867,
	1864,		1867,
	1870,	<i>Cisticola brunneicephala</i>	1863,
<i>jardinii</i>	1867,	<i>cursitans</i>	1863,
<i>macropterus</i>	1867,	<i>exilis</i>	1868,
	1867,	<i>fuscicapilla</i>	1863,
	1867,		1863,
	1867,	<i>isura</i>	1868,
	1868,	<i>lineocapilla</i>	1863,
	1868,		1863,
	1869,	<i>madagascariensis</i> ..	1865,
<i>macroscelus</i>	1863,		1866,
<i>maillardi</i>	1863,		1870,
	1865,	<i>ruficeps</i>	1863,
	1865,		1863,
<i>maillardii</i>	1866,		1868,
<i>megaspilus</i>	1867,	<i>rustica</i>	1863,
	1867,		1863,
<i>melanoleucus</i>	1862,	<i>schœnicola</i>	1863,
	1863,		1863,
	1866,		1864,
<i>pallidus</i>	1863,		1867,
	1864,	<i>tintinnabulans</i>	1863,
<i>poliopterus</i>	1867,	<i>volitans</i>	1863,
	1867,	<i>Cistoclemmys flavo-mar-</i>	
	1867,	<i>ginata</i>	1863,
	1868,	<i>Cistothorus elegans</i> . . .	1870,
<i>spilonotus</i>	1863,	<i>fasciolatus</i>	1867,
	1863,		1869,
<i>superciliosus</i>	1868,	<i>palustris</i>	1864,
<i>swainsoni</i>	1863,		1870,
	1864,	<i>platensis</i>	1867,
	1864,		1867,
	1865,		1869,
<i>wolfi</i>	1865,	<i>Cistudo</i>	1863,
	1865,	<i>amboinensis</i>	1861,
<i>Cirrædia variolosa</i>	1867,		1864,
<i>Cirrhilabrus</i>	1861,	<i>bankanensis</i>	1864,
<i>Cirrhina chinensis</i>	1869,	<i>blandingii</i>	1863,
<i>dussumieri</i>	1867,	<i>blondinsia</i>	1869,
<i>dyocheilus</i>	1867,	<i>borneensis</i>	1864,
<i>leschenaultii</i>	1869,	<i>carolina</i>	1863,
<i>mrigala</i>	1869,		1863,
<i>reba</i>	1861,	<i>clausa</i>	1862,
<i>Cirrhinus affinis</i>	1869,		1869,
<i>fasciatus</i>	1868,		1869,
<i>Cirrhites forsteri</i>	1870,	<i>dentata</i>	1863,
<i>Cirrhitichthys fasciatus</i> .	1868,	<i>diardii</i>	1864,
<i>Cirrochroa aoris</i>	1865,	<i>mexicana</i>	1863,
<i>bajadeta</i>	1868,	<i>orbiculata</i>	1863,
<i>johannes</i>	1868,	<i>triunguis</i>	1863,
	1868,	<i>Cistula trochlearis</i> . . .	1861,
<i>ravana</i>	1868,		1863,
<i>Cirsotrema funiculatum</i> .	1863,	<i>Cithara angela</i>	1863,
<i>Cispia punctifascia</i>	1865,		1863,
<i>venosa</i>	1865,		1863,
<i>Cissa venatoria</i>	1868,		428

	Page		Page
Cithara bella.....	1863, 419	Clathrina sulphurea	1867, 557
	1863, 428	Clathurella bicanalifera .	1863, 347
compta	1863, 419	bicarinata	1862, 243
	1863, 428	lallemantiana.....	1865, 160
	1867, 204	maculosa	1862, 242
concinna.....	1863, 347	nebulosa.....	1865, 516
costulifera	1865, 516	purpurea	1863, 421
garrettii	1865, 516	reticosa	1863, 420
lyrata	1863, 419		1867, 203
varia	1865, 516	rigida.....	1863, 348
Cithna globosa	1863, 113	robillardii	1869, 272
spirata	1863, 113	spurca.....	1865, 159
Cittura cyanotis	1868, 271	zonulata.....	1867, 113
	1868, 272		1867, 117
sanghirensis	1868, 271		1867, 203
	1868, 272	Clausilia	1862, 235
Cladognathus inclinatus.	1866, 348	albersi	1865, 539
Cladopoda	1862, 80	bartletti	1866, 441
arenaria	1862, 81		1866, 451
elegans	1862, 82	bensoni	1870, 378
grandis	1862, 81		1870, 380
novæ zelandiæ	1862, 82	boissieri	1865, 539
quoyi	1862, 59	cambojensis	1861, 195
zelandica	1862, 82	delesserti	1865, 539
Clais guimeti.....	1867, 155	distans	1864, 605
	1867, 752	ehrenbergii	1865, 545
	1870, 209	epistomium	1870, 375
merritti	1870, 209	exilis	1866, 317
Clanculus clanguloïdes..	1867, 214		1866, 319
conspersus	1865, 178		1866, 446
gibbosus	1865, 178	extensa	1864, 604
	1867, 215	formosensis	1866, 317
maculosus	1865, 179		1866, 319
maugeri	1867, 214	genezerethana	1865, 539
nodo-liratus	1865, 179	glabella	1864, 604
omalomphalus	1867, 214	medlycotti	1865, 540
rubens	1865, 178	mœsta	1865, 539
undatus	1865, 178	mouhoti	1862, 275
unedo	1865, 197		1862, 278
variegatus	1865, 178	obesa	1861, 27
yatesi	1865, 178	rudis	1864, 605
Clangula glaucion.....	1861, 324	saulcyi	1865, 539
	1862, 140	sheridani	1865, 830
	1862, 163	similaris.....	1866, 446
	1863, 529		1866, 451
Clarias — ?	1862, 12	strangulata	1865, 539
	1864, 18	swinhoei	1865, 830
	1864, 115		1865, 831
batrachus	1867, 15	taylori	1861, 27
macracanthus	1864, 490	tenuicostata	1864, 604
magur	1867, 15	Clavagella australis	1867, 912
	1869, 306	Clavatula gracilior	1870, 254
	1869, 613	taxus	1870, 254
taysmanii	1868, 277	tumida	1870, 253
Clathria compressa	1867, 513	Clavella distorta	1863, 343
coralloïdes	1867, 513	Clea funesta	1861, 383
	1867, 533	Cleidothærus chamoides	1865, 644
oroides	1867, 520		1867, 915

	Page		Page
<i>Clelea sapphirina</i>	1866,	<i>Clinotarsus robustus</i>	1870,
	362	<i>Clinus delalandii</i>	1861,
<i>Clementia moretonensis</i> .	1867,		1864,
	923	<i>macrocephalus</i>	1861,
<i>Clemmys caspica</i>	1869,		1864,
<i>sprengleri</i>	1869,		1861,
<i>Cleodora</i> — ?	1863,	<i>Cliona alderi</i>	1867,
<i>cuspidata</i>	1868,	<i>carpenteri</i>	1867,
	616	<i>celata</i>	1867,
	1868,	<i>corallinoides</i>	1867,
	618	<i>globulifera</i>	1867,
<i>exacuta</i>	1868,	<i>gorgonoides</i>	1867,
<i>lanceolata</i>	1868,	<i>gracilis</i>	1867,
	620	<i>howsei</i>	1867,
<i>pyramidata</i>	1868,	<i>lobata</i>	1867,
	616	<i>mazatlanensis</i>	1867,
	1868,	<i>vastifica</i>	1867,
	618	<i>vermifera</i>	1867,
	620	<i>Clotho arietans</i>	1862,
<i>Cleonus</i> — ?	1864,		1864,
<i>Cleora albidentata</i>	1867,		1864,
<i>decussata</i>	1867,	<i>nasicornis</i>	1863,
	628	<i>Clubiona deinognatha</i> . .	1869,
<i>fimbriata</i>	1867,	<i>dubia</i>	1869,
<i>megaspilaria</i>	1867,		1869,
<i>pannosaria</i>	1867,	<i>Clupanodon chapra</i>	1869,
<i>rufomarginata</i>	1867,	<i>cortius</i>	1869,
<i>semiclarata</i>	1867,	<i>ilisha</i>	1869,
<i>venustularia</i>	1867,	<i>manmina</i>	1861,
<i>Cleosiris catamita</i>	1865,	<i>Clupea alba</i>	1868,
<i>Clepticus</i>	1861,	<i>alosa</i>	1868,
<i>Clidiophora</i>	1864,	<i>chapra</i>	1869,
<i>acutidentata</i>	1864,	<i>fasciata</i>	1867,
<i>arcuata</i>	1864,	<i>finta</i>	1868,
<i>claviculata</i>	1864,	<i>harengus</i>	1868,
	596	<i>indica</i>	1867,
	1864,		1869,
	597	<i>leachii</i>	1868,
<i>cristata</i>	1864,	<i>melanura</i>	1870,
<i>depressa</i>	1864,	<i>neohowii</i>	1870,
<i>discors</i>	1864,		1870,
<i>nasuta</i>	1864,	<i>palasah</i>	1869,
<i>punctata</i>	1864,	<i>pilchardus</i>	1868,
<i>tabacea</i>	1864,	<i>sprattus</i>	1868,
<i>trilineata</i>	1864,	<i>telara</i>	1867,
	598	<i>variegata</i>	1869,
	1864,	<i>Clupeilarus fuscescens</i> . .	1867,
<i>Climacocercus brachy-</i>		<i>Clymene alope</i>	1866,
<i>pterus</i>	1869,	<i>dorides</i>	1866,
<i>concentricus</i>	1869,	<i>doris</i>	1865,
<i>xanthothorax</i>	1869,		1866,
<i>zonothorax</i>	1869,	<i>euphrosyne</i>	1866,
	336	<i>microps</i>	1866,
<i>Climacteris erythro-</i>	1867,	<i>normalis</i>	1866,
<i>leucophæa</i>	1867,	<i>obscura</i>	1866,
	976		1868,
	1867,	<i>punctata</i>	1865,
<i>melanota</i>	1867,	<i>similis</i>	1868,
<i>melanura</i>	1863,		
	233		
	1867,		
<i>pyrrhonota</i>	1867,		
<i>rufa</i>	1867,		
<i>scandens</i>	1867,		
	976		
	1869,		
	279		

	Page		Page
<i>Clymene similis</i>	1868,	<i>Coccothraustes vulgaris</i> .	1862,
<i>stenorhyncha</i>	1866,		1863,
<i>Clypeaster</i>	1861,		1863,
<i>Clypeola corrugata</i>	1867,		1863,
<i>magellanica</i>	1867,		1863,
<i>tenuis</i>	1867,		1864,
<i>Clypicterus oseryi</i>	1867,		1867,
	1867,		1870,
<i>Clytanthus annularis</i> ..	1866,		1870,
	1866,	<i>Coccygus cinereus</i>	1868,
<i>glaucinus</i>	1866,		1870,
<i>sumatrensis</i>	1866,	<i>erythrophthalmus</i> ..	1870,
<i>Clytactantes alixii</i>	1870,	<i>melanocoryphus</i> ..	1870,
<i>Clytolæma aurescens</i> ..	1866,	<i>minor</i>	1870,
	1867,	<i>Coccytes melanoleucos</i> .	1865,
	1867,	<i>Coccyzus americanus</i> ..	1864,
<i>Clytorhynchus pachyce-</i>			1864,
<i>phaloides</i>	1870,		1864,
<i>Clytus australis</i>	1866,		1864,
<i>erythrocephalus</i> ..	1867,		1864,
<i>griseus</i>	1867,		1870,
<i>4-punctatus</i>	1867,		1870,
	1867,	<i>bairdii</i>	1864,
<i>webbii</i>	1867,		1864,
<i>Clyzomedus annularis</i> ..	1866,		1870,
	1866,		1870,
<i>nanus</i>	1866,	<i>carolinensis</i>	1870,
	1866,	<i>cinereus</i>	1864,
<i>Cnemiornis calcitrans</i> ..	1865,		1869,
<i>Cnethocampa curvata</i> ..	1865,		1870,
<i>Cnipolegus cinereus</i>	1870,		1870,
<i>unicolor</i>	1867,		1870,
<i>Coassus rufus</i>	1864,	<i>dominicus</i>	1864,
<i>Cobitis barbatula</i>	1861,		1864,
<i>berdmorei</i>	1869,		1864,
<i>carnaticus</i>	1870,		1870,
<i>cincticauda</i>	1869,	<i>erythrophthalmus</i> ..	1864,
<i>dario</i>	1867,		1864,
<i>galilæa</i>	1864,		1864,
	1864,		1864,
<i>guntea</i>	1869,		1870,
<i>insignis</i>	1864,	<i>ferrugineus</i>	1870,
<i>phoxocheila</i>	1869,		1870,
<i>rubripinnis</i>	1865,	<i>geoffroyi</i>	1866,
<i>scaturigina</i>	1861,	<i>helviventris</i>	1864,
<i>zonalternans</i>	1869,		1870,
<i>Coccinella 7-punctata</i> ..	1867,	<i>landsbergii</i>	1870,
	1867,	<i>landsbergii</i>	1864,
<i>11-punctata</i>	1867,		1864,
	1867,	<i>melanocoryphus</i> ..	1864,
<i>variabilis</i>	1867,		1864,
	1867,		1866,
<i>Cocoborus cyanoides</i> ..	1864,		1866,
<i>glaucocæruleus</i>	1868,		1866,
<i>Coccothraustes melanurus</i>	1863,		1867,
<i>personatus</i>	1863,		1867,
<i>rufiventris</i>	1870,		1869,
<i>vulgaris</i>	1861,		1870,

	Page		Page
<i>Coccyzus melanocoryphus</i>	1870, 169	<i>Cœlopeltis vermiculata</i>	1861, 49
<i>minor</i>	1864, 121	<i>Cœlopoma japonicum</i> ..	1867, 313
	1870, 165		1867, 314
	1870, 166		1867, 315
	1870, 168	<i>Cœlops frithii</i>	1866, 82
	1870, 837	<i>Cœnonympha œdipus</i> ..	1866, 476
	1870, 838	<i>Cœnurus cerebralis</i>	1862, 305
	1870, 839	<i>lemuris</i>	1861, 120
<i>nesiotes</i>	1864, 119	<i>Cœreba cœrulea</i>	1867, 570
	1864, 120		1867, 749
	1864, 121		1867, 977
	1870, 165		1868, 167
	1870, 166		1870, 561
	1870, 167	<i>carneipes</i>	1864, 173
<i>pumilus</i>	1864, 119		1864, 349
	1864, 120		1867, 137
	1864, 122		1870, 185
	1869, 633	<i>cyanea</i>	1866, 179
	1870, 169		1867, 137
	1870, 554		1867, 570
<i>pyrrhopterus</i>	1870, 165		1867, 749
<i>seniculus</i>	1861, 79		1868, 166
	1864, 119		1868, 627
	1864, 120		1870, 561
	1864, 121		1870, 836
	1869, 633	<i>gutturalis</i>	1867, 824
	1870, 165	<i>longirostris</i>	1870, 561
	1870, 166	<i>lucida</i>	1864, 349
	1870, 168		1867, 137
<i>Cochlogena</i>	1862, 4		1870, 185
<i>Cochlolepas antiquata</i> ..	1867, 211	<i>nitida</i>	1867, 749
<i>foliacea</i>	1865, 175		1867, 977
<i>subrufa</i>	1867, 212	<i>Cœtomys cœcutiens</i>	1864, 125
<i>Cocytodes cœrulea</i>	1867, 66	<i>damarensis</i>	1864, 125
<i>immodesta</i>	1867, 66	<i>Coilia ramcarati</i>	1869, 384
<i>modesta</i>	1867, 66	<i>reynaldi</i>	1865, 313
<i>Cœliaxis exigua</i>	1867, 890	<i>Coius datnia</i>	1868, 10
	1867, 907	<i>gudgutia</i>	1869, 613
<i>layardi</i>	1865, 54	<i>nandus</i>	1867, 14
<i>Cœligena</i>	1864, 585	<i>Cœjus cobojus</i>	1867, 15
<i>Cœlioxys vectis</i>	1862, 121	<i>Colaptes campestris</i>	1870, 112
<i>Cœlodon ceylanicus</i>	1864, 600		1870, 705
<i>cumingii</i>	1864, 600		1870, 706
<i>delicatulus</i>	1864, 600		1870, 748
	1864, 601	<i>mexicanus</i>	1864, 177
	1864, 600	<i>pitius</i>	1867, 328
<i>elongatus</i>	1864, 599		1867, 338
<i>flexuosus</i>	1864, 601		1870, 705
	1864, 601	<i>rivalis</i>	1870, 782
<i>unguiculus</i>	1864, 601	<i>rupicola</i>	1868, 570
<i>Cœlodonta pallasi</i>	1867, 1031		1869, 154
<i>Cœlogenys fulvus</i>	1861, 288	<i>Coleopeltis cuvieri</i>	1865, 454
<i>paca</i>	1861, 288	<i>Colias edusa</i>	1865, 496
	1862, 140		1865, 760
	1862, 322	—, var. <i>myrmidone</i>	1865, 492
	1862, 323	<i>fieldii</i>	1865, 760
	1862, 325		1870, 726
<i>Cœlogorgia</i>	1862, 35	<i>hyale</i>	1865, 492
<i>Cœlopeltis lacertina</i>	1864, 489		

	Page		Page
<i>Colias hyale</i>	1870,	<i>Colluricincla brunnea</i> ..	1863,
<i>neriene</i>	1865,	<i>harmonica</i>	1869,
<i>shipkee</i>	1865,	<i>Collurio lahtora</i>	1870,
.....	1865,	<i>Collyrio borealis</i>	1870,
<i>simoda</i>	1870,	<i>hemileucurus</i>	1870,
<i>vauthieri</i>	1865,	<i>pallens</i>	1870,
<i>Colina coarctata</i>	1867,	<i>pallidirostris</i>	1870,
<i>gracilis</i>	1866,	<i>Collyris filiformis</i>	1866,
.....	1867,	<i>formosana</i>	1866,
<i>macrostoma</i>	1866,	<i>Colobus angolensis</i>	1868,
<i>pygmæa</i>	1867,	<i>bicolor</i>	1868,
.....	1867,	<i>cristatus</i>	1868,
<i>Coliphimus concolor</i> ..	1864,	<i>ferrugineus</i>	1868,
<i>Colius striatus</i>	1864,	1868,
.....	1864,	<i>guereza</i>	1865,
<i>Collingsia sarniensis</i>	1867,	1865,
<i>schmidtii</i>	1867,	1865,
<i>Collocalia</i>	1863,	1865,
—?.....	1865,	<i>kirikii</i>	1868,
<i>brevirostris</i>	1863,	1868,
<i>cinerea</i>	1863,	<i>polycornus</i>	1865,
.....	1863,	1868,
<i>concolor</i>	1863,	<i>satanas</i>	1865,
<i>esculenta</i>	1863,	1865,
.....	1865,	1868,
.....	1865,	<i>temminckii</i>	1865,
<i>francica</i>	1863,	1865,
.....	1863,	<i>ursinus</i>	1865,
.....	1865,	1865,
.....	1866,	<i>vellerosus</i>	1865,
.....	1868,	1865,
<i>fuciphaga</i>	1863,	1868,
.....	1863,	<i>verus</i>	1868,
.....	1863,	1868,
.....	1865,	<i>Colcenis phaëthusa</i>	1863,
.....	1867,	<i>vanillæ</i>	1863,
<i>hypoleuca</i>	1861,	<i>Colopterus galeatus</i>	1866,
.....	1863,	<i>pilaris</i>	1867,
<i>leucopygia</i>	1863,	1869,
.....	1865,	<i>Coluber</i>	1862,
<i>linchi</i>	1865,	<i>æsculapii</i>	1863,
<i>linchii</i>	1863,	<i>aulicus</i>	1861,
.....	1863,	<i>berus</i>	1862,
.....	1863,	<i>blumenbachii</i>	1861,
.....	1865,	1861,
<i>nidifica</i>	1861,	<i>dhumnades</i>	1861,
.....	1863,	<i>dione</i>	1861,
.....	1863,	<i>fasciolatus</i>	1861,
.....	1865,	<i>holochrous</i>	1863,
<i>spodiopygia</i>	1863,	1863,
.....	1865,	<i>melanurus</i>	1861,
<i>troglydites</i>	1863,	<i>molurus</i>	1861,
.....	1865,	<i>naja</i>	1861,
<i>unicolor</i>	1863,	<i>natrix</i>	1869,
<i>vanicorensis</i>	1867,	<i>nigro-marginatus</i> ..	1861,
.....	1868,	<i>quadrivittatus</i>	1861,
.....	1868,		
.....	1868,		
.....	1868,		
<i>Collonia japonica</i>	1863,		
<i>phasianella</i>	1863,		

	Page		Page
<i>Coluber quateradiatus</i> ..	1863, 47	<i>Columba perspicillata</i> ..	1863, 33
<i>reticularis</i>	1861, 218	<i>picazuro</i>	1868, 138
<i>russellii</i>	1861, 216		1868, 143
<i>stolatus</i>	1861, 217		1869, 600
<i>trabalis</i>	1861, 47	<i>pœcilopectera</i>	1869, 600
<i>umbratus</i>	1861, 217	<i>polleni</i>	1866, 424
<i>Columba</i> — ?	1863, 345	<i>punicea</i>	1863, 371
<i>albilinea</i>	1870, 217	<i>rufina</i>	1862, 102
<i>amboinensis</i>	1863, 34		1864, 370
<i>araucana</i>	1867, 330		1866, 198
	1867, 339		1867, 159
<i>aromatica</i>	1863, 33		1867, 591
<i>arquatrix</i>	1864, 18		1870, 217
<i>chlorophæa</i>	1866, 329	<i>rupestris</i>	1870, 838
<i>cincta</i>	1863, 496		1863, 306
	1863, 497		1863, 338
<i>erythrothorax</i>	1864, 370		1870, 434
	1867, 989		1870, 444
<i>flavirostris</i>	1864, 178	<i>schimperi</i>	1864, 448
<i>gouldiæ</i>	1866, 79	<i>speciosa</i>	1862, 184
<i>guinea</i>	1863, 106		1864, 371
	1864, 113		1867, 590
	1869, 627		1867, 753
<i>gymnophthalma</i> ..	1865, 239		1870, 217
	1868, 143	<i>subvinacea</i>	1870, 217
	1869, 600	<i>tigrina</i>	1863, 221
	1869, 627	<i>vinacea</i>	1866, 198
<i>intermedia</i>	1863, 371		1867, 590
	1870, 444		1869, 598
<i>leucocephala</i>	1869, 627	<i>viridis</i>	1863, 34
<i>leucozonura</i>	1863, 306	<i>viridis amboinensis</i> .	1863, 33
	1869, 627	<i>Columbella</i> — ?	1865, 516
<i>livia</i>	1862, 22	<i>albomaculata</i>	1867, 111
	1863, 516		1867, 117
	1864, 448		1867, 195
	1870, 444	<i>araneosa</i>	1865, 516
<i>luctuosa</i>	1862, 344	<i>atramentaria</i>	1863, 344
<i>maculipennis</i>	1869, 600	<i>australis</i>	1865, 166
<i>maculosa</i>	1865, 239		1865, 516
	1868, 143		1867, 194
	1869, 600	<i>bicanalifera</i>	1863, 344
	1870, 665	<i>boivinii</i>	1863, 344
<i>melanocephala</i>	1862, 344	<i>concinna</i>	1861, 404
<i>menadensis</i>	1862, 345	<i>conspicua</i>	1863, 344
<i>meridionalis</i>	1867, 330	<i>corniculata</i>	1867, 195
	1867, 339	<i>costellata</i>	1863, 344
<i>migratoria</i>	1862, 102		1863, 345
<i>nigrirostris</i>	1864, 370	<i>cribraria</i>	1861, 404
	1867, 280	<i>decolor</i>	1865, 516
	1870, 217	<i>dermestoides</i>	1865, 167
<i>cenas</i>	1862, 376		1867, 195
	1863, 529	<i>diminuta</i>	1863, 344
	1864, 448	<i>dorsata</i>	1863, 344
<i>palumbus</i>	1863, 516	<i>festiva</i>	1863, 344
	1864, 448	<i>flammea</i>	1865, 516
	1865, 239	<i>fluctuata</i>	1863, 344
	1867, 434		1863, 345
<i>paulina</i>	1862, 345	<i>fulva</i>	1863, 344

	Page		Page
<i>Columbella fuscata</i>	1863,		344
<i>gibberula</i>	1863,		344
<i>gracilis</i>	1863,		344
<i>guttata</i>	1863,		344
<i>harpæformis</i>	1863,		345
<i>humerosa</i>	1865,		381
<i>infumata</i>	1865,		166
<i>interrupta</i>	1865,		56
	1865,		167
<i>lentiginosa</i>	1867,		195
<i>lincolnensis</i>	1865,		166
	1867,		195
<i>lineolata</i>	1865,		516
<i>lyrata</i>	1863,		344
<i>major</i>	1863,		344
<i>menkeana</i>	1865,		166
<i>mercatoria</i>	1861,		404
<i>modesta</i>	1863,		344
<i>mœsta</i>	1863,		345
<i>nigricans</i>	1863,		345
<i>nitidula</i>	1861,		404
<i>cenas</i>	1865,		239
<i>pardalina</i>	1865,		197
<i>parva</i>	1863,		345
<i>pellucida</i>	1865,		516
<i>pulchrior</i>	1863,		345
<i>pulla</i>	1867,		195
<i>pusilla</i>	1862,		244
<i>pygmæa</i>	1863,		345
<i>rosacea</i>	1867,		194
<i>rugosa</i>	1863,		345
<i>saccharata</i>	1867,		194
<i>sagitta</i>	1865,		517
<i>sandwichensis</i>	1861,		244
<i>semiconvexa</i>	1865,		166
	1867,		194
<i>strombiformis</i>	1863,		345
<i>sulcosa</i>	1863,		349
<i>tæniata</i>	1865,		273
	1865,		516
<i>tessellata</i>	1863,		345
	1867,		195
<i>turrita</i>	1863,		345
<i>varia</i>	1863,		345
<i>versicolor</i>	1867,		194
<i>virginea</i>	1865,		516
<i>yorkensis</i>	1865,		166
<i>Columbula cruziana</i>	1866,		100
	1867,		989
<i>picui</i>	1868,		143
<i>strepitans</i>	1837,		330
	1867,		339
<i>Columna flammea</i>	1866,		325
<i>Colymbetes pulverosus</i>	1867,		363
	1867,		369
<i>Colymbus arcticus</i>	1863,		322
<i>fulica</i>	1868,		469
<i>glacialis</i>	1862,		322
<i>Colymbus glacialis</i>	1865,		326
	1870,		86
<i>septentrionalis</i>	1862,		142
	1863,		322
	1863,		517
<i>Comatula</i>	1861,		58
<i>Combe brianus</i>	1866,		226
	1866,		244
<i>fulgurata</i>	1866,		244
<i>Comibaena chalybeata</i>	1867,		639
<i>divapala</i>	1867,		638
<i>fenestraria</i>	1867,		639
<i>hyalinata</i>	1867,		638
<i>maculata</i>	1867,		638
<i>sanguilineata</i>	1867,		638
<i>Cominella</i>	1863,		421
<i>adelaidensis</i>	1865,		162
	1867,		189
<i>alveolata</i>	1865,		162
<i>angasi</i>	1865,		162
<i>costata</i>	1865,		161
<i>eburnea</i>	1865,		162
<i>filicea</i>	1865,		162
	1867,		190
<i>suturalis</i>	1865,		162
<i>Compsocoma sumptuosa</i>	1868,		167
<i>Conepatus amazonicus</i>	1865,		146
<i>chilensis</i>	1865,		146
<i>humboldtii</i>	1865,		146
<i>nasutus</i>	1865,		145
—, var. <i>chilensis</i>	1865,		146
	1870,		665
—, var. <i>humboldtii</i>	1865,		146
—, var. <i>lichtensteini</i>	1865,		147
—, var. <i>nasuta</i>	1865,		145
<i>Conger vulgaris nigra</i>	1869,		239
<i>Congromurena mellissii</i>	1869,		239
<i>Conirostrum cinereum</i>	1867,		984
	1868,		569
<i>fraseri</i>	1867,		984
<i>sitticolor</i>	1870,		780
<i>Conodon pacifici</i>	1864,		147
<i>Conopophaga aurita</i>	1868,		574
<i>cucullata</i>	1868,		574
<i>gutturalis</i>	1868,		574
	1868,		575
<i>nævioides</i>	1864,		342
<i>Conosomus pubescens</i>	1867,		382
<i>sericeus</i>	1867,		364
	1867,		382
<i>Conradia</i>	1863,		110
<i>carinifera</i>	1863,		112
<i>cingulifera</i>	1863,		111
<i>clathrata</i>	1863,		112
<i>doliaris</i>	1863,		112
<i>pulchella</i>	1863,		112
<i>torната</i>	1863,		112
<i>Contopus bogotensis</i>	1870,		554

	Page		Page
Contopus borealis	1870, 199	Conurus perlatus	1867, 588
brachytarsus	1864, 360		1867, 595
	1867, 578	pertinax	1864, 367
	1868, 168		1864, 368
	1868, 628		1870, 214
	1870, 199		1870, 585
	1870, 781		1870, 586
lugubris	1869, 419	rhodocephalus	1870, 779
ochraceus	1869, 419		1870, 782
pallidus	1868, 175		1870, 787
richardsoni	1870, 199	rhodogaster	1864, 298
richardsonii	1864, 360	roseifrons	1870, 787
virens	1864, 360	smaragdineus	1867, 328
	1869, 419		1867, 338
	1870, 837	souancaei	1866, 197
Conurus æruginosus	1867, 587		1867, 753
	1867, 588	tiriacula	1862, 321
	1868, 629	tui	1862, 325
	1868, 632	virescens	1867, 588
	1870, 586	wagleri	1868, 169
astec	1867, 280	weddellii	1866, 197
	1870, 837	xantholæmus	1867, 588
aureus	1863, 47		1870, 214
	1867, 587	xanthopterus	1862, 325
aurifrons	1866, 100		1866, 197
	1867, 988	Conus acutangulatus	1870, 257
	1868, 569	anemone	1863, 418
chrysogenys	1864, 367		1865, 169
	1864, 368		1867, 204
	1867, 587		1869, 561
	1867, 588	aplustre	1869, 562
	1870, 214		1870, 109
chrysophrys	1864, 368	aurantius	1861, 404
	1867, 588	borbonicus	1868, 288
	1870, 585		1868, 294
cyanolyseos	1864, 160	cancellatus	1865, 518
	1867, 328	cernicus	1869, 272
	1867, 338	chaldæus	1866, 146
	1870, 665	collisus	1865, 518
cyanopterus	1867, 753	cooki	1870, 109
	1868, 169	corrugatus	1870, 257
	1870, 554		1870, 259
	1870, 586	daucus	1861, 404
flaviventer	1861, 79	delessertianus	1870, 256
hoffmanni	1870, 214	flavidus	1865, 197
holochlorus	1862, 376	floridensis	1870, 256
	1864, 177		1870, 259
lepidus	1864, 298	fusiformis	1865, 516
	1867, 588	gemmaulatus	1870, 257
lineola	1864, 177		1870, 259
luteus	1862, 185	gilvus	1870, 110
	1867, 587	grayi	1867, 205
nandaya	1870, 383		1869, 562
nanus	1861, 79	infrenatus	1870, 109
ocularis	1864, 367	jukesi	1867, 204
	1867, 588		1869, 562
	1870, 214	laterculatus	1870, 255
patagonicus	1868, 530		1870, 259

	Page		Page
<i>Conus lignarius</i>	1866,	<i>Copsychus macrurus</i> ..	1863,
<i>maculatus</i>	1867,	<i>mindanensis</i>	1861,
	1869,	<i>pica</i>	1861,
	1869,		1866,
<i>maculosus</i>	1867,		1870,
<i>marginatus</i>	1865,	<i>pluto</i>	1861,
<i>minimus</i>	1865,		1863,
<i>mitræformis</i>	1870,	<i>rostratus</i>	1867,
	1870,	<i>saularis</i>	1861,
	1865,		1863,
<i>multicatenatus</i>	1865,		1864,
<i>mus</i>	1861,		1865,
<i>nebulosus</i>	1861,		1866,
<i>novæ hollandiæ</i> ..	1863,	<i>stricklandi</i>	1861,
	1865,	<i>suavis</i>	1861,
<i>planiliratus</i>	1870,		1863,
	1870,		1863,
<i>præcellens</i>	1870,	<i>Coptops abdominalis</i> ..	1866,
<i>princeps</i>	1870,	<i>lecideosa</i>	1866,
<i>purpurascens</i>	1863,		1866,
<i>purus</i>	1862,	<i>nanus</i>	1866,
<i>pusilla</i>	1865,	<i>polyspila</i>	1866,
<i>rarinaculatus</i>	1870,		1866,
	1870,	<i>vomicosa</i>	1866,
	1863,		1866,
<i>regalitatis</i>	1870,	<i>Copurus colonus</i>	1861,
<i>rossiteri</i>	1865,	<i>filicauda</i>	1861,
<i>rutilus</i>	1869,	<i>funebri</i>	1861,
	1869,	<i>fuscicapillus</i>	1861,
<i>sagittatus</i>	1865,	<i>leuconotus</i>	1861,
	1865,		1864,
<i>semisulcatus</i>	1870,		1867,
	1870,		1867,
<i>sowerbyi subæqualis</i>	1870,		1867,
	1870,		1867,
<i>straturatus</i>	1865,	<i>pæcilonotus</i>	1861,
	1865,	<i>Coracias affinis</i>	1863,
<i>subcarinatus</i>	1865,	<i>caudata</i>	1862,
	1865,		1864,
<i>submarginatus</i>	1870,		1867,
	1870,		1867,
<i>suffusus</i>	1870,		1869,
	1870,	<i>garrula</i>	1863,
<i>tegulatus</i>	1870,		1864,
	1870,		1865,
<i>tenuisulcatus</i>	1870,	<i>indica</i>	1863,
	1870,	<i>pacifica</i>	1862,
<i>textilis</i>	1865,		1863,
<i>turritus</i>	1870,		1869,
	1870,	<i>pilosa</i>	1869,
<i>verrucosus</i>	1861,	<i>pilosus</i>	1864,
	1870,	<i>temminckii</i>	1861,
<i>voluminalis</i>	1865,	<i>Coracina scutata</i>	1867,
<i>Cookiea inæqualis</i>	1862,	<i>Coracopsis barklyi</i>	1867,
<i>Copsychus albiventris</i> ..	1861,		1867,
<i>amœnus</i>	1861,	<i>nigra</i>	1863,
	1863,	<i>vasa</i>	1863,
	1861,		1865,
<i>ceylonensis</i>	1861,	<i>Corades cybele</i>	1866,
<i>luzoniensis</i>	1861,		1866,
<i>macrurus</i>	1861,		40
	1861,		42

	Page		Page		
Corades sareba	1866,	40	Coremia mediovittaria	1867,	656
Coralliobia sculptilis	1865,	513	Corethrura albigularis	1864,	372
Coralliophaga striolata	1870,	791		1868,	454
	1870,	795	cayennensis	1868,	452
Coralliophila asperrima	1863,	431	cinnamomea	1870,	400
confragosa	1863,	432	dimidiata	1864,	3
coronata	1869,	272		1864,	8
elaborata	1863,	433	guatemalensis	1868,	453
nodulosa	1863,	431	hypoleucos	1868,	454
retusa	1863,	432	insularis	1870,	400
salebrosa	1863,	431	leucopyrrha	1868,	454
scalariformis	1863,	431	melanophæa	1868,	454
senticosa	1863,	432	olivacea	1868,	451
undosa	1863,	432	rubra	1864,	372
Corallium johnsoni	1867,	125		1868,	452
	1867,	127	Corica soborna	1869,	386
rubrum	1867,	125	Coridodax	1861,	418
	1867,	126	Corinea niveiguttella	1866,	365
Corasia anadyomene	1864,	38		1867,	669
conformis	1865,	412	Coriocella nigra	1867,	199
Corbicula fluminalis	1864,	117	Coriphilus placentis	1861,	436
	1864,	118		1862,	165
fluminea	1865,	196	rubronotatus	1862,	165
pusilla	1866,	376		1864,	293
radiata	1866,	376	Coris	1861,	411
Corbitella speciosa	1867,	530	annulata	1867,	865
	1867,	558	cuvieri	1867,	865
Corbula, sp. ind. a.	1863,	368	formosa	1867,	865
sp. ind. b.	1863,	369	Coriscium orientale	1867,	671
bicarinata	1863,	368	Cornularia atlantica	1861,	298
biradiata	1863,	368	Corona regina	1866,	443
	1863,	369	Coronella	1863,	57
catlowæ	1867,	913	albocincta	1861,	216
erythrænsis	1870,	789	anomala	1869,	135
	1870,	795	australis	1862,	225
nasuta	1867,	913	austriaca	1862,	222
obesa	1863,	368	cana	1861,	209
ovulata	1863,	368		1861,	265
polychroma	1863,	369	doliata	1861,	227
pustulosa	1863,	368	lævis	1862,	323
rostrata	1868,	293		1862,	324
	1868,	294	nototænia	1864,	307
rubra	1863,	368		1864,	309
scaphoides	1867,	913	olivacea	1864,	307
sulculosa	1870,	6	puncticulata	1861,	216
	1870,	9	sayi	1869,	602
tenuis	1863,	368	Coronula	1864,	171
tunicata	1867,	913	Corotia cervinaria	1867,	625
zelandica	1867,	913		1867,	686
Corcorax leucoptera	1862,	84	Corticaria curta	1867,	373
leucopterus	1869,	279	fulva	1867,	362
Cordia collococca	1865,	65		1867,	373
	1865,	81	maculosa	1867,	364
	1865,	83		1867,	373
Cordylophora lacustris	1869,	110	serrata	1867,	361
Cordylosaurus subtessel-				1867,	373
latus	1865,	641	Corticium candelabrum	1867,	544
trivigatus	1865,	641	Corvina albida	1869,	300

	Page		Page
<i>Corvina belengeri</i>	1870, 684	<i>Corvus pastinator</i>	1870, 444
<i>chrysoleuca</i>	1866, 600	<i>pectoralis</i>	1863, 305
<i>coitor</i>	1869, 300	<i>scapulatus</i>	1865, 90
	1869, 301		1866, 423
<i>cuja</i>	1869, 516	<i>sinensis</i>	1863, 305
<i>miles</i>	1869, 300		1863, 338
<i>neilli</i>	1869, 300	<i>splendens</i>	1864, 376
<i>ronchus</i>	1866, 600		1866, 3
<i>vermicularis</i>	1866, 601		1866, 570
<i>Corvus affinis</i>	1864, 445		1869, 603
<i>agricola</i>	1864, 444	<i>torquatus</i>	1863, 305
<i>americanus</i>	1862, 184	<i>umbrinus</i>	1864, 445
	1862, 185	<i>validus</i>	1862, 335
<i>balicassius</i>	1866, 547		1862, 343
<i>cafer</i>	1866, 23		1863, 218
<i>capensis</i>	1864, 444	<i>varians</i>	1866, 552
<i>carnivorus</i>	1862, 184	<i>Corybas lobata</i>	1867, 537
	1862, 185	<i>Corydalla infuscata</i> ...	1863, 272
<i>collaris</i>	1864, 444	<i>richardi</i>	1863, 272
<i>corax</i>	1862, 139	<i>rufula</i>	1865, 692
	1863, 338		1865, 693
	1864, 445		1866, 551
	1867, 451	<i>sinensis</i>	1863, 272
<i>cornix</i>	1864, 431	<i>Corydon sumatranus</i> ..	1863, 214
	1864, 445	<i>Coryphaena</i>	1863, 378
<i>corone</i>	1863, 160	<i>hippurus</i>	1867, 861
	1863, 218	<i>Coryphistera alaudina</i> ..	1870, 57
	1863, 305	<i>Coryphodon</i>	1863, 60
<i>coronoides</i>	1867, 565	<i>blumenbachii</i>	1861, 218
	1869, 279	<i>carinatus</i>	1861, 219
<i>culminatus</i>	1863, 305	<i>fasciolatus</i>	1861, 218
	1864, 376	<i>pantherinus</i>	1861, 14
	1866, 3		1861, 323
	1866, 570		1863, 54
	1868, 402	<i>Coryphospingus pileatus</i> .	1868, 167
<i>dauricus</i>	1863, 304		1869, 252
<i>enca</i>	1862, 343	<i>Corythaix</i>	1864, 340
	1863, 305	<i>buffoni</i>	1861, 59
<i>frugilegus</i>	1863, 160		1861, 366
	1863, 218		1862, 325
	1863, 305		1863, 516
	1863, 306	<i>livingstonii</i>	1865, 92
	1863, 516		1869, 437
	1864, 444	<i>Corytholophus sublævi-</i>	
<i>japonicus</i>	1863, 305	<i>pennis</i>	1867, 363
	1863, 338		1867, 371
<i>macrorhynchus</i>	1863, 305	<i>Corythopsis anthoides</i> ..	1867, 577
	1863, 486		1867, 594
<i>madagascariensis</i> ..	1866, 423	<i>calcarata</i>	1867, 594
<i>monedula</i>	1862, 324	<i>Corythornis cristata</i> ...	1866, 22
	1863, 160		1869, 568
	1864, 444		1870, 398
<i>morio</i>	1869, 363	<i>cyanostigma</i>	1869, 568
<i>neglectus</i>	1863, 305	<i>vintsioides</i>	1863, 162
<i>orru</i>	1861, 435		1865, 834
<i>pastinator</i>	1863, 305		1870, 398
	1863, 338	<i>Corythus enucleator</i> ...	1861, 366
	1864, 444		1863, 336

	Page		Page
<i>Coscinospongia hetero-</i>		<i>Cotuza umminia</i>	1867, 74
<i>formis</i>	1869, 85	<i>Cotyle borbonica</i>	1870, 295
	1869, 99	<i>cahirica</i>	1870, 301
<i>Cosmetornis vexillaria</i> ..	1861, 44	<i>cincta</i>	1870, 297
<i>vexillarius</i>	1864, 111		1870, 298
<i>Cosmophila xanthin-</i>			1870, 320
<i>dyma</i>	1867, 64	<i>concolor</i>	1866, 568
<i>Cosmopteryx æneella</i> ..	1867, 672	<i>eques</i>	1866, 325
<i>asiatica</i>	1867, 672		1870, 297
<i>semicoccinea</i>	1867, 672		1870, 320
<i>Cossus cadambæ</i>	1865, 822	<i>flavigastra</i>	1864, 348
<i>ligniperda</i>	1865, 822	<i>fuligula</i>	1870, 229
<i>Cossypha heuglini</i>	1870, 148		1870, 300
<i>subrufescens</i>	1869, 436		1870, 303
<i>Cossyphodes</i>	1861, 416		1870, 320
<i>Cossyphus</i>	1861, 416	<i>leucorrhœa</i>	1868, 139
<i>neilli</i>	1867, 560	<i>littoralis</i>	1870, 296
<i>pectoralis</i>	1868, 226	<i>minor</i>	1870, 303
<i>pulchellus</i>	1868, 226		1870, 320
<i>Costus argyrophyllus</i> ..	1866, 541	<i>obsoleta</i>	1870, 301
<i>Cotinga amabilis</i>	1864, 362		1870, 302
	1870, 200		1870, 320
<i>cærulea</i>	1867, 580	<i>paludibula</i>	1870, 301
<i>cayana</i>	1866, 190		1870, 302
	1867, 580		1870, 303
	1867, 751	<i>paludicola</i>	1870, 202
	1867, 978		1870, 303
<i>porphyrolæma</i>	1866, 191		1870, 320
<i>Cottus gobio</i>	1865, 51	<i>palustris</i>	1864, 443
<i>Coturniculus manimbe</i> ..	1867, 572		1866, 22
	1868, 167		1870, 301
<i>peruanus</i>	1866, 182		1870, 302
	1867, 750		1870, 303
	1867, 977	<i>riparia</i>	1863, 287
	1869, 597		1863, 288
<i>tixicrus</i>	1861, 74		1863, 335
<i>Coturnix</i>	1862, 253		1864, 443
<i>chinensis</i>	1863, 221		1870, 287
<i>communis</i>	1863, 308		1870, 296
	1865, 694		1870, 298
	1866, 23		1870, 303
<i>coromandelica</i>	1861, 365		1870, 320
	1864, 159		1870, 435
<i>dactylisonans</i>	1862, 322		1870, 445
	1862, 376	<i>ruficollis</i>	1864, 348
	1863, 308	<i>rupestris</i>	1864, 443
	1870, 602		1870, 299
<i>histrionica</i>	1869, 564		1870, 300
	1870, 147		1870, 301
<i>japonicus</i>	1870, 602		1870, 302
<i>novæ guineæ</i>	1861, 438		1870, 320
	1864, 42		1870, 445
<i>pectoralis</i>	1869, 237	<i>sinensis</i>	1863, 288
<i>raaltenii</i>	1863, 436		1863, 335
<i>vulgaris</i>	1864, 449	<i>tapera</i>	1868, 139
<i>Cotuza deficiens</i>	1867, 74	<i>torquata</i>	1870, 298
	1867, 98	<i>uropygialis</i>	1864, 348
<i>drepanoides</i>	1867, 74		1867, 278

	Page		Page
<i>Coua caerulea</i>	1863, 164	<i>Crassonota</i>	1864, 468
	1865, 834		1864, 477
	1866, 424	<i>nasuta</i>	1864, 467
<i>cristata</i>	1866, 424		1864, 477
	1870, 399	<i>Crastia climena</i>	1866, 282
<i>reynaudii</i>	1866, 424	<i>core</i>	1866, 276
<i>Couthouyia</i>	1863, 110	<i>rogeri</i>	1866, 299
<i>decussata</i>	1863, 111	<i>Crateropus acaciæ</i>	1866, 436
<i>plicifera</i>	1863, 111	<i>affinis</i>	1869, 436
<i>reticulata</i>	1863, 111	<i>apicalis</i>	1866, 436
<i>striatula</i>	1863, 111	<i>atripennis</i>	1866, 436
<i>Crabyzos</i>	1863, 504	<i>bicolor</i>	1864, 7
<i>longicaudatus</i>	1863, 504		1866, 436
	1863, 505	<i>chalybeus</i>	1864, 432
<i>Cracticus</i>	1863, 483		1864, 437
<i>cassicus</i>	1861, 435		1866, 436
<i>personatus</i>	1861, 430	<i>cinereus</i>	1866, 436
	1861, 435	<i>fulvus</i>	1866, 436
<i>quoyi</i>	1861, 435	<i>guttatus</i>	1866, 436
	1868, 383	<i>gymnogenys</i>	1865, 86
<i>Crambus consociellus</i> ..	1867, 667		1865, 93
<i>Crangon intermedia</i>	1863, 503		1866, 436
	1863, 505	<i>jardini</i>	1863, 105
<i>Craspedocephalus atrox</i> .	1861, 15		1864, 108
	1861, 114		1866, 436
	1863, 51	<i>leucocephalus</i>	1866, 436
	1863, 52	<i>leucopygius</i>	1866, 436
	1863, 53	<i>limbatus</i>	1866, 436
	1863, 54	<i>melanops</i>	1866, 435
<i>bilineatus</i>	1861, 15		1866, 436
	1861, 114	<i>melodus</i>	1866, 436
	1863, 54	<i>platycercus</i>	1866, 436
<i>brasiliensis</i>	1861, 114	<i>plebejus</i>	1866, 436
	1863, 51		1869, 436
	1863, 52	<i>reinwardtii</i>	1866, 436
	1863, 53	<i>rubiginosus</i>	1866, 436
	1863, 54	<i>rufescens</i>	1866, 436
<i>jararaca</i>	1863, 52	<i>squamiceps</i>	1866, 436
<i>lanceolatus</i>	1861, 114	<i>swainsonii</i>	1866, 436
	1863, 51	<i>Crax</i>	1862, 254
	1863, 54	— ?	1864, 371
<i>Craspedophora magnifica</i>	1862, 160	<i>alberti</i>	1864, 159
<i>Crassatella aurora</i>	1863, 426		1870, 509
	1863, 428		1870, 512
<i>banksii</i>	1863, 427		1870, 513
	1863, 428		1870, 517
<i>castanea</i>	1865, 156		1870, 520
	1865, 652		1870, 542
<i>corrugata</i>	1863, 70		1870, 543
<i>crebrilirata</i>	1870, 249		1870, 669
<i>cuneata</i>	1865, 648	<i>albini</i>	1870, 507
<i>esquimalti</i>	1863, 70		1870, 513
<i>foveolata</i>	1870, 249	<i>aldrovandi</i>	1870, 516
<i>gibbosa</i>	1863, 368	<i>alector</i>	1861, 365
<i>subquadrata</i>	1870, 249		1861, 366
<i>sulcata</i>	1866, 146		1862, 139
	1870, 249		1862, 140
<i>Crassispira harpularia</i> ..	1865, 159		1862, 323

	Page		Page
<i>Crax alector</i>	1870, 506	<i>Crax globicera</i>	1870, 508
	1870, 507		1870, 509
	1870, 512		1870, 511
	1870, 513		1870, 512
	1870, 514		1870, 513
	1870, 515		1870, 514
	1870, 516		1870, 515
	1870, 542		1870, 516
	1870, 543		1870, 517
	1870, 554		1870, 541
<i>azaræ</i>	1870, 515		1870, 543
<i>blumenbachii</i>	1870, 506		1870, 838
	1870, 509	<i>globulosa</i>	1870, 506
	1870, 511		1870, 507
	1870, 513		1870, 512
	1870, 514		1870, 515
	1870, 517		1870, 542
<i>carunculata</i>	1861, 234		1870, 543
	1870, 506	<i>mikani</i>	1870, 511
	1870, 507		1870, 512
	1870, 509		1870, 516
	1870, 516		1870, 517
	1870, 517		1870, 518
	1870, 543	<i>mitu</i>	1870, 520
	1870, 544	<i>pauxi</i>	1870, 505
<i>circinatus</i>	1870, 515		1870, 519
<i>cumanensis</i>	1870, 505	<i>peruvianus</i>	1870, 514
	1870, 529	<i>pinima</i>	1870, 506
<i>curassous</i>	1870, 513		1870, 518
<i>daubentoni</i>	1870, 505		1870, 542
	1870, 506		1870, 543
	1870, 511	<i>pipile</i>	1870, 505
	1870, 512		1870, 529
	1870, 513	<i>rubra</i>	1870, 505
	1870, 516		1870, 506
	1870, 542		1870, 513
	1870, 543	<i>rubrirostris</i>	1870, 506
	1870, 671		1870, 507
<i>discors</i>	1870, 515		1870, 509
<i>fasciolata</i>	1870, 506		1870, 517
	1870, 509	<i>sclateri</i>	1870, 506
	1870, 518		1870, 511
<i>galeata</i>	1870, 505		1870, 514
	1870, 519		1870, 515
<i>globicera</i>	1861, 234		1870, 518
	1861, 366		1870, 543
	1862, 323		1870, 544
	1862, 324	<i>temminckii</i>	1870, 508
	1863, 516		1870, 513
	1864, 371		1870, 514
	1867, 433	<i>tomentosa</i>	1870, 506
	1867, 434		1870, 520
	1867, 455	<i>tuberosa</i>	1870, 506
	1868, 297		1870, 520
	1868, 298	<i>urumutum</i>	1870, 506
	1870, 505		1870, 510
	1870, 506		1870, 519
	1870, 507	<i>yarrelli</i>	1869, 528

	Page		Page
<i>Crax yarrellii</i>	1870, 507	<i>Crepidula nivea</i>	1863, 360
	1870, 508		1863, 361
	1870, 517		1867, 738
<i>Craxirex galapagoensis</i> ..	1870, 323	<i>onyx</i>	1863, 360
<i>unicinctus</i>	1867, 158		1867, 738
<i>Crayracion cochinchensis</i> ..	1865, 314	<i>osculans</i>	1863, 361
<i>fluviatilis</i>	1865, 314	<i>pallida</i>	1867, 736
<i>testudineus</i>	1865, 314	<i>peruviana</i>	1867, 736
<i>Cretonotus emittens</i> ..	1865, 803	<i>plana</i>	1867, 740
<i>interrupta</i>	1865, 803	<i>porcellana</i>	1867, 738
<i>Creteiscus jamaicensis</i> ..	1868, 456	<i>rostrata</i>	1863, 361
<i>Crella elegans</i>	1867, 521		1867, 739
<i>Cremonobates</i>	1861, 374	<i>rostriformis</i>	1863, 361
<i>monophthalmus</i> ..	1861, 374	<i>rugosa</i>	1867, 738
	1864, 25	<i>rugulosa</i>	1867, 736
<i>Crenella barbata</i>	1867, 929	<i>sitchana</i>	1867, 738
<i>compta</i>	1870, 792	<i>squama</i>	1863, 360
	1870, 795		1867, 738
<i>cumingiana</i>	1865, 653	<i>strigata</i>	1867, 736
<i>gibba</i>	1870, 792	<i>tomentosa</i>	1867, 211
<i>paulucciae</i>	1865, 653	<i>uncata</i>	1863, 361
<i>strigata</i>	1867, 929	<i>unguiformis</i>	1863, 360
<i>viridula</i>	1870, 792		1863, 361
<i>Crenilabrus</i>	1861, 417		1867, 211
<i>Crenis amulia</i>	1868, 222		1867, 738
	1868, 224	<i>walshii</i>	1867, 740
<i>Creophilus maxillosus</i> ..	1867, 382	<i>Crepipatella dilatata</i>	1867, 736
<i>Crepidula aculeata</i>	1863, 360	<i>dorsata</i>	1867, 737
	1867, 737	<i>foliacea</i>	1867, 736
<i>adunca</i>	1863, 361	<i>lingulata</i>	1867, 737
<i>aplysioides</i>	1867, 738	<i>Creseis</i>	1863, 378
<i>arenata</i>	1867, 738	<i>acicula</i>	1868, 616
<i>californica</i>	1867, 737		1868, 618
<i>cerithiicola</i>	1863, 360	<i>clava</i>	1868, 616
<i>dilatata</i>	1867, 736		1868, 618
<i>echinus</i>	1863, 360	<i>spinifera</i>	1868, 616
	1867, 737		1868, 618
<i>excavata</i>	1863, 360	<i>striata</i>	1868, 616
	1867, 738		1868, 618
<i>exuviata</i>	1867, 738	<i>virgula</i>	1868, 616
<i>fimbriata</i>	1867, 739		1868, 618
<i>foliacea</i>	1867, 736	<i>Crex</i>	1864, 71
<i>fornicata</i>	1867, 738	<i>aurita</i>	1868, 451
<i>glauca</i>	1867, 738	<i>facialis</i>	1868, 443
<i>hepatica</i>	1863, 360	<i>femoralis</i>	1868, 175
	1867, 739		1868, 461
<i>hystrix</i>	1867, 737	<i>gularis</i>	1868, 451
<i>immersa</i>	1865, 57	<i>jardinei</i>	1870, 400
	1865, 174	<i>lateralis</i>	1868, 454
<i>incurva</i>	1863, 360	<i>martinica</i>	1868, 459
<i>incurvata</i>	1867, 739	<i>melampyga</i>	1868, 448
<i>lessonii</i>	1863, 360	<i>minuta</i>	1861, 81
	1863, 361		1868, 455
	1867, 739	<i>mustelina</i>	1868, 451
<i>lyrata</i>	1867, 738	<i>olivacea</i>	1868, 451
<i>marginalis</i>	1867, 738	<i>porzana</i>	1861, 367
<i>nautiloides</i>	1867, 736	<i>pratensis</i>	1863, 516
<i>navicelloides</i>	1867, 738		1864, 452

	Page		Page
<i>Crex pratensis</i>	1865, 196	<i>Crocodylus frontatus</i>	1862, 216
	1868, 457		1862, 217
	1868, 470		1864, 160
<i>pygmæa</i>	1868, 456	<i>leptorhynchus</i>	1862, 213
<i>schomburgki</i>	1868, 169		1862, 214
	1868, 458		1862, 215
<i>Cribrella elegans</i>	1867, 521		1862, 216
<i>hamigera</i>	1867, 536		1862, 217
<i>Cricetodipus flavus</i>	1868, 203		1862, 218
<i>parvus</i>	1868, 203	<i>longirostris</i>	1861, 215
<i>Cricetomys gambianus</i> ..	1861, 268	<i>porosus</i>	1861, 140
<i>Cricetus anomalus</i>	1868, 203	<i>tenuirostris</i>	1861, 215
<i>auratus</i>	1866, 88	<i>vulgaris</i>	1862, 213
<i>nigricans</i>	1870, 331		1862, 214
	1870, 332		1862, 215
<i>vulgaris</i>	1870, 332		1862, 216
<i>Cricula drepanoides</i>	1865, 817		1862, 217
<i>trifenestrata</i>	1865, 817		1862, 218
<i>Crinia affinis</i>	1868, 480		1864, 307
<i>fasciata</i>	1868, 478		1864, 480
<i>georgiana</i>	1864, 48		1867, 715
<i>lævis</i>	1868, 480	<i>Crocopus phœnicopterus</i>	1864, 376
<i>tasmaniensis</i>	1868, 480	<i>Crocota maculata</i>	1868, 525
<i>verrucosa</i>	1868, 478		1869, 245
<i>Criniger</i>	1863, 481	<i>Crossarchus</i>	1864, 503
<i>flavicaudus</i>	1862, 339		1864, 509
<i>gutturalis</i>	1863, 216	<i>dubius</i>	1864, 577
<i>longirostris</i>	1862, 335	<i>obscurus</i>	1864, 577
	1862, 339		1869, 468
<i>mysticalis</i>	1863, 19	<i>rubiginosus</i>	1864, 577
	1863, 28	<i>typicus</i>	1864, 577
<i>simplex</i>	1863, 28	<i>Crossea bellula</i>	1867, 911
<i>Crithagra brasiliensis</i> ..	1861, 74	<i>concinna</i>	1867, 911
<i>brevirostris</i>	1867, 323	<i>Crossocheilus bata</i>	1869, 371
<i>butyracea</i>	1862, 324	<i>gohama</i>	1869, 371
<i>canariensis</i>	1870, 384	<i>mosario</i>	1869, 554
<i>canicollis</i>	1866, 23	<i>reba</i>	1869, 372
<i>chloropsis</i>	1869, 161		1870, 372
<i>chrysopyga</i>	1866, 424	<i>rostratus</i>	1869, 371
<i>hartlaubii</i>	1864, 3	<i>Crossochilus latius</i>	1867, 17
<i>sulphurata</i>	1866, 23	<i>reba</i>	1867, 17
<i>Crocalis angularia</i>	1867, 622	<i>Crossoptilon</i>	1863, 115
<i>bivittaria</i>	1867, 622	<i>auritum</i>	1862, 286
<i>lentiginosaria</i>	1867, 622		1862, 287
<i>obliquaria</i>	1867, 622		1863, 118
<i>Crocidura æquatorialis</i> .	1865, 402		1864, 260
<i>canescens</i>	1864, 651		1866, 418
<i>morio</i>	1862, 180		1866, 436
<i>Crocodylus</i> — ?	1862, 322		1866, 437
<i>acutus</i>	1862, 103		1868, 210
<i>americanus</i>	1862, 185		1869, 628
<i>biporcatus</i>	1869, 394	<i>drouynii</i>	1870, 129
	1869, 365	<i>mantchuricum</i>	1862, 287
<i>biscutatus</i>	1861, 140		1863, 118
<i>frontatus</i>	1862, 139		1863, 306
	1862, 213		1864, 260
	1862, 214		1866, 437
	1862, 215	<i>tibetanum</i>	1862, 221

	Page		Page
Crossoptilon tibetanum .	1862, 287	Crypta aculeata	1867, 211
	1863, 118		1867, 737
	1864, 260	costata	1867, 737
Crossopus fodiens	1865, 519	hepatica	1867, 739
remifer	1865, 521	immersa	1865, 174
Crotalus horridus	1861, 15	incurva	1867, 739
	1861, 114	lessoni	1867, 739
	1861, 229	porcellana	1867, 738
	1862, 322	sitchana	1867, 738
Crotophaga ani	1861, 79	unguiformis	1867, 211
	1864, 366	Crypticus platyrhynchus	1864, 362
	1866, 195	Cryptobranchus japoni-	
	1867, 585	cus	1869, 256
	1869, 598		1870, 261
	1870, 211		1870, 274
casasii	1869, 148		1870, 278
major	1866, 195	Cryptocephalus swinhoi	1866, 354
	1867, 585	Cryptogramma flexuosa .	1866, 146
	1870, 587	Cryptolithodes alta-fis-	
sulcirostris	1864, 366	sura	1864, 665
	1867, 280	typicus	1864, 645
	1868, 175	Cryptomys holosericeus .	1864, 124
	1868, 569	Cryptopelicanus trachy-	
	1869, 148	rhynchus	1869, 588
	1870, 211	Cryptophagus affinis . . .	1867, 362
	1870, 837		1867, 372
Crucibulum auriculatum	1867, 746	cellaris	1867, 362
corrugatum	1867, 745		1867, 372
ferrugineum	1867, 745	dentatus	1867, 362
hispidum	1867, 746		1867, 372
imbricatum	1863, 359	punctipennis	1867, 362
	1867, 745		1867, 372
lignaria	1867, 745	saginata	1867, 362
maculatum	1867, 746		1867, 372
radiatum	1863, 359	schmidtii	1867, 362
rude	1863, 359		1867, 372
rugosum	1867, 745	Cryptophthalmus cylin-	
scutellatum	1867, 743	dricus	1861, 245
	1867, 744	Cryptoplax gunni	1865, 188
	1867, 745		1867, 225
spinosum	1863, 359	rostratus	1867, 225
	1863, 360	speciosa	1861, 385
	1867, 746	striatus	1867, 224
tenue	1867, 745		1867, 225
trigonale	1867, 745	Cryptoprocta	1864, 508
tubiferum	1867, 746		1864, 545
umbrella	1862, 70	ferox	1864, 546
	1863, 359		1866, 419
	1867, 745		1867, 975
violaceum	1867, 746		1869, 23
Crybastus gossii	1868, 455	typicus	1864, 546
Cryphalus aspericollis . .	1867, 364	Cryptopterus latovittatus	1867, 16
	1867, 377	Cryptopus aubryi	1864, 94
Crypsidomus	1864, 309		1865, 426
Crypsirhina varians	1866, 552		1865, 427
Crypsirrhina aterrima . .	1863, 206	senegalensis	1864, 97
	1863, 218		1865, 423
leucoptera	1863, 206		1865, 427

	Page		Page
<i>Cryptothelea consorta</i> ..	1865, 807	<i>Cuculus leucolophus</i> ..	1861, 437
<i>Cryptotis brevis</i>	1868, 480	<i>libanoticus</i>	1864, 432
<i>Crypturus boucardi</i>	1870, 838	<i>maculatus</i>	1863, 264
<i>meserythrus</i>	1870, 218	<i>megarhynchus</i>	1861, 437
<i>strigulosus</i>	1869, 252	<i>melanogaster</i>	1867, 752
	1869, 254	<i>melanorhynchus</i> ..	1864, 122
<i>Ctenolabrus</i>	1861, 417		1870, 168
<i>Ctenomys magellanicus</i> ..	1868, 185	<i>micropterus</i>	1863, 265
<i>Ctenops nobilis</i>	1869, 519		1864, 432
<i>Cubiceps indicus</i>	1870, 690	<i>mindanensis</i>	1863, 264
<i>Cucullia tenuis</i>	1867, 60	<i>minor</i>	1870, 166
<i>Cuculus afer</i>	1865, 683	<i>niger</i>	1863, 264
<i>affinis</i>	1863, 209	<i>orientalis</i>	1862, 137
	1863, 266		1863, 264
<i>americanus</i>	1864, 120	<i>paradiseus</i>	1866, 545
<i>assimilis</i>	1861, 437	<i>poliocephalus</i>	1863, 265
	1863, 22	<i>pumilus</i>	1863, 266
<i>canoroides</i>	1863, 484	<i>pyrrhopterus</i>	1864, 120
<i>canorus</i>	1862, 224	<i>rochii</i>	1862, 224
	1862, 319		1866, 424
	1862, 321		1870, 399
	1863, 264	<i>rubecula</i>	1865, 92
	1863, 265	<i>saturatus</i>	1863, 265
	1863, 333	<i>scolopaceus</i>	1863, 264
	1863, 516	<i>seniculus</i>	1870, 166
	1864, 432		1870, 168
	1866, 424	<i>spaverooides</i>	1863, 265
	1867, 444	<i>tenuirostris</i>	1862, 224
	1867, 894		1863, 266
	1870, 399		1866, 540
<i>carolinensis</i>	1864, 120	<i>tolu</i>	1863, 266
<i>cayanus</i>	1867, 758	<i>Culicivora budytoides</i> ..	1866, 188
<i>cineraceus</i>	1865, 463	<i>dumicola</i>	1868, 139
	1865, 464	<i>fernandeziana</i>	1867, 319
	1865, 465	<i>reguloides</i>	1867, 987
	1866, 575	<i>Cultellus attenuatus</i> ...	1861, 422
	1869, 360	<i>australis</i>	1861, 423
<i>cinerascens</i>	1869, 279		1867, 912
<i>clamosus</i>	1864, 3	<i>concinus</i>	1861, 423
<i>discolor</i>	1865, 683	<i>cumingianus</i>	1861, 422
<i>dominicensis</i>	1864, 119	<i>hanleyi</i>	1861, 421
<i>erythrophthalmus</i> ..	1864, 122	<i>lividus</i>	1861, 423
	1870, 168	<i>marmoratus</i>	1861, 423
<i>fugax</i>	1863, 265	<i>politus</i>	1861, 422
<i>glandarius</i>	1862, 137	<i>subellipticus</i>	1861, 421
	1866, 377	<i>vitreus</i>	1861, 422
<i>gularis</i>	1864, 432	<i>Cultrides geoffroyi</i>	1866, 59
<i>himalayanus</i>	1863, 265	<i>pucherani</i>	1864, 249
	1870, 399		1866, 60
<i>hyperythrus</i>	1863, 265	<i>rufipennis</i>	1864, 249
<i>inornatus</i>	1865, 462		1866, 60
	1865, 463	<i>Cuma carinifera</i>	1866, 146
	1865, 465	<i>costata</i>	1863, 344
	1869, 360	<i>kiosquiformis</i>	1863, 344
<i>kelungensis</i>	1863, 333	<i>tecta</i>	1863, 344
<i>lepidus</i>	1863, 209	<i>Cumingia</i> —?	1863, 367
	1863, 266	<i>adamssii</i>	1863, 367
	1863, 484	<i>coarctata</i>	1863, 367

	Page		Page
Cumingia lamellosa	1863,	Cuscus	1863,
trigonalis	1863,	brevicaudatus.	1861,
Cuncuma leucogaster	1861,		1866,
Cuneus galactites	1865,	celebensis	1861,
Cuon alpinus	1868,	chrysorrhos	1861,
	1868,	maculatus	1861,
dukhunensis	1868,	—, var. ochropus	1866,
primævus	1868,	orientalis	1861,
sumatrensis	1868,	ornatus	1861,
	1868,	quoyii	1861,
	1868,	ursinus	1861,
Cuora	1863,	Cuviera artesana	1868,
amboinensis	1863,		1868,
	1864,	columnella	1868,
	1864,		1868,
	1869,	Cuvieria	1863,
trifasciata	1863,	Cyamon vickersii	1867,
Cuphisia callosa	1866,	Cyana detrita	1867,
	1866,	Cyane blandiana	1870,
	1866,		1870,
Cuphopterus dohrni	1866,	Cyanecula cærulecula	1862,
Curæus aterrimus	1867,		1863,
	1867,		1864,
	1867,	suecica	1862,
Curimatus asper	1868,		1864,
	1868,		1865,
ciliatus	1868,	Cyanocitta armillata	1870,
cyprinoides	1868,		1870,
dobula	1868,		1870,
essequibensis	1868,	californica	1869,
latior	1868,	coronata	1864,
leuciscus	1868,	diademata	1864,
rutiloides	1868,	floridana	1869,
schomburgkii	1868,	ornata	1864,
troschelii	1868,	unicolor	1864,
Curruca viridula	1864,	woodhousii	1869,
Cursorius africanus	1866,	Cyanocorax affinis	1864,
asiaticus	1866,		1870,
bicinctus	1864,		1870,
	1865,	cyanopogon	1864,
	1866,	guatemalensis	1870,
bisignatus	1865,	incas	1868,
	1865,		1868,
	1866,	luxuosus	1864,
bitorquatus	1866,	pileatus	1864,
chalcopterus	1866,		1870,
cinctus	1866,	violaceus	1866,
coromandelicus	1866,		1867,
europæus	1866,		1867,
frenatus	1866,		1869,
gallicus	1866,	Cyanolanius bicolor	1866,
isabellinus	1864,	Cyanoloxia cyanoides	1864,
	1866,		1870,
	1870,	Cyanopica cyana	1870,
rufus	1866,		1870,
senegalensis	1866,	cyanea	1863,
	1869,		1863,
superciliaris	1866,	Cyanops asiatica	1865,
Cuscus	1861,		691

	Page		Page
<i>Cynaopterus inornatus</i>	1861, 82	<i>Cyclas calyculata</i>	1862, 228
<i>Cyanoptila cyanomelæna</i> 1863,	290	<i>cumingii</i>	1865, 651
1863,	335	<i>madagascariensis</i>	1863, 61
<i>Cyanospiza ciris</i>	1867, 142	<i>Cyclemys bellii</i>	1863, 179
1870,	190	<i>dentata</i>	1863, 178
1870,	836	<i>mouhotii</i>	1863, 175
<i>cyanea</i>	1864, 174	<i>oldhamii</i>	1863, 178
1870,	190	1863,	179
1870,	636	1864,	12
<i>leclancheri</i>	1870, 551	<i>orbiculata</i>	1863, 178
<i>Cyanotis azaræ</i>	1866, 99	1863,	179
1867,	327	1864,	12
1867,	338	1869,	178
1869,	158	1870,	676
1869,	159	<i>ovata</i>	1863, 178
<i>omnicolor</i>	1866, 96	1864,	12
1867,	327	<i>platynota</i>	1863, 177
1867,	340	<i>Cyclidia metaphæaria</i>	1867, 613
<i>Cyanotreron</i>	1863, 481	<i>muricolaria</i>	1867, 614
<i>Cyanthus cyanurus</i>	1870, 803	<i>patulata</i>	1867, 614
<i>mocoa</i>	1870, 803	<i>plagidotata</i>	1867, 614
<i>Cyadium cribrosum</i>	1866, 225	<i>rectata</i>	1867, 614
1866,	240	<i>substigmæaria</i>	1867, 613
1866,	267	<i>Cyclina chinensis</i>	1865, 196
<i>Cyathina turbinata</i>	1862, 199	<i>subquadrata</i>	1863, 365
<i>Cyathopoma blanfordi</i>	1868, 291	<i>Cyclocheilichthys pin-</i>	
1868,	294	<i>nauratus</i>	1865, 300
1869,	65	<i>Cycloderma frenata</i>	1864, 94
<i>Cybister</i> — ?	1863, 166	<i>frenatum</i>	1865, 426
<i>Cybius commersonii</i>	1865, 21	1865,	428
<i>guttatum</i>	1865, 21	<i>Cyclodus boddaërtii</i>	1863, 58
1869,	301	<i>carinatus</i>	1863, 58
<i>Cycladella papyracea</i>	1865, 270	1863,	59
<i>Cyclanorbis frenata</i>	1865, 428	<i>gigas</i>	1863, 59
<i>petersii</i>	1864, 95	<i>Cyclographus</i>	1861, 268
1865,	425	<i>Cyclophis nasalis</i>	1869, 501
<i>Cyclanosteus</i>	1864, 78	<i>Cyclophorus</i> — ?	1865, 197
1864,	94	<i>aquila</i>	1865, 413
1864,	97	<i>borneensis</i>	1865, 413
<i>frenatus</i>	1864, 94	<i>cœloconus</i>	1862, 276
1865,	428	<i>crosseanus</i>	1870, 375
<i>petersii</i>	1864, 95	<i>excellens</i>	1869, 447
1864,	97	<i>hæmatomma</i>	1862, 276
1865,	423	<i>halophila</i>	1867, 314
1865,	425	<i>herklotsi</i>	1867, 314
1865,	427	<i>indicus</i>	1866, 146
1870,	717	<i>laomontanus</i>	1862, 276
<i>senegalensis</i>	1864, 79	<i>layardi</i>	1868, 294
1864,	80	<i>papilio</i>	1861, 29
1864,	95	<i>pearsoni</i>	1869, 447
1864,	96	<i>ponderosus</i>	1861, 232
1864,	97	<i>saturnus</i>	1862, 116
1865,	422	1862,	117
1865,	423	<i>sublævigatus</i>	1869, 446
1865,	427	<i>theobaldianus</i>	1869, 447
1869,	214	<i>translucidus</i>	1861, 232
1869,	222	<i>tuba</i>	1865, 413
1870,	717	<i>Cyclopsitta</i>	1864, 276

	Page		Page
<i>Cyclopsitta blythii</i>	1864, 284	<i>Cyclostomus mauritanus</i> 1867,	305
	1864, 294		1867, 315
<i>coxeni</i>	1867, 182	<i>pulcher</i>	1869, 65
<i>desmarestii</i>	1864, 284	<i>scaber</i>	1867, 306
	1864, 285		1867, 315
	1864, 294	<i>Cyclostrema ammono-</i>	
<i>diophthalma</i>	1864, 284	<i>ceras</i>	1863, 73
	1864, 294	<i>anaglyptum</i>	1863, 73
	1867, 182	<i>biporcatum</i>	1863, 73
<i>leucophthalma</i>	1864, 285	<i>cingulatum</i>	1863, 73
	1864, 294	<i>cinguliferum</i>	1863, 73
<i>loxia</i>	1864, 285	<i>micans</i>	1863, 73
	1864, 294	<i>nevilli</i>	1868, 293
<i>lunulata</i>	1864, 285		1868, 294
	1864, 294	<i>pulchellum</i>	1863, 73
<i>Cyclopterus lumpus</i>	1862, 140	<i>reevianum</i>	1863, 73
	1865, 325	<i>schrammi</i>	1863, 73
<i>Cyclorhis flavipectus</i>	1868, 166	<i>subdisjuncta</i>	1868, 293
	1868, 627		1868, 294
	1869, 159	<i>sulcatum</i>	1863, 73
	1870, 566	<i>Cyclothurus didactylus</i> .	1865, 385
<i>flaviventris</i>	1864, 173	<i>dorsalis</i>	1865, 385
<i>guianensis</i>	1866, 179	<i>Cyclotus batchianensis</i> .	1861, 28
	1867, 569	<i>campanulatus</i>	1867, 314
	1867, 594	<i>fortunei</i>	1867, 314
<i>ochrocephala</i>	1867, 594	<i>granulatus</i>	1862, 275
	1869, 159	<i>guttatus</i>	1865, 413
<i>subflavescens</i>	1870, 184	<i>minutus</i>	1866, 318
	1870, 566		1866, 319
	1870, 567	<i>natalensis</i>	1861, 388
<i>viridis</i>	1869, 159	<i>subflammulatus</i>	1861, 28
	1870, 566	<i>swinhoei</i>	1866, 318
<i>wiedi</i>	1870, 566		1866, 319
	1870, 567	<i>taivanus</i>	1870, 378
			1870, 380
<i>Cyclorhynchus breviros-</i>		<i>trailli</i>	1862, 116
<i>tris</i>	1864, 359		1862, 117
<i>subbrunneus</i>	1864, 360	<i>Cycos subgemmatus</i>	1866, 226
<i>Cyclosia fuliginosa</i>	1867, 678		1866, 245
<i>midama</i>	1865, 799	<i>Cydalima conchyalis</i> . . .	1867, 94
<i>papilionaris</i>	1865, 799	<i>laticostalis</i>	1867, 93
<i>sanguiflua</i>	1865, 799	<i>Cydidippe unguiculata</i> . .	1870, 731
<i>subcyanescens</i>	1867, 678		1870, 746
<i>venusta</i>	1865, 799	<i>Cydonium barretti</i>	1867, 548
<i>virginalis</i>	1867, 678	<i>muelleri</i>	1867, 548
<i>Cyclostoma biangulatum</i> 1864,	675		1868, 131
<i>brazieri</i>	1870, 85	<i>Cygnus americanus</i>	1868, 211
<i>calcarium</i>	1864, 117	<i>atratus</i>	1862, 142
	1864, 118		1862, 325
<i>elegans</i>	1865, 545		1869, 280
<i>isabella</i>	1861, 388		1869, 629
<i>minus</i>	1866, 450	<i>bewickii</i>	1863, 323
<i>obligata</i>	1864, 675		1865, 752
<i>olivieri</i>	1865, 540		1867, 13
<i>parvum</i>	1864, 675		1868, 212
<i>tahitensis</i>	1861, 243		1870, 430
<i>viridans</i>	1864, 676	<i>buccinator</i>	1866, 203
<i>viridescens</i>	1861, 243		1867, 8
<i>Cyclostomus calcareus</i> . . .	1865, 233		

	Page		Page
Cygnus buccinator	1867, 9	Cyllo leda	1866, 300
	1867, 11	suradeva	1865, 770
	1867, 12	vamana	1845, 769
	1867, 13	Cymba navicula	1868, 375
	1868, 211	neptuni	1868, 375
	1868, 212	olla	1868, 375
	1868, 213	patula	1868, 375
	1870, 664	porcina	1868, 375
coscoroba	1867, 334	proboscidalis	1868, 375
	1867, 339	sagittata	1863, 378
	1870, 430	Cymbilanius lineatus	1864, 355
	1870, 665		1866, 566
	1870, 666		1867, 144
davidi	1870, 430		1867, 978
falconeri	1865, 752		1870, 194
ferus	1862, 376	Cymbirhynchus macro-	
	1865, 752	rhynchus	1863, 214
minor	1863, 323	Cymindis boliviensis	1868, 633
musicus	1863, 323	cayanensis	1866, 198
	1864, 453		1867, 590
	1865, 752	cayennensis	1864, 370
	1870, 430		1868, 629
nigricollis	1867, 334		1870, 216
	1867, 339		1870, 556
	1868, 145		1870, 838
	1869, 629	pucherani	1870, 557
	1870, 665	uncinata	1868, 633
olor	1861, 368	uncinatus	1864, 369
	1863, 515		1870, 557
	1863, 517	vitticaudus	1870, 557
	1865, 752	Cymolutes	1861, 414
	1870, 664	Cymospira	1861, 146
passmori	1867, 8	Cynælurus scemmeringii	1867, 277
	1867, 9	Cynalicus melanogaster	1868, 493
	1867, 11	Cyneosaura pardalis	1864, 467
	1867, 12		1864, 479
	1867, 13	Cynictis	1864, 509
	1868, 211		1864, 571
	1868, 212	fimbriata	1864, 573
	1868, 213	leptura	1864, 573
Cylichna arachis	1867, 226	levallantii	1864, 572
luticola	1863, 358	maccarthiæ	1864, 570
Cylindrella arctispira	1863, 412	melanura	1864, 562
ghiesbreghti	1861, 231		1864, 563
microstoma	1861, 27		1864, 572
salpinx	1861, 231	ochracea	1864, 564
Cylindrobulla beanii	1864, 38	ogilbyi	1864, 572
fisheri	1864, 37	penicillata	1864, 572
	1865, 189		1864, 573
Cylindrophis rufa	1861, 189	steedmani	1864, 505
Cyllene lactea	1863, 422		1864, 572
	1867, 191	typicus	1864, 572
rubro-lineata	1870, 251	Cynisca japonica	1863, 72
Cyllo aswa	1865, 769	leucura	1865, 443
banksia	1865, 769		1865, 448
bela	1865, 769	Cynocephalus	1864, 338
krishna	1867, 673	anubis	1863, 238
leda	1865, 769		1864, 710

	Page		Page
<i>Cynocephalus babouin</i>	1864, 649	<i>Cypræa bicolor</i>	1865, 170
	1865, 558		1867, 206
	1865, 576	<i>candida</i>	1865, 515
<i>hamadryas</i>	1862, 321	<i>caput-serpentis</i>	1865, 197
	1868, 624		1867, 205
<i>mormon</i>	1865, 549		1867, 206
<i>porcarius</i>	1861, 234	<i>carneola</i>	1867, 206
	1863, 47	<i>cervinetta</i>	1863, 340
	1865, 558	<i>cicercula</i>	1865, 197
	1865, 561	<i>cinerea</i>	1861, 404
	1865, 582	<i>clandestina</i>	1867, 205
<i>sphinx</i>	1865, 582	<i>comptoni</i>	1865, 170
<i>Cynodon pectoralis</i>	1868, 247	<i>eglantina</i>	1865, 197
<i>Cynogale barbata</i>	1864, 522	<i>erosa</i>	1867, 206
<i>bennettii</i>	1864, 522	<i>errones</i>	1867, 206
<i>velox</i>	1861, 274	<i>exanthema</i>	1863, 340
	1865, 402	<i>felina</i>	1867, 206
<i>venatica</i>	1868, 493	<i>fimbriata</i>	1867, 206
<i>Cynoglossus buchani</i>	1869, 522	<i>fuscomaculata</i>	1865, 515
<i>Cynonycteris amplexi-</i>		<i>goodallii</i>	1865, 515
<i>caudata</i>	1870, 616	<i>granulata</i>	1862, 278
<i>collaris</i>	1868, 404	<i>helvola</i>	1865, 197
	1869, 602	<i>macula</i>	1867, 206
	1870, 127	<i>madagascariensis</i>	1862, 278
<i>Cynophis malabaricus</i>	1869, 501	<i>miliaris</i>	1866, 146
	1869, 505	<i>moniliaris</i>	1867, 205
<i>Cynopithecus</i>	1864, 276	<i>nucleus</i>	1862, 278
<i>niger</i>	1869, 149		1865, 197
<i>Cynopterus albiventer</i>	1862, 262	<i>piperata</i>	1867, 206
<i>brevicaudatus</i>	1866, 64	<i>piperita</i>	1865, 170
<i>Cynthia arsinoë</i>	1865, 762	<i>punctulata</i>	1863, 340
<i>huntera</i>	1867, 365	<i>pustulata</i>	1863, 340
<i>Cyornis hyacinthina</i>	1863, 485	<i>radiata</i>	1863, 341
<i>ruffrons</i>	1865, 476	<i>rotunda</i>	1861, 404
<i>rufigula</i>	1865, 476	<i>rubescens</i>	1863, 341
<i>Cyphanta xanthochlora</i>	1867, 682	<i>sanguinea</i>	1863, 341
<i>Cyphorhinus albigularis</i>	1864, 346	<i>thatcheri</i>	1869, 358
<i>bambla</i>	1866, 71	<i>thersites</i>	1865, 170
<i>cantans</i>	1864, 345	<i>tigris</i>	1866, 146
<i>fasciatoventris</i>	1864, 346	<i>umbilicata</i>	1867, 205
<i>lawrencii</i>	1864, 345	<i>vitellus</i>	1865, 197
<i>leucostictus</i>	1864, 345		1867, 205
	1868, 170	<i>xanthodon</i>	1867, 206
<i>modulator</i>	1867, 749	<i>Cyprinodon cypris</i>	1864, 490
<i>phæocephalus</i>	1864, 345	<i>mento</i>	1864, 490
<i>philomela</i>	1861, 202	<i>sophieæ</i>	1864, 490
	1864, 346	<i>Cyprinus abramioides</i>	1869, 370
	1866, 69	<i>auratus</i>	1861, 265
	1866, 70	<i>bacaila</i>	1867, 17
	1866, 71	<i>catla</i>	1861, 226
<i>prostheleucus</i>	1864, 345	<i>cotio</i>	1867, 17
<i>Cypræa</i> — ?	1865, 197	<i>dancena</i>	1869, 381
<i>angustata</i>	1865, 170	<i>gibelio</i>	1861, 208
<i>annulus</i>	1867, 206	<i>latius</i>	1867, 17
<i>arabica</i>	1866, 146	<i>mola</i>	1867, 17
<i>arabicala</i>	1863, 340	<i>mosal</i>	1861, 223
<i>asellus</i>	1867, 205		1869, 374
<i>australis</i>	1867, 206	<i>mosario</i>	1861, 225

	Page		Page
Cyprinus mosario	1869, 554	Cypselus caffer	1865, 601
musiha	1869, 373	cayanensis	1865, 607
pangusia	1867, 16	collaris	1863, 99
rasbora	1867, 17	1865, 609
reba	1861, 225	comatus	1865, 617
.	1867, 17	coracinus	1865, 614
rerio	1869, 378	fumigatus	1865, 614
richardsonii	1861, 224	1865, 615
sophore	1867, 16	galilæensis	1864, 431
tinca	1862, 103	1865, 604
Cyprovula umbilicata	1867, 205	giganteus	1865, 608
Cypseloides borealis	1865, 615	gutturialis	1867, 887
fumigatus	1865, 615	infumatus	1865, 602
.	1869, 598	inquietus	1867, 829
niger	1865, 615	iradii	1865, 604
senex	1865, 614	leuconotus	1863, 263
Cypselus	1862, 258	1865, 608
—?	1865, 600	leuconyx	1865, 600
abessynicus	1865, 603	leucopygialis	1865, 603
.	1865, 604	leucorrhous	1865, 601
abyssinicus	1865, 601	1865, 603
.	1866, 325	marginipennis	1865, 605
.	1870, 292	melanoleucus	1865, 607
acutus	1863, 101	melba	1864, 431
.	1865, 612	1865, 598
æquatorialis	1865, 598	1866, 568
affinis	1863, 264	1867, 886
.	1864, 375	1867, 887
.	1865, 602	montanus	1865, 603
.	1865, 603	montivagus	1865, 606
.	1866, 568	murarius	1863, 160
alpinus	1865, 598	1865, 598
ambrosiacus	1865, 601	mystaceus	1863, 22
.	1865, 602	1865, 616
andicola	1865, 606	niger	1865, 615
.	1868, 569	nipalensis	1865, 603
apus	1862, 209	pacificus	1863, 263
.	1863, 516	1865, 599
.	1864, 431	1865, 600
.	1865, 95	palmarum	1865, 602
.	1865, 593	parvus	1865, 601
.	1865, 594	1865, 602
.	1865, 598	1866, 421
.	1865, 599	1867, 823
.	1865, 600	1867, 828
.	1865, 601	pekinensis	1870, 435
.	1867, 453	pelasgius	1863, 101
.	1867, 887	1865, 611
.	1870, 435	1870, 329
aterrimus	1865, 599	phœnicobius	1865, 604
australis	1863, 263	poliourus	1863, 101
.	1865, 599	1865, 611
barbatus	1865, 599	poliurus	1870, 329
.	1867, 887	1870, 558
batassiensis	1865, 602	pygargus	1865, 600
biscutata	1865, 609	rueppellii	1865, 598
borealis	1865, 615	senex	1863, 99
caffer	1865, 600	1865, 614

	Page		Page
<i>Cypselus spinicauda</i> ..	1863,	<i>Cysticercus pisiformis</i> ..	1862,
<i>spinicaudus</i>	1865,		1862,
	1865,	<i>potamochoeri-peni-</i>	
<i>squamatus</i>	1865,	<i>cillati</i>	1861,
	1865,		1862,
	1867,	<i>simiæ</i>	1862,
<i>subfurcatus</i>	1863,	<i>tæniæ cellulosaë</i>	1862,
	1863,	<i>tæniæ medicocanel-</i>	
	1865,	<i>lataë</i>	1862,
	1865,		1862,
<i>unicolor</i>	1865,	<i>tenuicollis</i>	1861,
	1866,		1862,
<i>vauxii</i>	1863,		1862,
	1865,	<i>turbinatus</i>	1862,
	1863,	<i>vesicæ hominis</i>	1862,
	1863,	<i>visceralis</i>	1862,
	1863,	<i>visceralis hominis</i> ..	1862,
	1865,	<i>Cystignathus</i>	1863,
<i>Cyrena</i>	1864,	<i>albilabris</i>	1868,
<i>astartina</i>	1865,	<i>bocagii</i>	1864,
<i>cor</i>	1865,	<i>georgianus</i>	1864,
<i>crassula</i>	1865,	<i>macroglossus</i>	1868,
<i>fluviatilis</i>	1865,	<i>nodosus</i>	1868,
<i>violacea javanica</i> ..	1862,	<i>rhodonotus</i>	1868,
<i>Cyrene maritima</i>	1863,		1868,
<i>Cyrestis achates</i>	1865,		1868,
<i>cocles</i>	1865,	<i>senegalensis</i>	1864,
<i>mænalis</i>	1865,	<i>tæniatus</i>	1870,
<i>nivea</i>	1865,	<i>Cystophora antillarum</i> ..	1864,
<i>risa</i>	1865,	<i>borealis</i>	1868,
<i>sericeus</i>	1865,	<i>cristata</i>	1864,
<i>thyodamas</i>	1865,		1868,
<i>thyodamus</i>	1865,		1868,
<i>Cyriopalus wallacei</i>	1866,		1868,
	1866,		1870,
	1866,		1870,
<i>Cyrtopelicanus erythro-</i>		<i>Cythara bella</i>	1865,
<i>rhynchus</i>	1869,	<i>compta</i>	1865,
<i>Cysticercus</i>	1861,	<i>strigata</i>	1862,
<i>acanthotrias</i>	1862,	<i>Cytherea affinis</i>	1863,
<i>caprinus</i>	1862,	<i>aurantiaca</i>	1863,
<i>cellulosaë</i>	1862,	<i>consanguinea</i>	1863,
	1862,	<i>disrupta</i>	1867,
	1864,	<i>radiata</i>	1863,
<i>cercopitheci cyno-</i>		<i>rivularis</i>	1865,
<i>molgi</i>	1862,	<i>rutila</i>	1867,
<i>clavatus</i>	1862,	<i>scripta</i>	1867,
<i>cynocephali porcarii</i>	1862,	<i>squalida</i>	1863,
<i>dycystus</i>	1862,	<i>undatina</i>	1867,
<i>fasciolaris</i>	1862,		
<i>fischerianus</i>	1862,	<i>Dabarita subtilis</i>	1867,
<i>globosus</i>	1862,	<i>Daboia elegans</i>	1861,
<i>hepaticus</i>	1862,		1862,
<i>lineatus</i>	1862,	<i>russellii</i>	1869,
<i>melanocephalus</i>	1862,	<i>xanthina</i>	1864,
<i>phacochoeri-athio-</i>			1864,
<i>pici</i>	1861,	<i>Dacelo affinis</i>	1869,
	1862,	<i>cajeli</i>	1868,
	1862,		1868,

	Page		Page
<i>Dacelo cervina</i>	1869, 612	<i>Dactylocalyx</i>	1863, 257
	1870, 383	<i>bowerbankii</i>	1863, 258
<i>fusca</i>	1866, 421		1867, 507
<i>gaudichaudi</i>	1861, 433		1869, 94
	1867, 185		1869, 95
<i>gigantea</i>	1862, 323		1869, 100
	1867, 447	<i>heteroformis</i>	1869, 69
	1869, 279		1869, 85
<i>giganteus</i>	1863, 516		1869, 87
<i>gigas</i>	1861, 365	<i>macandrewia</i>	1869, 69
	1861, 366		1869, 86
	1862, 140		1869, 94
	1870, 280		1869, 95
	1870, 281		1869, 99
	1870, 282	<i>masoni</i>	1869, 69
	1870, 283		1869, 71
<i>macrorhynchus</i>	1861, 433		1869, 82
<i>madagascariensis</i> ..	1866, 421		1869, 91
	1870, 398		1869, 100
<i>novæ guineæ</i>	1861, 433		1869, 346
<i>occidentalis</i>	1869, 602	<i>polydiscus</i>	1869, 96
<i>rubra</i>	1868, 593		1869, 100
<i>rufidorsa</i>	1868, 592	<i>prattii</i>	1867, 506
<i>tyro</i>	1861, 433		1869, 69
	1867, 185		1869, 71
<i>undulatus</i>	1861, 433		1869, 72
<i>Dacnis atricapilla</i>	1870, 560		1869, 82
<i>cayana</i>	1866, 179		1869, 87
	1867, 570		1869, 89
	1867, 749		1869, 99
	1867, 977		1869, 346
	1870, 185		1869, 387
	1870, 561		1869, 390
<i>cerebicolor</i>	1864, 348	<i>pumicea</i>	1863, 259
<i>flaviventris</i>	1866, 179		1863, 450
	1867, 977		1867, 357
<i>melanotis</i>	1866, 179		1867, 506
	1867, 749		1867, 558
	1867, 977		1869, 78
<i>plumbea</i>	1868, 627		1869, 331
<i>speciosa</i>	1866, 179		1869, 341
<i>spiza</i> ..	1870, 560	<i>pumiceus</i>	1867, 506
<i>ultramarina</i>	1864, 348		1869, 68
	1870, 185		1869, 74
<i>venusta</i>	1864, 348		1869, 76
	1870, 185		1869, 77
<i>Dactylethra</i>	1864, 458		1869, 78
<i>capensis</i>	1864, 459		1869, 82
	1864, 464		1869, 83
<i>lævis</i>	1864, 459		1869, 85
	1864, 464		1869, 98
	1864, 480		1869, 99
<i>muelleri</i>	1868, 478		1869, 331
<i>mülleri</i>	1864, 458		1869, 333
	1864, 459		1869, 334
	1864, 460	<i>subglobosa</i>	1867, 506
	1864, 464		1867, 555
<i>Dactylius aculeatus</i>	1862, 289		1869, 329

	Page		Page		
Dactylopsila trivirgata..	1866,	220	Danaida eunice.....	1866,	287
Dactylosternum abdomi-			Danais abigar	1866,	455
nale	1867,	364	aglea	1865,	760
	1867,	370		1866,	54
Dactylus maurus	1866,	146		1866,	174
mustelinus	1866,	146		1866,	455
Dædalion candidum ...	1867,	179	agleoides	1866,	55
Dædalma doræte	1866,	41		1866,	174
emilia	1866,	40	affinis	1866,	48
	1866,	42		1866,	171
Dafila acuta	1862,	186		1866,	174
	1864,	373		1866,	455
bahamensis	1867,	335	albata.....	1866,	55
	1867,	340		1866,	56
	1868,	146		1866,	174
	1870,	323	alcatthoë.....	1866,	275
	1870,	666	alcidice	1866,	297
caudacuta	1863,	517	alcippus.....	1866,	46
erythrorhyncha....	1863,	165		1866,	174
	1864,	487	alopia.....	1866,	272
oxyura	1867,	335	analis.....	1866,	179
	1867,	340	anapis	1866,	58
	1870,	666		1866,	174
spinicauda	1868,	146	archippus	1866,	45
	1869,	157	arema.....	1866,	59
	1870,	665	artenice	1866,	47
	1870,	666		1866,	174
Dalima apicata	1867,	615	australis.....	1866,	52
	1867,	686		1866,	174
schistacearia	1867,	615	aventina.....	1866,	50
Dalophia welwitschii ..	1865,	443	azema.....	1866,	59
	1865,	454	berenice	1863,	243
	1865,	455		1866,	44
Dama vulgaris	1866,	86		1866,	45
	1870,	364		1866,	174
Damalis albifrons	1861,	208		1866,	454
	1861,	264	cecilia.....	1866,	48
	1864,	159	ceylanica	1866,	455
	1868,	625	chionippe	1866,	171
	1869,	528		1866,	174
kudu	1869,	52	chloris	1866,	58
lunatus	1870,	354		1866,	172
pygarga	1870,	357		1866,	174
pygargus	1869,	528		1866,	456
Damata longipennis ...	1865,	811	choaspes	1866,	52
Damia pusilla	1866,	422		1866,	174
Damo biclavata.....	1867,	539	chrysippus.....	1863,	477
Damonia hamiltonii...	1869,	195		1865,	494
macrocephala	1869,	193		1865,	498
	1869,	194		1865,	761
nigricans.....	1869,	195		1866,	46
reevesii	1869,	194		1866,	174
	1869,	195		1866,	358
Damophila amabilis ..	1864,	365		1866,	454
	1870,	211		1870,	724
julix	1864,	365	claudia	1866,	294
	1870,	211	cleona.....	1866,	57
Danaida desjardinsii ..	1866,	301		1866,	172

	Page		Page
Danais cleona	1866, 174	Danais gilippus	1866, 174
	1866, 456		1866, 454
cleophile	1866, 46	gloriola	1866, 56
	1866, 174		1866, 59
cleothera	1866, 45		1866, 174
	1866, 174	grammica	1866, 456
	1866, 454		1866, 55
conspicua	1866, 49	hecate	1866, 174
	1866, 59		1866, 44
	1866, 174	hegesippus	1866, 174
	1866, 465		1865, 761
coreta	1866, 276		1866, 49
cratippus	1866, 454		1866, 455
crocea	1866, 57	hermippe	1866, 59
	1866, 59	hermippus	1866, 171
	1866, 174		1866, 174
	1866, 456	inuncta	1865, 481
damocles	1866, 43		1866, 58
	1866, 44		1866, 59
	1866, 174		1866, 172
daos	1866, 58		1866, 174
	1866, 174	ismare	1866, 50
darchia	1866, 289		1866, 172
daulis	1866, 59		1866, 173
diocletianus	1866, 296		1866, 174
dryasis	1866, 294	ismareola	1866, 50
dufresnii	1866, 294		1866, 172
echeria	1866, 43	jamaicensis	1866, 45
	1866, 174		1866, 454
edmondi	1866, 49	juventa	1866, 455
egialea	1866, 43	leonora	1866, 51
	1866, 174		1866, 52
eleusine	1866, 289		1866, 174
erebus	1866, 54	leopardus	1866, 52
	1866, 174		1866, 174
	1866, 455		1870, 725
	1866, 456	limniacæ	1865, 494
eresimus	1863, 243		1865, 760
	1866, 45		1866, 51
	1866, 174		1866, 52
	1866, 454	limniacæ	1866, 174
erippus	1863, 243		1870, 725
	1866, 44	lixa	1866, 59
	1866, 45	lotis	1866, 49
	1866, 174		1866, 174
	1866, 454		1866, 455
eunice	1866, 287	lutescens	1866, 172
	1866, 295		1866, 173
euphone	1866, 301		1866, 174
fulgurata	1866, 48	luzonensis	1866, 55
	1866, 59		1866, 174
	1866, 174	manuja	1866, 454
	1866, 455	mariana	1866, 58
fumata	1866, 53		1866, 59
	1866, 174		1866, 174
gaura	1866, 58		1866, 456
	1866, 174	meganira	1866, 51
gilippus	1866, 45		1866, 52

	Page		Page
Danais meganira	1866, 174	Danais pumila	1866, 456
	1866, 455	purpurata	1866, 52
melaneus	1865, 760		1866, 53
	1866, 55		1866, 174
	1866, 174	rhadamia	1866, 297
melanippus	1866, 49	salvini	1866, 172
	1866, 174		1866, 173
	1866, 455		1866, 174
melina	1866, 282		1866, 456
melissa	1865, 494	schenckii	1866, 59
	1865, 760	silena	1866, 49
	1866, 50	similis	1866, 50
	1866, 51		1866, 174
	1866, 174		1866, 455
midamus	1866, 294	sobrina	1866, 50
mitylene	1866, 454		1866, 174
nerippe	1866, 59	strigosa	1866, 45
nesippus	1866, 455		1866, 454
niavius	1866, 43	swainsonii	1866, 278
	1866, 44	sylvestris	1866, 290
	1866, 174	thersippus	1863, 243
nubila	1866, 171		1866, 45
	1866, 174	tita	1866, 55
ochlea	1866, 44	tulliolus	1866, 290
	1866, 174	tytia	1865, 494
cenone	1865, 433		1865, 761
	1866, 56		1866, 55
	1866, 57		1866, 174
	1866, 174	vaillantiana	1866, 43
	1866, 456	vitrea	1866, 58
cenopia	1866, 58		1866, 174
petilia	1866, 46	vitrina	1866, 56
	1866, 174		1866, 174
phædon	1866, 43		1866, 456
	1866, 174	xanthippus	1866, 51
phædone	1863, 477		1866, 174
philene	1866, 47		1866, 454
	1866, 49	Dangila berdmorei	1869, 554
	1866, 171	Danio alburnus	1870, 374
	1866, 174	devario	1869, 377
	1870, 725	lineatus	1868, 198
philomela	1866, 456	malabaricus	1870, 374
phyle	1866, 55	micronema	1869, 560
	1866, 174		1870, 374
	1866, 455	spinosus	1869, 621
plexaure	1866, 47	stoliczkæ	1869, 621
	1866, 174	Danis cinereus	1864, 690
plexippus	1865, 494	ferox	1864, 690
	1865, 761	Daphne aculeata	1868, 250
	1866, 47	Daphnella bella	1865, 516
	1866, 174	crebriplicata	1867, 203
	1866, 358	lymnaeiformis	1867, 203
prothoë	1866, 268	Daphnis nerii	1865, 794
pullata	1866, 47	Daption capensis	1863, 379
	1866, 48	Darapsa bhaga	1865, 794
	1866, 174	hypothoris	1867, 676
	1866, 454	Darina declivis	1865, 203
	1866, 455	Daronia spirula	1863, 75

	Page		Page
Darpa hanria	1865, 781	Dasyppus apar	1865, 380
	1865, 823	conurus	1865, 381
Dasyllus aruanus	1870, 695	duodecimcinctus ..	1865, 378
Dasornis londinensis ..	1869, 59	encoubert	1865, 375
Dasyatis micrura	1865, 317	fenestratus	1865, 372
Dasycephala livida	1867, 320	giganteus	1865, 374
maritima	1867, 320	gigas	1865, 374
Dasychira antica	1865, 803	gilvipes	1865, 375
bhana	1865, 804	gymnurus	1865, 378
complicata	1865, 804	hispidus	1865, 373
convergens	1867, 680	1865, 378	
flavimacula	1865, 804	hybridus	1865, 373
grotei	1867, 680	kappleri	1865, 373
ilita	1865, 803	longicaudus	1865, 372
maruta	1867, 681	minutus	1861, 287
tenebrosa	1865, 804	1865, 377	
Dasynotus anomalus ..	1868, 203	1870, 86	
Dasyzeltis palmarum ..	1864, 480	multicincta	1865, 378
scaber	1864, 307	niger	1865, 372
Dasyopoda hirtipes	1862, 121	novemcinctus	1865, 370
Dasyprocta	1862, 135	1865, 372	
acouchi	1862, 22	— mexicanus ..	1865, 372
acouchy	1863, 383	octocinctus	1865, 371
acuschy	1866, 385	octodecimcinctus ..	1865, 375
1866, 386		patagonicus	1865, 377
1866, 391		peba	1865, 372
aguti	1861, 281	1865, 373	
1861, 368		pentadactylus	1865, 372
1862, 185		punctatus	1865, 374
1866, 383		septemcinctus	1865, 371
1866, 385		1865, 373	
1866, 386		setosus	1865, 375
1866, 416		sexcinctus	1865, 370
1868, 624		1865, 375	
azaræ	1861, 287	1865, 376	
cristata	1866, 383	1865, 381	
1866, 385		1866, 414	
1866, 389		1868, 625	
1866, 390		tatouay	1865, 378
1866, 391		tricinctus	1865, 370
1866, 397		1865, 380	
1866, 398		unicinctus	1865, 370
1866, 399		1865, 378	
1866, 400		uroceras	1865, 372
1866, 402		vellerosus	1865, 376
1866, 403		1865, 378	
1866, 404		villosus	1862, 102
1866, 407		1865, 375	
1866, 409		1865, 376	
1866, 413		1865, 377	
1866, 416		1865, 381	
punctata	1861, 287	xenurus	1865, 378
1866, 383		Dasyrhamphus adeliæ ..	1870, 322
Dasyptilus	1864, 275	herculis	1870, 322
paraguanus	1861, 437	Dasytes nobilis	1867, 361
pequetii	1864, 287	Dasyurus maugæi!	1861, 209
1864, 294		1861, 265	
pesquetii	1861, 437		

	Page		Page
<i>Dasyurus maugæi</i>	1862,	<i>Delphinula siderea</i>	1865,
<i>ursinus</i>	1861,	<i>syderea</i>	1863,
<i>Daubentonia madagasca-</i>		<i>Delphinus</i>	1863,
<i>riensis</i>	1863,		1864,
<i>Daudebardia syriaca</i>	1865,	<i>acutus</i>	1864,
<i>Daxata camelus</i>	1866,	<i>albicans</i>	1864,
<i>ustulata</i>	1866,	<i>albirostris</i>	1864,
	1866,	<i>antiquorum</i>	1864,
	1866,	<i>bidens</i>	1864,
<i>Debis bhairava</i>	1867,	<i>bivittatus</i>	1868,
<i>chandica</i>	1865,	<i>bredanensis</i>	1864,
	1866,	<i>brunatus</i>	1862,
<i>dyrta</i>	1870,	<i>catalania</i>	1862,
<i>europa</i>	1865,		1862,
	1865,	<i>cephalorhynchus</i> ..	1866,
	1866,	<i>chinensis</i>	1870,
<i>isabella</i>	1866,	<i>cymodice</i>	1862,
	1866,	<i>deductor</i>	1864,
<i>isana</i>	1865,		1868,
<i>kansa</i>	1867,	<i>delphinus</i>	1864,
<i>mekara</i>	1865,	<i>delphis</i>	1864,
<i>nada</i>	1867,		1864,
<i>neilgherriensis</i> ...	1865,		1864,
<i>nicetas</i>	1865,		1865,
<i>portlandia</i>	1866,		1866,
<i>rohria</i>	1865,	<i>desmarestii</i>	1864,
	1865,	<i>doris</i>	1865,
<i>scanda</i>	1867,	<i>duhamelii</i>	1864,
<i>sidonis</i>	1865,	<i>eschrichtii</i>	1864,
<i>sinoria</i>	1867,		1864,
<i>verma</i>	1865,	<i>euphrosyne</i>	1864,
	1865,		1864,
<i>visrava</i>	1865,		1865,
	1865,		1868,
<i>Decetia capetusaria</i> ...	1867,		1868,
<i>Decodon</i>	1861,		1868,
<i>Defrancia secta</i>	1870,	<i>eurynome</i>	1862,
<i>Dehitella atrorubens</i>	1868,		1865,
<i>Deirochelys reticulata</i> ..	1869,	<i>eutropia</i>	1862,
<i>Dejanira biapiculata</i> ...	1866,	<i>gladiator</i>	1864,
	1866,	<i>globiceps</i>	1862,
<i>quadripunctata</i> ...	1866,		1864,
	1866,		1864,
<i>Delattria</i>	1864,	<i>grampus</i>	1864,
<i>Delichon nipalensis</i>	1862,		1864,
<i>Delphinapterus</i>	1863,		1864,
<i>albicans</i>	1864,		1868,
<i>Delphinorhynchus</i>	1863,		1870,
<i>bidens</i>	1864,	<i>grampus</i>	1864,
<i>micropterus</i>	1864,		1864,
<i>phocæna</i>	1863,		1864,
<i>Delphinula australis</i> ...	1865,	<i>griseus</i>	1864,
<i>clathrata</i>	1863,	<i>guianensis</i>	1864,
<i>costata</i>	1863,	<i>holbölli</i>	1864,
<i>discoidea</i>	1863,		1868,
<i>lævis</i>	1863,	<i>hunteri</i>	1864,
<i>laxa</i>	1863,	<i>hyperodon</i>	1864,
<i>nivea</i>	1863,		197

	Page		Page
<i>Delphinus hyperoodon</i> ..	1864, 240	<i>Delphinus tursio</i>	1864, 237
<i>ibsenii</i>	1864, 197		1864, 238
	1864, 238		1864, 409
	1868, 549		1868, 336
<i>janira</i>	1866, 214		1868, 554
<i>leucas</i>	1864, 197		1868, 555
	1864, 246	<i>ventricosus</i>	1864, 245
<i>leucopleurus</i>	1864, 197	<i>vulgaris</i>	1864, 236
	1864, 238	<i>walkeri</i>	1865, 737
	1864, 239		1866, 214
<i>longirostris</i>	1866, 213	<i>Demiegretta ludoviciana</i> .	1864, 371
<i>major</i>	1866, 214		1870, 589
<i>melas</i>	1864, 197	<i>Demipus anatinus</i>	1865, 385
	1864, 243	<i>Demonax macilenta</i>	1866, 228
	1864, 244		1866, 521
	1868, 554	<i>Dendoryx incrustans</i> ..	1867, 535
<i>metis</i>	1862, 144	<i>Dendraspis polylepis</i> ..	1864, 307
<i>microps</i>	1865, 195		1864, 310
<i>micropterus</i>	1861, 311	<i>welwitschii</i>	1864, 480
	1864, 197	<i>Dendrobates lignarius</i> ..	1868, 634
	1864, 242	<i>Dendrochelidon comata</i> .	1865, 617
	1865, 524	<i>coronata</i>	1865, 617
<i>moorei</i>	1866, 214	<i>klecho</i>	1862, 339
<i>moorii</i>	1865, 736		1865, 616
	1865, 737	<i>mystacea</i>	1865, 596
<i>nesarnak</i>	1864, 237		1865, 616
<i>obscurus</i>	1864, 197	<i>mystaceus</i>	1863, 22
	1864, 238	<i>schisticolor</i>	1865, 617
	1865, 522	<i>wallacii</i>	1862, 335
	1868, 146		1862, 339
<i>orca</i>	1864, 197		1863, 22
	1864, 235		1865, 595
	1864, 244		1865, 596
	1868, 549		1865, 616
	1868, 556	<i>Dendrocinclla atrirostris</i> .	1868, 54
	1870, 71	<i>fumigata</i>	1864, 355
	1870, 76		1867, 574
<i>oxyrhynchus</i>	1864, 236		1868, 54
<i>philippii</i>	1864, 243	<i>longicauda</i>	1868, 54
<i>phocaena</i>	1862, 102	<i>meruloides</i>	1868, 167
	1864, 197	<i>minor</i>	1868, 54
	1864, 245	<i>olivacea</i>	1864, 355
	1864, 246	<i>ruficeps</i>	1868, 54
<i>planiceps</i>	1864, 236	<i>turdina</i>	1868, 54
<i>pseudotursio</i>	1864, 238	<i>tyrannina</i>	1868, 54
<i>rissoanus</i>	1870, 128	<i>Dendrocitta leucogastra</i> .	1866, 570
<i>rostratus</i>	1864, 197	<i>rufa</i>	1864, 376
	1864, 236		1865, 691
<i>sinensis</i>	1869, 430		1865, 692
<i>sowerbiensis</i>	1864, 241	<i>sinensis</i>	1863, 304
<i>sowerbii</i>	1864, 241		1863, 337
<i>superciliosus</i>	1864, 238	<i>Dendrocolaptes cayen-</i>	
<i>truncatus</i>	1864, 237	<i>nensis</i>	1867, 575
	1868, 555		1867, 755
	1868, 562		1868, 56
<i>tursio</i>	1862, 144	<i>certhia</i>	1868, 56
	1862, 145	<i>concolor</i>	1867, 755
	1864, 197		1868, 56

	Page		Page
Dendrocolaptes guttatus.	1867, 575	Dendrocygna vagans ..	1866, 149
multistrigatus	1868, 54		1866, 418
	1868, 55		1868, 388
ocellatus.....	1867, 575	viduata	1862, 185
	1867, 755		1863, 106
palescens	1868, 56		1864, 114
picumnus	1868, 55		1864, 299
puncticollis	1868, 54		1865, 837
	1868, 55		1866, 200
radiolatus	1867, 750		1866, 426
	1867, 755		1869, 160
	1868, 56	virgata	1864, 301
sancti-thomæ	1864, 355		1866, 149
	1867, 144		1869, 635
	1867, 755	Dendroeca æstiva	1864, 172
	1868, 56		1864, 347
	1870, 193		1867, 136
susurrans	1870, 839		1869, 251
validus	1866, 184		1870, 183
	1868, 55		1870, 564
Dendrocops multostriga-			1870, 836
tus	1868, 56	atricapilla	1867, 337
picumnus	1868, 56	auduboni	1864, 172
puncticollis	1868, 56	aureola	1870, 323
validus	1866, 184	blackburnia	1867, 136
	1868, 56	blackburniæ	1864, 347
Dendrocopus rufus	1861, 378		1870, 183
sordidus.....	1863, 211		1870, 780
Dendrocygna arborea ..	1864, 300	cærulea	1864, 347
	1869, 528		1870, 183
arcuata	1863, 224		1870, 836
	1864, 300	canadensis	1861, 70
	1866, 148		1864, 347
	1866, 149	castanea.....	1864, 347
autumnalis	1861, 365	chrysoparia	1862, 19
	1864, 138		1863, 187
	1864, 299		1863, 188
	1864, 372	coronata.....	1864, 347
	1866, 200		1870, 836
	1870, 589	discolor	1861, 71
awsuree	1865, 694	maculata	1862, 19
eytoni.....	1864, 301	maculosa	1862, 19
	1866, 418		1864, 347
	1867, 686	niveiventris	1863, 187
fulva	1864, 301	palmarum	1861, 71
	1866, 149	pannosa	1861, 71
	1867, 687	pennsylvanica	1864, 347
	1869, 635		1867, 136
gouldi.....	1864, 300		1870, 182
	1866, 149		1870, 836
guttulata	1863, 36	petechia.....	1861, 71
	1864, 300	pharetra	1861, 71
javanica.....	1864, 300	striata	1870, 780
major.....	1864, 300	superciliosa	1862, 368
	1865, 837	tigrina	1861, 71
	1866, 148	townsendii	1862, 19
	1866, 149		1863, 188
vagans	1864, 330	virens.....	1863, 188

	Page		Page
<i>Dendroeca virens</i>	1864, 347	<i>Dendroornis nana</i>	1864, 355
	1870, 182		1870, 193
<i>Dendrohyrax dorsalis</i> ..	1869, 641		1870, 837
<i>Dendroica atricapilla</i> ..	1867, 320		1870, 838
	1867, 321		1870, 839
<i>striata</i>	1867, 321	<i>ocellata</i>	1867, 575
<i>Dendrolagus inustus</i> ..	1862, 135		1867, 750
	1864, 160		1867, 755
	1865, 676		1867, 978
<i>ursinus</i>	1864, 160	<i>palliata</i>	1866, 184
<i>Dendroma caniceps</i>	1861, 378	<i>pardalotus</i>	1864, 355
<i>poliocephalum</i>	1861, 378		1870, 839
<i>Dendromanés anabatina</i> ..	1868, 54	<i>rostri-pallens</i>	1866, 184
<i>anabatinus</i>	1870, 192		1867, 575
	1870, 837		1867, 750
<i>atrirostris</i>	1864, 355	<i>susurrans</i>	1868, 167
	1870, 193		1868, 627
<i>homochrous</i>	1864, 355		1869, 252
	1868, 54		1870, 839
	1870, 193	<i>tenuirostris</i>	1864, 355
<i>merula</i>	1868, 54	<i>triangularis</i>	1864, 355
<i>meruloides</i>	1868, 54		1870, 781
<i>ruficeps</i>	1868, 54	<i>Dendrortyx</i>	1863, 516
<i>Dendromys chrysurus</i> ..	1869, 570	<i>leucophrys</i>	1861, 234
<i>Dendrophila frontalis</i> ..	1866, 3	<i>macrurus</i>	1864, 178
<i>Dendrophis caudolineata</i> ..	1869, 506	<i>Dendrostoma pinnifolium</i> ..	1868, 98
<i>picta</i>	1861, 189	<i>Dendrostomum aluta-</i>	
	1869, 502	<i>ceum</i>	1868, 98
	1869, 506	<i>pinnifolium</i>	1868, 98
<i>punctulata</i>	1862, 225	<i>ramosum</i>	1868, 98
<i>Dendropicus hartlaubi</i> ..	1869, 569	<i>Denisonia ornata</i>	1869, 321
<i>Dendroplex picirostris</i> ..	1868, 167	<i>Dentalium entalis</i>	1864, 136
	1868, 627	<i>erectum</i>	1867, 220
<i>picus</i>	1867, 575	<i>intestiniforme</i>	1862, 66
<i>Dendropoma afrum</i>	1861, 156	<i>pretiosum</i>	1864, 136
<i>centiquadra</i>	1861, 154	<i>striolatum</i>	1864, 136
<i>leucozonias</i>	1861, 155	<i>Dentex notatus</i>	1870, 684
<i>lituella</i>	1861, 154	<i>Dentiora rubida</i>	1862, 240
<i>megamastum</i>	1861, 153	<i>Depressaria recinella</i> ..	1867, 670
<i>teredula</i>	1861, 155	<i>recini</i>	1867, 670
<i>Dendroornis eburneiros-</i>		<i>zizyphi</i>	1867, 670
<i>tritis</i>	1870, 837	<i>Dercas verhuelli</i>	1865, 760
	1870, 839	<i>Dercitus bucklandi</i>	1867, 542
<i>erythroptigia</i>	1864, 355	<i>Dere marginata</i>	1866, 228
	1867, 144		1866, 522
	1870, 193	<i>thoracica</i>	1866, 522
	1870, 839	<i>Dermanura quadrivittata</i> ..	1866, 430
<i>eytoni</i>	1867, 575	<i>Dermatemys abnormis</i> ..	1870, 711
	1867, 595		1870, 713
<i>guttata</i>	1870, 839		1870, 716
<i>lacrymosa</i>	1864, 355	<i>mavei</i>	1870, 713
	1867, 144		1870, 715
	1867, 278	<i>mawii</i>	1864, 125
	1867, 279		1864, 126
	1870, 193		1870, 711
	1870, 839		1870, 715
<i>mentalis</i>	1870, 839	<i>salvinii</i>	1870, 715
<i>multiguttata</i>	1864, 355	<i>Dermatocera vitrea</i>	1865, 414

	Page		Page
<i>Dermatochelys coriacea</i>	1870, 409	<i>Diagramma orientale</i>	1869, 240
<i>Dermestes frischii</i>	1867, 362	<i>pardalis</i>	1867, 851
	1867, 365	<i>punctatissimum</i>	1867, 851
	1867, 373	<i>punctatum</i>	1870, 683
<i>vulpinus</i>	1867, 373	<i>sibbaldii</i>	1869, 240
<i>Deropterus accipitrinus</i>	1867, 588	<i>Diala lauta</i>	1865, 173
<i>Derranus hoevenii</i>	1867, 847	<i>lirata</i>	1863, 434
<i>Derris uliginosa</i>	1864, 306	<i>nodicincta</i>	1863, 434
<i>Dertopogon robustus</i>	1864, 182	<i>paupercula</i>	1865, 272
<i>Desmacidon ægogropila</i>	1867, 533	<i>rufilabris</i>	1865, 174
<i>constrictus</i>	1867, 558	<i>suturalis</i>	1865, 173
<i>fruticosus</i>	1867, 536	<i>Dialeges pauper</i>	1866, 228
<i>jeffreysii</i>	1867, 351		1866, 528
	1867, 539	<i>Diallactes melanocephalus</i>	1866, 185
<i>peachii</i>	1867, 538	<i>Diancta martensi</i>	1866, 446
<i>Desmodus rufus</i>	1861, 278		1866, 451
	1865, 386		1869, 560
	1865, 387	<i>Diapheropsophus mellyi</i>	1866, 342
	1865, 388	<i>swinhoei</i>	1866, 342
	1865, 389	<i>Diardigallus crawfurdi</i>	1862, 250
	1866, 117		1863, 118
<i>Deudorix epijarbas</i>	1865, 774	<i>fasciolatus</i>	1863, 118
<i>isocrates</i>	1865, 774	<i>prælatius</i>	1863, 76
<i>melampus</i>	1865, 774		1863, 118
<i>nissa</i>	1865, 774	<i>Diatomocephala maculaticollis</i>	1866, 532
<i>perse</i>	1865, 774	<i>Dibothrium latum</i>	1862, 313
<i>timoleon</i>	1865, 774	<i>Dicæum æneum</i>	1869, 118
<i>Deuteromma testaceum</i>	1866, 227		1869, 124
	1866, 510	<i>celebicum</i>	1862, 335
<i>Deva conducens</i>	1867, 63		1862, 342
<i>Dexia</i> — ?	1864, 118	<i>concolor</i>	1866, 569
<i>DiaCOPE erythrina</i>	1867, 849	<i>cruentatum</i>	1863, 219
<i>Diadema</i>	1861, 56		1863, 494
	1861, 58		1866, 544
<i>alimena</i>	1868, 614	<i>erythrothorax</i>	1863, 19
<i>anthonon</i>	1863, 65		1863, 32
<i>auge</i>	1865, 763	<i>hirundinaceum</i>	1869, 279
	1866, 359	<i>ignicolle</i>	1861, 434
<i>bolina</i>	1863, 477	<i>ignifer</i>	1863, 486
	1865, 762		1863, 494
	1866, 358	<i>macklottii</i>	1863, 486
	1866, 359		1863, 494
<i>dexithea</i>	1863, 64	<i>papuense</i>	1861, 434
	1863, 65	<i>pectorale</i>	1861, 434
<i>diomea</i>	1861, 51	<i>trigonostigma</i>	1866, 545
<i>divona</i>	1861, 50	<i>trigonostygma</i>	1863, 220
<i>dubia</i>	1863, 65	<i>vulneratum</i>	1863, 32
<i>lasinassa</i>	1863, 65	<i>Dichelaspis lowei</i>	1869, 443
<i>Diagramma affine</i>	1865, 14	<i>Dicholophus cristatus</i>	1863, 516
	1867, 850	<i>Dichoragia nesimachus</i>	1868, 610
<i>alta</i>	1869, 514		1868, 614
<i>centurio</i>	1867, 851	<i>Dichromia orosialis</i>	1867, 81
<i>cinctum</i>	1861, 221	<i>triplicifolius</i>	1867, 81
<i>gaterina</i>	1867, 851	<i>Dichidosiphon lumbriciformis</i>	1868, 100
<i>griseum</i>	1867, 850	<i>Dicotyles albirostris</i>	1868, 45
<i>nigrum</i>	1865, 14		
	1865, 16		
	1870, 683		

	Page		Page
Dicotyles labiatus	1862, 136	Dicrurus macrocercus ..	1863, 285
	1867, 692		1863, 335
	1868, 43		1864, 109
	1868, 44		1864, 375
	1868, 45		1865, 692
minor	1868, 44		1865, 693
tajacu	1868, 44		1866, 569
	1868, 625		1870, 433
tajassu	1863, 47	megalornis	1861, 435
torquatus	1861, 265	megarhynchus	1861, 435
	1861, 287		1869, 119
	1862, 102		1869, 124
	1862, 136	modestus	1866, 327
	1862, 323	musicus	1865, 93
	1867, 692	pectoralis	1862, 335
	1868, 44		1862, 342
	1868, 45		1865, 478
	1869, 420	waldeni	1866, 423
Dicranoceros furcifer ..	1870, 361	Dictyna benigna	1870, 742
Dicranosaura	1864, 468	Dictyocylindrus fascicu-	
bifurca	1864, 467	laris	1867, 545
	1864, 478	hispidus	1867, 519
	1864, 479	pumilus	1867, 519
parsonii	1864, 467	ramosus	1867, 519
	1864, 479	rugosus	1867, 519
Dicrocoeleum buskii	1862, 290	stuposus	1867, 545
heterophyes	1862, 292		1868, 122
lanceolatum	1862, 291	ventilabrum	1867, 519
oculi-humani	1862, 291	vickersii	1867, 546
Dicroglossus adolfi	1868, 479	Didelphis macrotarsus ..	1863, 151
angustirostris	1864, 481	Didelphys californica ..	1861, 287
armatus	1865, 436	crassicaudata	1868, 261
	1865, 437	philander	1870, 80
Dicrourus bimaënsis	1863, 485	quica	1861, 287
	1863, 492	virginiana	1868, 625
cineraceus	1863, 485	Didunculus	1862, 259
densus	1863, 485	— ?	1863, 373
Dicrurus — ?	1861, 268		1863, 439
	1864, 109	strigirostris	1862, 249
	1870, 148		1863, 102
amboinensis	1863, 31		1863, 103
assimilis	1861, 435		1863, 372
cærulescens	1866, 546		1864, 139
carbonarius	1861, 435		1864, 158
cineraceus	1863, 285		1865, 256
	1866, 546		1867, 162
forficatus	1863, 163		1867, 164
	1865, 835	Didus	1862, 255
	1866, 423	— ?	1867, 179
	1870, 390	ineptus	1865, 199
intermedius	1866, 545		1865, 201
	1866, 546		1865, 732
leucophæus	1863, 285		1866, 4
	1866, 81		1866, 201
	1866, 546		1869, 473
leucops	1865, 478	nazarenus	1865, 199
longicaudatus	1866, 547		1865, 201
macrocercus	1862, 319		1865, 716
	1862, 319	solitarius	1865, 716

	Page		Page
<i>Didus solitarius</i>	1865, 718	<i>Dinornis gigantea</i>	1867, 991
<i>Diemansia annulata</i>	1862, 225	<i>giganteus</i>	1865, 749
	1863, 17		1865, 751
<i>cucullata</i>	1862, 225		1867, 894
<i>mülleri</i>	1862, 225		1867, 895
<i>müllerii</i>	1863, 58	<i>ingens</i>	1870, 54
<i>psammophis</i>	1862, 225		1865, 617
<i>reticulata</i>	1862, 225		1865, 750
<i>superciliosa</i>	1863, 17		1865, 751
	1863, 18	<i>robustus</i>	1865, 751
<i>Diemennia psammophis</i>	1868, 3	<i>maximus</i>	1867, 891
<i>reticulata</i>	1868, 3		1870, 55
<i>Diesingia chamissoi</i>	1868, 104	<i>robustus</i>	1864, 648
<i>cupulifer</i>	1868, 104		1865, 265
<i>Digama hearseyana</i>	1865, 796		1865, 750
<i>Diglossa albilateralis</i>	1870, 780		1867, 891
<i>baritula</i>	1864, 173		1870, 54
	1870, 185	<i>struthioides</i>	1865, 750
<i>brunneiventris</i>	1867, 322		1865, 751
	1867, 984	<i>Diocotophyme</i>	1862, 302
	1868, 569	<i>Diodon bidens</i>	1864, 241
	1869, 151	<i>desmarestii</i>	1864, 242
	1870, 784	<i>reticulatus</i>	1867, 869
<i>gloriosa</i>	1870, 779	<i>sowerbi</i>	1864, 242
	1870, 780	<i>Diomedea</i>	1861, 135
	1870, 784	<i>brachyura</i>	1863, 329
<i>hyperythra</i>	1868, 170		1863, 380
<i>plumbea</i>	1870, 185	<i>chlororhyncha</i>	1863, 378
<i>similis</i>	1868, 166	<i>exulans</i>	1862, 1
	1868, 170		1863, 517
<i>Diglossopsis cærulescens</i>	1868, 627		1867, 431
<i>Dilipa morgiana</i>	1867, 673	<i>fuliginosa</i>	1863, 378
<i>Diloma odontis</i>	1865, 183	<i>melanophrys</i>	1862, 1
<i>Dilophus carunculatus</i>	1865, 93	<i>nigripes</i>	1863, 329
<i>Dilophyrus grandis</i>	1863, 371		1863, 380
<i>mentager</i>	1861, 188	<i>Dioplodon densirostris</i>	1863, 200
<i>Dinaria lineolata</i>	1865, 815	<i>sechellensis</i>	1865, 529
<i>Dinematicichthys margi-</i> <i>natus</i>	1864, 26		1870, 426
<i>Dineutes africanus</i>	1864, 118	<i>Dioryx swinhoei</i>	1866, 318
<i>Dinornis</i>	1862, 255		1866, 319
	1864, 340	<i>Diosyris miranda</i>	1866, 227
<i>casuarinus</i>	1865, 749		1866, 508
	1865, 750		1866, 536
	1868, 404	<i>Diphtera atrovirens</i>	1867, 45
	1870, 54	<i>discibrunnea</i>	1867, 46
<i>crassus</i>	1865, 751		1867, 97
	1868, 404	<i>nigroviridis</i>	1867, 46
	1870, 54	<i>pallida</i>	1867, 46
<i>curtus</i>	1865, 751		1867, 97
	1870, 128	<i>prasinaria</i>	1867, 46
<i>didiformis</i>	1865, 750	<i>vicens</i>	1867, 46
	1865, 751	<i>Diphylla ecaudata</i>	1866, 118
	1870, 54	<i>Diphyllobothrium stem-</i> <i>macephalum</i>	1862, 314
<i>dromoides</i>	1865, 751	<i>Diphylloides wilsoni</i>	1862, 160
<i>elephantopus</i>	1865, 750	<i>Diplacanthus nanus</i>	1862, 312
	1868, 404	<i>Diplodemia vesicula</i>	1867, 555
	1870, 54	<i>Diplodon sowerbyi</i>	1864, 241

	Page		Page
<i>Diplodonta globulosa</i> ..	1867, 927	<i>Dipus jaculus</i>	1870, 431
<i>janeirensis</i>	1867, 927	<i>Dircenna callipero</i>	1863, 243
<i>sphaericula</i>	1867, 927	<i>epidero</i>	1863, 244
<i>Diplommatina brazieri</i> ..	1870, 84	<i>Diretnus argenteus</i>	1863, 403
<i>exigua</i>	1867, 314	<i>Discina cumingii</i>	1863, 358
<i>folliculus</i>	1866, 449		1863, 369
<i>kingiana</i>	1866, 450		1865, 275
<i>martensi</i>	1866, 446	<i>Discognathus lamta</i>	1869, 554
	1866, 451	<i>rufus</i>	1870, 85
	1869, 500	<i>Discophora celinde</i>	1865, 767
<i>minuta</i>	1868, 16	<i>trillia</i>	1865, 767
	1868, 17	<i>zal</i>	1865, 767
<i>nilgirica</i>	1866, 450	<i>Discus serratus</i>	1868, 290
<i>pachycheilus</i>	1866, 449		1868, 294
<i>paradoxa</i>	1869, 560	<i>vorticella</i>	1868, 12
<i>wisemani</i>	1870, 84		1868, 17
<i>wisemanni</i>	1869, 560	<i>Dispharagus crassicauda</i>	1865, 326
<i>Diplonychus</i>	1863, 166	<i>Dispotea auriculata</i>	1867, 746
<i>Diplopelma bermorii</i> ..	1868, 479	<i>bilobata</i>	1867, 745
<i>ornatum</i>	1869, 502	<i>cancellata</i>	1867, 745
<i>pulchrum</i>	1870, 412	<i>spectrum</i>	1867, 745
<i>Diplopterus excellens</i> ..	1864, 366	<i>striata</i>	1867, 745
<i>nævius</i>	1864, 366	<i>tubifera</i>	1867, 746
	1867, 156	<i>Dissemurus paradiseus</i> ..	1866, 545
	1867, 585	<i>Dissodectes ardesiacus</i> ..	1864, 248
	1868, 169	<i>dickinsoni</i>	1864, 248
	1870, 211	<i>zoniventris</i>	1864, 248
	1870, 587	<i>Distichodus macrolepis</i> ..	1864, 308
<i>Dipodomys agilis</i>	1868, 200	<i>strenga</i>	1864, 308
	1868, 201	<i>Distoma æquale</i>	1861, 118
<i>hermannii</i>	1868, 201	<i>boscii</i>	1861, 119
<i>montanus</i>	1868, 201	<i>buskii</i>	1862, 290
<i>ordii</i>	1868, 201	<i>compactum</i>	1861, 118
<i>phillipsii</i>	1868, 200	<i>conjunctum</i>	1861, 118
	1868, 201	<i>conus</i>	1862, 291
	1868, 202	<i>coronarium</i>	1861, 119
<i>wagneri</i>	1868, 201	<i>crassum</i>	1862, 288
<i>Diproctacanthus xanthu-</i>			1862, 290
<i>rus</i>	1861, 415	<i>hæmatobium</i>	1862, 292
<i>Diprotodon australis</i> ...	1865, 851		1862, 326
<i>Dipsadomorphus biscu-</i>		<i>hepaticum</i>	1862, 289
<i>tatus</i>	1861, 228		1862, 291
<i>Dipsas bernesii</i>	1869, 506	<i>heterophyes</i>	1862, 288
<i>ceylonensis</i>	1869, 502		1862, 292
<i>colubrina</i>	1865, 469		1862, 326
<i>forsteni</i>	1869, 502	<i>incisum</i>	1865, 325
<i>fusca</i>	1862, 225	<i>lanceolatum</i>	1862, 288
<i>irregularis</i>	1863, 58		1862, 291
<i>lycænoides</i>	1865, 774	<i>lentis</i>	1862, 291
<i>odata</i>	1865, 507	<i>maculosum</i>	1862, 290
<i>syla</i>	1865, 508	<i>minutum</i>	1861, 118
	1865, 774	<i>oculi-humani</i>	1862, 291
<i>trigonata</i>	1869, 502	<i>ophthalmobium</i>	1862, 288
<i>Dipterygia indica</i>	1867, 51		1862, 291
<i>Dipus</i>	1862, 135	<i>Distortio constricta</i>	1863, 346
<i>ægyptius</i>	1862, 140	<i>Diuca grisea</i>	1867, 322
	1866, 89		1867, 337
<i>jaculus</i>	1861, 367		

	Page		Page
<i>Diuca speculifera</i>	1867,	<i>Domicella rubiginosa</i> ..	1869,
<i>Diva vassori</i>	1870,	<i>rubra</i>	1869,
<i>Docimastes schliephac-</i>		<i>scintillata</i>	1869,
<i>kei</i>	1870,	<i>Donacilla elongata</i>	1865,
<i>Docirava æquilineata</i> ..	1867,	<i>obtusa</i>	1865,
<i>Dodona adonira</i>	1867,	<i>præcisa</i>	1865,
<i>dipœa</i>	1867,	<i>Donacobius atricapillus</i> .	1866,
<i>durga</i>	1865,	<i>obtusata</i>	1867,
<i>egeon</i>	1865,	<i>præcisa</i>	1865,
<i>onida</i>	1867,	<i>Donacola castaneothorax</i>	1861,
<i>ouida</i>	1865,	<i>albifrons</i> ..	1869,
<i>Dogania</i>	1864,	<i>Donatia aurantium</i>	1867,
<i>guentheri</i>	1862,	<i>aurantium</i>	1863,
<i>subplana</i>	1862,	<i>Donax assimilis</i>	1863,
<i>callosa</i>	1867,	<i>carinatus</i>	1863,
<i>rumphii</i>	1867,	<i>culminatus</i>	1863,
<i>scapula</i>	1867,	<i>deltoides</i>	1865,
<i>Dolabrifera brazieri</i>	1870,	<i>epidermia</i>	1865,
<i>tahitensis</i>	1861,	<i>gracilis</i>	1863,
<i>Dolerisca fallax</i>	1868,	<i>laevigata</i>	1865,
<i>Doleschallia bisaltide</i> ..	1865,	<i>navicula</i>	1863,
<i>Doliche gelida</i>	1867,	<i>rostratus</i>	1863,
<i>Dolichonyx badius</i>	1868,	<i>Doras crocodili</i>	1863,
<i>oryzivora</i>	1870,	<i>hancockii</i>	1868,
<i>oryzivorus</i>	1861,	<i>helicophilus</i>	1868,
<i>capillatus</i>	1862,	<i>Doratonotus</i>	1861,
<i>capillatus</i>	1862,	<i>Dorcasia argillacea</i>	1865,
<i>capillatus</i>	1869,	<i>compta</i>	1865,
<i>capillatus</i>	1869,	<i>fodiens</i>	1865,
<i>capillatus</i>	1869,	<i>oculta</i>	1865,
<i>capillatus</i>	1867,	<i>Doricha bryantæ</i>	1870,
<i>capillatus</i>	1867,	<i>Dorifera ludovicicæ</i>	1867,
<i>capillatus</i>	1867,	<i>ludovicicæ</i>	1867,
<i>capillatus</i>	1870,	<i>veraguensis</i>	1867,
<i>capillatus</i>	1866,	<i>Doriopsis viridis</i>	1861,
<i>capillatus</i>	1867,	<i>Doriprismatica imperia-</i>	
<i>capillatus</i>	1861,	<i>lis</i>	1863,
<i>capillatus</i>	1861,	<i>lineata</i>	1863,
<i>capillatus</i>	1862,	<i>Doris arbutus</i>	1867,
<i>capillatus</i>	1863,	<i>arbutus</i>	1867,
<i>capillatus</i>	1867,	<i>atromarginata</i>	1867,
<i>capillatus</i>	1867,	<i>carneola</i>	1867,
<i>capillatus</i>	1869,	<i>chrysoderma</i>	1867,
<i>capillatus</i>	1869,	<i>denisoni</i>	1867,
<i>capillatus</i>	1869,	<i>excavata</i>	1863,
<i>capillatus</i>	1869,	<i>nodulosa</i>	1867,
<i>capillatus</i>	1869,	<i>oreosoma</i>	1863,
<i>capillatus</i>	1864,	<i>pantherina</i>	1867,
<i>capillatus</i>	1869,	<i>papillosa</i>	1863,
<i>capillatus</i>	1869,	<i>pulchra</i>	1861,
<i>capillatus</i>	1864,	<i>tincta</i>	1863,
<i>capillatus</i>	1869,	<i>variabilis</i>	1867,
<i>capillatus</i>	1869,		

	Page		Page
<i>Doryfera johannæ</i>	1867,	<i>Drillia coxi</i>	1867,
<i>Dorylus helvolus</i>	1864,		117
<i>Dosilia baileyi</i>	1867,		203
<i>plumosa</i>	1867,	<i>discors</i>	1863,
<i>Dosinia diana</i>	1863,	<i>duplicata</i>	1863,
	1865,	<i>eburnea</i>	1865,
<i>dunkeri</i>	1863,	<i>excentrica</i>	1863,
<i>japonica</i>	1863,	<i>grandimaculata</i>	1863,
<i>puella</i>	1867,	<i>harpularia</i>	1865,
	1867,	<i>incrassata</i>	1863,
	1867,	<i>luctuosa</i>	1863,
<i>scabriuscula</i>	1867,	<i>metcalfei</i>	1867,
<i>sculpta</i>	1867,		117
<i>Dostia lifuensis</i>	1864,		203
<i>Doxocopa epilais</i>	1865,	<i>nigerrima</i>	1863,
<i>Draco</i> — ?	1863,	<i>nodulosa</i>	1862,
	1870,	<i>obeliscus</i>	1863,
<i>tæniopterus</i>	1861,	<i>oweni</i>	1867,
<i>Dracunculus</i>	1863,	<i>pallida</i>	1863,
<i>æthiopicus</i>	1870,	<i>radula</i>	1867,
<i>loa</i>	1870,	<i>rudis</i>	1863,
<i>maculatus</i>	1861,	<i>striosa</i>	1863,
<i>medinensis</i>	1870,	<i>vexillum</i>	1867,
<i>persarum</i>	1862,	<i>zonulata</i>	1863,
<i>Dragnetodes mitaria</i>	1867,	<i>Dromæus</i>	1864,
<i>Drassus listeri</i>	1870,	<i>novæ-hollandiæ</i>	1862,
<i>Dreata citrina</i>	1865,		185
<i>hades</i>	1867,		234
<i>mutans</i>	1865,		405
<i>undata</i>	1865,		413
<i>undifera</i>	1865,		422
<i>Dreissena swinhoei</i>	1870,		628
	1870,	<i>Dromaius ater</i>	1863,
<i>Dremotherium feigneuxi</i>	1870,	<i>Dromas ardeola</i>	1866,
<i>Drepana duplexa</i>	1865,		426
	1865,		112
<i>patrana</i>	1865,	<i>Dromicia concinna</i>	1863,
<i>sadana</i>	1865,	<i>unicolor</i>	1863,
<i>vira</i>	1865,	<i>Dromicus temminckii</i>	1863,
<i>Drepane punctata</i>	1865,	<i>wuchereri</i>	1863,
	1868,	<i>Dromius maurus</i>	1867,
	1870,	<i>Dromococcyx mexicanus</i>	1864,
<i>Drepanodes argentinæ</i>	1867,	<i>Dromolæa leucocephala</i>	1864,
<i>circulitaria</i>	1867,	<i>leucopygia</i>	1864,
<i>fenestraria</i>	1867,	<i>monacha</i>	1864,
<i>phyllosaria</i>	1867,	<i>Drulia batesii</i>	1867,
<i>quinaria</i>	1867,	<i>brownii</i>	1867,
<i>scitaria</i>	1866,	<i>coralloides</i>	1867,
	1867,	<i>Drupa</i>	1862,
<i>trilinearia</i>	1867,	<i>Drusia extranea</i>	1864,
<i>Drillia angasia</i>	1867,	<i>Drusilla anableps</i>	1861,
<i>aterrima</i>	1863,	<i>artemis</i>	1861,
	1863,	<i>catops</i>	1861,
<i>barkliensis</i>	1869,	<i>dioptica</i>	1861,
<i>beraudiana</i>	1867,	<i>domitilla</i>	1861,
<i>collaris</i>	1863,	<i>macrops</i>	1861,
<i>corrugata</i>	1863,	<i>mylæcha</i>	1861,
<i>coxi</i>	1867,	<i>myops</i>	1861,
	113	<i>phoreas</i>	1861,
		<i>selene</i>	1861,
		<i>urania</i>	1861,

	Page		Page
<i>Dryiophis acuminata</i> . . .	1861, 14	<i>Dryoscopus sublacteus</i> . .	1867, 825
	1861, 325	<i>Dryptus melanocheilus</i> .	1866, 441
	1863, 55	<i>Dules fuscus</i>	1867, 850
<i>argentea</i>	1861, 14		1868, 10
	1861, 325	<i>taniurus</i>	1870, 682
	1863, 55	<i>viverrinus</i>	1867, 943
<i>kirtlandii</i>	1863, 16	<i>Dunkeria subangulata</i> . .	1863, 351
<i>Drymæus montagnei</i> . .	1866, 442	<i>Dunstervillia corcynensis</i>	1867, 558
<i>musivus</i>	1866, 442	<i>tessellata</i>	1867, 557
<i>Drymocataphus bivittatus</i>	1863, 485	<i>Duseideia fragilis</i>	1867, 511
	1863, 488	<i>Dussumieria acuta</i>	1865, 309
<i>Drymoecca capensis</i> . . .	1864, 7		1865, 313
<i>ellisii</i>	1870, 391		1870, 701
<i>extensicauda</i>	1863, 294	<i>elopsoides</i>	1870, 701
	1863, 336	<i>Duymæria</i>	1861, 409
<i>flaviviridis</i>	1863, 336	<i>Dyctis agondas</i>	1861, 53
<i>madagascariensis</i> . .	1863, 162	<i>bioculatus</i>	1861, 53
	1870, 391	<i>Dymnus sculus</i>	1867, 539
<i>morellii</i>	1870, 392	<i>Dyodera erythrina</i>	1869, 532
<i>rodericana</i>	1865, 47	<i>rubicunda</i>	1869, 531
<i>ruficapilla</i>	1864, 2		1869, 532
<i>subruficapilla</i>	1866, 22		1869, 543
<i>thoracica</i>	1865, 48	<i>Dysallacta negatalis</i>	1867, 97
<i>Drymoica</i> — ?	1864, 437	<i>Dyschemon neda</i>	1867, 679
<i>ellisii</i>	1866, 421	<i>Dysdercus albicollis</i> . . .	1864, 118
<i>gracilis</i>	1864, 437	<i>Dysidea fragilis</i>	1867, 511
<i>madagascariensis</i> . .	1866, 421	<i>kirikii</i>	1867, 511
<i>striaticeps</i>	1864, 437	<i>papillosa</i>	1867, 25
<i>Drymonia denotata</i>	1865, 811		1867, 237
<i>Drymophila cinerascens</i> .	1862, 341	<i>Dysithamnus ardesiacus</i> .	1867, 750
<i>Dryocopus albirostris</i> . .	1870, 586		1867, 756
<i>erythrops</i>	1870, 554		1868, 575
<i>fuscipennis</i>	1864, 366	<i>plumbeus</i>	1867, 576
	1864, 367	<i>puncticeps</i>	1866, 72
<i>lineatus</i>	1864, 367	<i>schistaceus</i>	1867, 750
	1866, 196		1867, 756
	1868, 629		1867, 978
	1870, 586		1868, 575
<i>martius</i>	1863, 333	<i>semicinereus</i>	1867, 144
<i>scapularis</i>	1864, 367		1868, 168
	1870, 837		1868, 628
<i>trachelopyrus</i>	1869, 598		1870, 194
<i>Dryodromas flavidus</i> . .	1870, 391	<i>striaticeps</i>	1866, 73
<i>Dryoscopus affinis</i>	1867, 825	<i>Dysnomia lampreyana</i> . .	1867, 491
<i>carbonarius</i>	1863, 105		1867, 492
<i>funebri</i>	1864, 107	<i>Dysopes rueppelli</i>	1870, 619
	1864, 109	<i>Dysopsis limbatus</i>	1861, 40
<i>funereus</i>	1863, 105	<i>Dysporus piscator</i>	1867, 831
<i>guttatus</i>	1865, 86		1868, 9
	1865, 93		1868, 118
<i>hamatus</i>	1863, 106	<i>sula</i>	1867, 831
	1864, 107		1868, 9
	1864, 109		1868, 118
<i>lineatus</i>	1867, 586	<i>Eburna australis</i>	1867, 189
<i>major</i>	1867, 826	<i>canaliculata</i>	1870, 252
<i>orientalis</i>	1867, 825	<i>formosæ</i>	1870, 252
	1867, 828	<i>perforata</i>	1870, 252
<i>picatus</i>	1867, 826		

	Page		Page		
<i>Eburna perforata</i>	1870,	259	<i>Echis arenicola</i>	1864,	489
<i>spirata</i>	1866,	146	<i>carinata</i>	1869,	502
	1870,	252	<i>Echites antidysenterica</i>	1869,	502
<i>Eburnella casta</i>	1869,	647	<i>Echiurus caraibicus</i>	1867,	94
<i>curta</i>	1869,	647	<i>chilensis</i>	1868,	111
<i>livida</i>	1869,	647	<i>chrysacanthophorus</i>	1868,	111
<i>porcellana</i>	1869,	647	<i>forcipatus</i>	1868,	110
<i>recta</i>	1869,	647	<i>gaertneri</i>	1868,	110
<i>saccata</i>	1869,	647	<i>lutkenii</i>	1868,	111
<i>semicarinata</i>	1869,	647	<i>pallasii</i>	1868,	110
<i>undulata</i>	1869,	647	<i>sitchaënsis</i>	1868,	111
<i>variabilis</i>	1869,	647	<i>vulgaris</i>	1868,	109
<i>Echana picalis</i>	1867,	86		1868,	110
	1867,	98	<i>Eciomemia acervus</i>	1867,	542
<i>Echeneis naucrates</i>	1865,	22	<i>compressa</i>	1867,	542
	1867,	861	<i>ponderosa</i>	1867,	542
	1868,	225	<i>Eclectus</i>	1864,	275
<i>remora</i>	1870,	691	<i>cardinalis</i>	1864,	274
<i>Echidna</i>	1862,	97		1864,	286
	1864,	18	<i>cornelia</i>	1864,	294
<i>aculeata</i>	1865,	386		1864,	294
<i>arietans</i>	1864,	115		1869,	128
<i>atropus</i>	1863,	230	<i>grandis</i>	1863,	19
<i>australiensis</i>	1865,	386		1864,	286
<i>brevicaudata</i>	1865,	386		1864,	294
<i>hystrix</i>	1862,	102		1864,	294
	1862,	186	<i>intermedius</i>	1864,	287
	1864,	19		1864,	294
	1864,	20	<i>linnaei</i>	1861,	436
	1865,	386		1864,	286
<i>longicaudata</i>	1865,	386		1864,	294
<i>setosa</i>	1865,	386	<i>magnus</i>	1863,	19
	1869,	404	<i>polychlorus</i>	1864,	286
<i>variegata</i>	1867,	869		1864,	294
<i>Echimyis cristatus</i>	1870,	2	<i>puniceus</i>	1863,	19
<i>Echinococcus</i>	1862,	212		1863,	20
<i>altricipariens</i>	1861,	120	<i>stavorini</i>	1864,	286
	1862,	310		1864,	294
<i>giraffæ</i>	1862,	310	<i>sumatranus</i>	1862,	336
<i>granulosus</i>	1862,	310	<i>westermanni</i>	1864,	287
<i>hominis</i>	1862,	309		1864,	294
<i>polymorphus</i>	1862,	310	<i>Ectinogramma collare</i>	1866,	227
	1864,	16		1866,	266
<i>scolicipariens</i>	1862,	310	<i>isosceloides</i>	1866,	267
<i>simiæ</i>	1862,	310		1866,	266
<i>veterinorum</i>	1862,	310	<i>Ectopistes migratorius</i>	1862,	323
	1862,	311		1865,	239
<i>Echinometra</i>	1861,	56	<i>Ectyon carpenteri</i>	1867,	515
<i>Echinoprocta rufescens</i>	1865,	321	<i>fascicularis</i>	1867,	515
	1865,	322	<i>sparsus</i>	1867,	515
<i>Echinorhynchus inflexus</i>	1861,	124	<i>Edolius bimaënsis</i>	1863,	492
<i>polymorphus</i>	1865,	326	<i>brachyphorus</i>	1863,	218
<i>proteus</i>	1862,	289	<i>brachypterus</i>	1863,	206
<i>scutatus</i>	1868,	108	<i>megarhynchus</i>	1869,	119
<i>Echinus flemingii</i>	1861,	54	<i>paradiseus</i>	1863,	206
<i>sphæra</i>	1861,	58		1866,	3
<i>Echiothrix leucura</i>	1867,	599	<i>viridescens</i>	1866,	547
	1867,	600			

	Page		Page
Edwardsia vestita	1867, 240	Elainea frantzii	1870, 197
Eglisia macandreae	1865, 753		1870, 835
Egnasia ephyrodalis	1867, 80	gigas	1870, 831
trimantesalis	1867, 80		1870, 832
vaga	1867, 80		1870, 835
Egretta alba	1861, 398	griseigularis	1861, 407
	1864, 451		1867, 327
cærulea	1861, 81		1870, 835
candidissima	1870, 218	implacens	1861, 408
garzetta	1864, 451		1868, 631
immaculata	1863, 487		1870, 835
leuce	1864, 73	mesoleuca	1861, 407
nigrirostris	1861, 399		1866, 188
	1862, 335		1870, 835
	1862, 346	miles	1870, 569
	1863, 487	modesta	1861, 407
nivea	1861, 81		1866, 2
syrmatophora	1862, 335		1867, 327
	1862, 346		1867, 338
	1863, 487		1867, 751
Eira ilya	1865, 122		1868, 142
Eirenis rothii	1864, 489		1868, 634
Elacate nigra	1865, 22		1870, 834
Elainea — ?	1867, 978	obscura	1870, 832
affinis	1870, 835		1870, 835
albescens	1868, 634	olivacea	1861, 408
	1869, 633		1870, 835
albiceps	1861, 406	pagana	1861, 406
	1867, 327		1862, 369
	1868, 174		1866, 99
	1868, 568		1866, 188
	1868, 569		1867, 978
	1870, 831		1868, 628
	1870, 834		1869, 439
	1870, 835		1869, 598
albivertex	1870, 835		1870, 554
arenarum	1863, 190		1870, 834
caniceps	1861, 407	pallatangæ	1861, 407
	1864, 359		1870, 835
	1867, 978	placens	1861, 407
	1868, 631		1864, 359
	1870, 835		1866, 189
cayennensis	1870, 569		1868, 628
chiriquensis	1867, 130		1868, 631
	1867, 147		1870, 197
cotta	1861, 76		1870, 835
	1861, 408	pudica	1870, 781
	1870, 833		1870, 833
	1870, 835		1870, 834
cristata	1870, 835		1870, 835
elegans	1868, 628	riisii	1861, 406
	1868, 631		1870, 834
	1870, 835	rustica	1861, 408
fallax	1861, 76		1870, 835
	1861, 407	semiflava	1867, 130
	1870, 832		1867, 147
	1870, 833	semipagana	1861, 406
	1870, 835		1870, 134

	Page		Page
<i>Elainea subpagana</i>	1861, 406	<i>Elastrus dolosus</i>	1867, 386
	1862, 369		1867, 391
	1864, 359	<i>rufo-brunneus</i>	1867, 386
	1867, 147	<i>Elenchus apicinus</i>	1865, 181
	1870, 197		1867, 215
	1870, 834	<i>badius</i>	1865, 180
<i>subplacens</i>	1870, 837		1867, 215
	1861, 407	<i>bellulus</i>	1865, 181
	1870, 835	<i>dilatatus</i>	1870, 251
<i>villissima</i>	1870, 843	<i>irisodontes</i>	1865, 181
<i>Elanoides furcatus</i>	1864, 369	<i>leucostigma</i>	1865, 181
	1865, 256		1867, 216
	1867, 158	<i>lineatus</i>	1865, 180
	1867, 162	<i>virgulatus</i>	1865, 181
	1870, 216	<i>Eleothreptus anomalus</i>	1866, 143
<i>Elanus axillaris</i>	1867, 393	<i>Eleotragus arundinaceus</i>	1864, 67
	1868, 382	<i>Electriodes cyanostigma</i>	1867, 862
<i>leucurus</i>	1867, 330	<i>Eleotris amboinensis</i>	1869, 303
	1867, 338	<i>australis</i>	1864, 182
	1869, 158		1864, 183
	1869, 160	<i>butis</i>	1865, 28
	1869, 252	<i>cantoris</i>	1869, 518
<i>melanopterus</i>	1863, 516		1870, 693
	1864, 428	<i>caperata</i>	1870, 694
	1867, 823	<i>cavifrons</i>	1869, 517
	1868, 399	<i>compressus</i>	1864, 184
	1869, 570	<i>coxii</i>	1864, 183
<i>scriptus</i>	1865, 466	<i>cyanostigma</i>	1867, 862
<i>Elaphis dione</i>	1861, 391	<i>feliceps</i>	1869, 517
<i>tæniurus</i>	1870, 411	<i>fusca</i>	1865, 28
<i>Elaphurus davidianus</i>	1868, 210		1867, 862
	1868, 530		1869, 303
	1868, 531		1869, 517
	1869, 468		1870, 694
	1870, 357	<i>grandiceps</i>	1864, 183
	1870, 431	<i>incerta</i>	1869, 517
	1870, 434	<i>longiceps</i>	1864, 151
	1870, 647	<i>mogunda</i>	1864, 184
<i>Elapochrus deppei</i>	1861, 228	<i>ophiocephalus</i>	1867, 862
<i>Elapomorphus scalaris</i>	1861, 325		1869, 518
<i>wucherei</i>	1861, 15		1870, 693
<i>Elaps cerasinus</i>	1864, 179		1870, 694
<i>circinalis</i>	1863, 56	<i>scintillans</i>	1869, 517
<i>corallinus</i>	1861, 15		1870, 693
	1861, 228	<i>seminudus</i>	1864, 24
	1863, 56	<i>sinensis</i>	1870, 693
<i>lemniscatus</i>	1861, 15	<i>soaresi</i>	1867, 862
	1863, 56	<i>Elephas africanus</i>	1863, 2
<i>macclellandii</i>	1861, 219		1863, 170
<i>octolineatus</i>	1861, 216		1864, 106
<i>psammophis</i>	1868, 3		1864, 159
<i>thepassii</i>	1870, 368		1864, 654
<i>univirgatus</i>	1861, 219		1865, 676
<i>Elasmognathus bairdi</i>	1867, 240	<i>antiquus</i>	1865, 510
	1867, 878	<i>falconeri</i>	1865, 511
	1867, 885	<i>indicus</i>	1862, 102
<i>Elastrus dolosus</i>	1867, 366		1862, 136
	1867, 375		1864, 195

	Page		Page
<i>Elephas melitensis</i>	1865, 510	<i>Emberiza fucata</i>	1863, 337
<i>Eleutherura marginata</i>	1866, 64	<i>hortulana</i>	1861, 367
<i>Elibia dolichus</i>	1867, 675		1862, 324
<i>Ellisia madagascariensis</i>	1870, 386		1864, 446
<i>typica</i>	1863, 162	<i>huttoni</i>	1867, 832
	1865, 835	<i>luctuosa</i>	1867, 935
	1866, 421	<i>melanops</i>	1863, 300
	1870, 391	<i>miliaria</i>	1863, 160
<i>Elma nevilli</i>	1870, 392		1864, 446
	1868, 291	<i>nivalis</i>	1870, 53
	1869, 63	<i>oxyrhyncha</i>	1864, 608
<i>swinhoei</i>	1866, 317	<i>personata</i>	1863, 300
	1866, 319		1865, 618
	1868, 291		1870, 450
<i>Elops cyprinoides</i>	1868, 12	<i>pityornis</i>	1863, 300
<i>machnata</i>	1868, 12		1863, 337
<i>saurus</i>	1865, 310	<i>polaris</i>	1863, 301
	1870, 701		1863, 337
<i>Elphos hymenaria</i>	1867, 635	<i>pusilla</i>	1863, 301
<i>pardicellata</i>	1867, 635		1863, 337
<i>parisnathi</i>	1867, 625		1864, 377
<i>Elseya latistemum</i>	1868, 563		1870, 53
<i>Elusa badia</i>	1862, 237	<i>rustica</i>	1863, 301
<i>castanea</i>	1862, 237		1863, 337
<i>cinnamomea</i>	1862, 237		1870, 53
<i>gracilis</i>	1862, 237	<i>rutila</i>	1862, 318
<i>strigulata</i>	1862, 237	<i>schoeniculus</i>	1863, 301
<i>subulata</i>	1862, 237	<i>spodocephalus</i>	1863, 300
<i>teres</i>	1862, 237		1863, 337
<i>Elysia coodgeensis</i>	1867, 230	<i>stracheyi</i>	1863, 301
<i>Emarginula</i> — ?	1861, 405		1870, 441
<i>aspera</i>	1867, 219	<i>stracheyii</i>	1862, 318
<i>australis</i>	1865, 185	<i>striolata</i>	1864, 446
<i>candida</i>	1865, 185	<i>tristrami</i>	1870, 441
<i>clathrata</i>	1862, 241	<i>unicolor</i>	1867, 322
<i>dilecta</i>	1867, 219	<i>variabilis</i>	1863, 337
<i>parmophoridea</i>	1865, 185		1865, 618
<i>rugosa</i>	1865, 185	<i>Emberizoides macrourus</i>	1870, 553
	1867, 219	<i>macrurus</i>	1867, 572
	1867, 219		1867, 594
<i>Emberiza caesia</i>	1864, 446	<i>sphenurus</i>	1867, 573
<i>calcarata</i>	1870, 53		1867, 594
<i>canescens</i>	1863, 301	<i>Embernagra chloronota</i>	1861, 202
<i>chrysophrys</i>	1863, 301		1864, 352
	1870, 135		1864, 582
<i>cia</i>	1864, 446		1867, 142
<i>cioides</i>	1863, 300	<i>conirostris</i>	1864, 252
	1870, 436		1864, 582
<i>ciopsis</i>	1863, 300		1867, 142
	1863, 337		1868, 167
<i>citrinella</i>	1863, 216	<i>platensis</i>	1868, 140
	1863, 516	<i>striaticeps</i>	1864, 352
	1868, 568		1864, 582
<i>elegans</i>	1863, 337		1867, 142
	1870, 134		1870, 190
	1870, 135	<i>superciliosa</i>	1864, 582
<i>elegantula</i>	1870, 133	<i>Emblema pictum</i>	1866, 558
<i>fucata</i>	1863, 301	<i>Embletonia grayi</i>	1869, 109

	Page		Page
<i>Embletonia grayi</i>	1869, 110	<i>Emys bennettii</i>	1862, 151
	1869, 111		1862, 184
<i>minuta</i>	1869, 109		1862, 185
<i>pallida</i>	1869, 109		1863, 176
	1869, 110		1863, 225
<i>pulchra</i>	1869, 109	<i>berardii</i>	1870, 712
<i>Emesis egeon</i>	1865, 503		1870, 713
<i>Empagusia flavescens</i> ..	1861, 215		1870, 715
<i>Empidagra suiriri</i>	1869, 633	<i>berrardi</i>	1864, 126
	1870, 57	<i>berdmorei</i>	1870, 676
<i>Empidochanes</i> — ? ..	1867, 751		1870, 677
<i>fuscatus</i>	1867, 578	<i>caspica</i>	1864, 488
	1867, 594	<i>castanea</i>	1863, 194
	1867, 751	<i>chinensis</i>	1863, 255
	1867, 757	<i>crassicollis</i>	1861, 140
	1867, 978		1869, 197
<i>oliva</i>	1862, 112	<i>cumberlandensis</i> ..	1869, 207
<i>olivus</i>	1867, 578	<i>decussata</i>	1869, 207
	1867, 594	<i>dentata</i>	1863, 178
	1867, 757	<i>dhongoka</i>	1861, 214
	1868, 628	<i>duvaucelii</i>	1870, 676
<i>pœcilurus</i>	1862, 112	<i>europæa</i>	1863, 175
<i>Empidonax</i> — ?	1864, 360	<i>expansa</i>	1864, 134
<i>albigularis</i>	1864, 360	<i>flavipes</i>	1869, 643
<i>atriceps</i>	1870, 176		1869, 644
	1870, 198		1870, 1
<i>bairdi</i>	1870, 198	<i>fraseri</i>	1869, 643
	1870, 199	<i>fuliginosus</i>	1869, 499
<i>flavescens</i>	1870, 198		1869, 500
<i>flaviventris</i>	1864, 360	<i>grayi</i>	1869, 501
	1870, 199		1869, 504
	1870, 837		1869, 644
<i>griseigularis</i>	1864, 361	<i>guttata</i>	1862, 22
<i>minimus</i>	1870, 837	<i>hypselonotus</i>	1864, 12
<i>obscurus</i>	1862, 19	<i>japonica</i>	1869, 190
<i>trillii</i>	1864, 361	<i>lineata</i>	1861, 214
<i>Empidonomus varius</i> ..	1866, 189	<i>mauri</i>	1864, 126
<i>Emplocus tridens</i>	1867, 535	<i>meleagris</i>	1863, 175
<i>Emyda</i>	1864, 78	<i>melanogaster</i>	1864, 12
<i>ceylonensis</i>	1864, 98	<i>nigricans</i>	1869, 195
<i>granosa</i>	1869, 501	<i>nomadicus</i>	1869, 204
<i>punctata</i>	1864, 98	<i>ocellata</i>	1870, 676
	1869, 215	<i>ornata</i>	1870, 711
<i>senegalensis</i>	1864, 95	<i>picta</i>	1869, 191
	1864, 97	<i>platynota</i>	1863, 177
	1865, 427	<i>pulcherrima</i>	1863, 255
<i>vittata</i>	1864, 98	<i>reevesii</i>	1869, 194
<i>Emydocephalus annula-</i>		<i>sinensis</i>	1863, 176
<i>tus</i>	1869, 322	<i>subtrijuga</i>	1869, 187
<i>tuberculatus</i>	1869, 322	<i>thurgi</i>	1869, 501
<i>Emys</i>	1863, 202	<i>trijuga</i>	1869, 187
	1864, 125		1869, 194
— ?	1862, 322		1869, 501
	1862, 325	<i>tristrami</i>	1869, 190
	1863, 47	<i>trivittata</i>	1870, 676
<i>adansonii</i>	1863, 195		1870, 712
	1864, 296	<i>venusta</i>	1861, 229
<i>bealei</i>	1863, 255	<i>Endropia basipuncta</i> ..	1867, 621

	Page		Page
<i>Engina boivinii</i>	1863, 344	<i>Ensatella rudis</i>	1863, 369
<i>carbonaria</i>	1863, 345	<i>Ensirostris</i>	1864, 468
<i>pulchra</i>	1863, 345	<i>mellerii</i>	1864, 467
<i>fusiformis</i>	1865, 513		1864, 478
<i>ovata</i>	1865, 513	<i>Ensis luzonicus</i>	1861, 421
<i>tuberculosa</i>	1862, 243	<i>Entalis pretiosus</i>	1864, 137
<i>Engraulis auratus</i>	1865, 312	<i>vulgaris</i>	1864, 136
<i>boelama</i>	1867, 868		1864, 137
<i>boelama</i>	1869, 384	<i>Entelopes glauca</i>	1866, 226
	1870, 700		1866, 256
<i>brownii</i>	1865, 309	<i>ioptera</i>	1866, 226
	1865, 311		1866, 255
<i>dussumieri</i>	1865, 311	<i>similis</i>	1866, 226
<i>malabaricus</i>	1865, 311		1866, 255
	1870, 700	<i>Entomogramma faultrix</i>	1867, 73
<i>mysticetus</i>	1866, 604	<i>Entomophilus albigularis</i>	1861, 434
<i>parava</i>	1869, 384	<i>spilodera</i>	1861, 434
<i>rhinorhynchus</i>	1869, 384	<i>Enygrus carinatus</i>	1863, 58
<i>russellii</i>	1870, 700	<i>Eolis nana</i>	1869, 110
<i>taty</i>	1866, 384	<i>Eophona melanura</i>	1870, 602
<i>telara</i>	1867, 17	<i>personata</i>	1863, 337
	1869, 384		1870, 446
	1870, 700		1870, 448
<i>Enhydra marina</i>	1865, 136	<i>Eoporis elegans</i>	1866, 225
<i>Enhydridis gracilis</i>	1865, 136		1866, 229
<i>lutris</i>	1865, 136	<i>Eopsaltria australis</i>	1868, 384
<i>marina</i>	1865, 136	<i>Eos cardinalis</i>	1869, 122
<i>stelleri</i>	1865, 136		1869, 124
<i>Enicurus coronatus</i>	1863, 276		1869, 129
<i>guttatus</i>	1865, 664	<i>cochinchinensis</i>	1861, 431
	1865, 665		1861, 436
<i>leschenaulti</i>	1865, 665	<i>cyanogenia</i>	1864, 290
<i>maculatus</i>	1865, 664		1864, 295
	1865, 665	<i>cyanostriata</i>	1864, 290
<i>sinensis</i>	1865, 665		1864, 295
<i>Enispe cygnus</i>	1867, 673	<i>fuscata</i>	1861, 436
<i>euthymius</i>	1865, 767		1864, 291
<i>Ennea bicolor</i>	1869, 62		1864, 295
	1869, 64	<i>indica</i>	1864, 290
<i>ceylanica</i>	1869, 64		1864, 295
	1869, 65	<i>ornata</i>	1864, 291
<i>clavulata</i>	1868, 260	<i>riciniata</i>	1862, 140
<i>cyathostoma</i>	1870, 380		1864, 290
<i>laevigata</i>	1865, 232	<i>rubra</i>	1863, 21
<i>modesta</i>	1867, 305		1864, 274
	1867, 315		1864, 290
<i>nevilli</i>	1868, 291		1864, 295
	1868, 294	<i>semilarvata</i>	1864, 290
	1869, 63		1864, 295
<i>ringens</i>	1870, 379	<i>squamata</i>	1861, 436
	1870, 380		1864, 290
<i>swinhoei</i>	1866, 317		1864, 295
	1866, 319	<i>torrida</i>	1864, 291
<i>Enneoctonus collaris</i>	1864, 3	<i>unicolor</i>	1864, 291
<i>Ennomos testacearia</i>	1867, 623		1864, 295
<i>viridata</i>	1867, 623		1869, 129
<i>Enome ampla</i>	1867, 681	<i>Epeira callophylla</i>	1868, 674
<i>Enope pulaha</i>	1865, 499	<i>opuntiae</i>	1870, 819

	Page		Page
<i>Epeira solers</i>	1869, 531	<i>Epinephile davendra</i> ..	1865, 509
	1869, 537	<i>eudora</i>	1865, 502
	1869, 543	<i>janira</i>	1865, 501
	1870, 819	<i>Epidodon desmarestii</i> ..	1864, 242
<i>Epeolus variegatus</i>	1862, 121		1865, 528
<i>Epepeotes luscus</i>	1866, 226	<i>Episomus pauperatus</i> ..	1866, 239
	1866, 249	<i>Episparis sejunctalis</i> ..	1867, 81
<i>Ephialtes grammicus</i> ..	1861, 80	<i>signata</i>	1867, 81
<i>lempiiji</i>	1868, 401	<i>tortuosalis</i>	1867, 81
<i>leucospila</i>	1863, 22	<i>varialis</i>	1867, 81
<i>nudipes</i>	1868, 57	<i>Epistemus gyrinoides</i> ..	1867, 362
<i>pennatus</i>	1868, 401		1867, 373
<i>portoricensis</i>	1870, 557	<i>Epizoanthus papillosus</i> ..	1867, 237
<i>Ephies cruentus</i>	1866, 227	<i>Epomophorus crypturus</i>	1861, 11
	1866, 506		1864, 650
	1866, 536	<i>franqueti</i>	1861, 11
<i>Ephippium</i>	1862, 228	<i>gambianus</i>	1861, 11
<i>Ephippus orbis</i>	1865, 16		1865, 400
	1870, 687	<i>labiatus</i>	1861, 11
<i>Ephthianura albifrons</i> ..	1869, 279	<i>macrocephalus</i>	1861, 11
<i>Ephydatia canalium</i>	1863, 462	<i>schoensis</i>	1861, 12
<i>capewelli</i>	1867, 550	<i>whitei</i>	1864, 56
<i>fluviatilis</i>	1867, 550		1866, 65
<i>leidyi</i>	1867, 550	<i>Epomops franqueti</i>	1866, 65
<i>meyenii</i>	1867, 550	<i>Ephthianura tricolor</i>	1861, 209
<i>Ephyra monochromata</i> ..	1866, 365	<i>Equula carak</i>	1867, 861
<i>Epianthe viridis</i>	1866, 227	<i>daura</i>	1865, 26
	1866, 511	<i>dussumieri</i>	1868, 10
	1866, 536		1870, 689
<i>Epibulus</i>	1861, 409	<i>edentula</i>	1865, 26
<i>insidiator</i>	1867, 865	<i>fasciata</i>	1864, 308
<i>striatus</i>	1870, 697		1867, 861
<i>Epicauta gigas</i>	1864, 118		1870, 689
<i>Epicedia plagiata</i>	1866, 226	<i>filigera</i>	1867, 861
	1866, 250	<i>gerroides</i>	1870, 690
<i>Epicles radiatus</i>	1867, 521	<i>insidiatrix</i>	1865, 26
<i>Epicopeia diphilæa</i>	1865, 800	<i>interrupta</i>	1869, 302
<i>philenora</i>	1865, 800	<i>longispinis</i>	1867, 861
<i>philoxenæa</i>	1865, 799	<i>rivulata</i>	1870, 689
<i>varunæa</i>	1865, 799	<i>ruconius</i>	1869, 302
<i>Epicrates cenchria</i>	1861, 15	<i>splendens</i>	1869, 302
	1861, 115		1870, 690
<i>cenchris</i>	1862, 23	<i>Equus asinus</i>	1862, 136
<i>Epidromus antiquatus</i> ..	1865, 517		1870, 80
<i>cumingi</i>	1861, 205	<i>burchelli</i>	1861, 209
<i>Epilecta pulcherrima</i> ..	1867, 54		1861, 264
	1867, 97		1865, 419
<i>Epimachus albus</i>	1861, 433		1865, 422
	1862, 160	<i>burchellii</i>	1864, 374
<i>magnificus</i>	1861, 433		1864, 654
<i>magnus</i>	1862, 154	<i>caballus</i>	1862, 102
	1862, 157		1862, 136
	1862, 159		1866, 87
	1862, 160	<i>chapmanni</i>	1865, 417
<i>maximus</i>	1861, 433		1865, 422
<i>Epinephile cheena</i>	1865, 501		
	1865, 509		
<i>davendra</i>	1865, 502		

	Page		Page
<i>Equus hemionus</i>	1862,	163	
	1864,	374	
<i>hemippus</i>	1868,	404	
<i>montanus</i>	1865,	417	
	1865,	419	
<i>mulus</i>	1870,	86	
<i>onager</i>	1862,	163	
	1862,	164	
	1864,	374	
	1870,	40	
<i>quagga</i>	1864,	374	
	1865,	419	
<i>tæniopus</i>	1864,	374	
<i>zebra</i>	1862,	136	
	1864,	374	
	1864,	654	
	1865,	417	
	1867,	692	
<i>Erasmia pulchella</i>	1865,	800	
<i>Erastria venulia</i>	1867,	61	
<i>Erato scabriuscula</i>	1863,	341	
<i>Ercheia tenebrosa</i>	1867,	66	
<i>Erebia annada</i>	1865,	500	
<i>cassius</i>	1863,	478	
<i>kalinda</i>	1865,	501	
	1865,	509	
<i>nirmala</i>	1865,	501	
<i>scanda</i>	1865,	500	
	1865,	501	
<i>tamatavæ</i>	1863,	65	
	1863,	478	
<i>Erebomorpha fulguraria</i>	1867,	624	
<i>fulgurita</i>	1867,	624	
<i>semiclusaria</i>	1867,	613	
<i>Ereis anthriboides</i>	1866,	225	
	1866,	231	
<i>Eremias</i> —— ?	1864,	115	
<i>argus</i>	1870,	410	
<i>variabilis</i>	1861,	50	
<i>velox</i>	1861,	50	
<i>Eremomela flavida</i>	1864,	2	
<i>flaviventris</i>	1864,	2	
<i>Eremophila chrysolæma</i>	1864,	174	
<i>Eresus acanthophilus</i> ..	1870,	820	
<i>Erethizon dorsatum</i>	1861,	101	
<i>dorsatus</i>	1865,	322	
<i>epixanthus</i>	1865,	322	
<i>rufescens</i>	1865,	321	
<i>Ereunetes mauri</i>	1870,	588	
<i>minor</i>	1870,	588	
<i>petrificatus</i>	1867,	592	
	1870,	588	
<i>Ergæa walshi</i>	1867,	740	
<i>Ergolis ariadne</i>	1865,	762	
<i>coryta</i>	1866,	360	
<i>Eribæa athamis</i>	1865,	634	
<i>brutus</i>	1865,	625	
<i>etheoclessa</i>	1865,	629	
<i>Eribæa euryale</i>	1865,	631	
<i>lampedo</i>	1865,	628	
<i>lucretia</i>	1865,	626	
<i>pelopia</i>	1865,	624	
<i>pyrrhichia</i>	1865,	632	
<i>thiestessa</i>	1865,	631	
<i>unedonis</i>	1865,	623	
<i>Ericulus nigrescens</i>	1865,	833	
<i>spinosus</i>	1866,	420	
<i>Erinaceus</i> —— ?	1864,	378	
<i>collaris</i>	1861,	390	
	1870,	450	
<i>dealbatus</i>	1870,	450	
	1870,	621	
<i>europæus</i>	1866,	92	
	1870,	450	
<i>Eriocnemis vestita</i>	1870,	782	
<i>Eriopus exotica</i>	1867,	61	
<i>Erismatūra</i> —— ?	1861,	268	
<i>ferruginea</i>	1867,	335	
	1867,	340	
	1868,	177	
	1868,	531	
	1868,	570	
<i>leucogenys</i>	1869,	157	
<i>leuconota</i>	1865,	89	
<i>mersa</i>	1864,	454	
<i>vittata</i>	1867,	320	
	1867,	335	
	1868,	531	
<i>Erithacus akahige</i>	1863,	335	
<i>komadori</i>	1863,	335	
<i>rubecula</i>	1863,	159	
	1863,	217	
<i>Erodias victoriae</i>	1861,	399	
<i>Eroessa tenella</i>	1866,	219	
	1866,	422	
	1870,	390	
	1870,	391	
<i>Eronia avatar</i>	1865,	760	
<i>valeria</i>	1865,	760	
<i>Erosia cervinaria</i>	1867,	646	
<i>Erycina charmione</i>	1869,	44	
<i>cycladiformis</i>	1867,	928	
<i>lysidice</i>	1866,	482	
<i>rotunda</i>	1867,	927	
<i>Erygia apicalis</i>	1867,	67	
<i>Erylus mammillaris</i>	1867,	549	
<i>Erythacus rubecula</i>	1862,	324	
<i>Erythra minuta</i>	1868,	455	
<i>quadristrigata</i>	1868,	388	
<i>Erythrinus cinereus</i>	1868,	239	
<i>unitæniatus</i>	1864,	239	
<i>Erythroenas pulcherrima</i>	1865,	318	
	1866,	78	
	1867,	344	
<i>Erythrogaster iogaster</i> ..	1867,	173	
<i>Erythrogonyx cinctus</i> ..	1863,	233	

	Page		Page
<i>Erythrolamprus venustis-</i> <i>simus</i>	1861, 322	<i>Esperia basillaris</i>	1867, 533
<i>Erythronota antiqua</i> ..	1870, 562	<i>bauriana</i>	1867, 533
<i>edvardi</i>	1867, 155	<i>bowerbankii</i>	1867, 533
<i>edwardi</i>	1864, 365	<i>contavenii</i>	1867, 532
<i>feliciae</i>	1868, 629	<i>foraminosa</i>	1867, 533
<i>niveiventris</i>	1870, 210	<i>lorenzi</i>	1867, 533
<i>niveoventris</i>	1867, 129	<i>massa</i>	1867, 533
	1867, 155	<i>modesta</i>	1867, 533
<i>Erythropus amurensis</i> ..	1870, 436	<i>nodosa</i>	1867, 533
	1870, 448	<i>syrinx</i>	1867, 533
<i>vespertinus</i>	1864, 2	<i>tunicata</i>	1867, 533
	1864, 429	<i>typica</i>	1867, 532
<i>Erythrospiza githaginea</i>	1864, 448	<i>volutata</i>	1867, 533
<i>griseogularis</i>	1867, 173	<i>Estheria brasiliensis</i>	1862, 147
	1867, 174	<i>caldwelli</i>	1862, 148
<i>trinitata</i>	1867, 170	<i>dahalacensis</i>	1862, 148
	1867, 172	<i>dunkerii</i>	1862, 147
<i>Erythrosterna acornaus</i> .	1866, 3	<i>jonesi</i>	1862, 147
<i>albicilla</i>	1862, 317	<i>lofti</i>	1862, 147
<i>brunneicauda</i>	1863, 180	<i>macgillivrayi</i>	1862, 148
	1866, 422	<i>newcombi</i>	1866, 122
<i>leucura</i>	1862, 317		1866, 123
	1863, 290	<i>rubidgei</i>	1862, 148
	1863, 335	<i>tetracera</i>	1862, 148
<i>luteola</i>	1863, 290	<i>Estigena pardale</i>	1865, 820
	1863, 335	<i>Estrelida amandava</i>	1866, 571
<i>parva</i>	1863, 181	<i>astrild</i>	1865, 95
	1863, 290		1866, 424
<i>Erythrura trichroa</i>	1870, 158	<i>bella</i>	1869, 279
<i>tricolor</i>	1863, 486	<i>benghala</i>	1864, 3
<i>Erythrurus apiculatus</i>	1866, 227	<i>bichenovii</i>	1861, 198
	1866, 515		1861, 234
	1866, 516		1861, 365
<i>atricollis</i>	1866, 227	<i>cinerea</i>	1862, 186
	1866, 515	<i>flavidiventris</i>	1863, 486
<i>championi</i>	1866, 350		1863, 495
<i>formosanus</i>	1866, 350	<i>minima</i>	1863, 106
<i>ignitus</i>	1866, 227		1864, 110
	1866, 514	<i>minuta</i>	1870, 143
<i>lacertosus</i>	1866, 227		1863, 354
	1866, 515	<i>phaëton</i>	1861, 198
<i>Eryx jaculus</i>	1864, 489		1861, 234
<i>johnii</i>	1869, 502		1861, 365
<i>Esacus magnirostris</i>	1861, 438	<i>phoenicotis</i>	1862, 325
	1862, 335		1863, 106
	1862, 346		1864, 110
	1863, 35	<i>punicea</i>	1863, 495
<i>Eschata gelida</i>	1867, 666	<i>rugularis</i>	1863, 355
<i>Eschrichtius robustus</i> ..	1865, 42	<i>ruficauda</i>	1861, 198
	1865, 43		1861, 234
<i>Esomus maderaspatensis</i>	1867, 300	<i>temporalis</i>	1862, 22
<i>malabaricus</i>	1867, 299		1869, 279
	1869, 559	<i>valvatoides</i>	1863, 355
<i>Esox lucius</i>	1862, 103	<i>Etelis carunculatus</i>	1867, 846
	1862, 138	<i>Eterusia aëdea</i>	1865, 801
<i>Espera calix</i>	1867, 520	<i>circinata</i>	1865, 801
<i>Esperia anceps</i>	1867, 533	<i>edocla</i>	1865, 801

	Page		Page
<i>Eterusia ferrea</i>	1865,	<i>Eucometis cassinii</i>	1864,
<i>pulchella</i>	1867,	<i>cristata</i>	1864,
<i>raja</i>	1867,		1870,
<i>risa</i>	1867,	<i>penicillata</i>	1866,
<i>scintillans</i>	1865,		1867,
<i>sexpunctata</i>	1865,	<i>spodocephala</i>	1864,
<i>shahama</i>	1865,		1870,
<i>sublutea</i>	1865,		1870,
<i>tricolor</i>	1867,	<i>Euctenogobius andaman-</i>	
<i>Etheria caillaudi</i>	1864,	<i>ensis</i>	1870,
<i>stefanensis</i>	1866,	<i>sagittula</i>	1861,
<i>Ethope himachala</i>	1865,	<i>striatus</i>	1868,
<i>Etroplus maculatus</i>	1865,		1869,
	1865,	<i>Eudiptis indica</i>	1867,
	1870,	<i>traducalis</i>	1867,
<i>suratensis</i>	1865,	<i>Eudipsas leucocephalus</i> .	1863,
	1869,	<i>Eudromias modesta</i>	1867,
	1870,		1867,
<i>Eubalæna</i>	1864,		1868,
<i>antipodarum</i>	1865,	<i>morinellus</i>	1863,
<i>australis</i>	1864,	<i>Eudynamys</i>	1863,
	1864,	<i>australis</i>	1863,
	1864,		1863,
	1864,	<i>facialis</i>	1862,
	1864,		1862,
	1864,	<i>orientalis</i>	1864,
	1864,		1865,
	1864,	<i>melanorhynchus</i> ..	1862,
<i>Eublepharis hardwickii</i> .	1864,	<i>punctatus</i>	1861,
	1869,	<i>ransomi</i>	1863,
<i>Eubolia reciproca</i>	1867,	<i>taitensis</i>	1864,
<i>Eubbranchella branchiata</i>	1869,		1864,
<i>Eucephala cærulea</i>	1866,	<i>Eudyptes antarcticus</i> ..	1861,
	1867,	<i>chrysocome</i>	1861,
	1867,	<i>chrysolophus</i>	1861,
	1867,		1868,
<i>hypocyanea</i>	1867,	<i>diadematus</i>	1861,
	1867,	<i>nigrivestis</i>	1861,
<i>Eucera longicornis</i>	1862,		1868,
<i>Eucharis angulata</i>	1870,		1868,
	1870,	<i>papua</i>	1861,
<i>Euchelus baccatus</i>	1865,	<i>torquatus</i>	1861,
	1867,	<i>Eugenes fulgens</i>	1864,
<i>maculosus</i>	1862,	<i>Eugenia jambos</i>	1865,
<i>scabriusculus</i>	1867,		1865,
<i>Euchera substigmatica</i> ..	1867,	<i>Euglossa cordata</i>	1862,
<i>Euchlora albopilosa</i>	1866,	<i>Euglyphis fulvidorsalis</i> .	1867,
<i>castaneoventris</i>	1866,	<i>procopialis</i>	1867,
<i>expansa</i>	1866,	<i>Euhydрина bengaliensis</i> .	1869,
	1866,	<i>Euhyrax abyssimicus</i> ..	1869,
<i>trachypyga</i>	1866,		1869,
<i>Euchlorornis formosa</i> ..	1868,		1869,
<i>Euchromia folletii</i>	1863,	<i>Eulabeornis castaneo-</i>	
<i>Eucometes cassinii</i>	1867,	<i>ventris</i>	1861,
<i>cristata</i>	1867,	<i>Eulima acicula</i>	1867,
	1868,	<i>augur</i>	1865,
<i>spodocephala</i>	1867,		1865,
<i>Eucometis albicollis</i>	1867,	<i>exilis</i>	1862,

	Page		Page
<i>Eulima falcata</i>	1865,	<i>Euphonia annæ</i>	1867,
<i>iota</i>	1863,		1867,
<i>mucronata</i>	1867,		1870,
<i>proxima</i>	1867,	<i>cayana</i>	1867,
<i>pyramidalis</i>	1865,	<i>chalybea</i>	1869,
<i>recta</i>	1863,	<i>chrysopasta</i>	1869,
<i>solitaria</i>	1863,	<i>crassirostris</i>	1864,
<i>subpellucida</i>	1865,		1864,
<i>Eumeces hardwickii</i>	1869,		1867,
<i>modestus</i>	1870,		1870,
<i>punctatus</i>	1869,	<i>elegantissima</i>	1864,
<i>Eumeles ankuma</i>	1865,		1870,
<i>Eumelia aureliata</i>	1866,	<i>fulvicrissa</i>	1864,
	1867,	<i>gouldii</i>	1864,
<i>feliciata</i>	1867,		1864,
<i>rosalia</i>	1867,		1870,
<i>rosaliata</i>	1867,	<i>gracilis</i>	1866,
<i>Eumetopias californiana</i> .	1868,		1866,
<i>Eumolpe fragilis</i>	1863,		1870,
<i>Eumomota superciliaris</i> .	1870,	<i>helias</i>	1861,
<i>Eunyias melanops</i>	1863,	<i>hirundinacea</i>	1864,
<i>Eunapius carteri</i>	1867,		1864,
<i>paupercula</i>	1867,		1870,
<i>Eunectes murinus</i>	1861,	<i>humilis</i>	1867,
	1861,	<i>jamaica</i>	1861,
	1861,	<i>luteicapilla</i>	1870,
	1864,	<i>melanura</i>	1866,
<i>Eunycteris phaiops</i>	1866,		1867,
<i>Euophrys modestus</i>	1869,	<i>minuta</i>	1864,
<i>Euotaria nigrescens</i>	1868,		1866,
<i>Eupetes ajax</i>	1861,		1867,
<i>cærulescens</i>	1861,		1867,
	1862,		1870,
<i>Eupetomena macrura</i> ..	1867,	<i>nigricollis</i>	1868,
<i>Euphema bourkii</i>	1867,		1870,
<i>elegans</i>	1862,	<i>ruficeps</i>	1866,
	1869,	<i>rufiventris</i>	1867,
	1869,		1867,
<i>pulchella</i>	1869,	<i>rufivertex</i>	1866,
<i>Eupherusa cupreiceps</i> ..	1867,		1866,
	1868,	<i>trinitatis</i>	1867,
<i>egregia</i>	1868,		1867,
	1870,	<i>violacea</i>	1866,
	1870,		1868,
<i>eximia</i>	1868,	<i>vittata</i>	1861,
	1870,	<i>xanthogastra</i>	1866,
<i>nigriventris</i>	1868,		1868,
	1870,		1869,
<i>niveicauda</i>	1867,	<i>Euphractus minutus</i>	1865,
	1868,		1865,
<i>Euphonia aureata</i>	1870,	<i>villosus</i>	1865,
<i>flavifrons</i>	1870,	<i>Euphysetes grayii</i>	1864,
<i>nigricollis</i>	1870,		1864,
<i>trinitatis</i>	1870,		1865,
<i>violacea</i>	1870,		1865,
<i>Euphone chlorotica</i>	1870,		1865,
<i>lichtensteini</i>	1870,		1865,
<i>Euphonia annæ</i>	1867,	<i>macleayi</i>	1865,

	Page		Page
Euphysetes simus	1865, 511	Euplocamus lineatus ..	1864, 160
Eupithecia costipannaria	1867, 654		1864, 373
ferruginaria	1867, 654		1866, 78
semicirculata	1867, 654		1868, 623
Euplectella aspergillum .	1867, 26		1869, 628
	1867, 27	melanotus	1863, 115
	1867, 351		1863, 121
	1867, 352		1863, 127
	1867, 353		1869, 628
	1867, 358	nobilis	1863, 119
	1867, 528		1868, 261
	1867, 529	nycthemerus	1863, 120
	1869, 67		1863, 127
	1869, 344		1863, 307
cucumer	1867, 351		1869, 149
	1867, 353		1869, 628
	1867, 354	personatus	1863, 120
	1867, 528	praelatus	1863, 118
	1867, 529		1864, 159
	1869, 340		1864, 377
	1869, 344		1865, 256
speciosa	1867, 529		1869, 628
Euplectes — ?	1862, 322	pucrasia	1862, 221
capensis	1866, 23		1864, 258
flammiceps	1864, 109	pyronotus	1863, 120
	1867, 826	swinhoii	1862, 284
flaviceps	1863, 106		1863, 115
ignicolor	1864, 109		1863, 119
xanthomelas	1869, 437		1863, 338
Eupleres	1864, 577		1865, 677
goudotii	1864, 546		1869, 628
	1864, 578	vieillotii	1863, 118
	1870, 824		1863, 127
	1870, 825	Euplocia membliaria ..	1867, 677
	1870, 827	Euploea abjecta	1866, 299
Euplexia albovittata . . .	1867, 57	adyte	1866, 453
	1867, 97	ægyptus	1866, 277
discisignata	1867, 57	æthiops	1866, 285
	1867, 97	aglidice	1866, 282
striatovirens	1867, 58	albata	1866, 55
Euplocamus albicristatus	1869, 628	alcathoë	1866, 275
albo cristatus	1863, 121		1867, 673
	1863, 127	alcippus	1866, 46
crawfordii	1863, 118	alecto	1866, 275
cuvieri	1868, 623	amymone	1866, 274
erythrophthalmus . .	1863, 119	anthracina	1866, 280
	1863, 120		1866, 281
	1863, 127	artenice	1866, 47
	1864, 139	boisduvalii	1866, 302
	1864, 373	bremeri	1866, 277
horsfieldi	1869, 628		1866, 278
horsfieldii	1863, 121		1866, 453
	1863, 127	callithoë	1866, 272
	1868, 623	camaralzeman	1866, 271
ignitus	1863, 118		1866, 302
	1863, 119	chionippe	1866, 171
lineatus	1863, 120	chloë	1866, 271
	1863, 127	chrysippus	1866, 46

	Page		Page
<i>Euplœa climeria</i>	1866, 281	<i>Euplœa godartii</i>	1866, 275
	1866, 282	<i>goudotii</i>	1866, 301
	1866, 283		1866, 302
	1866, 284	<i>gyllenhalii</i>	1866, 302
	1866, 453	<i>hamata</i>	1866, 51
<i>confusa</i>	1866, 283		1870, 725
	1866, 285	<i>haworthii</i>	1866, 274
<i>core</i>	1865, 493	<i>hegesippus</i>	1866, 49
	1865, 761	<i>helcita</i>	1866, 453
	1866, 276	<i>herbstii</i>	1866, 287
	1866, 453	<i>hewitsonii</i>	1866, 295
<i>corinna</i>	1866, 403		1866, 302
<i>crameri</i>	1866, 277		1866, 452
	1866, 453	<i>hisme</i>	1866, 286
<i>crassa</i>	1866, 278	<i>huebneri</i>	1866, 274
	1866, 453	<i>hyacinthus</i>	1866, 296
<i>cratis</i>	1866, 297		1866, 302
	1866, 298	<i>hyems</i>	1866, 288
<i>damocles</i>	1866, 44		1866, 292
<i>darchia</i>	1866, 292	<i>inquinata</i>	1866, 288
<i>dehaani</i>	1866, 302		1866, 291
<i>deione</i>	1865, 761	<i>iphianassa</i>	1866, 286
	1866, 279		1866, 287
<i>desjardinsii</i>	1866, 301	<i>janus</i>	1866, 273
<i>diana</i>	1866, 297	<i>kadu</i>	1866, 452
	1866, 302	<i>kinbergi</i>	1866, 273
<i>diocletia</i>	1866, 293		1866, 453
<i>doubledayi</i>	1865, 761	<i>klugii</i>	1866, 273
<i>doleschalii</i>	1866, 293		1866, 453
	1866, 358	<i>lætifica</i>	1866, 292
<i>dorippus</i>	1866, 46		1866, 302
<i>dryasis</i>	1866, 294		1866, 453
<i>dufresnii</i>	1866, 294	<i>lampeyrousei</i>	1866, 282
	1866, 453	<i>ledereri</i>	1866, 291
<i>duponchelii</i>	1866, 282		1866, 452
<i>ebenina</i>	1866, 301	<i>margarita</i>	1866, 279
<i>echeria</i>	1866, 43	<i>mazares</i>	1866, 288
<i>eleusine</i>	1866, 289		1866, 289
	1866, 453		1866, 290
<i>eleutho</i>	1866, 300	<i>megæra</i>	1866, 276
	1866, 453	<i>melancholica</i>	1866, 285
<i>elisa</i>	1866, 270	<i>melina</i>	1866, 282
<i>esperii</i>	1866, 453		1866, 283
<i>eunice</i>	1866, 286		1866, 284
	1866, 287		1866, 453
	1866, 288	<i>melpomene</i>	1866, 298
	1866, 295		1866, 300
<i>eupator</i>	1866, 297	<i>ménétriesii</i>	1866, 275
<i>euphone</i>	1863, 477	<i>midamus</i>	1865, 494
	1866, 301		1865, 761
<i>eurianassa</i>	1866, 301		1866, 274
<i>eurypon</i>	1866, 286		1866, 294
<i>faber</i>	1866, 279		1866, 295
<i>felderi</i>	1866, 275	<i>mitra</i>	1866, 299
<i>frauenfeldi</i>	1866, 453	<i>mniszechii</i>	1866, 453
<i>gamelia</i>	1866, 279	<i>modesta</i>	1866, 273
<i>gloriosa</i>	1866, 293	<i>mœsta</i>	1866, 281
	1866, 302		1866, 284

	Page		Page
<i>Epulcea moorei</i>	1866, 277	<i>Eupodotis melanogastra</i>	1869, 570
<i>morosa</i>	1866, 281	<i>picturata</i>	1865, 88
<i>muisgechii</i>	1866, 284	<i>ruficollis</i>	1870, 670
<i>niavius</i>	1866, 293	<i>Euprepes fellowsii</i>	1864, 489
<i>novaræ</i>	1866, 44	<i>grantii</i>	1864, 307
<i>nox</i>	1866, 452	<i>gularis</i>	1864, 61
<i>ochsenheimeri</i>	1866, 478	<i>kirkii</i>	1864, 62
<i>orope</i>	1866, 271	<i>punctatissimus</i>	1864, 307
<i>palla</i>	1866, 299	<i>rufescens</i>	1869, 501
<i>pavettæ</i>	1866, 284	<i>Euprepis grantii</i>	1864, 62
<i>pelor</i>	1866, 302	<i>quinquefasciatus</i>	1864, 62
<i>phædon</i>	1866, 269	<i>Euproctis antica</i>	1865, 807
<i>philene</i>	1866, 300	<i>atomaria</i>	1865, 806
<i>philomela</i>	1866, 43	<i>divisa</i>	1865, 806
<i>phœbus</i>	1866, 47	<i>gamma</i>	1867, 680
<i>picina</i>	1866, 57	<i>lunata</i>	1867, 680
<i>plexippus</i>	1866, 456	<i>lutescens</i>	1865, 806
<i>pollita</i>	1866, 270	<i>madana</i>	1867, 680
<i>priapus</i>	1866, 280	<i>melanophila</i>	1865, 806
<i>proserpina</i>	1866, 302	<i>metamelana</i>	1867, 680
<i>prothoë</i>	1866, 453	<i>partita</i>	1865, 806
<i>pumila</i>	1866, 47	<i>producta</i>	1863, 167
<i>rhadamanthus</i>	1866, 290	<i>rana</i>	1863, 168
<i>rogeri</i>	1866, 291	<i>virguncula</i>	1865, 806
<i>saundersii</i>	1866, 302	<i>Eupsilostoma pusillum</i>	1867, 342
<i>scherzeri</i>	1866, 300	<i>Eupsychortyx sonnini</i>	1869, 252
<i>semicirculus</i>	1866, 268	<i>Euptychia acmenis</i>	1866, 476
<i>sepulchralis</i>	1866, 270	<i>ægrota</i>	1866, 482
<i>splendens</i>	1866, 299	<i>affinis</i>	1867, 109
<i>superba</i>	1866, 291	<i>agatha</i>	1866, 469
<i>swainsonii</i>	1866, 453	<i>ambigua</i>	1866, 503
<i>swinhoei</i>	1866, 453	<i>angularis</i>	1866, 492
<i>sylvester</i>	1866, 269	<i>antinoë</i>	1866, 472
<i>tisiphone</i>	1866, 282	<i>archebates</i>	1866, 502
<i>treitschkei</i>	1866, 283	<i>areolata</i>	1866, 498
<i>tristis</i>	1866, 272	<i>argante</i>	1866, 472
<i>tullioli</i>	1866, 271	<i>argyrosphila</i>	1866, 467
<i>tytia</i>	1866, 272	<i>armilla</i>	1867, 109
<i>unice</i>	1866, 278	<i>atalanta</i>	1866, 474
<i>usipetes</i>	1866, 272	<i>austera</i>	1866, 464
<i>vermiculata</i>	1866, 278	<i>ayaya</i>	1866, 492
<i>vestigiata</i>	1866, 358		
<i>viola</i>	1866, 290		
<i>wallacei</i>	1866, 55		
<i>Eupodotis australasiana</i>	1866, 452		
	1866, 285		
	1866, 276		
	1866, 288		
	1866, 295		
	1866, 302		
	1866, 280		
	1866, 201		

	Page		Page
<i>Euptychia ayaya</i>	1866, 504	<i>Euptychia eurytus</i>	1866, 465
<i>batesii</i>	1866, 493	<i>fallax</i>	1866, 474
	1866, 504	<i>fumata</i>	1866, 501
<i>binalinea</i>	1866, 475		1867, 109
	1866, 503	<i>furina</i>	1867, 110
	1867, 106	<i>galesus</i>	1866, 495
<i>brixiola</i>	1866, 483	<i>gemma</i>	1866, 473
	1866, 504	<i>gemma</i>	1866, 500
<i>brixius</i>	1866, 483	<i>gemmula</i>	1866, 495
<i>byses</i>	1866, 472		1866, 496
	1866, 490		1867, 109
	1867, 110	<i>gera</i>	1866, 494
<i>callichloris</i>	1866, 490	<i>gigas</i>	1866, 486
	1866, 504		1866, 504
<i>camerta</i>	1866, 462	<i>glaucina</i>	1866, 482
	1867, 104	<i>grimon</i>	1866, 472
<i>canthe</i>	1866, 473		1866, 477
	1866, 474		1867, 106
	1866, 475	<i>harmonia</i>	1866, 478
<i>celmis</i>	1866, 468		1866, 503
<i>chlorimene</i>	1866, 490	<i>helle</i>	1866, 460
<i>chloris</i>	1866, 490		1866, 493
	1866, 491	<i>hermes</i>	1866, 475
	1866, 492	<i>herse</i>	1866, 490
	1866, 493		1866, 491
<i>cissia</i>	1866, 459		1866, 492
<i>clarissa</i>	1866, 462	<i>herseis</i>	1866, 490
<i>clorimena</i>	1866, 498	<i>hewitsonii</i>	1866, 491
<i>cluena</i>	1866, 489		1866, 504
<i>clueria</i>	1866, 489	<i>hiemalis</i>	1866, 494
<i>coelestis</i>	1866, 484		1867, 109
	1866, 504	<i>huebneri</i>	1866, 473
<i>cosmophila</i>	1866, 497		1866, 502
<i>cranter</i>	1866, 461	<i>insignis</i>	1866, 501
	1866, 467		1866, 504
<i>divergens</i>	1866, 464	<i>itonis</i>	1866, 495
	1866, 504		1866, 498
<i>doris</i>	1866, 482	<i>junia</i>	1866, 485
<i>doxes</i>	1866, 496	<i>junonia</i>	1866, 495
<i>ebusa</i>	1866, 485		1866, 496
	1866, 489		1867, 109
<i>electa</i>	1866, 468	<i>latia</i>	1866, 496
	1866, 503		1866, 504
<i>enyo</i>	1866, 480	<i>lea</i>	1866, 485
	1866, 503	<i>lethe</i>	1866, 465
<i>eous</i>	1866, 477		1867, 109
	1866, 503	<i>libye</i>	1866, 486
<i>erichtho</i>	1866, 486		1866, 487
	1866, 501	<i>libyoidea</i>	1866, 487
	1866, 504		1867, 109
<i>erigone</i>	1866, 466	<i>litrata</i>	1866, 474
	1866, 503		1867, 107
	1867, 104		1867, 110
<i>eriphule</i>	1866, 468	<i>lydia</i>	1866, 460
	1866, 469	<i>lysidice</i>	1866, 482
	1866, 503		1866, 483
<i>erycina</i>	1866, 496	<i>mæpius</i>	1866, 465
	1867, 109		1866, 466

	Page		Page
<i>Euptychia mæpius</i>	1866, 467	<i>Euptychia phronius</i>	1866, 470
<i>marmorata</i>	1866, 471	<i>picea</i>	1866, 481
	1866, 504		1867, 109
<i>metagera</i>	1866, 494	<i>peria</i>	1866, 463
	1867, 109		1866, 503
<i>mima</i>	1866, 500	<i>pilata</i>	1866, 483
	1867, 109		1866, 504
<i>modesta</i>	1866, 473	<i>pimpla</i>	1866, 470
	1867, 109	<i>poltys</i>	1866, 476
<i>molina</i>	1866, 480	<i>polyphemus</i>	1866, 488
<i>mollina</i>	1866, 480		1867, 109
<i>myncea</i>	1866, 461	<i>pronophila</i>	1866, 479
	1866, 462		1867, 107
	1866, 468		1867, 110
	1867, 104	<i>pyracmon</i>	1866, 499
<i>nebulosa</i>	1866, 479		1867, 109
	1867, 105	<i>quantius</i>	1866, 488
	1867, 107		1866, 489
	1867, 109	<i>renata</i>	1866, 470
<i>necys</i>	1866, 471		1867, 107
<i>nortia</i>	1866, 494	<i>salvini</i>	1866, 489
	1866, 501		1866, 504
<i>nossis</i>	1866, 479	<i>saturnus</i>	1866, 479
	1867, 107		1866, 503
<i>obscura</i>	1866, 487	<i>saundersii</i>	1866, 500
	1867, 109		1866, 501
<i>ochracea</i>	1866, 471		1866, 504
	1867, 107		1867, 109
	1867, 109	<i>sericeella</i>	1866, 489
<i>ocirrhœ</i>	1866, 459	<i>similis</i>	1866, 463
	1866, 460		1867, 109
	1866, 494	<i>sosybius</i>	1866, 474
<i>ocnus</i>	1866, 467	<i>straminea</i>	1866, 469
	1867, 109		1867, 106
<i>ocypete</i>	1866, 460		1867, 109
	1866, 461	<i>terrestris</i>	1866, 462
	1866, 493		1866, 503
<i>ocyrrhoë</i>	1863, 249	<i>themis</i>	1866, 463
<i>pacarus</i>	1866, 500		1867, 104
	1866, 501		1867, 109
<i>pæon</i>	1866, 471	<i>tolumnia</i>	1866, 492
<i>pagyris</i>	1866, 497	<i>tricolor</i>	1866, 493
	1866, 498	<i>undulata</i>	1866, 475
	1867, 109		1866, 503
<i>palladia</i>	1866, 461		1867, 108
	1866, 503	<i>urania</i>	1866, 484
<i>periphas</i>	1866, 465		1866, 504
	1867, 110	<i>usitata</i>	1866, 463
<i>pharella</i>	1866, 477		1866, 503
	1866, 478		1867, 104
	1866, 503	<i>variabilis</i>	1866, 469
<i>phares</i>	1866, 477		1866, 503
	1866, 478		1867, 106
<i>philippa</i>	1866, 485		1867, 107
	1867, 109	<i>vastata</i>	1866, 487
<i>phineus</i>	1866, 478		1867, 109
	1866, 503	<i>vesper</i>	1866, 474
<i>phocion</i>	1866, 499		1867, 108

	Page		Page		
<i>Euptychia vesper</i>	1867,	110	<i>Eurypyga helias</i>	1868,	116
<i>vesta</i>	1866,	479	<i>major</i>	1869,	628
<i>vestigata</i>	1866,	503	<i>major</i>	1864,	371
<i>vestigiata</i>	1866,	470	<i>major</i>	1867,	161
<i>westwoodii</i>	1867,	105	<i>major</i>	1870,	218
<i>westwoodii</i>	1867,	110	<i>Eurystomus afer</i>	1864,	110
<i>Eurinatorhynchus pygmaeus</i>	1866,	481	<i>australis</i>	1869,	569
<i>pygmaeus</i>	1867,	109	<i>australis</i>	1862,	339
<i>Euripus haliartus</i>	1863,	317	<i>australis</i>	1863,	25
<i>haliartus</i>	1864,	272	<i>crassirostris</i>	1869,	121
<i>halitherses</i>	1865,	763	<i>crassirostris</i>	1869,	124
<i>isa</i>	1865,	763	<i>glaucurus</i>	1870,	397
<i>nyctelius</i>	1865,	763	<i>gularis</i>	1861,	433
<i>Eurocephalus anguiti-</i>			<i>madagascariensis</i> ..	1866,	421
<i>mens</i>	1865,	93	<i>madagascariensis</i> ..	1870,	397
<i>mens</i>	1870,	143	<i>margaritaceiventris</i> .	1870,	57
<i>Eurois auriplena</i>	1867,	58	<i>orientalis</i>	1863,	214
<i>crassipennis</i>	1867,	58	<i>orientalis</i>	1863,	269
<i>Eurostus plumbeus</i>	1863,	58	<i>orientalis</i>	1861,	433
<i>Euryades notabilis</i>	1867,	546	<i>pacificus</i>	1862,	335
<i>Euryarthrum albocinctum</i>	1866,	523	<i>pacificus</i>	1862,	339
<i>atripenne</i>	1866,	228	<i>pacificus</i>	1863,	25
<i>atripenne</i>	1866,	525	<i>pacificus</i>	1863,	484
<i>bifasciatum</i>	1866,	523	<i>squamicristatus</i>	1869,	121
<i>carinatum</i>	1866,	228	<i>squamicristatus</i>	1870,	196
<i>carinatum</i>	1866,	523	<i>Euryta fulgurata</i>	1863,	341
<i>carinatum</i>	1866,	524	<i>pulchella</i>	1863,	418
<i>egenum</i>	1866,	228	<i>pulchella</i>	1863,	428
<i>egenum</i>	1866,	525	<i>pulchella</i>	1865,	169
<i>interruptum</i>	1866,	228	<i>trilineata</i>	1863,	418
<i>interruptum</i>	1866,	524	<i>trilineata</i>	1863,	428
<i>lambii</i>	1866,	228	<i>trilineata</i>	1867,	202
<i>lambii</i>	1866,	523	<i>Eurytrachelus platymelus</i>	1866,	348
<i>lambii</i>	1866,	524	<i>Eurytus floccosus</i>	1866,	441
<i>lambii</i>	1866,	524	<i>piperitus</i>	1866,	441
<i>nodicolle</i>	1866,	228	<i>Euscarthmus agilis</i>	1866,	188
<i>nodicolle</i>	1866,	524	<i>flaviventris</i>	1866,	2
<i>nodicolle</i>	1866,	536	<i>impiger</i>	1868,	166
<i>Eurycephalus cardinalis</i> .	1866,	533	<i>impiger</i>	1868,	168
<i>Euryclea cardinalis</i>	1866,	228	<i>impiger</i>	1868,	171
<i>cardinalis</i>	1866,	533	<i>impiger</i>	1868,	628
<i>Eurydesmus oxygonus</i> ..	1864,	118	<i>impiger</i>	1869,	252
<i>Eurymene inustaria</i>	1867,	620	<i>impiger</i>	1869,	253
<i>Euryotis</i> —?	1864,	101	<i>margaritaceiventer</i> .	1868,	171
<i>irrorata</i>	1862,	181	<i>orbitatus</i>	1868,	171
<i>Euryphagus maxillosus</i> .	1866,	228	<i>spicifer</i>	1866,	187
<i>Euryphene swanzzyana</i> ..	1868,	222	<i>spicifer</i>	1867,	751
<i>swanzzyana</i>	1868,	224	<i>spicifer</i>	1867,	757
<i>swanzzyana</i>	1867,	527	<i>squamicristatus</i>	1868,	628
<i>Euryphyllie dubia</i>	1867,	527	<i>Euschema flavescens</i> ..	1867,	679
<i>latens</i>	1867,	527	<i>militaris</i>	1865,	803
<i>Eurypon clavatum</i>	1867,	521	<i>Eusemia adulatrix</i>	1865,	795
<i>Eurypyga</i>	1861,	133	<i>amatric</i>	1867,	676
<i>helias</i>	1864,	71	<i>aruna</i>	1867,	676
<i>helias</i>	1863,	517	<i>basalis</i>	1867,	676
<i>helias</i>	1866,	76	<i>bellatrix</i>	1865,	795
<i>helias</i>	1866,	199	<i>dentatrix</i>	1865,	795
<i>helias</i>	1867,	475	<i>maculatrix</i>	1865,	795
<i>helias</i>	1867,	979			

	Page		Page
<i>Eusemia proxima</i>	1867,	<i>Eutropia zebra</i>	1865,
<i>transiens</i>	1865,	<i>Eutropias macrophthal-</i>	176
<i>vetula</i>	1867,	<i>mus</i>	1869,
<i>victrix</i>	1865,	<i>Eutropiichthys vacha</i> ..	1867,
<i>Euspiza americana</i>	1864,		1869,
	1867,	<i>Eutropius</i> — ?	1864,
	1870,	<i>murino</i>	1869,
	1870,	<i>taakree</i>	1867,
<i>aureola</i>	1863,	<i>Evarzia ozararia</i>	1867,
	1863,	<i>Excalfactoria chinensis</i> .	1863,
<i>cinerea</i>	1863,		1863,
<i>melanocephala</i>	1864,	<i>Exocœtus affinis</i>	1867,
<i>rutila</i>	1863,	<i>cyanopterus</i>	1869,
	1863,	<i>evolans</i>	1867,
<i>sulphurata</i>	1863,	<i>solandri</i>	1867,
	1863,	<i>Exostoma andersonii</i> ..	1869,
<i>Eustephanus fernanden-</i>		<i>berdmorei</i>	1869,
<i>sis</i>	1866,	<i>blythii</i>	1869,
	1866,	<i>labiatum</i>	1869,
<i>galeritus</i>	1867,	<i>Fairbankia bombayana</i> ..	1869,
	1867,	<i>turrita</i>	1869,
<i>stokesi</i>	1866,	<i>Falagria obscura</i>	1867,
	1866,		1867,
<i>Eustrongylus gigas</i>	1862,	<i>Falcinellus igneus</i>	1863,
	1862,		1864,
<i>papillosus</i>	1861,	<i>Falco æsalon</i>	1861,
<i>Eutelia</i> — ?	1867,		1863,
<i>Euthlypis lacrymosa</i> ..	1865,		1863,
<i>Euthria fusoides</i>	1863,		1864,
<i>Euthymus minor</i>	1867,		1870,
<i>shadbolti</i>	1867,	<i>albus</i>	1867,
<i>Eutoxeres aquila</i>	1867,	<i>anatum</i>	1861,
	1867,		1867,
	1870,	<i>ardesiacus</i>	1864,
<i>salvini</i>	1870,	<i>biarmicus</i>	1864,
<i>Eutrochus perspectivus</i> .	1863,		1864,
<i>scitulus</i>	1867,	<i>brachypterus</i>	1869,
<i>Eutropia</i>	1862,	<i>candicans</i>	1863,
<i>angasi</i>	1865,		1864,
<i>dickiei</i>	1866,		1870,
<i>heavisidii</i>	1866,	<i>cenchris</i>	1870,
<i>kochii</i>	1867,		1870,
<i>nivosa</i>	1865,	<i>clarus</i>	1867,
<i>reticulata</i>	1865,	<i>columbarius</i>	1869,
<i>rosea</i>	1867,		1870,
	1867,	<i>communis</i>	1866,
	1867,	<i>concentricus</i>	1869,
<i>sanguinea</i>	1865,	<i>cooperi</i>	1866,
	1867,	<i>cuculoides</i>	1863,
<i>tritonis</i>	1865,		1863,
	1865,	<i>deiroleucus</i>	1868,
<i>venosa</i>	1865,	<i>dickinsonii</i>	1864,
<i>ventricosa</i>	1865,	<i>eleonoræ</i>	1864,
	1867,		1868,
	1867,	<i>fuscus</i>	1866,
<i>virgo</i>	1867,	<i>griseiceps</i>	1867,
	1867,	<i>gularis</i>	1869,
	1867,		133

	Page		Page
<i>Falco gymnogenys</i>	1863, 162	<i>Falco tanypterus</i>	1864, 107
<i>gyrfalco</i>	1864, 497	<i>tinnunculus</i>	1863, 516
<i>hiogaster</i>	1866, 2	<i>tinus</i>	1866, 304
<i>insectivorus</i>	1867, 173	<i>torquatus</i>	1867, 176
<i>isabellinus</i>	1869, 131	<i>trinotatus</i>	1867, 172
<i>islandicus</i>	1869, 254	<i>velox</i>	1867, 178
<i>islandicus</i>	1862, 376	<i>vespertinus</i>	1866, 303
<i>islandicus</i>	1863, 47	<i>vespertinus</i>	1862, 315
<i>islandicus</i>	1864, 497	<i>virgatus</i>	1863, 260
<i>islandicus</i>	1865, 98	<i>virgatus</i>	1863, 332
<i>islandicus</i>	1870, 384	<i>vitticaudatus</i>	1867, 171
<i>jugger</i>	1868, 393	<i>vitticaudatus</i>	1870, 557
<i>lanarius</i>	1864, 160	<i>xanthothorax</i>	1869, 366
<i>lanarius</i>	1864, 428	<i>zoniventris</i>	1869, 367
<i>leucaetus</i>	1867, 179	<i>zoniventris</i>	1864, 248
<i>leucauchen</i>	1869, 347	<i>Falculia palliata</i>	1866, 421
<i>leucomelas</i>	1869, 365	<i>Falcunculus frontalis</i>	1869, 279
<i>leucorrhous</i>	1869, 134	<i>Fario carpio</i>	1862, 40
<i>lunulatus</i>	1867, 393	<i>Farrea occa</i>	1868, 129
<i>lunulatus</i>	1867, 394	<i>orca</i>	1869, 76
<i>madagascariensis</i>	1863, 162	<i>orca</i>	1869, 339
<i>magistrostris</i>	1869, 131	<i>orca</i>	1869, 351
<i>magistrostris</i>	1869, 132	<i>orca</i>	1867, 507
<i>melanogenys</i>	1867, 393	<i>Fascellina chromataria</i>	1867, 79
<i>melanogenys</i>	1869, 379	<i>muscularia</i>	1867, 619
<i>newtoni</i>	1866, 420	<i>specularia</i>	1867, 618
<i>nigriceps</i>	1867, 330	<i>viridis</i>	1867, 79
<i>nisus</i>	1863, 303	<i>Fasciola gigantea</i>	1867, 98
<i>nitidus</i>	1869, 130	<i>hepatica</i>	1862, 290
<i>novae-hollandiæ</i>	1867, 179	<i>hepatica</i>	1862, 288
<i>pectoralis</i>	1866, 304	<i>hepatica</i>	1862, 289
<i>pennsylvanicus</i>	1866, 303	<i>hepatica</i>	1862, 291
<i>percontator</i>	1869, 365	<i>heterophyes</i>	1862, 292
<i>peregrinus</i>	1861, 366	<i>humana</i>	1862, 289
<i>peregrinus</i>	1862, 325	<i>lanceolata</i>	1862, 291
<i>peregrinus</i>	1863, 206	<i>Fasciolaria coronata</i>	1865, 164
<i>peregrinus</i>	1863, 200	<i>fusiformis</i>	1835, 164
<i>peregrinus</i>	1863, 200	<i>granosa</i>	1863, 347
<i>peregrinus</i>	1863, 332	<i>princeps</i>	1833, 347
<i>peregrinus</i>	1863, 516	<i>trapezium</i>	1865, 97
<i>peregrinus</i>	1864, 428	<i>Felania sericata</i>	1865, 197
<i>peregrinus</i>	1867, 330	<i>tellinoides</i>	1863, 365
<i>peregrinus</i>	1867, 338	<i>Felinia spissa</i>	1867, 77
<i>pileatus</i>	1866, 304	<i>terminigera</i>	1867, 77
<i>poliosoma</i>	1861, 45	<i>Felis</i> —?	1865, 400
<i>radama</i>	1866, 420	<i>affinis</i>	1863, 186
<i>radiatus</i>	1867, 177	<i>affinis</i>	1867, 275
<i>sacer</i>	1863, 260	<i>affinis</i>	1867, 875
<i>sacer</i>	1864, 428	<i>antiquorum</i>	1867, 876
<i>sacer</i>	1870, 384	<i>antiquorum</i>	1863, 183
<i>soloënsis</i>	1867, 172	<i>antiquorum</i>	1867, 263
<i>sparverius</i>	1870, 556	<i>armillata</i>	1867, 270
<i>stanleyii</i>	1866, 304	<i>aurata</i>	1863, 185
<i>striolatus</i>	1869, 130	<i>aurata</i>	1863, 225
<i>subbuteo</i>	1861, 367	<i>aurata</i>	1867, 265
<i>subbuteo</i>	1862, 315	<i>aurata</i>	1867, 815
<i>subbuteo</i>	1863, 200		
<i>subbuteo</i>	1863, 332		
<i>subbuteo</i>	1864, 429		

	Page		Page
<i>Felis aurata</i>	1867, 816	<i>Felis chaus</i>	1863, 186
<i>bengalensis</i>	1863, 184		1864, 99
	1863, 370		1864, 160
	1867, 260		1866, 92
	1867, 268		1867, 275
	1867, 269		1867, 398
	1867, 273		1867, 402
	1867, 274		1867, 834
	1867, 399		1867, 874
	1867, 401		1867, 875
<i>brachyura</i>	1863, 183		1867, 876
<i>brasiliensis</i>	1867, 404	<i>chinensis</i>	1867, 274
<i>caffer</i>	1863, 184		1867, 400
<i>caffra</i>	1867, 273		1870, 629
	1867, 275	<i>chrysothrix</i>	1867, 265
	1867, 397	<i>colocola</i>	1867, 272
	1867, 398	<i>concolor</i>	1861, 141
<i>cafra</i>	1863, 186		1862, 21
<i>caligata</i>	1863, 186		1862, 325
	1864, 653		1867, 265
	1865, 400		1868, 185
	1867, 275		1868, 377
	1867, 398		1868, 624
	1867, 399	<i>cultridens</i>	1867, 260
	1867, 875	<i>diardii</i>	1863, 183
<i>calomitli</i>	1867, 272		1867, 266
<i>canadensis</i>	1867, 276		1867, 267
<i>capensis</i>	1867, 272		1867, 269
<i>caracal</i>	1863, 186		1867, 274
	1866, 92	<i>discolor</i>	1867, 265
	1867, 277	<i>domestica</i>	1867, 270
	1867, 834		1867, 273
<i>catolynx</i>	1863, 186		1867, 274
	1867, 275		1867, 275
	1867, 875		1867, 399
<i>catus</i>	1862, 21		1867, 402
	1864, 160		1867, 874
	1867, 274		1868, 339
	1867, 874		1868, 340
	1870, 431		1868, 349
<i>celidogaster</i>	1863, 184	<i>dongolensis</i>	1863, 186
	1867, 268		1867, 275
	1867, 272	<i>eyra</i>	1867, 261
	1867, 394		1867, 272
	1867, 395	<i>fasciata</i>	1867, 276
	1867, 396	<i>fearonis</i>	1863, 181
<i>cervaria</i>	1869, 432		1867, 277
<i>chalybeata</i>	1863, 183	<i>fulva</i>	1867, 265
	1863, 184	<i>fusca</i>	1863, 183
	1867, 263		1867, 264
	1867, 272	<i>galeopardus</i>	1867, 272
	1867, 395	<i>geoffroyi</i>	1870, 796
<i>charltoni</i>	1863, 183	<i>geoffroyii</i>	1867, 272
	1867, 268	<i>gracilis</i>	1864, 519
<i>chati</i>	1867, 271	<i>griffithsii</i>	1867, 270
	1867, 404	<i>grisea</i>	1867, 270
<i>chaus</i>	1862, 376		1867, 271
	1863, 184	<i>guigna</i>	1867, 271

	Page		Page
<i>Felis guttata</i>	1863, 181	<i>Felis leopardus</i>	1862, 325
	1865, 400		1863, 183
	1867, 277		1866, 92
	1870, 14		1867, 263
<i>hernandezi</i>	1861, 141		1868, 624
<i>himalayana</i>	1863, 184	— <i>niger</i>	1867, 817
	1867, 267	<i>libyca</i>	1867, 275
	1867, 268	<i>longicaudata</i>	1863, 183
	1867, 276		1867, 267
	1867, 404	<i>lupulina</i>	1867, 276
	1867, 405	<i>lutra</i>	1863, 135
<i>himalayanus</i>	1870, 797	<i>lybica</i>	1863, 186
<i>huttoni</i>	1863, 185	<i>lybicus</i>	1867, 398
<i>huttonii</i>	1867, 275	<i>lynx</i>	1863, 186
	1867, 276		1867, 276
<i>inconspicua</i>	1867, 273	<i>macrocelides</i>	1862, 135
	1867, 397	<i>macrocelis</i>	1862, 135
	1867, 398		1863, 183
<i>indica</i>	1867, 398		1867, 260
	1867, 399		1867, 261
<i>irbis</i>	1863, 183		1867, 266
	1867, 262		1870, 228
<i>isabellina</i>	1863, 186		1870, 237
	1867, 276		1870, 628
<i>jacquemontii</i>	1867, 275	<i>macroceloides</i>	1863, 183
	1867, 875		1867, 266
<i>jaguarondi</i>	1867, 261	<i>macroura</i>	1867, 260
	1867, 272		1867, 271
<i>japonica</i>	1863, 183		1867, 404
	1863, 510	<i>maculata</i>	1867, 277
<i>javanensis</i>	1863, 184	<i>maniculata</i>	1867, 274
	1863, 185		1867, 397
	1867, 274		1867, 398
	1867, 400		1867, 875
<i>javensis</i>	1870, 629		1869, 117
<i>jerdoni</i>	1863, 185	<i>manul</i>	1863, 185
<i>jerdonii</i>	1867, 274		1867, 275
	1867, 401		1867, 874
<i>jubata</i>	1861, 141	<i>margay</i>	1867, 271
	1862, 322	<i>marginata</i>	1867, 275
	1863, 181	<i>marmorata</i>	1863, 183
	1864, 653		1867, 259
	1866, 91		1867, 266
	1867, 277	<i>marmoratus</i>	1867, 267
<i>katas</i>	1867, 275		1867, 268
<i>kutas</i>	1863, 186	<i>megalotis</i>	1863, 186
	1867, 875		1867, 275
<i>leo</i>	1861, 140	<i>megatherion</i>	1867, 260
	1862, 140	<i>melanura</i>	1867, 271
	1862, 324		1867, 403
	1863, 182	<i>melas</i>	1863, 183
	1864, 100		1867, 264
	1864, 160	<i>mexicana</i>	1867, 272
	1864, 652	<i>minor</i>	1867, 263
	1866, 91	<i>minuta</i>	1863, 184
	1867, 263		1867, 273
	1868, 624		1867, 274
<i>leopardus</i>	1861, 140	<i>mitis</i>	1861, 280

	Page		Page
<i>Felis mitis</i>	1867, 271	<i>Felis pardalis</i>	1862, 135
	1867, 400		1863, 185
<i>moormensis</i>	1863, 185		1867, 270
	1867, 265		1867, 271
<i>murmensis</i>	1863, 185		1868, 624
	1867, 261		1870, 797
	1867, 265	<i>pardichrous</i>	1863, 184
<i>nebulosa</i>	1863, 183	<i>pardina</i>	1866, 92
	1867, 266		1867, 260
<i>neglecta</i>	1867, 272		1867, 276
	1867, 394		1867, 403
	1867, 396	<i>pardinoides</i>	1867, 400
<i>nepalensis</i>	1867, 260	<i>pardochroa</i>	1867, 274
	1867, 261		1867, 400
	1867, 274		1867, 401
	1867, 275	<i>pardochrous</i>	1867, 261
	1867, 400		1867, 273
	1867, 401		1867, 400
<i>nigra</i>	1867, 264	<i>pardoides</i>	1867, 403
<i>nigripectus</i>	1863, 185	<i>pardus</i>	1863, 183
	1867, 261		1864, 653
	1867, 275		1867, 262
<i>nigripes</i>	1867, 273		1867, 263
	1867, 397		1870, 628
	1867, 398	<i>picta</i>	1867, 271
<i>nigropectus</i>	1867, 874	<i>planiceps</i>	1863, 185
<i>nimr</i>	1863, 183		1867, 260
<i>nipalensis</i>	1863, 184		1867, 269
	1863, 370		1867, 399
<i>obscura</i>	1867, 398	<i>pœcilura</i>	1863, 183
<i>ogilbii</i>	1863, 183		1867, 263
	1867, 267	<i>pulchella</i>	1867, 274
<i>onca</i>	1861, 140		1867, 397
	1861, 141		1867, 398
	1866, 565	<i>puma</i>	1867, 265
	1867, 264	<i>rubiginosa</i>	1863, 184
	1867, 271		1863, 185
	1867, 402		1867, 269
	1867, 404		1867, 275
	1868, 624		1867, 399
<i>onça</i>	1864, 271		1867, 401
	1870, 79	<i>rufa</i>	1867, 277
<i>ornata</i>	1863, 184	<i>rüppelli</i>	1867, 274
	1863, 185	<i>rüppellii</i>	1863, 186
	1867, 275	<i>rutila</i>	1867, 272
	1867, 397		1867, 395
	1867, 401	<i>senegalensis</i>	1867, 273
	1867, 876		1867, 395
<i>pajeros</i>	1867, 270	<i>serval</i>	1864, 100
	1868, 530		1864, 653
	1870, 796		1867, 272
<i>palæopardus</i>	1867, 263	<i>servalina</i>	1867, 272
<i>panthera</i>	1863, 183		1867, 395
	1867, 262		1867, 401
	1867, 263	<i>smilodon</i>	1867, 260
	1867, 264		1867, 265
<i>pardalis</i>	1861, 141	<i>subrugosa</i>	1867, 260
	1861, 264	<i>sumatrana</i>	1863, 184

	Page		Page
<i>Felis sumatrana</i>	1867, 273	<i>Felis viverrina</i>	1867, 269
	1867, 400		1867, 273
<i>syriaca</i>	1867, 274		1867, 275
<i>temminckii</i>	1863, 185		1867, 395
	1664, 160		1867, 396
	1867, 265		1867, 399
<i>tenasserimensis</i>	1867, 400		1867, 405
<i>tigrina</i>	1866, 419		1870, 628
	1867, 271		1870, 797
	1867, 404	<i>wagati</i>	1863, 184
<i>tigris</i>	1861, 140		1867, 400
	1862, 102	<i>warwickii</i>	1870, 796
	1862, 184		1870, 797
	1863, 182	<i>wiedii</i>	1867, 271
	1863, 237		1867, 404
	1867, 263	<i>yagouarondi</i>	1861, 287
	1868, 624	<i>yaguarundi</i>	1869, 276
	1869, 15	<i>Fennecus arabicus</i>	1868, 520
	1869, 16	<i>brucei</i>	1868, 520
	1870, 3	<i>caama</i>	1868, 520
	1870, 626	<i>cerdo</i>	1868, 520
<i>torquata</i>	1863, 185	<i>dorsalis</i>	1868, 519
	1867, 273	<i>pallidus</i>	1868, 520
	1867, 276	<i>zaarensis</i>	1868, 519
	1867, 396	<i>Festucaria lentis</i>	1862, 291
	1867, 397		1862, 292
	1867, 399	<i>Fiber osoyoosensis</i>	1863, 96
	1867, 401		1863, 97
	1867, 876	<i>zibethicus</i>	1861, 368
<i>tulliana</i>	1863, 183		1863, 95
	1867, 262		1863, 97
<i>uncia</i>	1863, 183		1865, 682
	1867, 260	<i>Ficedula coronata</i>	1863, 297
	1867, 262	<i>Ficulina ficus</i>	1867, 523
	1867, 263	<i>Filaria ardeae nyciteoracis</i>	1861, 123
	1869, 58	<i>bronchialis</i>	1862, 302
<i>uncioides</i>	1867, 262	<i>capsularis</i>	1865, 325
<i>undata</i>	1867, 273	<i>colubri</i>	1861, 123
	1867, 274	<i>colubri-blumenbachii</i>	1861, 123
<i>undulata</i>	1863, 184	<i>drauncululus</i>	1862, 298
<i>unicolor</i>	1867, 272		1862, 299
<i>varia</i>	1863, 183	<i>gracilis</i>	1864, 16
	1867, 263		1864, 17
<i>varius</i>	1862, 376	<i>gruis-antigones</i>	1861, 124
<i>venatica</i>	1863, 181	<i>hominis bronchialis</i> .	1862, 302
	1867, 277	<i>lacertarum</i>	1861, 124
<i>vivericeps</i>	1863, 184	<i>lacrymalis</i>	1862, 302
	1867, 261	<i>lentis</i>	1862, 289
	1867, 268		1862, 301
	1867, 397	<i>lymphatica</i>	1862, 302
<i>viverrina</i>	1862, 353	<i>medinensis</i>	1862, 288
	1863, 184		1862, 299
	1863, 185		1864, 17
	1863, 370	<i>mygaloides</i>	1870, 103
	1864, 160	<i>oculi</i>	1862, 301
	1867, 260	<i>oculi-humani</i>	1862, 301
	1867, 267	<i>sanguinea</i>	1861, 208
	1867, 268	<i>Filodes fulvidorsalis</i>	1867, 95

	Page		Page
<i>Filodes nigrolinealis</i>	1867,		
<i>octomaculalis</i>	1867,	<i>Fluvicola albiventris</i> ..	1867,
<i>Finna humana</i>	1862,		1869,
<i>Fissurella</i>	1862,		1870,
<i>æqualis</i>	1863,	<i>azarre</i>	1869,
<i>alba</i>	1865,		1869,
<i>alta</i>	1863,	<i>leucophrys</i>	1862,
<i>barbadensis</i>	1861,		1867,
<i>cayennensis</i>	1861,	<i>pica</i>	1866,
<i>concatenata</i>	1865,		1867,
	1867,		1868,
<i>cratitia</i>	1863,		1870,
<i>græca</i>	1861,	<i>Fodina oriolus</i>	1867,
<i>granifera</i>	1861,	<i>pullula</i>	1867,
	1865,	<i>Fœtorius lutreola</i>	1865,
<i>incei</i>	1867,	<i>Fonteia anomala</i>	1867,
<i>indusica</i>	1867,		1868,
<i>lineata</i>	1867,	<i>Fordia africana</i>	1869,
<i>listeri</i>	1861,		1869,
<i>macrotrema</i>	1863,	<i>Fordonia unicolor</i>	1863,
<i>microtrema</i>	1863,	<i>Formica longipes</i>	1864,
<i>minuta</i>	1861,	<i>Formicarius analis</i>	1864,
<i>mus</i>	1863,		1864,
<i>nigrita</i>	1865,		1866,
<i>nigropunctata</i>	1863,		1866,
<i>omicron</i>	1865,		1866,
<i>pica</i>	1863,		1867,
<i>reticulata</i>	1867,		1867,
<i>rugosa</i>	1863,		1867,
<i>virescens</i>	1863,	<i>cayennensis</i>	1866,
<i>Fissurellidæ æqualis</i> ..	1863,	<i>crissalis</i>	1866,
<i>concatenata</i>	1867,		1867,
<i>nigrita</i>	1867,		1869,
<i>scutella</i>	1867,		1870,
<i>trapezina</i>	1867,	<i>hoffmanni</i>	1864,
<i>Fistularia serrata</i>	1865,		1866,
	1867,		1867,
	1870,		1868,
<i>tabaccaria</i>	1861,		1870,
<i>Flabellina ianthina</i>	1867,		1870,
<i>newcombi</i>	1867,	<i>moniliger</i>	1864,
<i>ornata</i>	1867,		1866,
<i>Flabellum campanulatum</i> 1862,	198		1867,
<i>marinum</i>	1869,	<i>nigrifrons</i>	1866,
<i>nobile</i>	1862,	<i>rufipectus</i>	1866,
<i>Florida cærulea</i>	1861,		1866,
	1864,		1867,
	1870,	<i>Formicivora boucardi</i> ..	1864,
<i>Florisuga flabellifera</i> ..	1870,		1870,
<i>mellivora</i>	1864,		1870,
	1867,	<i>consobrina</i>	1864,
	1867,	<i>flavescens</i>	1864,
	1867,	<i>grisea</i>	1867,
	1867,		1867,
	1867,	<i>intermedia</i>	1868,
	1868,		1868,
	1870,		1870,
<i>Fluvicola albiventris</i> ..	1867,	<i>melæna</i>	1864,
	1867,		356

	Page		Page
Formicivora quixensis ..	1864, 356	Francolinus gutturalis ..	1865, 666
strigilata	1866, 566	humboldtii	1865, 667
virgata	1868, 575	icteropus	1865, 666
Fossa	1864, 507	icterorhynchus	1865, 666
daubentonii	1864, 518	kirkii	1867, 827
Fossar costatus	1863, 110	lathami	1867, 828
fenestratus	1863, 110	levaillantii	1865, 666
japonicus	1863, 110	madagascariensis ..	1865, 666
reticulatus	1863, 111	natalensis	1864, 374
trochlearis	1863, 110	nudicollis	1865, 666
variegatus	1863, 423	peli	1865, 666
Fossarina	1863, 423	perlatus	1864, 159
patula	1863, 424	pileatus	1865, 665
picta	1863, 428	ponticerianus	1865, 666
picta	1867, 209	rubricollis	1867, 827
picta	1867, 312	rueppelli	1862, 184
picta	1867, 312	schlegelii	1865, 666
Fossarus angiostroma ..	1863, 352	semitorquatus	1865, 666
atratus	1863, 352	sinensis	1864, 6
excavatus	1863, 352	subtorquatus	1863, 307
foveatus	1863, 352	swainsoni	1864, 3
megasomus	1863, 352	vulgaris	1865, 666
tornatilis	1863, 110	vulgaris	1864, 139
Foudia eminentissima ..	1866, 424	vulgaris	1864, 449
erythrocephala	1865, 47	vulgaris	1865, 666
erythrocephala	1866, 329	vulgaris	1862, 186
flavicans	1865, 47	vulgaris	1862, 321
flavicans	1866, 624	vulgaris	1864, 495
fusco-brunnea	1867, 346	vulgaris	1863, 379
madagascariensis ..	1865, 47	vulgaris	1862, 125
madagascariensis ..	1865, 48	vulgaris	1862, 319
sechellarum	1867, 346	vulgaris	1863, 306
Francolinus ———?	1864, 113	vulgaris	1870, 434
adansoni	1865, 666	vulgaris	1870, 444
adpersus	1865, 666	vulgaris	1862, 125
afer	1865, 666	vulgaris	1866, 445
afer	1866, 23	vulgaris	1866, 451
ahantensis	1865, 666	vulgaris	1869, 648
albicularis	1865, 666	vulgaris	1868, 323
albiscapus	1865, 666	vulgaris	1867, 323
bicalcaratus	1862, 146	vulgaris	1868, 323
bicalcaratus	1865, 666	vulgaris	1867, 320
capensis	1865, 666	vulgaris	1867, 322
capensis	1869, 628	vulgaris	1870, 53
clamator	1865, 666	vulgaris	1866, 379
clappertoni	1865, 666	vulgaris	1870, 53
clappertonii	1862, 376	vulgaris	1862, 324
cranchi	1865, 666	vulgaris	1863, 160
erkelii	1865, 666	vulgaris	1864, 446
erkelii	1865, 667	vulgaris	1867, 322
garipeensis	1865, 91	vulgaris	1862, 128
garipeensis	1865, 666	vulgaris	1862, 129
grantii	1865, 665	vulgaris	1863, 299
grantii	1865, 666	vulgaris	1862, 318
gutturalis	1864, 113	vulgaris	

	Page		Page
Fringilla montifringilla .	1863, 298	Fulica gigantea.....	1868, 462
	1863, 336		1868, 463
	1865, 618		1868, 464
	1870, 602		1868, 470
nivalis	1870, 53	leucoptera	1869, 600
risoria	1866, 552		1868, 467
sericea	1864, 447		1868, 468
Fringillaria capensis....	1866, 23		1868, 470
flaviventris	1864, 3	leucopyga	1867, 333
Fruticola rubetra	1863, 516		1867, 339
Fulgora laternaria	1870, 3		1868, 467
Fulgoraria rupestris....	1866, 146		1868, 468
Fulica —?.....	1861, 46		1868, 470
americana	1861, 81	martinica	1868, 459
	1864, 179	noveboracensis	1868, 457
	1868, 468	parva	1868, 460
	1868, 470	ruficollis.....	1868, 448
	1870, 219	rufifrons	1867, 320
ardesiaca	1868, 177		1867, 333
	1868, 462		1868, 467
	1868, 464	stricklandi.....	1867, 334
	1868, 465		1867, 339
	1868, 470		1868, 177
	1868, 570		1868, 468
	1869, 156	Fuligula affinis.....	1862, 20
armillata	1867, 334		1870, 219
	1867, 339	clangula	1865, 618
	1868, 145	cristata	1863, 324
	1868, 465		1864, 454
	1868, 466		1868, 4
	1868, 470		1868, 9
atra.....	1863, 160		1868, 118
	1863, 322		1869, 629
	1863, 516	ferina	1861, 44
	1864, 453		1861, 82
australis.....	1869, 280		1861, 84
cayennensis	1868, 447		1864, 454
chilensis.....	1867, 320	histrionica.....	1865, 618
	1867, 333	marila.....	1861, 234
	1867, 334		1862, 140
	1868, 176		1863, 324
	1868, 177		1864, 454
	1868, 464	nyroca	1861, 44
chloropoides	1867, 320		1861, 82
	1867, 333		1861, 84
	1867, 334		1864, 454
	1868, 467	peposaca.....	1867, 335
	1868, 468		1867, 340
cornuta	1868, 462	rufitorques.....	1862, 20
	1868, 463	Fulix	1865, 256
	1868, 470		1867, 167
crassirostris	1868, 461	marila.....	1867, 167
cristata	1866, 23	Funchalia woodwardi ..	1867, 895
	1869, 628	Funiculina cylindrica ..	1863, 506
frontata	1868, 465	Funingus madagascari-	
	1868, 466	ensis	1863, 164
	1868, 467		1870, 399
gallinuloides	1868, 465	Furcella	1861, 313

	Page		Page
<i>Furcifer antisiansis</i>	1869, 498	<i>Galago</i>	1864, 624
<i>bifurcus</i>	1864, 466	<i>acaciarum</i>	1863, 147
<i>brookesii</i>	1864, 467	<i>agisymbanus</i>	1864, 627
<i>huamel</i>	1869, 497		1864, 645
<i>parsonii</i>	1864, 466	<i>allenii</i>	1867, 952
<i>Furia horrens</i>	1866, 431		1863, 146
<i>medinensis</i>	1862, 299		1863, 375
<i>Furina textilis</i>	1862, 149		1864, 324
	1862, 150		1864, 325
	1863, 17		1864, 614
	1863, 18		1864, 625
<i>Furnarius cinnamomeus</i>	1866, 183		1864, 629
<i>minor</i>	1866, 183		1864, 630
<i>roseus</i>	1867, 133		1864, 647
<i>rufus</i>	1868, 140		1864, 711
<i>torridus</i>	1866, 177		1865, 550
	1866, 183		1865, 568
	1869, 978		1865, 577
<i>Fusaria lumbricoides</i>	1862, 294		1865, 579
<i>mystax</i>	1862, 295		1865, 590
	1862, 296	— <i>gabonensis</i>	1863, 146
<i>renalis</i>	1862, 302		1864, 630
<i>vermicularis</i>	1862, 304	<i>conspicillatus</i>	1863, 148
<i>visceralis</i>	1862, 302	<i>crassicaudatus</i>	1861, 274
<i>Fusus adustus</i>	1865, 159		1863, 140
<i>bamffius</i>	1862, 374		1864, 625
<i>bellus</i>	1863, 347		1864, 626
<i>candelabrum</i>	1862, 375		1864, 627
<i>colossus</i>	1866, 146		1864, 645
<i>crebriliratus</i>	1865, 158		1864, 710
<i>crispus</i>	1862, 375		1864, 711
<i>dilatatus</i>	1865, 159		1864, 712
<i>lamellosus</i>	1862, 374		1865, 60
<i>lincolnensis</i>	1865, 159		1865, 61
<i>liratus</i>	1862, 375		1867, 952
<i>marmoratus</i>	1865, 158		1867, 973
	1865, 159		1867, 974
<i>nodulosus</i>	1863, 343	<i>demidoffii</i>	1862, 321
<i>orpheus</i>	1862, 375		1863, 148
<i>pyrulatus</i>	1865, 158		1863, 380
<i>raphanus</i>	1863, 422		1863, 381
<i>rubro-lineatus</i>	1870, 252		1864, 628
<i>scalariformis</i>	1862, 374		1864, 633
<i>tasmaniensis</i>	1863, 421		1864, 648
	1863, 428		1865, 590
	1865, 159		1866, 560
<i>ustulatus</i>	1865, 158	<i>elegantula</i>	1864, 647
<i>ventricosus</i>	1870, 110	<i>gabonensis</i>	1864, 630
			1864, 647
<i>Gadinea conica</i>	1867, 115	<i>garnetii</i>	1864, 625
	1867, 117		1864, 626
	1867, 220		1864, 627
<i>pentagoniostoma</i>	1863, 359		1864, 646
<i>pentagoniostoma</i>	1867, 220		1864, 710
<i>stellata</i>	1863, 359		1864, 711
<i>Gagata typus</i>	1869, 309		1864, 712
<i>Galago</i>	1863, 145	<i>geoffroyi</i>	1863, 147
	1864, 323	<i>madagascariensis</i>	1863, 149

	Page		Page
Galago madagascariensis	1864, 618	Galaxias scriba	1862, 22
	1864, 641		1862, 324
maholi	1863, 146		1864, 182
	1863, 148	waterhousii	1867, 943
	1864, 324	Galbaleyrhynchus leucotis	1866, 192
	1864, 325		1867, 978
	1864, 457	Galbula albirostris	1866, 192
	1864, 625		1867, 582
	1864, 647		1867, 751
	1868, 624	cyaneicollis	1867, 582
minor	1863, 143		1867, 595
	1864, 325	leuccgastra	1867, 582
	1864, 615		1867, 978
	1864, 619	melanogenia	1867, 151
	1864, 640		1870, 201
	1867, 966		1870, 837
	1867, 973	ruficauda	1868, 168
monteiri	1863, 231	rufo-viridis	1867, 581
	1864, 618		1867, 594
	1864, 627		1867, 595
	1864, 628	tombacea	1866, 192
	1864, 637		1867, 978
	1864, 645	viridis	1867, 581
	1864, 646		1867, 594
	1864, 712	Gale africana	1865, 120
	1865, 60	fusca	1865, 111
	1865, 61	leucogenys	1865, 115
	1865, 401	Galea subfusca	1865, 121
murinus	1863, 148	Galeocebus	1864, 642
	1863, 149	Galeocerdo arcticus	1868, 368
	1864, 327		1868, 369
	1864, 648		1868, 371
	1866, 560	rayneri	1868, 369
	1866, 562		1868, 370
pallidus	1864, 625		1868, 371
	1864, 626	tigrinus	1867, 370
	1864, 646		1868, 368
	1866, 161		1868, 369
senegalensis	1863, 146		1868, 370
	1863, 147		1868, 371
	1863, 148	Galeodea echinophora	1862, 227
	1864, 647	Galeopithicus	1864, 636
sennaarensis	1864, 324	macrourus	1863, 152
	1864, 325	philippinensis	1863, 152
	1864, 327	rufus	1863, 152
	1864, 625	temminckii	1863, 152
	1864, 626	ternatensis	1863, 152
	1864, 630	undatus	1863, 152
	1864, 647	variegatus	1863, 152
sennariensis	1863, 147	volans	1863, 152
	1863, 148		1863, 370
teng	1864, 633	Galaeoscoptes carolinensis	1867, 278
	1864, 648		1870, 836
Galagoides demidoffii	1864, 648	Galera barbata	1865, 121
senegalensis	1864, 647	— peruana	1865, 122
Galaxias scriba	1861, 101	Galerella	1864, 569
	1861, 207	ochracea	1864, 564
	1861, 439	Galerida abyssinica	1864, 435

	Page		Page
<i>Galerida brachyura</i>	1864, 435	<i>Gallinago solitaria</i>	1863, 313
<i>cristata</i>	1861, 435	<i>stenura</i>	1863, 314
<i>isabellina</i>	1864, 435		1865, 692
<i>leantungensis</i>	1863, 272		1865, 693
	1870, 433	<i>stricklandi</i>	1868, 144
<i>Galerus chinensis</i>	1867, 211		1869, 420
<i>conicus</i>	1867, 736	<i>uniclava</i>	1863, 314
<i>extinctorius</i>	1863, 359	<i>wilsoni</i>	1867, 280
<i>extinctorum</i>	1867, 743		1870, 219
<i>lividus</i>	1836, 146	<i>wilsonii</i>	1862, 80
<i>maxillaris</i>	1867, 743		1864, 178
<i>pellucidus</i>	1863, 359		1864, 372
<i>regularis</i>	1867, 211	<i>Gallinula albifrons</i>	1868, 454
<i>unguis</i>	1863, 359	<i>bailloni</i>	1863, 321
<i>Galeus vulgaris</i>	1863, 360	<i>cæsia</i>	1868, 446
<i>Galgulus gymnocephalus</i>	1870, 847	<i>cayennensis</i>	1868, 447
<i>Galictis allamandii</i>	1863, 206	<i>chloropus</i>	1861, 18
<i>barbara</i>	1865, 122		1861, 261
	1865, 121		1863, 160
	1865, 122		1863, 321
<i>striata</i>	1864, 547		1863, 516
<i>vittata</i>	1865, 122		1864, 3
	1869, 482		1864, 7
<i>Galidia</i>	1864, 508		1864, 452
<i>concolor</i>	1864, 523		1865, 88
<i>elegans</i>	1864, 523		1865, 90
<i>olivacea</i>	1864, 523		1866, 425
	1864, 524		1868, 462
<i>unicolor</i>	1864, 523	<i>crassirostris</i>	1867, 333
<i>Galidictis</i>	1864, 508		1868, 461
<i>striata</i>	1864, 547	<i>ecaudata</i>	1868, 451
	1866, 419	<i>flavirostris</i>	1868, 460
<i>vittata</i>	1864, 547	<i>frenata</i>	1863, 19
<i>Gallicrex cristata</i>	1863, 223	<i>frontata</i>	1863, 35
	1863, 321		1863, 487
<i>Gallinago</i> — ?	1865, 618	<i>galeata</i>	1861, 18
<i>æquinoctialis</i>	1869, 437		1861, 81
<i>bernieri</i>	1865, 837		1867, 339
	1870, 399		1868, 176
<i>brehmi</i>	1863, 314		1868, 462
<i>burka</i>	1863, 314		1868, 470
<i>frenata</i>	1868, 144		1868, 532
	1869, 156		1868, 570
	1870, 783	<i>gigas</i>	1868, 448
	1870, 788	<i>lateralis</i>	1868, 454
<i>gallinula</i>	1863, 314	<i>mangle</i>	1868, 449
<i>horsfieldii</i>	1863, 314	<i>martinica</i>	1864, 179
<i>imperialis</i>	1869, 419		1868, 459
<i>jamesoni</i>	1869, 420		1870, 589
<i>media</i>	1867, 160	<i>martinicensis</i>	1868, 459
<i>megala</i>	1863, 313	<i>nesiotis</i>	1861, 209
<i>paludosa</i>	1867, 332		1861, 261
	1867, 339		1869, 469
<i>paraguaiæ</i>	1867, 332	<i>orientalis</i>	1863, 487
	1867, 339	<i>parva</i>	1868, 460
	1868, 144	<i>phœnicura</i>	1863, 321
<i>scolopacina</i>	1863, 314	<i>pileata</i>	1868, 451
	1865, 692	<i>plumbea</i>	1868, 449

	Page		Page
<i>Gallinula pumila</i>	1864,	<i>Gambetta flavipes</i>	1868,
<i>pyrrhonota</i>	1866,	<i>melanoleuca</i>	1861,
<i>pyrrhorhoa</i>	1861,		1864,
	1863,		1867,
<i>ruficeps</i>	1868,		1867,
<i>ruficollis</i>	1866,		1868,
	1868,		1869,
	1868,		1870,
<i>saracura</i>	1868,	<i>Gammarus dentatus</i>	1868,
<i>tenebrosa</i>	1861,	<i>loricatus</i>	1868,
	1863,	<i>mutatus</i>	1868,
	1869,	<i>pinguis</i>	1868,
<i>Gallirallus lafresnayanus</i>	1869,	<i>pulex</i>	1862,
<i>Galloperdix lunulosa</i> ..	1863,	<i>sabini</i>	1868,
	1866,	<i>Gampsonyx swainsoni</i> ..	1867,
<i>sphenurus</i>	1862,		1869,
<i>Gallophasis</i>	1863,		1870,
<i>albocristatus</i>	1863,	<i>Gandaritis flavata</i>	1867,
	1868,	<i>Gangarides dharmia</i>	1865,
<i>erythrophthalmus</i> ..	1863,	<i>rosea</i>	1865,
<i>horsfieldii</i>	1861,	<i>Ganisa plana</i>	1865,
	1863,	<i>Garæus specularis</i>	1867,
	1863,		1867,
<i>leucomelas</i>	1863,	<i>Gargetta costigera</i>	1867,
<i>vieillotii</i>	1863,	<i>Gari malaccana</i>	1867,
<i>Gallus</i>	1863,	<i>menkeana</i>	1867,
<i>bankiva</i>	1863,	<i>togata</i>	1867,
	1863,	<i>zonalis</i>	1867,
	1863,	<i>Garnotia adunca</i>	1867,
	1869,	<i>solida</i>	1863,
<i>diardii</i>	1863,	<i>Garra alta</i>	1867,
	1863,	<i>gotyla</i>	1867,
<i>domesticus</i>	1861,		1867,
	1861,		1867,
	1862,	<i>jerdoni</i>	1867,
	1863,		1867,
	1864,	<i>malabarica</i>	1865,
	1868,		1867,
<i>ferrugineus</i>	1863,	<i>Garrulax albogularis</i> ..	1862,
<i>furcatus</i>	1863,	<i>belangeri</i>	1866,
	1863,		1866,
	1863,	<i>cæruleatus</i>	1862,
	1864,	<i>chinensis</i>	1866,
<i>ignitus</i>	1863,	<i>leucolophus</i>	1866,
<i>javanicus</i>	1863,		1866,
<i>lafayettei</i>	1863,	<i>perspicillatus</i>	1863,
<i>macartneyi</i>	1863,	<i>pœcilorhyncha</i>	1862,
<i>sonneratii</i>	1862,	<i>pœcilorhynchus</i>	1863,
	1863,	<i>ruficeps</i>	1862,
	1863,		1863,
	1866,	<i>taivanus</i>	1863,
	1869,	<i>Garrulus bispecularis</i> ..	1862,
<i>stanleyii</i>	1863,		1863,
<i>varius</i>	1863,	<i>brandtii</i>	1863,
<i>Gambetta flavipes</i>	1864,		1863,
	1867,		1870,
	1867,		1870,
	1867,	<i>cervicalis</i>	1864,

	Page		Page
Garrulus glandarius	1862, 323	Gazella subgutturosa ..	1869, 602
	1863, 304	vera	1862, 136
	1867, 163		1864, 67
insularis	1863, 304	Gazza equulæformis . . .	1870, 690
	1863, 338	minuta	1867, 861
japonicus	1863, 304	Gecco verus	1862, 184
	1863, 338	Gecinus awokera	1863, 333
melanocephalus	1864, 431	canus	1862, 319
	1864, 444		1863, 267
sinensis	1862, 282		1863, 268
	1863, 304		1863, 333
taivanus	1862, 282	dimidiatus	1866, 539
Garzetta candidissima ..	1861, 81	guerinii	1863, 268
	1864, 179	occipitalis	1862, 284
	1864, 371		1863, 268
	1866, 199	striolatus	1866, 539
Gasteracantha lepidâ ..	1870, 819	tancolo	1862, 283
	1870, 821		1863, 268
	1870, 823		1863, 333
sanguinolenta	1870, 821	viridanus	1866, 4
Gasterosteus ovatus	1861, 222		1866, 539
Gastropacha cashmirensis	1865, 806	viridis	1862, 321
Gastrotokeus biaculeatus	1870, 703		1863, 268
Gaurena florens	1867, 47	Gecko japonicus	1870, 239
florescens	1867, 47		1870, 411
Gavia ridibunda	1863, 517		1870, 412
Gavialis gangeticus	1861, 215	verus	1861, 189
	1869, 501		1867, 417
Gavina citrirostris	1863, 325	Geckoella punctata	1867, 99
Gazalina apsara	1867, 681	Gelechia hibisci	1867, 670
venosata	1867, 681	pubescentella	1867, 670
Gazella — ?	1864, 160	simpliciella	1867, 670
arabica	1864, 159	Gellius jugosus	1867, 538
	1864, 160	robustus	1867, 538
	1866, 86	Gelochelidon anglica ..	1863, 224
bennettii	1864, 67	Gemmaria sulcata	1867, 238
	1868, 157	Gena auricula	1865, 183
cora	1866, 86		1867, 218
cuvieri	1862, 376	lutea	1867, 218
	1868, 625	strigosa	1867, 218
cuvierii	1870, 341	Genetta — ?	1862, 323
dama	1869, 528	abyssiniea	1861, 366
dorcas	1861, 234		1864, 517
	1864, 67	afra	1864, 516
	1865, 328	amer	1864, 517
	1866, 86	aubryana	1864, 517
	1867, 246	bonapartei	1864, 516
	1868, 625	bondar	1864, 531
	1870, 80	fasciata	1864, 536
	1870, 345	felina	1864, 516
	1870, 475		1868, 624
	1870, 493	fieldiana	1861, 274
euchore	1862, 323		1864, 518
	1864, 67	fossa	1864, 518
ruffrons	1870, 493	indica	1864, 514
scemmerringi	1867, 817	manillensis	1864, 514
spekii	1868, 157	pallida	1868, 624
subgutturosa	1864, 159	pantherina	1864, 518

	Page		Page
<i>Genetta pardina</i>	1861,	<i>Geoclemmys sebæ</i>	1869,
	1864,	<i>Geococcyx mexicanus</i> ..	1864,
<i>poënsis</i>	1864,	<i>Geocolaptes arator</i>	1866,
	1864,		1866,
<i>richardsoni</i>	1864,	<i>Geodia barretti</i>	1867,
<i>rubiginosa</i>	1864,		1867,
<i>senegalensis</i>	1864,	<i>berrettii</i>	1869,
	1864,	<i>caribea</i>	1867,
	1868,		1868,
<i>servalina</i>	1864,	<i>carinata</i>	1863,
<i>tigrina</i>	1864,		1863,
	1868,		1867,
<i>vulgaris</i>	1864,	<i>conchilega</i>	1867,
	1864,	<i>gibberosa</i>	1867,
	1864,		1868,
<i>Gennæus nychthemerus</i>	1862,	<i>gigas</i>	1867,
	1862,	<i>macandrewii</i>	1867,
	1863,	<i>placenta</i>	1867,
<i>Genusa bigutta</i>	1867,	<i>tuberosa</i>	1867,
<i>circumdata</i>	1865,	<i>zetlandica</i>	1867,
<i>comparata</i>	1867,		1868,
<i>delineata</i>	1867,	<i>Geoemyda grandis</i>	1863,
<i>Genyoroge amboinensis</i> .	1870,		1864,
<i>bengalensis</i>	1867,		1869,
<i>cæruleopunctata</i> ..	1865,	<i>spinosa</i>	1861,
	1870,	<i>Geoffroius heteroclitus</i> ..	1869,
<i>civis</i>	1867,		1869,
<i>grammica</i>	1870,	<i>Geoffroyus</i>	1864,
<i>notata</i>	1865,	<i>cyanicollis</i>	1864,
	1867,		1864,
<i>rivulata</i>	1837,	<i>heteroclitus</i>	1864,
<i>sebæ</i>	1867,		1864,
<i>Geobamon fasciata</i>	1837,	<i>jukesii</i>	1863,
	1867,	<i>personatus</i>	1863,
<i>rufipennis</i>	1866,		1864,
<i>Geobasileus chrysorrhous</i>	1866,	<i>pulcherani</i>	1864,
	1866,		1864,
<i>reguloides</i>	1866,	<i>Geometra albiangularia</i> .	1867,
	1869,	<i>avicularia</i>	1867,
<i>Geobates brevicauda</i> ..	1866,	<i>decoraria</i>	1867,
	1866,	<i>dentata</i>	1867,
<i>pœcilopterus</i>	1866,	<i>dentisignata</i>	1867,
<i>Geochelone schweiggeri</i>	1870,	<i>dissita</i>	1867,
<i>Geocichla dissimilis</i> ...	1863,	<i>haliaria</i>	1867,
<i>interpres</i>	1863,	<i>lycenaria</i>	1867,
<i>rubiginosa</i>	1863,	<i>pennisignata</i>	1867,
<i>Geoclemmys annulata</i> ..	1863,	<i>plagiata</i>	1867,
	1870,	<i>usta</i>	1867,
	1870,	<i>viridiluteata</i>	1867,
<i>callocephalus</i>	1863,	<i>Geopelia cuneata</i>	1863,
	1869,	<i>humeralis</i>	1861,
<i>guttata</i>	1869,		1863,
<i>hamiltonii</i>	1869,	<i>maugæi</i>	1867,
<i>macrocephala</i>	1861,	<i>maugei</i>	1863,
<i>melanosterna</i>	1861,	<i>placida</i>	1868,
<i>muhlenbergii</i>	1869,	<i>striata</i>	1863,
<i>pulchella</i>	1869,		1863,
<i>reevesii</i>	1869,		1863,

	Page		Page
<i>Geopelia striata</i>	1864, 139	<i>Geothlypis velata</i>	1867, 594
	1866, 424		1868, 138
	1869, 627		1868, 139
<i>tranquilla</i>	1868, 387	<i>Geotriton fuscus</i>	1870, 86
<i>Geophis güntneri</i>	1861, 115	<i>genei</i>	1867, 196
<i>Geopsitacus occidentalis</i>	1861, 100	<i>Geotrochus ambrosia</i> ..	1867, 889
	1867, 891		1867, 890
	1868, 158	<i>blanfordi</i>	1865, 412
	1868, 160		1865, 415
	1868, 161	<i>coxianus</i>	1867, 889
	1868, 163		1867, 890
	1868, 165	<i>eros</i>	1867, 888
<i>Georychus albifrons</i>	1864, 100		1867, 890
	1864, 123	<i>férussaci</i>	1865, 412
<i>cæcutiens</i>	1864, 123	<i>gaberti</i>	1865, 412
	1864, 125	<i>gaertnerianus</i>	1865, 411
<i>capensis</i>	1864, 123	<i>gamelia</i>	1867, 888
<i>damarensis</i>	1864, 123	<i>mendana</i>	1867, 889
	1864, 125		1867, 890
<i>holosericeus</i>	1864, 123	<i>pileolus</i>	1865, 412
	1864, 124	<i>pileus</i>	1865, 411
<i>pallidus</i>	1864, 100	<i>rhynchostoma</i>	1865, 412
	1864, 124	<i>turris</i>	1865, 411
<i>unicolor</i>	1864, 123		1865, 415
<i>Geositta brevicauda</i>	1866, 205	<i>waigiouensis</i>	1865, 415
<i>crassirostris</i>	1866, 98	<i>Geotrygon</i> — ?	1864, 370
<i>cunicularia</i>	1867, 323	<i>caniceps</i>	1867, 130
	1867, 338	<i>chiriouensis</i>	1867, 130
	1867, 985		1867, 159
	1868, 140		1870, 217
	1868, 569	<i>cristata</i>	1867, 130
<i>fasciata</i>	1867, 323	<i>linearis</i>	1870, 782
	1867, 338	<i>montana</i>	1861, 80
<i>isabellina</i>	1867, 323		1866, 198
	1867, 338		1867, 591
<i>maritima</i>	1867, 323		1867, 753
<i>peruviana</i>	1866, 98		1869, 628
<i>tenuirostris</i>	1869, 153		1870, 217
<i>Geospiza dentirostris</i> ..	1870, 323	<i>sylvatica</i>	1865, 239
<i>fortis</i>	1870, 323		1869, 628
<i>fuliginosa</i>	1870, 323	<i>veraguensis</i>	1867, 159
<i>parvula</i>	1870, 323	<i>violacea</i>	1864, 370
<i>strenua</i>	1870, 323	<i>Geranoaëtus melanoleucus</i>	1867, 329
<i>Geothlypis æquinoctialis</i>	1867, 340		1867, 338
	1867, 509		1869, 155
	1867, 594	<i>Geranospiza cærulescens</i>	1864, 369
	1868, 627	<i>nigra</i>	1870, 838
	1869, 232	<i>Gerbillus melanurus</i> ...	1866, 89
	1870, 565	<i>pygargus</i>	1866, 89
<i>leucoblephara</i>	1865, 285	<i>tæniurus</i>	1866, 89
<i>melanops</i>	1870, 551	<i>Geronticus olivaceus</i> ..	1866, 330
<i>philadelphica</i>	1864, 347	<i>papillosus</i>	1863, 371
<i>speciosa</i>	1870, 551	<i>spinicollis</i>	1866, 418
<i>stragulata</i>	1865, 285		1867, 600
<i>trichas</i>	1861, 70	<i>Gerres abbreviatus</i>	1870, 198
	1870, 551	<i>acinaces</i>	1870, 198
	1870, 836	<i>argyreus</i>	1867, 867
<i>velata</i>	1867, 569	<i>axillaris</i>	1864, 152

	Page		Page
<i>Gerres brevimanus</i>	1864, 152	<i>Gibbus clavulus</i>	1868, 17
<i>filamentosus</i>	1865, 39	<i>cylindrellus</i>	1868, 291
	1870, 689		1868, 294
<i>lineolatus</i>	1867, 867	<i>deshayesi</i>	1868, 290
	1868, 12		1868, 294
<i>longirostris</i>	1861, 142	<i>dussumieri</i>	1868, 260
<i>plumieri</i>	1864, 152	<i>holostoma</i>	1868, 259
<i>poeti</i>	1867, 867	<i>lyonetianus</i>	1868, 258
	1870, 698	<i>mauritanus</i>	1868, 260
<i>punctatus</i>	1865, 39		1869, 62
<i>waiigiensis</i>	1867, 867	<i>modiolus</i>	1868, 259
<i>Gerrhosaurus bibronii</i>	1864, 58	<i>mondraini</i>	1868, 13
	1865, 642		1868, 17
<i>bifasciatus</i>	1865, 642	<i>moreleti</i>	1868, 291
<i>flavigularis</i>	1865, 642		1868, 294
<i>lineatus</i>	1865, 469		1869, 64
	1865, 642	<i>nevilli</i>	1867, 304
<i>pallidus</i>	1865, 642		1867, 315
<i>robustus</i>	1864, 58	<i>newtoni</i>	1867, 305
	1864, 307		1867, 315
	1864, 377	<i>palanga</i>	1868, 260
	1865, 227	<i>productus</i>	1868, 13
	1865, 228		1868, 17
<i>sepiformis</i>	1865, 642		1868, 259
<i>subtessellatus</i>	1865, 642	<i>striaticosta</i>	1868, 289
<i>tessellatus</i>	1865, 642	<i>sulcatus</i>	1868, 260
<i>typicus</i>	1865, 642	<i>teres</i>	1868, 259
<i>Gervaisia albispecularis</i>	1866, 422	<i>versipolis</i>	1868, 260
<i>albospecularis</i>	1863, 163	<i>Ginea removens</i>	1867, 74
<i>Gerygone</i>	1863, 481	<i>Gladius fusus</i>	1866, 146
<i>albogularis</i>	1866, 576	<i>Glandina binneyana</i>	1863, 412
<i>chloronota</i>	1865, 475	<i>carminensis</i>	1861, 230
<i>chrysogaster</i>	1861, 434		1866, 443
<i>inornata</i>	1863, 485	<i>dactylus</i>	1866, 443
	1863, 490	<i>ghiesbreghti</i>	1861, 230
<i>neglecta</i>	1865, 475	<i>liesvillei</i>	1865, 545
<i>palpebrosa</i>	1865, 475	<i>monilifera</i>	1863, 412
<i>personata</i>	1866, 217	<i>tumulorum</i>	1865, 540
<i>sulphurea</i>	1863, 485	<i>Glanychus insolitus</i>	1867, 681
	1863, 490	<i>Glareola australis</i>	1863, 35
<i>superciliosa</i>	1863, 491	<i>grallaria</i>	1861, 438
<i>Gibbula coxi</i>	1867, 115		1863, 35
	1867, 117	<i>nordmanni</i>	1866, 330
	1867, 217		1869, 571
<i>nitida</i>	1864, 36	<i>orientalis</i>	1863, 309
<i>picturata</i>	1864, 36		1870, 603
	1867, 217	<i>pratincola</i>	1864, 450
<i>preissiana</i>	1865, 182		1869, 571
	1867, 217	<i>torquata</i>	1863, 517
<i>strangei</i>	1867, 217	<i>Glaucestes flavirostris</i>	1868, 460
<i>sulcosa</i>	1867, 217	<i>Glaucidium</i> — ?	1867, 158
<i>Gibbulina callifera</i>	1868, 260	<i>brodiaei</i>	1868, 402
<i>dussumieri</i>	1868, 260	<i>ferrugineum</i>	1870, 557
<i>Gibbus bacillus</i>	1868, 259	<i>infuscatum</i>	1867, 989
<i>barclayi</i>	1868, 13		1868, 570
	1868, 17		1870, 567
<i>callifer</i>	1868, 259	<i>nanum</i>	1867, 338
<i>clavulus</i>	1868, 16	<i>passerinoides</i>	1870, 557

	Page		Page
<i>Glaucidium passerinum</i>	1863, 332	<i>Glenea oudetera</i>	1866, 227
<i>phalaenoides</i>	1868, 629	<i>porphyrio</i>	1866, 260
	1870, 217		1866, 227
	1870, 557		1866, 259
<i>Glaucis affinis</i>	1864, 364		1866, 267
	1867, 752	<i>pulchella</i>	1866, 260
	1867, 979	<i>rufina</i>	1866, 227
<i>hirsuta</i>	1868, 628		1866, 259
	1870, 562	<i>sulphurella</i>	1866, 262
<i>hirsutus</i>	1864, 364	<i>vesta</i>	1866, 227
<i>melanura</i>	1866, 193		1866, 260
<i>ruckeri</i>	1864, 364		1866, 267
	1870, 204	<i>Glessula fusca</i>	1868, 15
<i>Glaucanome angulata</i>	1867, 924		1868, 17
<i>Glaucomyia angulata</i>	1867, 924	<i>Glicebus rufus</i>	1863, 143
<i>chinensis</i>	1867, 490	<i>Gliciphila subfasciata</i>	1868, 385
<i>primeana</i>	1867, 490	<i>Glis vulgaris</i>	1866, 89
<i>rugosa</i>	1867, 924	<i>Gliscebus murinus</i>	1864, 641
<i>Glaucus</i> — ?	1867, 230	<i>Globicera rubricera</i>	1862, 141
<i>Glenea algebraica</i>	1866, 227		1869, 123
	1866, 260	<i>Globiocephalus affinis</i>	1864, 197
<i>alysson</i>	1866, 227		1864, 244
	1866, 261	<i>incrassatus</i>	1861, 309
	1866, 267		1864, 197
<i>anthyllis</i>	1866, 227		1864, 244
	1866, 262	<i>indicus</i>	1870, 220
	1866, 267		1870, 221
<i>antecipunctata</i>	1866, 227		1870, 544
	1866, 260	<i>macrorhynchus</i>	1863, 202
<i>arouensis</i>	1866, 263	<i>melas</i>	1867, 686
<i>blandina</i>	1866, 227	<i>rissoanus</i>	1870, 128
	1866, 259	<i>svineval</i>	1861, 309
<i>cunila</i>	1866, 227		1864, 179
	1866, 260		1864, 243
<i>delia</i>	1866, 258		1864, 418
<i>elegans</i>	1866, 227		1864, 419
	1866, 258		1867, 477
	1866, 259		1867, 478
<i>extensa</i>	1866, 227		1868, 336
	1866, 260		1868, 340
<i>fricator</i>	1866, 262		1868, 554
<i>fulvomaculata</i>	1866, 263		1868, 555
<i>funerula</i>	1866, 262		1870, 814
<i>grisea</i>	1866, 262	<i>Gloionycteris armigera</i>	1866, 82
<i>illuminata</i>	1866, 227	<i>Glossiphonia cimiciformis</i>	1869, 317
	1866, 261	<i>rudis</i>	1869, 317
<i>jubæa</i>	1866, 227	<i>trisulcata</i>	1869, 317
	1866, 260	<i>Glossiptila ruficollis</i>	1861, 73
<i>manto</i>	1866, 227	<i>Glossoliga poireti</i>	1870, 272
	1867, 262	<i>Glossophaga amplexicauda</i>	
	1867, 267	<i>data</i>	1861, 88
<i>mathematica</i>	1866, 261	<i>caudifer</i>	1861, 64
<i>neanthes</i>	1866, 227		1861, 91
	1866, 259	<i>ecaudata</i>	1861, 88
	1866, 267	<i>leachi</i>	1861, 278
<i>oeme</i>	1866, 227	<i>soriana</i>	1866, 116
	1866, 261	<i>Glottula dominica</i>	1867, 50
	1866, 267	<i>radians</i>	1867, 666

	Page		Page
<i>Glycera corrugata</i>	1863, 109	<i>Glyptosternum lonah</i> ..	1867, 285
<i>Glyciphana luctuosa</i> ..	1863, 478	<i>telchitta</i>	1869, 524
<i>Glyciphila</i>	1863, 481	<i>trilineatus</i>	1869, 524
<i>albifrons</i>	1869, 279	<i>Gnatholea eburifera</i>	1866, 228
<i>fulvifrons</i>	1869, 279		1866, 534
<i>modesta</i>	1861, 435	<i>Gnoma dispersa</i>	1866, 226
<i>ocularis</i>	1861, 434		1866, 252
<i>subfasciata</i>	1863, 486	<i>longicollis</i>	1866, 252
<i>Glyphidodon affinis</i>	1870, 696	<i>Gnophos combustaria</i> ..	1867, 631
<i>anabatoides</i>	1870, 696	<i>muscosaria</i>	1867, 635
<i>antjerius</i>	1870, 696	<i>obtectaria</i>	1867, 635
<i>batjanensis</i>	1870, 696	<i>Gobiesox rhodospilus</i> ..	1864, 25
<i>bengaliensis</i>	1870, 696	<i>Gobio pangusia</i>	1867, 16
<i>cochinensis</i>	1865, 38	<i>ricnorhynchus</i>	1861, 225
	1870, 696	<i>Gobiodon quinquestri-</i>	
<i>cœlestinus</i>	1867, 864	<i>gatus</i>	1870, 694
<i>modestus</i>	1870, 696	<i>Gobius acutipennis</i>	1865, 27
<i>notatus</i>	1869, 521		1870, 691
<i>saxatilis</i>	1868, 226	<i>albopunctatus</i>	1869, 512
<i>septemfasciatus</i>	1867, 864		1870, 691
<i>sordidus</i>	1867, 864	<i>andamanensis</i>	1870, 691
	1870, 696	<i>biocellatus</i>	1868, 154
<i>Glyphis alta</i>	1863, 361	<i>bleekeri</i>	1868, 195
<i>fenestrata</i>	1865, 516	<i>breviceps</i>	1869, 512
<i>granifera</i>	1865, 516	<i>brevifilis</i>	1867, 940
<i>inaequalis</i>	1863, 361	<i>caninus</i>	1867, 862
<i>jukesi</i>	1865, 184	<i>criniger</i>	1868, 153
<i>Glyphodes actorionalis</i> .	1867, 92		1868, 154
<i>bivitalis</i>	1866, 364	<i>giuris</i>	1861, 222
<i>cæsalis</i>	1867, 92		1865, 27
<i>diurnalis</i>	1867, 92		1867, 14
<i>gastralis</i>	1867, 93		1868, 273
<i>lacustralis</i>	1867, 93		1869, 303
	1867, 98		1870, 691
<i>lora</i>	1867, 92	<i>gobiodon</i>	1869, 516
<i>luciferalis</i>	1867, 92		1870, 692
<i>stolialis</i>	1867, 92	<i>grammepomus</i>	1870, 692
<i>univocalis</i>	1867, 93	<i>grandidieri</i>	1868, 10
<i>vagalis</i>	1867, 93	<i>interstinctus</i>	1867, 862
<i>zelincalis</i>	1866, 364	<i>madrassetensis</i>	1868, 152
<i>Glyphodon ornatus</i>	1862, 225	<i>malabaricus</i>	1865, 27
<i>Glyphoglossus molossus</i> .	1868, 480	<i>neilli</i>	1868, 152
	1868, 483		1868, 153
	1868, 490	<i>ornatus</i>	1867, 862
<i>Glyphorhynchus castel-</i>			1870, 691
<i>naudi</i>	1867, 750	<i>paradoxus</i>	1861, 372
<i>cuneatus</i>	1862, 369	<i>seminudus</i>	1861, 372
	1864, 354	<i>soporator</i>	1864, 24
	1867, 574	<i>stoliczkae</i>	1870, 692
	1867, 595	<i>sublitus</i>	1868, 154
<i>major</i>	1862, 396	<i>venenatus</i>	1868, 154
	1864, 354	<i>ventralis</i>	1867, 862
<i>pectoralis</i>	1864, 354	<i>viridipunctatus</i>	1865, 27
	1870, 192		1868, 154
<i>Glyptemys pulchella</i> ..	1869, 196		1870, 691
<i>Glyptodon</i>	1862, 97	<i>Gogrius sykesii</i>	1867, 563
<i>Glyptosternon labiatus</i> . .	1869, 525	<i>Goliathus fornassinii</i> . . .	1864, 34
		<i>kirkianus</i>	1864, 34

	Page		Page
<i>Golsinda corallina</i>	1866, 225	<i>Gouldia australis</i>	1867, 928
	1866, 237	<i>conversi</i>	1864, 365
<i>tessellata</i>	1866, 237		1867, 154
<i>Golunda barbara</i>	1864, 57		1870, 208
<i>pulchella</i>	1864, 57		1870, 803
	1864, 100	<i>langsdorffi</i>	1867, 752
<i>Gomphobates kröyeri</i> ..	1868, 478		1867, 979
<i>notatus</i>	1868, 478	<i>modesta</i>	1869, 275
<i>Gomphosus</i>	1861, 410	<i>pacifica</i>	1863, 265
<i>melanotus</i>	1870, 698	<i>Goura coronata</i>	1861, 438
<i>Gonepteryx gobrias</i>	1865, 432		1864, 139
<i>nipalensis</i>	1865, 493		1864, 160
<i>rhamni</i>	1870, 727		1865, 239
<i>urania</i>	1865, 458		1868, 302
	1866, 452		1869, 628
<i>verhuelii</i>	1865, 433	<i>victoriæ</i>	1861, 438
<i>wallichii</i>	1866, 452		1864, 160
<i>zaneka</i>	1865, 493		1865, 239
	1865, 509		1869, 628
<i>Gongylophis conica</i>	1869, 502	<i>Gracilia pygmæa</i>	1867, 362
<i>Gongylus ocellatus</i>	1864, 489		1867, 379
<i>Goniloba badra</i>	1865, 778	<i>Gracillaria auricilla</i>	1867, 671
<i>chromus</i>	1865, 779	<i>falcata</i>	1867, 671
<i>gopala</i>	1865, 780	<i>gemoniella</i>	1867, 671
<i>menaka</i>	1865, 778	<i>nitidula</i>	1867, 671
<i>pralaya</i>	1865, 779	<i>quadrifasciata</i>	1867, 671
<i>ravi</i>	1865, 779	<i>resplendens</i>	1867, 671
<i>sambara</i>	1865, 781	<i>terminaliæ</i>	1867, 671
<i>senâ</i>	1865, 778	<i>ustulatella</i>	1867, 671
<i>Goniodoris atromarginata</i>	1867, 229	<i>Gracula anais</i>	1869, 126
<i>bennetti</i>	1867, 229	<i>cristata</i>	1863, 277
<i>crossei</i>	1867, 229	<i>dumonti</i>	1869, 120
<i>daphe</i>	1867, 229		1869, 121
<i>erinaceus</i>	1867, 229		1869, 126
<i>festiva</i>	1867, 229	<i>dumontii</i>	1861, 436
<i>loringi</i>	1867, 229	<i>intermedia</i>	1862, 325
<i>splendida</i>	1867, 229	<i>javanensis</i>	1863, 219
<i>verrucosa</i>	1867, 229	<i>kreffti</i>	1869, 120
<i>Gonitis guttanivis</i>	1867, 64		1869, 124
<i>Gonodactylus chiragra</i> ..	1866, 338		1869, 126
	1866, 339		1870, 551
<i>guerinii</i>	1861, 43	<i>melanoleuca</i>	1863, 303
<i>Gonophora indica</i>	1867, 44	<i>nigricollis</i>	1863, 303
<i>Gonorhynchus gobioides</i>	1861, 225	<i>pectoralis</i>	1862, 166
<i>macrosomus</i>	1867, 17	<i>saularis</i>	1861, 186
<i>Gonostoma denudata</i> ..	1863, 410		1866, 550
<i>Gonostomoxus loa-loa</i> ..	1869, 40	<i>venerata</i>	1863, 486
<i>Gordius aquaticus</i>	1865, 51	<i>Graculus africanus</i>	1866, 426
<i>medinensis</i>	1862, 299	<i>brasilianus</i>	1869, 601
<i>Gorgonia flabellum</i>	1867, 120	<i>carbo</i>	1863, 324
	1867, 904	<i>elegans</i>	1867, 320
<i>palmosa</i>	1862, 35		1867, 336
<i>trichostemma</i>	1862, 35	<i>hypoleucus</i>	1861, 438
<i>Gortyna cuprea</i>	1867, 50	<i>javanicus</i>	1865, 692
	1867, 97	<i>Gracupica melanoleuca</i> ..	1863, 303
<i>Gottoina pyrgula</i>	1863, 113	<i>nigricollis</i>	1863, 303
<i>sulcifera</i>	1863, 112	<i>Grallaria brevicauda</i> ..	1864, 357
<i>Gouldia australis</i>	1865, 459		1867, 978

	Page		Page
<i>Grallaria brevicauda</i>	1870,	<i>Grampus richardsonii</i> ..	1865,
<i>dives</i>	1864,	<i>rissoi</i>	1865,
<i>fulviventris</i>	1864,	<i>Granatellus pelzelni</i>	1864,
	1864,		1864,
<i>griseonucha</i>	1870,	<i>sallæi</i>	1864,
	1870,	<i>venustus</i>	1864,
	1870,		1864,
<i>guatemalensis</i>	1861,	<i>Grantia</i> — ?	1867,
	1867,	<i>aspera</i>	1867,
	1869,	<i>botryoides</i>	1867,
	1869,	<i>ciliata</i>	1867,
	1870,	<i>clathrus</i>	1867,
<i>hypoleuca</i>	1868,	<i>compressa</i>	1867,
<i>imperator</i>	1861,		1868,
	1869,	<i>coralloides</i>	1867,
	1864,	<i>coriacea</i>	1867,
	1867,	<i>ensata</i>	1867,
	1868,		1868,
	1870,	<i>fistulosa</i>	1867,
<i>perspicillata</i>	1864,	<i>humboldtii</i>	1867,
	1867,	<i>lacunosa</i>	1867,
	1868,	<i>lieberkuhnii</i>	1867,
	1870,	<i>multicava</i>	1867,
<i>princeps</i>	1869,	<i>nivea</i>	1867,
	1869,	<i>pulverulenta</i>	1867,
	1870,	<i>raphanus</i>	1867,
	1870,	<i>setosa</i>	1867,
<i>regulus</i>	1861,	<i>solida</i>	1867,
	1869,	<i>striatula</i>	1867,
<i>rex</i>	1869,	<i>tessellata</i>	1867,
<i>ruficapilla</i>	1870,	<i>Grapelia australis</i>	1867,
<i>varia</i>	1861,	<i>Graphiphora basistriga</i> ..	1867,
<i>Grallaricula costaricensis</i>	1867,	<i>cerastioïdes</i>	1867,
	1868,	<i>c-nigrum</i>	1867,
	1870,	<i>fasciata</i>	1867,
<i>loricata</i>	1868,	<i>rubicilia</i>	1867,
	1868,	<i>Graphophasianus scintil-</i>	
<i>nana</i>	1868,	<i>lans</i>	1866,
<i>Grammistes orientalis</i> ..	1870,	<i>Graucalus fasciatus</i>	1863,
<i>Grammodes ammonia</i> ..	1866,	<i>macei</i>	1863,
	1867,		1866,
<i>mygdon</i>	1866,	<i>melanogenys</i>	1863,
	1867,	<i>melanoleucus</i>	1863,
	1867,	<i>melanops</i>	1863,
<i>notata</i>	1867,	<i>melanopsis</i>	1869,
<i>stolida</i>	1867,	<i>personatus</i>	1863,
<i>Grampus</i>	1863,	<i>rex-pineti</i>	1863,
<i>acutus</i>	1864,	<i>temminckii</i>	1862,
<i>cuvieri</i>	1864,		1862,
	1864,	<i>Grayia triangularis</i>	1863,
	1865,	<i>Grisonia vittata</i>	1861,
	1865,		1865,
<i>gladiator</i>	1870,	<i>Grotea elegans</i>	1865,
<i>globiceps</i>	1864,	<i>Grus</i>	1864,
<i>griseus</i>	1864,		
	1865,		
	1865,		
<i>meridionalis</i>	1864,		
<i>richardsonii</i>	1865,		

	Page		Page
<i>Grus americana</i>	1868, 567	<i>Guiraca cyanea</i>	1864, 352
<i>antigone</i>	1863, 371		1868, 627
	1864, 374	<i>cyanoides</i>	1864, 352
	1866, 78		1866, 566
<i>antigone</i>	1867, 430		1867, 141
	1867, 457		1867, 750
	1867, 762		1870, 582
	1868, 567	<i>glauco-cærulea</i>	1868, 139
<i>australis</i>	1868, 567		1870, 114
	1869, 280	<i>ludoviciana</i>	1862, 323
<i>canadensis</i>	1868, 567	<i>Gulo arcticus</i>	1865, 121
<i>carunculata</i>	1861, 209	<i>barbatus</i>	1865, 121
	1861, 265	<i>borealis</i>	1865, 120
	1868, 567		1868, 342
<i>cinerea</i>	1863, 308		1868, 358
	1864, 450		1868, 360
	1868, 567	<i>canescens</i>	1865, 121
	1869, 628	<i>capensis</i>	1865, 144
<i>fraterculus</i>	1868, 567	<i>castaneus</i>	1865, 108
<i>leucogeranos</i>	1863, 308	<i>ferrugineus</i>	1865, 108
	1868, 526	<i>larbatus</i>	1864, 540
	1868, 567	<i>leucurus</i>	1865, 121
<i>longirostris</i>	1863, 308	<i>luscus</i>	1865, 120
<i>monacha</i>	1863, 309		1865, 121
<i>monachus</i>	1868, 567		1868, 331
<i>montignesia</i>	1861, 369	<i>nipalensis</i>	1865, 153
	1864, 72	<i>orientalis</i>	1865, 153
	1868, 567	<i>quitensis</i>	1865, 146
	1869, 628	<i>sibiricus</i>	1865, 121
	1870, 428	<i>urva</i>	1864, 568
<i>paradisea</i>	1861, 307	<i>vittatus</i>	1865, 122
	1861, 439	<i>vulgaris</i>	1865, 120
	1862, 22	<i>wolverene</i>	1865, 120
<i>pavonia</i>	1867, 429	<i>Güntheria cæruleovittata</i>	1861, 413
<i>rueppellii</i>	1864, 160	<i>Gurnellus</i>	1861, 239
<i>vipio</i>	1868, 567	<i>Gygis alba</i>	1867, 832
<i>virgo</i>	1867, 819		1868, 4
<i>viridirostris</i>	1863, 309		1868, 9
<i>Gryllivora brevirostris</i> ..	1861, 186		1868, 118
<i>intermedia</i>	1861, 186	<i>Gymnetrus ascanii</i>	1868, 322
<i>longicauda</i>	1861, 187	<i>banksii</i>	1866, 147
<i>rosea</i>	1861, 186	<i>capensis</i>	1868, 320
<i>Guandira cayanensis</i> ..	1866, 114		1868, 322
<i>Gubernatrix cristatella</i> ..	1862, 322	<i>gladius</i>	1868, 322
	1869, 627	<i>hawkenii</i>	1868, 322
	1869, 632	<i>Gymnocephalus calvus</i> ..	1867, 581
<i>Gueparda guttata</i>	1867, 277		1867, 593
	1867, 396	<i>Gymnocichla chiroleuca</i>	1869, 417
<i>Guira piririgua</i>	1864, 138		1870, 195
	1866, 78	<i>nudiceps</i>	1864, 356
	1866, 79		1869, 417
	1867, 585		1869, 418
	1868, 142		1870, 195
<i>Guiraca cærulea</i>	1862, 323	<i>Gymnocorvus fuscicapil-</i>	
	1864, 174	<i>lus</i>	1861, 435
<i>concreta</i>	1867, 141	<i>senex</i>	1861, 436
	1870, 189	<i>tibicen</i>	1861, 183
	1870, 836	<i>Gymnodactylus</i>	1864, 60

	Page		Page
Gymnodactylus		Gyps fulvus	1868, 391
nensis	1869, 501	indicus	1866, 3
geckoides	1864, 489	rueppellii	1865, 675
Gymnoderus foetidus	1867, 581	Gyrinus dejeani	1867, 365
	1867, 593		1867, 366
Gymnogenys malzacii	1863, 162		1867, 370
radiatus	1866, 420	Gyropus dicotylis	1869, 420
Gymnoglaux lawrencii	1868, 327		1869, 421
	1868, 328		1869, 422
newtonii	1868, 327		1869, 423
	1868, 328	gracilis	1869, 420
nudipes	1868, 328		1869, 422
Gymnomystax melanic-			1869, 423
terus	1866, 182	hispidus	1869, 421
	1870, 575		1869, 422
Gymnopleurus profanus	1864, 118		1869, 423
Gymnopus ægyptiacus	1862, 103	longicollis	1869, 421
	1864, 88		1869, 423
africanus	1865, 120	ovalis	1869, 420
indicus	1864, 90		1869, 421
kathiah	1865, 119		1869, 423
leucocephalus	1865, 119		
lineatus	1864, 91	Habrocebus	1863, 133
strigidorsus	1865, 119	diadema	1867, 247
Gymnorhina leuconota	1862, 323	lanatus	1866, 151
	1869, 279	Habrocerus capillaricor-	
tibicen	1861, 183	nis	1867, 364
	1862, 22		1867, 382
	1863, 516	Hadena albidisca	1867, 59
	1869, 279		1867, 97
Gymnotus electricus	1862, 103	albinota	1867, 58
kpirat	1867, 17	atrovirens	1867, 58
notopterus	1867, 17	auroviridis	1867, 59
Gynæcophorus hæmato-			1867, 97
bius	1862, 292	lanceola	1867, 59
Gypaëtos barbatus	1864, 426	megastigma	1867, 58
Gypaëtus barbatus	1863, 302	tenebrosa	1867, 59
	1864, 159	Hadrostromus aglaiæ	1864, 176
	1865, 675		1870, 837
	1868, 393	minor	1866, 190
	1870, 430		1867, 579
Gyparchus papa	1862, 323	Hæmatoderus militaris	1867, 580
	1865, 675	Hæmatopinus euryster-	
	1867, 589	nus	1869, 422
	1867, 753	phocæ	1868, 430
Gypogeranus serpenta-		suis	1869, 422
rius	1867, 442		1869, 423
Gypohierax angolensis	1865, 675	urius	1869, 423
	1866, 324	Hæmatopus ater	1867, 331
	1870, 146		1867, 339
Gypoictinia melanoster-		longirostris	1861, 438
non	1867, 393		1863, 310
Gyps bengalensis	1868, 391	niger	1863, 311
	1868, 392		1868, 529
	1868, 393	ostralegus	1862, 140
fulvus	1862, 321		1863, 310
	1864, 426		1863, 517
	1865, 675	palliatus	1867, 339

	Page		Page
<i>Hæmatopus palliatus</i> ..	1870, 323	<i>Halcyon lilacina</i>	1862, 338
<i>Hæmatornis bacha</i>	1865, 466		1863, 213
<i>bido</i>	1865, 466	<i>melanorhyncha</i>	1862, 335
<i>elgini</i>	1865, 466		1862, 338
<i>Hæmopsis sanguisuga</i> ..	1865, 659		1870, 62
<i>Hæmulon margaritifera</i>	1864, 147	<i>nigrocyanea</i>	1862, 165
<i>Halæbona typica</i>	1861, 438	<i>pileata</i>	1863, 269
<i>Halcrosia afzelii</i>	1867, 715	<i>reichenbachii</i>	1868, 4
	1867, 716		1868, 118
	1867, 717	<i>rufa</i>	1862, 335
<i>frontata</i>	1867, 715		1862, 338
	1867, 717	<i>sacra</i>	1869, 545
<i>Halcyon albicilla</i>	1861, 433	<i>sancta</i>	1861, 433
	1867, 828		1862, 338
	1867, 829		1869, 119
	1868, 4		1869, 279
	1868, 118	<i>sanctus</i>	1863, 23
<i>amauroptera</i>	1870, 63		1863, 484
<i>atricapilla</i>	1863, 269		1868, 116
<i>brunniceps</i>	1870, 66		1868, 118
<i>capensis</i>	1866, 553	<i>saurophaga</i>	1867, 827
	1870, 65	<i>schlegelii</i>	1862, 338
	1870, 66	<i>semicærulea</i>	1865, 88
	1870, 67		1865, 94
<i>chelicutensis</i>	1869, 569	<i>senegalensis</i>	1863, 105
<i>chelicutæ</i>	1864, 111		1864, 111
	1867, 824		1865, 94
<i>cinnamomina</i>	1861, 433		1869, 568
	1868, 5		1870, 145
	1869, 119		1870, 149
<i>collaris</i>	1861, 433	<i>smyrnensis</i>	1863, 269
	1862, 338		1866, 554
	1863, 213	<i>sordida</i>	1861, 433
	1863, 484	<i>striolata</i>	1867, 824
<i>coromanda</i>	1862, 338		1867, 828
<i>coromandelianus</i> ..	1863, 333	<i>torotoro</i>	1861, 428
<i>coronatus</i>	1863, 484	<i>variegata</i>	1863, 105
<i>cyanoleuca</i>	1869, 568		1864, 111
	1869, 569	<i>Haliaëtus albicilla</i>	1862, 324
<i>damarensis</i>	1869, 569		1862, 376
<i>dryas</i>	1866, 325		1863, 251
<i>fulgidus</i>	1863, 484		1863, 252
<i>fuscus</i>	1863, 269		1863, 259
<i>gularis</i>	1866, 421		1863, 332
<i>gurali</i>	1866, 553		1863, 516
	1870, 66		1865, 731
	1870, 67	<i>leucocephalus</i>	1861, 367
<i>javana</i>	1870, 64		1862, 140
	1870, 65		1863, 252
<i>javanica</i>	1870, 65		1865, 731
<i>leucocephala</i>	1870, 64	<i>leucogaster</i>	1868, 397
<i>leucocephalus</i>	1863, 213	<i>pelagicus</i>	1863, 260
	1863, 484		1863, 332
	1865, 692	<i>vocifer</i>	1866, 420
	1870, 65		1867, 823
	1870, 66	<i>vociferoides</i>	1866, 420
	1870, 67	<i>washingtonii</i>	1863, 252
<i>leucopygia</i>	1869, 119	<i>Haliastur indus</i>	1861, 367

	Page		Page
<i>Haliastur indus</i>	1863,	<i>Halichondria nigricans</i> ..	1867,
	207	<i>oculata</i>	1867,
	1865,	<i>panicea</i>	1867,
	693		1867,
	1866,		1867,
	568		1867,
	1868,		1867,
	399		1868,
<i>leucosternus</i>	1861,		1868,
	433		1869,
	1863,		75
	21		1869,
	1867,		76
	393		1869,
	1867,		345
	394	<i>pattersoni</i>	1867,
	1868,	<i>pulchella</i>	1867,
	381	<i>rigida</i>	1867,
<i>ponticerianus</i>	1863,	<i>scandens</i>	1867,
	484	<i>servosa</i>	1867,
<i>sphenurus</i>	1867,	<i>simplex</i>	1867,
	393	<i>subdola</i>	1867,
<i>Halichæres cæruleo-vit-</i>		<i>suberea</i>	1867,
<i>tatus</i>	1861,	<i>suberica</i>	1867,
	413	<i>thompsoni</i>	1867,
<i>Halichærus griseus</i>	1868,	<i>variantia</i>	1867,
	426	<i>ventilabra</i>	1867,
<i>grypus</i>	1864,	<i>ventilabrum</i>	1867,
	33	<i>Halicryptus spinulosus</i> ..	1868,
	1868,	<i>Halictus leucozonius</i> ..	1862,
	335	<i>morio</i>	1862,
	1868,	<i>Halicyon richardii</i>	1864,
	340		1864,
	1868,		1864,
	419		1864,
	1868,		1864,
	424		1864,
	1868,		33
	426	<i>richardsi</i>	1868,
	1868,	<i>Haliichthys tæniophorus</i>	1865,
	427	<i>Haliotis albicans</i>	1865,
<i>variegatus</i>	1861,	<i>australis</i>	1865,
	411	<i>brazieri</i>	1869,
<i>Halichondria</i>	1863,	<i>canaliculata</i>	1865,
	441	<i>cocco-radiata</i>	1865,
<i>ægogropila</i>	1867,		1867,
	533		1865,
<i>albula</i>	1867,		1865,
	536		1865,
<i>angulata</i>	1867,		1865,
	540		1865,
<i>areolata</i>	1867,		1865,
	511		1865,
<i>batei</i>	1867,		1865,
	536		1865,
<i>caduca</i>	1867,		1865,
	519		1865,
<i>candida</i>	1867,		1865,
	539		1865,
<i>carnosa</i>	1867,		1865,
	523		1865,
<i>celata</i>	1867,		1865,
	516		1865,
<i>cervicornis</i>	1867,		1865,
	545		1865,
<i>cinerea</i>	1867,		1865,
	512		1865,
<i>coalita</i>	1867,		1865,
	519		1865,
<i>corrugata</i>	1867,		1865,
	539		1865,
<i>dickiei</i>	1867,		1865,
	536		1865,
<i>distorta</i>	1867,		1865,
	519		1865,
	1868,		1865,
	124		1865,
<i>farinaria</i>	1867,		1865,
	519		1865,
	1868,		1865,
	124		1865,
<i>ficus</i>	1867,		1865,
	523		1865,
<i>fluviatilis</i>	1863,		1865,
	440		1865,
<i>glabra</i>	1867,		1865,
	519		1865,
<i>granulata</i>	1867,		1865,
	536		1865,
<i>hyndmani</i>	1867,		1865,
	534		1865,
<i>incerta</i>	1867,		1865,
	519		1865,
<i>inconspicua</i>	1867,		1865,
	519		1865,
<i>incrustans</i>	1867,		1865,
	535		1865,
<i>infundibuliformis</i> ..	1867,		1865,
	513		1865,
<i>ingalli</i>	1867,		1865,
	533		1865,
<i>inornata</i>	1867,		1865,
	539		1865,
<i>irregularis</i>	1867,		1865,
	536		1865,
<i>johnsoni</i>	1867,		1865,
	538		1865,
<i>johnstonii</i>	1867,		1865,
	547		1865,
<i>lacustris</i>	1863,		1865,
	440		1865,
	1863,		1865,
	462		1865,
<i>mammillaris</i>	1867,		1865,
	27		1865,
			1862,
			22
			1862,
			140

	Page		Page
Halmaturus — ?	1862, 323	Hapale iacchus	1865, 734
<i>agilis</i>	1866, 30	<i>jacchus</i>	1862, 140
<i>bennettii</i>	1866, 221	<i>melanura</i>	1862, 185
	1862, 185		1865, 734
	1866, 28		1868, 262
	1866, 31		1869, 593
	1866, 32		1869, 594
	1867, 953	<i>midas</i>	1865, 559
	1868, 625		1865, 568
	1870, 40		1865, 577
<i>billardieri</i>	1868, 2		1865, 587
<i>brachyurus</i>	1868, 2	<i>oedipus</i>	1861, 264
<i>coxenii</i>	1866, 220		1864, 710
	1866, 221		1865, 577
<i>derbianus</i>	1866, 28		1865, 587
	1868, 625	<i>penicillata</i>	1864, 710
<i>dorsalis</i>	1866, 221	<i>pygmaea</i>	1865, 734
<i>irma</i>	1866, 30	<i>ursulus</i>	1862, 325
<i>ruficollis</i>	1870, 40		1864, 710
<i>thetidis</i>	1862, 140	Hapalemur	1864, 639
<i>xanthopus</i>	1862, 135	<i>griseus</i>	1863, 142
Halodroma garnoti	1867, 336		1864, 612
	1867, 340		1866, 419
Halophila platydactyla	1864, 49		1870, 828
<i>vitiana</i>	1864, 49		1870, 829
Halosaurus oeyenii	1863, 406		1870, 831
Haltica ampelophaga	1867, 363	<i>olivaceus</i>	1863, 142
	1867, 379		1863, 161
Halys blomhoffii	1870, 412		1864, 613
Halysis elliptica	1862, 312		1866, 419
<i>marginata</i>	1862, 308		1870, 669
Hamacantha johnsoni	1867, 538		1870, 829
Hamadryas vittata	1863, 371		1870, 831
Hamigera rubens	1867, 536	<i>simus</i>	1870, 669
Haminea brevis	1865, 188		1870, 828
	1867, 227		1870, 829
<i>cymbalum</i>	1865, 188		1870, 830
<i>subpellucida</i>	1869, 275		1870, 831
Hammaticherus simulans	1866, 531	Hapalocercus citreolus	1867, 338
Hamodes aurantiaca	1867, 73	<i>flaviventris</i>	1866, 2
Hamularia lymphatica	1862, 302		1867, 326
<i>subcompressa</i>	1862, 302		1869, 160
Hanleya variabilis	1864, 194	<i>pectoralis</i>	1870, 57
	1865, 188	Hapalolemur	1864, 639
Hapale	1864, 636	<i>griseus</i>	1863, 161
<i>argentata</i>	1868, 262	Hapalotis caudimaculata	1867, 316
	1869, 593		1867, 317
	1869, 594		1867, 597
<i>aurita</i>	1865, 587	<i>mittelli</i>	1868, 624
	1865, 734	<i>mittellii</i>	1862, 324
<i>auritus</i>	1865, 577	<i>personata</i>	1867, 318
<i>chrysoleucos</i>	1869, 593	Haplocheilus melastigma	1869, 310
	1869, 594	<i>panchax</i>	1869, 310
<i>chrysomelas</i>	1869, 407	Haplochilus panchax	1870, 700
<i>humeralifer</i>	1865, 734	<i>playfairii</i>	1867, 868
<i>iacchus</i>	1861, 366	Hara buehanani	1869, 369
	1861, 367		1869, 524
	1861, 368	<i>filamentosa</i>	1869, 614

	Page		Page
Hara filamentosus	1869,	Helarctos malayanus ..	1864,
malabarica	1867,		1864,
	1869,		1864,
Harelda glacialis	1863,		1864,
	1865,	ornatus	1864,
Hargravesia polita	1870,	tibetanus	1864,
	1870,		1870,
Harpa costata	1862,	Helcyra hemina	1865,
imperialis	1862,	Heleodytes albo-brunneus	1864,
major	1866,	griseus	1864,
Harpactes duvaucellii ..	1863,		1870,
kasumba	1863,		1870,
oreskios	1866,		1870,
Harpagus bidentatus ..	1864,	minor	1870,
	1866,		1870,
	1867,		1870,
	1867,		1870,
	1870,	Heleothreptus anomalus	1866,
Harpalis antiquata	1862,		1866,
conoidalis	1862,		1866,
Harpalus distinguendus .	1867,	Heleotragus arundinaceus	1864,
	1867,	bohor	1864,
griseus	1867,	capreolus	1861,
	1867,		1861,
rotundicollis	1867,	ellipsiprymnus	1864,
	1867,	leche	1864,
	1867,	reduncus	1862,
ruficornis	1867,		1864,
	1867,		1864,
Harpiprion cayennensis .	1864,		1870,
Harporhynchus cinereus	1862,	vardonii	1864,
curvirostris	1862,	Heliangelus spencii	1870,
longirostris	1864,		1870,
ocellatus	1862,	Helianthea lutetiæ	1870,
Harpula lyræformis	1865,	Heliarctos euryspilus ..	1862,
Harpypia pallasii	1866,	japonicus	1862,
Hartlaubia madagasca-		malayanus	1862,
riensis	1863,	tibetanus	1862,
	1865,	Heliastes cinctus	1867,
	1866,	crusma	1868,
	1870,	insolatus	1868,
Harvella elegans	1863,	marginatus	1869,
Hatina inopertus	1862,	Helicarion idæ	1865,
Hatteria punctata	1868,	sophiæ	1870,
	1869,	Helicina albocincta	1865,
	1869,	albolabris	1864,
Hebomoia glaucippe	1865,	amœna	1861,
Hedymeles ludovicianus	1864,	articulata	1864,
	1864,	aruana	1865,
	1870,	bella	1864,
	1870,	chryseis	1861,
melanocephalus ..	1864,	cincta	1864,
Hegeter tristis	1867,	concentrica	1866,
	1867,	corrugata	1864,
Helarctos	1864,	discoidea	1864,
crowtheri	1864,	diversicolor	1866,
euryrhinus	1864,	electrina	1865,
euryspilus	1864,	faba	1864,
	1864,		1864,

	Page		Page
<i>Helicina haulieinensis</i> ..	1864,	<i>Helicter mœsta</i>	1869,
<i>inconspicua</i>	1864,	<i>morbida</i>	1869,
<i>josephinae</i>	1870,	<i>multilineata</i>	1869,
<i>lenticulina</i>	1864,	<i>mustelina</i>	1869,
<i>lindeni</i>	1861,	<i>obscura</i>	1869,
<i>lirata</i>	1863,	<i>obscurus</i>	1862,
<i>mangoensis</i>	1870,	<i>ovum</i>	1869,
<i>maugeræ</i>	1864,	<i>perversa</i>	1869,
<i>merdigera</i>	1861,	<i>polita</i>	1869,
<i>minuta</i>	1864,	<i>proximus</i>	1862,
<i>multicolor</i>	1864,	<i>pulchella</i>	1869,
<i>picta</i>	1864,	<i>swifti</i>	1869,
<i>pisum</i>	1864,	<i>turgida</i>	1869,
<i>reticulata</i>	1862,	<i>turritella</i>	1869,
<i>rolvii</i>	1864,	<i>venusta</i>	1869,
<i>rotunda</i>	1870,	<i>vittata</i>	1869,
<i>rubicunda</i>	1864,	<i>Helictis</i>	1862,
<i>rufescens</i>	1864,	<i>moschata</i>	1862,
<i>salvini</i>	1861,		1865,
<i>solida</i>	1864,		1865,
<i>solidula</i>	1864,		1870,
<i>sprucei</i>	1866,		1870,
<i>straminea</i>	1864,		1870,
<i>subrufa</i>	1864,	<i>nepaulensis</i>	1865,
<i>tenuiuscula</i>	1864,	<i>nipalensis</i>	1865,
<i>turbinella</i>	1864,		1865,
<i>variabilis</i>	1861,	<i>orientalis</i>	1865,
<i>vescoi</i>	1864,		1865,
<i>yorkensis</i>	1862,	<i>subaurantiaca</i>	1862,
<i>zephyrina</i>	1870,		1865,
<i>Heliconia melpomene</i> ..	1865,		1870,
<i>victorina</i>	1863,	<i>Heliobletus superciliosus</i>	1864,
<i>vulcanus</i>	1865,	<i>Heliochera rubro-cristata</i>	1870,
<i>Heliconius amaryllis</i> ..	1863,	<i>Heliodoxa henryi</i>	1867,
<i>demophoon</i>	1863,	<i>jacula</i>	1867,
<i>erato</i>	1863,		1870,
<i>hecalesia</i>	1863,	<i>jamesoni</i>	1870,
<i>phyllis</i>	1863,	<i>Heliomaster angelæ</i>	1865,
<i>Helicops angulatus</i> ..	1861,	<i>longirostris</i>	1867,
<i>leprieurii</i>	1861,		1867,
<i>Helicter abbreviata</i>	1869,		1867,
<i>aptycha</i>	1869,		1870,
<i>bacca</i>	1869,		1870,
<i>bella</i>	1869,		1870,
<i>bicolor</i>	1869,	<i>pallidiceps</i>	1867,
<i>biplicata</i>	1869,	<i>sclateri</i>	1864,
<i>cestus</i>	1869,		1867,
<i>cinerosa</i>	1869,	<i>stuartæ</i>	1864,
<i>citrina</i>	1869,		1867,
<i>decora</i>	1869,	<i>Heliopædica melanotis</i> ..	1864,
<i>deshayesii</i>	1860,	<i>Heliophobius argenteo-</i>	
<i>hutchinsonii</i>	1862,	<i>cinereus</i>	1864,
<i>lorata</i>	1869,	<i>Heliophobus dissectus</i> ..	1867,
<i>lugubris</i>	1862,	<i>Heliophoca atlantica</i> ..	1864,
	1869,	<i>Heliormis fulica</i>	1864,
	1869,		1866,
<i>luteola</i>	1869,		1867,
<i>marmoratus</i>	1862,		1867,

	Page		Page
<i>Heliornis fulica</i>	1868, 469	<i>Helix avidorum</i>	1867, 724
	1868, 470		1867, 725
	1870, 838	<i>bacca</i>	1865, 829
<i>fulicarius</i>	1868, 469		1865, 831
<i>Heliothis armigera</i>	1866, 363	<i>bairdi</i>	1866, 316
	1867, 60		1866, 319
<i>peltigera</i>	1867, 60	<i>banneri</i>	1862, 270
<i>Heliothrix aurita</i>	1864, 365	<i>batchianensis</i>	1861, 21
<i>auritus</i>	1862, 124	<i>benigna</i>	1862, 269
	1867, 584		1862, 278
	1867, 979	<i>bermudensis</i>	1864, 405
	1868, 169	<i>berytensis</i>	1865, 533
	1870, 803	<i>biomphala</i>	1862, 272
<i>barroti</i>	1864, 365	<i>biscutata</i>	1870, 661
	1867, 155	<i>bistrialis</i>	1862, 109
	1870, 209	<i>blanfordi</i>	1865, 415
	1870, 210		1865, 416
	1870, 803	<i>blanfordiana</i>	1869, 275
<i>longirostris</i>	1862, 124	<i>boissieri</i>	1865, 534
<i>purpureiceps</i>	1867, 155	<i>bombycina</i>	1867, 723
<i>violifrons</i>	1870, 210	<i>boydi</i>	1869, 626
<i>Heliotrypha parzudakii</i> .	1870, 803	<i>branea</i>	1864, 675
<i>Helisoma lauta</i>	1861, 145	<i>brevipila</i>	1866, 374
<i>Helix</i> — ?	1865, 197	<i>brevispira</i>	1870, 377
	1869, 63		1870, 380
<i>acetabulum</i>	1861, 242	<i>cærulescens</i>	1869, 624
<i>acmella</i>	1869, 625	<i>cæsareana</i>	1865, 535
<i>adonis</i>	1869, 624	<i>cæsia</i>	1861, 20
<i>æquata</i>	1865, 532	<i>cæspitum</i>	1865, 533
<i>ajax</i>	1861, 191	<i>calypso</i>	1861, 386
<i>alata</i>	1864, 675	<i>camelina</i>	1865, 532
<i>albanensis</i>	1867, 723	<i>campestris</i>	1865, 533
<i>albida</i>	1870, 378	<i>candidissima</i>	1865, 534
	1870, 380	<i>caperata</i>	1865, 533
<i>allecta</i>	1870, 81	<i>carcharias</i>	1863, 528
<i>almonite</i>	1863, 411	<i>cariosa</i>	1865, 534
<i>ammonitoides</i>	1870, 661		1865, 535
<i>anadyomene</i>	1864, 38	<i>carmeliensis</i>	1861, 21
<i>andersoni</i>	1869, 448	<i>carmelita</i>	1865, 532
<i>andromache</i>	1861, 191	<i>cassandra</i>	1863, 520
<i>angasiana</i>	1863, 520		1863, 527
<i>antelata</i>	1870, 83	<i>castra</i>	1869, 448
<i>apex-fulva</i>	1862, 4	<i>catostoma</i>	1869, 447
<i>aphrodite</i>	1869, 624	<i>cavata</i>	1865, 535
<i>apicina</i>	1865, 533		1865, 536
<i>appendiculata</i>	1870, 170	<i>cellaria</i>	1865, 531
<i>arabica</i>	1865, 534		1865, 532
<i>ardua</i>	1870, 82	<i>ceramensis</i>	1861, 192
<i>arenosa</i>	1865, 545	<i>ceroconus</i>	1863, 523
<i>aridorum</i>	1865, 695	<i>ceylanica</i>	1862, 109
<i>aspasia</i>	1865, 415	<i>chancei</i>	1870, 171
	1865, 416		1870, 172
<i>aspera</i>	1865, 535	<i>christinæ</i>	1870, 377
<i>assimilans</i>	1864, 594		1870, 380
	1865, 696	<i>ciliosa</i>	1867, 491
<i>atacta</i>	1861, 386	<i>circumdata</i>	1862, 272
<i>atofusca</i>	1861, 22	<i>circumfirmatus</i> ...	1861, 405
<i>auroa</i>	1862, 271		

	Page		Page
<i>Helix clarencensis</i>	1864,	<i>Helix farrisi</i>	1868,
<i>clathratula</i>	1862,	<i>fenestrata</i>	1866,
<i>cleryi</i>	1869,	<i>fessonina</i>	1869,
<i>coactiliata</i>	1861,	<i>ficta</i>	1864,
<i>cochlidium</i>	1867,	<i>figulina</i>	1865,
<i>compta</i>	1865,	<i>filia</i>	1865,
	1865,	<i>fimbriata</i>	1865,
<i>coniformis</i>	1870,	<i>flavida</i>	1865,
<i>conscendens</i>	1866,	<i>flindersii</i>	1863,
<i>consimilis</i>	1864,	<i>flosculus</i>	1865,
<i>conspurcata</i>	1865,	<i>forbesii</i>	1864,
<i>constantiae</i>	1870,	<i>fordei</i>	1870,
	1870,	<i>formosensis</i>	1865,
<i>conula</i>	1861,		1865,
<i>convicta</i>	1870,	<i>franklandiensis</i>	1865,
	1870,	<i>fulvicans</i>	1866,
<i>corticicola</i>	1866,		1866,
<i>crispulata</i>	1865,	<i>furcata</i>	1864,
<i>cunninghami</i>	1863,	<i>gaertneriana</i>	1869,
<i>curaçoaë</i>	1870,	<i>gassiesi</i>	1861,
	1870,	<i>genezerethana</i>	1865,
<i>curtisiana</i>	1863,	<i>ghiesbreghti</i>	1861,
<i>cygnea</i>	1867,	<i>gilberti</i>	1865,
<i>cyrtopleura</i>	1863,	<i>gilbertii</i>	1863,
<i>damarensis</i>	1870,	<i>granti</i>	1865,
	1870,		1865,
<i>dampieri</i>	1869,	<i>grayi</i>	1865,
<i>danæ</i>	1862,		1867,
<i>deidamia</i>	1869,	<i>grossularia</i>	1861,
<i>deiopoia</i>	1869,	<i>greenhilli</i>	1865,
<i>deliciosa</i>	1862,	<i>guinaria</i>	1861,
	1862,	<i>hainanensis</i>	1870,
<i>depressiformis</i>	1864,		1870,
<i>depsta</i>	1870,	<i>hamiltoni</i>	1867,
<i>despreauxii</i>	1865,		1867,
<i>diemenensis</i>	1867,	<i>hargreavesi</i>	1869,
<i>dispar</i>	1870,	<i>hector</i>	1861,
<i>donna-isabella</i>	1869,	<i>hedenborgi</i>	1865,
<i>dura</i>	1863,	<i>helva</i>	1870,
<i>edwardsi</i>	1870,	<i>hermione</i>	1869,
<i>emma</i>	1862,	<i>hierochuntina</i>	1865,
<i>engaddensis</i>	1865,	<i>hierosolymitana</i> ...	1865,
<i>erdeli</i>	1865,	<i>horrida</i>	1862,
<i>erinaceus</i>	1861,		1862,
<i>eudora</i>	1869,	<i>howardi</i>	1869,
<i>euryomphala</i>	1861,	<i>hugonis</i>	1863,
	1863,	<i>ianthina</i>	1867,
<i>euterpe</i>	1861,	<i>ignescens</i>	1861,
<i>evandaleana</i>	1863,	<i>illustris</i>	1862,
	1863,		1862,
<i>exacta</i>	1862,	<i>improbata</i>	1865,
<i>exagitans</i>	1870,	<i>incei</i>	1870,
<i>eximia</i>	1861,	<i>inclinata</i>	1863,
<i>expansa</i>	1861,	<i>japonica</i>	1870,
<i>fabrefacta</i>	1864,	<i>jebusitica</i>	1865,
<i>falconeri</i>	1863,	<i>joppensis</i>	1865,
<i>faradensis</i>	1861,	<i>jucunda</i>	1863,
<i>farrisi</i>	1868,	<i>juloidea</i>	1863,
	1870,		1863,

	Page		Page
<i>Helix juloidea</i>	1865,	<i>Helix murrayana</i>	1863,
<i>kingi</i>	1870,		1863,
<i>labuanensis</i>	1863,	<i>mysolensis</i>	1862,
<i>lactiflua</i>	1861,	<i>nautiloides</i>	1865,
<i>lalliana</i>	1861,	<i>neglecta</i>	1865,
<i>lampra</i>	1867,		1870,
<i>lamproides</i>	1867,		1870,
<i>lanceolata</i>	1861,	<i>nelsonensis</i>	1870,
<i>langloisiana</i>	1865,	<i>neptunus</i>	1861,
<i>laomontana</i>	1862,	<i>nigritella</i>	1864,
	1862,	<i>nigrofasciata</i>	1863,
	1869,	<i>nilagarica</i>	1869,
<i>latizona</i>	1863,	<i>nitellina</i>	1865,
<i>ledereri</i>	1865,	<i>nodifera</i>	1861,
<i>lenta</i>	1864,	<i>nora</i>	1870,
<i>lenticula</i>	1865,		1870,
<i>lessoni</i>	1864,	<i>normalis</i>	1864,
<i>leucothoë</i>	1861,	<i>novæ-georgiensis</i> ..	1870,
<i>leucotropis</i>	1861,		1870,
<i>ligata</i>	1865,	<i>novoguineensis</i>	1862,
<i>lincolniensis</i>	1863,	<i>nummus</i>	1865,
	1863,		1865,
<i>lithophaga</i>	1865,	<i>obconica</i>	1864,
<i>lizardensis</i>	1862,	<i>obstructa</i>	1865,
	1870,	<i>occulta</i>	1861,
	82	<i>oldhami</i>	1869,
<i>lorioliana</i>	1863,	<i>olivieri</i>	1865,
<i>louisianensis</i>	1870,	<i>omicron</i>	1870,
<i>luhuana</i>	1865,	<i>onslowi</i>	1870,
<i>maacki</i>	1870,	<i>pachya</i>	1865,
<i>macconnelli</i>	1863,	<i>pachystyla</i>	1863,
<i>macgregori</i>	1870,		1867,
	1870,	<i>pachystyloides</i>	1867,
<i>mackenzii</i>	1865,	<i>paludosus</i>	1861,
<i>macleayi</i>	1864,	<i>partita</i>	1865,
<i>mansueta</i>	1866,	<i>parvidens</i>	1861,
<i>marcescens</i>	1867,	<i>patescens</i>	1870,
<i>mariaë</i>	1864,	<i>patruelis</i>	1863,
<i>mariella</i>	1870,	<i>peaseana</i>	1864,
	1870,	<i>penolensis</i>	1867,
<i>maritima</i>	1865,	<i>percompressa</i>	1869,
<i>martensi</i>	1861,	<i>perinflata</i>	1863,
<i>masadæ</i>	1865,		1863,
<i>meadei</i>	1870,	<i>pernobilis</i>	1861,
<i>melanostoma</i>	1865,	<i>pexa</i>	1867,
<i>meleagris</i>	1869,	<i>phryne</i>	1861,
<i>mellea</i>	1865,		1865,
	1865,	<i>pisana</i>	1865,
	1869,	<i>plicaria</i>	1863,
<i>merziana</i>	1869,	<i>pluto</i>	1862,
	1869,	<i>polillensis</i>	1861,
<i>meta</i>	1869,	<i>polygyrata</i>	1870,
	1869,	<i>porteri</i>	1866,
<i>microdonta</i>	1861,		1866,
<i>militaris</i>	1869,	<i>portii</i>	1861,
<i>mittchellæ</i>	1870,	<i>prasinata</i>	1865,
<i>mitis</i>	1862,	<i>pratensis</i>	1865,
<i>molliseta</i>	1862,	<i>prophetarum</i>	1865,
<i>mosambicensis</i>	1865,		534
<i>mucosa</i>	1867,		
	725		

	Page		Page
<i>Helix prostrata</i>	1864, 670	<i>Helix sublesta</i>	1867, 723
<i>protea</i>	1865, 533	<i>succincta</i>	1866, 316
<i>psyche</i>	1869, 624		1866, 319
<i>ptychomphala</i>	1865, 696	<i>swainsoni</i>	1864, 675
<i>pulchella</i>	1865, 532	<i>swinhoei</i>	1865, 829
<i>purchasi</i>	1869, 47		1865, 831
	1869, 624	<i>swinhoeii</i>	1865, 197
<i>quintalæ</i>	1870, 82	<i>syriaca</i>	1865, 532
<i>radiella</i>	1864, 675	<i>tasmanicæ</i>	1870, 661
<i>rainbirdi</i>	1870, 170	<i>terriculata</i>	1867, 724
	1870, 172	<i>thatcheri</i>	1870, 170
<i>redfieldii</i>	1865, 197		1870, 172
<i>repanda</i>	1861, 195	<i>titanica</i>	1862, 117
<i>retardata</i>	1870, 84	<i>tricolor</i>	1869, 47
<i>retipora</i>	1867, 59	<i>trochiformis</i>	1864, 675
<i>retunsa</i>	1864, 670	<i>trochiscus</i>	1861, 20
<i>rhynchostoma</i>	1861, 21	<i>tuberculosa</i>	1865, 534
<i>ricei</i>	1870, 660	<i>turbinata</i>	1865, 533
<i>rossiteri</i>	1869, 46	<i>turris</i>	1865, 415
<i>rostrella</i>	1862, 270		1865, 416
<i>rotella</i>	1870, 660	<i>tutuillæ</i>	1870, 83
<i>rotundata</i>	1863, 355	<i>umbraculorum</i>	1867, 724
<i>rustica</i>	1863, 521	<i>unidentata</i>	1869, 63
	1863, 522	<i>uranus</i>	1861, 190
<i>salvini</i>	1863, 411	<i>urarensis</i>	1865, 696
<i>sancta</i>	1865, 531		1866, 374
<i>sanis</i>	1869, 448	<i>vannæ-lavæ</i>	1870, 82
<i>sansitus</i>	1870, 83	<i>variabilis</i>	1865, 533
<i>sculptilis</i>	1864, 669	<i>vermiculata</i>	1865, 536
<i>sculpturata</i>	1870, 379	<i>verticillata</i>	1864, 675
<i>scuta</i>	1864, 675	<i>vesta</i>	1865, 828
<i>seetzeni</i>	1865, 534		1865, 831
<i>sericatula</i>	1867, 39	<i>vestalis</i>	1865, 534
<i>sericulata</i>	1865, 697	<i>violacea</i>	1867, 230
<i>serratus</i>	1869, 63	<i>vitrea</i>	1867, 1001
<i>shermani</i>	1865, 828	<i>vitrinoides</i>	1863, 411
	1865, 831	<i>waigiouensis</i>	1865, 415
<i>silveri</i>	1868, 257		1865, 416
<i>similaris</i>	1865, 197	<i>wanganensis</i>	1870, 82
	1869, 62	<i>wellingtonensis</i> ...	1867, 723
<i>similis</i>	1870, 662	<i>wilcoxi</i>	1864, 595
<i>simillima</i>	1864, 669	<i>xanthochila</i>	1861, 192
<i>simulata</i>	1865, 545	<i>zenobia</i>	1863, 527
<i>solida</i>	1865, 536	<i>zonella</i>	1864, 604
<i>solitudinis</i>	1865, 533	<i>Helmintherus vermivo-</i>	
<i>sororia</i>	1870, 83	<i>rus</i>	1867, 135
<i>spiriplana</i>	1865, 535	<i>Helminthophaga celata</i> .	1862, 19
<i>splendescens</i>	1865, 696	<i>chrysoptera</i>	1864, 347
<i>stellata</i>	1870, 662		1867, 135
<i>stramineus</i>	1865, 177		1870, 182
	1867, 213	<i>peregrina</i>	1864, 347
<i>strangei</i>	1864, 595		1867, 135
	1865, 696		1870, 182
<i>strangeoides</i>	1865, 696		1870, 836
<i>studeriana</i>	1869, 63	<i>Helodromas ochropus</i> ..	1863, 529
<i>stutchburyi</i>	1863, 520		1863, 531
<i>subangulata</i>	1863, 521	<i>Helogale</i>	1864, 509
<i>subcornea</i>	1861, 20	<i>parvula</i>	1861, 308

	Page		Page
<i>Helogale parvula</i>	1864,	<i>Hemiderma brevicaudum</i> 1866,	430
<i>tænionota</i>	1861,	<i>soricinum</i>	1861, 104
	1864,	<i>Hemigalago</i>	1864, 629
<i>undulata</i>	1864,		1864, 648
<i>Helops azoricus</i>	1867,	<i>demidoffii</i>	1863, 148
	1867,		1864, 648
<i>vulcanus</i>	1867,		1865, 590
<i>Helotarsus ecaudatus</i> . .	1862,	<i>Hemigale zebra</i>	1864, 542
<i>Hemeroblemma peropaca</i>	1867,	<i>Hemigalea hardwickii</i> ..	1864, 524
<i>Hemerodromus cinctus</i> .	1866,	<i>Hemigymnus</i>	1861, 413
<i>Hemerophila atrostipata</i>	1867,	<i>melanopterus</i>	1870, 697
<i>basistrigaria</i>	1867,	<i>Hemilophus javensis</i> ..	1863, 211
<i>creataria</i>	1867,	<i>validus</i>	1863, 211
<i>cuprearia</i>	1867,	<i>Hemiodus kappleri</i>	1868, 244
<i>humeraria</i>	1867,	<i>notatus</i>	1868, 244
<i>interruptaria</i>	1867,	<i>Hemiops flavus</i>	1866, 350
<i>mauraria</i>	1867,	<i>Hemiphractus scutatus</i> ..	1869, 284
<i>nigrovittata</i>	1867,	<i>Hemipimelodus cenia</i> ..	1869, 308
<i>objectaria</i>	1867,	<i>Hemiplecta bella</i>	1865, 407
<i>retractaria</i>	1867,	<i>cidaris</i>	1865, 406
	1867,	<i>circumpicta</i>	1865, 407
<i>strixaria</i>	1867,	<i>coffeæ</i>	1865, 407
<i>Hemibagrus punctatus</i> ..	1867,	<i>dura</i>	1865, 406
<i>Hemicardia biangulata</i> ..	1863,	<i>humphreysiana</i>	1865, 406
<i>media</i>	1863,	<i>naninoides</i>	1865, 406
<i>obovalis</i>	1863,	<i>nemorensis</i>	1865, 407
<i>Hemicecrops dimidiata</i> ..	1870,	<i>peaseana</i>	1865, 406
<i>leucosoma</i>	1870,	<i>rareguttata</i>	1865, 407
<i>scapularis</i>	1870,	<i>schumacheriana</i> ..	1865, 406
<i>Hemicercus coccometopus</i>	1863,	<i>sulphurea</i>	1865, 407
<i>concretus</i>	1863,	<i>Hemipodius</i>	1862, 259
<i>hartlaubii</i>	1863,	<i>andalusicus</i>	1866, 23
<i>sordidus</i>	1863,	<i>rufescens</i>	1863, 486
<i>Hemichelidon fuliginosa</i>	1863,	<i>thoracicus</i>	1863, 308
<i>rufilata</i>	1863,	<i>varius</i>	1862, 257
<i>sibirica</i>	1863,		1863, 516
	1863,	<i>Hemiprocone albicincta</i> ..	1865, 610
	1870,	<i>collaris</i>	1863, 99
<i>Hemichromis dimidiatus</i>	1864,		1865, 609
	1864,	<i>fumigata</i>	1865, 615
<i>intermedius</i>	1864,	<i>pelasgia</i>	1863, 100
	1864,		1865, 610
<i>longiceps</i>	1864,	<i>semicollaris</i>	1863, 99
	1864,	<i>temminckii</i>	1865, 614
<i>robustus</i>	1864,	<i>torquata</i>	1865, 609
	1864,	<i>zonaris</i>	1863, 99
<i>sacra</i>	1864,		1865, 609
	1864,	<i>Hemipteronotus quin-</i>	
<i>Hemicorallium johnsoni</i>	1867,	<i>quemaculatus</i> ..	1861, 414
<i>Hemicoris variegata</i> . . .	1861,	<i>Hemipteryx immaculata</i>	1866, 21
<i>Hemidaecnis albiventris</i> .	1867,		1866, 22
<i>Hemidactylus capensis</i> ..	1865,	<i>textrix</i>	1866, 22
<i>coctæi</i>	1869,	<i>Hemiramphus buffonis</i> ..	1870, 700
<i>frenatus</i>	1861,	<i>dispar</i>	1867, 868
<i>leschenaultii</i>	1869,	<i>dussumieri</i>	1867, 867
<i>maculatus</i>	1869,	<i>georgii</i>	1867, 867
<i>platycephalus</i>	1864,	<i>reynaldi</i>	1865, 309
<i>sykesii</i>	1869,	<i>unifasciatus</i>	1870, 70

	Page		Page
<i>Hemiramphus xanthopterus</i>	1865, 309	<i>Heptathyra livingstonii</i> .	1864, 94 1865, 428
<i>Hemirhamphus brachynotopterus</i>	1869, 526	<i>Heptranchus indicus</i> ..	1868, 371
<i>buffonis</i>	1869, 526	<i>Heracula discivitta</i>	1865, 804 1865, 823
<i>commersonii</i>	1869, 526	<i>Herculia bractealis</i>	1867, 89
<i>ectuntio</i>	1869, 310 1869, 526 1869, 527	<i>Herdonia osacesalis</i>	1867, 90
<i>neglectus</i>	1869, 526	<i>Herminia albirenalis</i> ..	1867, 85 1867, 85
<i>notatus</i>	1869, 526	<i>hadenalis</i>	1867, 85
<i>plumatus</i>	1869, 526	<i>ochracealis</i>	1867, 85
<i>striga</i>	1869, 526	<i>Hermonassa consignata</i> .	1867, 49
<i>Hemirhombus ovalis</i> ..	1864, 154	<i>Herodias alba</i>	1863, 319 1870, 427
<i>Hemitautoga centiquadra</i>	1861, 413	<i>comata</i>	1862, 321
<i>Hemithylaca erythronota</i>	1870, 562	<i>coromanda</i>	1863, 487
<i>Hemitoma australis</i>	1865, 185	<i>egretta</i>	1861, 80 1864, 371
<i>rugosa</i>	1867, 619		1866, 199 1867, 749
<i>Hemitragus jemlaicus</i> ..	1869, 135	<i>eulophotes</i>	1863, 320
<i>Henicocichla auricapilla</i> .	1861, 70 1870, 183 1870, 836	<i>garzetta</i>	1863, 319 1863, 516 1870, 427 1870, 428
<i>ludoviciana</i>	1861, 70 1870, 183	<i>greyi</i>	1863, 223
<i>noveboracensis</i>	1861, 70 1864, 346 1868, 627 1869, 251 1870, 183 1870, 836	<i>intermedia</i>	1863, 319 1870, 427
<i>Henicognathus leptorhynchus</i>	1867, 328 1867, 338 1870, 605	<i>jugularis</i>	1863, 487 1864, 9 1864, 10
<i>Henicophaps albifrons</i> ..	1861, 432 1861, 437	<i>novæ-hollandiæ</i> ..	1863, 487
<i>Henicorhina leucophrys</i> .	1870, 181 1870, 780 1870, 784	<i>plumifera</i>	1863, 319
<i>leucosticta</i>	1868, 166 1868, 170 1870, 181	<i>symmatophora</i>	1862, 346
<i>Henicurus leschenaultii</i> .	1863, 276	<i>symmatophorus</i>	1869, 280
<i>schistaceus</i>	1863, 276	<i>Herona marathus</i>	1865, 765
<i>Heniochus macrolepidotus</i>	1865, 16 1867, 852 1870, 687	<i>Heros citrinellus</i>	1864, 153
<i>Hepialus nipalensis</i>	1867, 868	<i>dovii</i>	1864, 154
<i>Heptathyra</i>	1864, 80	<i>erythraeus</i>	1866, 602
<i>aubryi</i>	1864, 94 1865, 427 1865, 428	<i>friedrichsthalii</i>	1864, 154 1866, 602
<i>frenata</i>	1864, 93 1864, 94 1865, 428 1869, 215	<i>guttulatus</i>	1864, 152
		<i>labiatus</i>	1864, 27
		<i>lobochilus</i>	1864, 602
		<i>longimanus</i>	1866, 601
		<i>macracanthus</i>	1864, 153
		<i>managuensis</i>	1866, 602
		<i>microphthalmus</i> ..	1866, 602
		<i>motaguensis</i>	1866, 602
		<i>multispinosus</i>	1866, 601
		<i>nicaraguensis</i>	1864, 153
		<i>nigrofasciatus</i>	1866, 601
		<i>oblongus</i>	1866, 602
		<i>salvini</i>	1866, 602
		<i>trimaculatus</i>	1866, 602
		<i>Herpa venosa</i>	1867, 679
		<i>Herpestes</i>	1864, 508
		— ?	1862, 523 1870, 228

	Page		Page
<i>erpestes adailensis</i>	1864,	<i>Herpestes madagascari-</i>	
<i>albicaudatus</i>	1864,	<i>ensis</i>	1864,
<i>albicaudus</i>	1864,	<i>malaccensis</i>	1864,
<i>apiculatus</i>	1864,		1864,
<i>atilax</i>	1864,	<i>melanura</i>	1864,
<i>auropunctatus</i>	1864,	<i>microcephalus</i>	1864,
<i>badius</i>	1864,		1864,
	1864,	<i>mungo</i>	1864,
	1864,	<i>mutzigella</i>	1864,
	1864,		1864,
	1864,		1864,
<i>bennettii</i>	1864,		1864,
<i>brachyurus</i>	1864,	<i>nepalensis</i>	1864,
	1864,	<i>nigula</i>	1864,
	1864,	<i>numidianus</i>	1864,
<i>caffer</i>	1864,	<i>nyula</i>	1864,
	1864,	<i>ochracea</i>	1864,
	1864,	<i>ochromeles</i>	1864,
	1864,	<i>ornatus</i>	1864,
	1864,		1864,
<i>cawii</i>	1864,	<i>pallidus</i>	1864,
<i>dorsalis</i>	1864,		1864,
<i>exilis</i>	1864,		1864,
<i>fasciatus</i>	1864,	<i>pallipes</i>	1864,
	1864,	<i>paludinosus</i>	1864,
	1868,		1864,
	1864,	<i>paludosus</i>	1864,
<i>fimbriatus</i>	1864,		1864,
<i>frederici</i>	1864,		1864,
<i>fulvescens</i>	1864,		1864,
<i>fuscus</i>	1864,		1864,
<i>galera</i>	1864,	<i>palustris</i>	1864,
<i>gambianus</i>	1864,	<i>parvulus</i>	1861,
<i>gracilis</i>	1864,		1864,
<i>griseus</i>	1861,	<i>penicillatus</i>	1864,
	1861,	<i>persicus</i>	1864,
	1864,	<i>pharaonis</i>	1864,
	1864,		1864,
	1864,		1864,
	1864,	<i>pluto</i>	1864,
<i>ichneumon</i>	1864,	<i>pulverulentus</i>	1864,
	1864,	<i>punctata</i>	1864,
	1864,	<i>punctatissimus</i>	1864,
	1864,	<i>punctulatus</i>	1864,
	1864,	<i>ruber</i>	1864,
	1864,	<i>rutilus</i>	1861,
	1864,		1864,
	1866,		1870,
	1869,	<i>sanguineus</i>	1864,
	1864,	<i>semitorquatus</i>	1864,
<i>iodoprymnus</i>	1864,	<i>smithii</i>	1864,
<i>javanicus</i>	1864,	<i>tænionota</i>	1864,
	1864,		1864,
	1864,	<i>tænionotus</i>	1861,
<i>jerdonii</i>	1864,	<i>thysanura</i>	1864,
<i>lefebvreii</i>	1864,	<i>undulatus</i>	1864,
<i>leschenaultii</i>	1864,	<i>urinator</i>	1864,
<i>leucurus</i>	1864,	<i>vitticollis</i>	1864,
<i>loempo</i>	1864,		1864,
	1864,		1864,
<i>maccarthiæ</i>	1864,	<i>widdringtonii</i>	1864,
	1864,		1864,

	Page		Page
<i>Herpestes widdringtonii</i>	1864, 549	<i>Hestina nama</i>	1865, 763
<i>zebra</i>	1864, 565	<i>persimilis</i>	1865, 497
	1864, 576		1865, 763
<i>Herpetodryas bernieri</i>	1865, 469	<i>Hetaera andromeda</i>	1866, 42
<i>carinatus</i>	1861, 14	<i>aurora</i>	1866, 42
	1861, 324	<i>esmeralda</i>	1866, 42
	1863, 55	<i>harpalyce</i>	1866, 42
<i>fuscus</i>	1861, 14	<i>pellucida</i>	1866, 41
	1863, 55		1866, 42
<i>Herpetotheres cachinnans</i>	1864, 369	<i>phelis</i>	1866, 41
	1867, 590	<i>philis</i>	1866, 42
	1867, 753	<i>pireta</i>	1866, 42
	1868, 629	<i>Hetaerodus madagascari-</i>	
	1870, 214	<i>ensis</i>	1865, 837
	1870, 838	<i>Hetaerornis corythaix</i>	1861, 184
<i>Herpornis xanthochlora</i>	1863, 334	<i>dauricus</i>	1863, 302
<i>Herpsilochmus argentatus</i>	1868, 574		1863, 337
<i>rufimarginatus</i>	1868, 628	<i>erythropygius</i>	1863, 302
<i>Herpysticus eremita</i>	1867, 388	<i>pyrrhogenys</i>	1863, 302
<i>Hesperia agna</i>	1865, 791		1863, 337
	1866, 361	<i>sinensis</i>	1863, 302
<i>alysos</i>	1865, 789		1863, 337
<i>aria</i>	1865, 784	<i>Heteralocha gouldi</i>	1870, 383
<i>benjaminii</i>	1865, 783	<i>Heterobdella mexicana</i>	1869, 317
<i>chaza</i>	1865, 791	<i>Heterocampa argentifera</i>	1865, 813
<i>cicero</i>	1865, 778	<i>sikkima</i>	1865, 812
<i>cinnara</i>	1866, 361	<i>Heterocardia cumingii</i>	1865, 754
<i>diocles</i>	1865, 787	<i>dennisoni</i>	1865, 754
<i>divodasa</i>	1865, 791	<i>Heterocercus flavivertex</i>	1869, 438
	1866, 361	<i>luteatus</i>	1869, 438
<i>druna</i>	1865, 784	<i>Heterochroa boreas</i>	1865, 668
<i>erylus</i>	1867, 35	<i>bredowii</i>	1865, 486
<i>fatili</i>	1865, 789	<i>californica</i>	1865, 485
<i>freja</i>	1867, 34	<i>cocala</i>	1865, 670
	1867, 35	<i>irmina</i>	1865, 667
<i>leucocera</i>	1865, 509		1865, 668
<i>mangala</i>	1865, 792	<i>leucophthalma</i>	1865, 669
<i>mathias</i>	1870, 728	<i>salmoneus</i>	1865, 667
<i>pandia</i>	1865, 790		1865, 668
<i>praba</i>	1865, 790	<i>sichæus</i>	1865, 668
<i>pulomaya</i>	1865, 787		1865, 669
<i>putra</i>	1865, 788	<i>Heterocnemis albiventris</i>	1868, 574
<i>semamora</i>	1865, 791	<i>simplex</i>	1868, 573
<i>thrax</i>	1865, 791		1868, 575
<i>tmolus</i>	1867, 35	<i>Heteroderes atlanticus</i>	1867, 375
<i>xanthopogon</i>	1865, 783	<i>azoricus</i>	1867, 365
<i>Hesperocharis graphites</i>	1865, 458		1867, 375
	1866, 451		1867, 396
	1866, 452	<i>rufangulus</i>	1867, 375
<i>Hesperomys</i> — ?	1861, 284	<i>Heterodes servillei</i>	1864, 118
<i>salvinii</i>	1861, 285	<i>Heterodisca reversa</i>	1862, 83
<i>Hestia daos</i>	1866, 58	<i>Heterodon d'orbigny</i>	1869, 432
<i>eudora</i>	1866, 58	<i>sowerbyi</i>	1864, 241
<i>gaura</i>	1866, 58	<i>Heterodonax bimacula-</i>	
<i>ismare</i>	1866, 50	<i>tus</i>	1863, 367
<i>juventa</i>	1866, 455	<i>vicinus</i>	1863, 367
<i>thoë</i>	1866, 49	<i>Heteromys albolimbatus</i>	1868, 205
<i>Hestina assimilis</i>	1866, 359	<i>anomalus</i>	1868, 203

	Page		Page
<i>Heteromys anomalus</i> ..	1868,	<i>Hiletus</i>	1863,
<i>desmarestianus</i>	1868,	<i>Hima compacta</i>	1865,
<i>fasciatus</i>	1868,	<i>Himantopus</i>	1864,
<i>irroratus</i>	1868,	<i>leucocephalus</i>	1861,
<i>longicaudatus</i>	1868,		1863,
<i>melanoleucus</i>	1868,		1867,
	1868,	<i>melanopterus</i>	1863,
<i>thomsoni</i>	1868,		1864,
<i>Heteropelma amazonum</i> .	1867,		1870,
	1868,	<i>nigricollis</i>	1864,
<i>rufum</i>	1869,		1864,
<i>stenorhynchum</i>	1868,		1866,
	1868,		1867,
<i>turdinum</i>	1868,		1867,
<i>veræ-pacis</i>	1862,		1868,
	1864,		1870,
	1870,		1870,
	1870,	<i>Hipparchia parysatis</i> ..	1865,
<i>wallacii</i>	1867,	<i>Hippocampus annulosus</i>	1869,
	1867,	<i>brevirostris</i>	1869,
	1867,	<i>comes</i>	1865,
	1868,		1870,
<i>Heterophis rostratus</i> ..	1864,	<i>Hippolais elaica</i>	1864,
<i>Heteropoda longirostris</i> .	1870,	<i>olivetorum</i>	1864,
<i>semipalmata</i>	1870,	<i>upcheri</i>	1864,
<i>Heterorhina leucosticta</i> .	1868,	<i>Hippolyte esquamaltiana</i>	1864,
<i>prosthelauca</i>	1868,	<i>Hipponyx antiquatus</i> ..	1863,
<i>Heterotella corbicula</i> ..	1867,	<i>barbata</i>	1863,
	1867,		1863,
<i>Hexacotyle venarum</i> ..	1862,	<i>foliacea</i>	1865,
<i>Hexastoma pinguicola</i> ..	1862,		1867,
<i>venarum</i>	1862,	<i>grayanus</i>	1863,
<i>Hexathyridium pingui-</i>		<i>panamensis</i>	1863,
<i>cola</i>	1862,	<i>radiata</i>	1863,
	1862,	<i>serratus</i>	1863,
<i>venarum</i>	1862,		1865,
	1862,	<i>subrufa</i>	1863,
<i>Hiaticula</i> —— ?	1861,		1867,
<i>nivosa</i>	1863,	<i>Hippopotamus</i>	1863,
<i>rufina</i>	1863,	<i>amphibius</i>	1864,
<i>Hiatula biradiata</i>	1865,		1864,
	1867,		1867,
<i>diphos</i>	1866,		1869,
<i>epidermia</i>	1865,		1870,
	1867,	<i>terrestris</i>	1867,
<i>florida</i>	1867,	<i>Hipposideros albanensis</i> .	1866,
<i>montrouzieri</i>	1863,	<i>Hipotragus bakeri</i>	1868,
<i>nymphalis</i>	1865,		1868,
<i>vitrea</i>	1865,		1868,
<i>Hieracidea berigora</i>	1861,	<i>equinus</i>	1868,
	1867,		1868,
<i>Hierax cærulescens</i>	1863,	<i>niger</i>	1861,
<i>Hierococeyx fugax</i>	1863,		1868,
	1863,	<i>Hircinia dendroides</i>	1867,
	1863,	<i>fasciculata</i>	1867,
<i>leucolophus</i>	1862,	<i>flavescens</i>	1867,
<i>varius</i>	1863,	<i>hebes</i>	1867,
	1865,	<i>hirsuta</i>	1867,
	693		510

	Page		Page
<i>Hircinia panicea</i>	1867, 510	<i>Hirundo capensis</i>	1866, 22
<i>typica</i>	1867, 510		1870, 304
<i>variabilis</i>	1867, 510		1870, 318
<i>Hirudo assimilis</i>	1869, 315	<i>caudacuta</i>	1865, 607
<i>belcheri</i>	1869, 315	<i>cayanensis</i>	1865, 607
<i>branchiata</i>	1869, 312	<i>cineta</i>	1870, 297
<i>granulosa</i>	1869, 315	<i>ciris</i>	1863, 263
<i>inconcinna</i>	1869, 314		1865, 608
<i>laevis</i>	1869, 316	<i>coronata</i>	1865, 617
<i>lowei</i>	1869, 314	<i>cucullata</i>	1870, 318
<i>maculata</i>	1869, 315		1870, 319
<i>medicinalis</i>	1865, 660		1870, 320
<i>quinquestriata</i>	1869, 316	<i>cyanoleuca</i>	1867, 321
<i>semicarinata</i>	1869, 316		1867, 337
<i>sinica</i>	1869, 316	<i>daurica</i>	1863, 287
<i>Hirundo abyssinica</i>	1870, 319		1863, 335
<i>æquatorialis</i>	1867, 977		1866, 568
	1867, 979		1870, 314
<i>æthiopica</i>	1870, 309		1870, 445
	1870, 319		1870, 601
	1870, 320	<i>dimidiata</i>	1870, 304
<i>albicollis</i>	1863, 99		1870, 310
	1865, 709		1870, 311
<i>albigula</i>	1870, 308		1870, 319
<i>albigularis</i>	1870, 308		1870, 320
	1870, 309	<i>domestica</i>	1869, 159
	1870, 319	<i>domicella</i>	1870, 315
	1870, 320		1870, 319
<i>albilinea</i>	1868, 139		1870, 320
<i>albiventris</i>	1867, 569	<i>domicola</i>	1863, 217
	1867, 979		1866, 568
<i>alfredi</i>	1870, 293	<i>erythrogastra</i>	1867, 340
	1870, 294		1867, 569
<i>alpestris</i>	1863, 287		1869, 597
	1870, 314	<i>esculenta</i>	1863, 382
<i>alpinus</i>	1865, 598		1863, 383
<i>ambrosiaca</i>	1865, 601		1863, 384
<i>anchietæ</i>	1870, 312	<i>fasciata</i>	1870, 287
<i>andicola</i>	1867, 984	<i>filicauda</i>	1870, 312
	1868, 569	<i>filifera</i>	1870, 304
	1869, 151		1870, 312
<i>angolensis</i>	1869, 567	<i>fluminicola</i>	1867, 832
	1870, 307	<i>frontalis</i>	1861, 433
	1870, 320	<i>fuligula</i>	1870, 299
<i>apus</i>	1865, 598		1870, 302
	1865, 599	<i>fulva</i>	1861, 72
<i>atro-cærulea</i>	1870, 312	<i>fusca</i>	1863, 203
	1870, 320		1865, 607
<i>boissoneauti</i>	1870, 306		1868, 139
	1870, 307	<i>fuscicapilla</i>	1870, 312
<i>borbonica</i>	1866, 421	<i>gordoni</i>	1870, 317
	1870, 295		1870, 319
	1870, 388		1870, 320
<i>cahirica</i>	1864, 443	<i>griseopyga</i>	1870, 313
	1870, 249		1870, 320
	1870, 305	<i>gutturalis</i>	1863, 287
	1870, 307		1863, 335
<i>capensis</i>	1865, 601		1870, 435

	Page		Page
<i>Hirundo gutturalis</i>	1870, 445	<i>Hirundo pelasgia</i>	1863, 101
	1870, 601		1865, 610
<i>holomelæna</i>	1864, 108		1865, 612
	1870, 290	<i>pœciloma</i>	1861, 72
<i>holomelas</i>	1870, 288		1865, 63
	1870, 311		1865, 65
<i>horreorum</i>	1864, 173	<i>pristoptera</i>	1864, 109
	1864, 347		1870, 290
	1870, 184	<i>puella</i>	1870, 319
	1870, 307		1870, 320
<i>hyemalis</i>	1870, 299	<i>purpurea</i>	1863, 378
<i>javanica</i>	1862, 335	<i>riocouri</i>	1870, 247
	1862, 340		1870, 305
	1863, 18		1870, 306
	1863, 29		1870, 307
	1863, 485		1870, 320
<i>klecho</i>	1865, 616	<i>riparia</i>	1867, 456
<i>leucopyga</i>	1867, 321	<i>riparia senegalensis</i>	1865, 601
<i>leucorrhœa</i>	1865, 601	<i>robini</i>	1863, 100
	1868, 139		1865, 613
	1869, 597	<i>ruficeps</i>	1870, 312
<i>leucosoma</i>	1870, 309	<i>rufifrons</i>	1870, 308
	1870, 310		1870, 309
	1870, 319	<i>rufula</i>	1864, 431
	1870, 320		1864, 443
<i>lucida</i>	1869, 567		1865, 604
	1870, 308		1870, 304
	1870, 310		1870, 314
	1870, 320		1870, 315
<i>lunifrons</i>	1861, 72		1870, 316
	1864, 348		1870, 320
	1870, 293	<i>rustica</i>	1862, 290
<i>melanocrissa</i>	1870, 315		1863, 160
	1870, 317		1863, 217
	1870, 319		1863, 287
	1870, 320		1863, 516
<i>melba</i>	1865, 598		1864, 443
<i>melbina</i>	1870, 313		1867, 456
<i>meyeni</i>	1867, 321		1869, 567
	1867, 337		1870, 244
<i>monteiri</i>	1864, 2		1870, 246
	1870, 316		1870, 247
	1870, 319		1870, 249
	1870, 320		1870, 297
<i>neoxena</i>	1861, 433		1870, 304
	1862, 340		1870, 305
	1869, 279		1870, 306
<i>nigra</i>	1865, 601		1870, 307
	1865, 615		1870, 312
<i>nigricans</i>	1861, 433		1870, 320
	1863, 485	<i>rutila</i>	1863, 100
<i>nigrita</i>	1870, 303		1865, 613
<i>obscura</i>	1870, 288	<i>savignii</i>	1870, 305
<i>oxyura</i>	1870, 329		1870, 307
<i>pacifica</i>	1867, 456	<i>scapularis</i>	1870, 310
<i>paludicola</i>	1870, 302		1870, 311
<i>palustris</i>	1870, 302	<i>semirufa</i>	1870, 317
<i>pelasgia</i>	1863, 100		1870, 319

	Page		Page
<i>Hirundo semirufa</i>	1870,	<i>Homalopsis buccata</i>	1861,
<i>senegalensis</i>	1870,	<i>Homaloptera brucei</i>	1867,
	1870,		1867,
	1870,	<i>maculata</i>	1869,
<i>smithii</i>	1870,	<i>Homalosoma coronelloi-</i>	
<i>spilodera</i>	1870,	<i>des</i>	1864,
	1870,	<i>Homalota atramentaria</i> .	1867,
<i>striolata</i>	1863,		1867,
	1865,	<i>atricilla</i>	1867,
	1870,	<i>coriaria</i>	1867,
<i>torquata</i>	1870,		1867,
	1870,	<i>flavipes</i>	1867,
<i>urbica</i>	1862,	<i>longula</i>	1867,
	1863,	<i>luridipennis</i>	1867,
	1863,		1867,
	1866,	<i>melanaria</i>	1867,
	1867,		1867,
	1870,	<i>nigra</i>	1867,
	1870,		1867,
<i>velocissima</i>	1870,		1867,
<i>zonaris</i>	1863,	<i>oblique-punctata</i> ..	1867,
	1865,		1867,
<i>Hispa callicantha</i>	1866,	<i>putrescens</i>	1867,
<i>Histia flabellicornis</i> ...	1865,	<i>Homo sapiens</i>	1870,
<i>papilionaria</i>	1865,	<i>Homodactylus bibronii</i> .	1865,
<i>Histiophorus americanus</i>	1867,	<i>turneri</i>	1864,
<i>brevirostris</i>	1867,		1864,
<i>gladius</i>	1867,		1865,
	1867,	<i>Homonota fasciata</i>	1869,
<i>indicus</i>	1867,	<i>Homophyton gattyæ</i> ..	1866,
<i>Holacanthus ignatius</i> ..	1867,	<i>Homopsis sanguisorba</i> ..	1869,
<i>Holanthias fronticinctus</i>	1868,	<i>Homoptera infligens</i> ..	1866,
<i>Holaspis</i>	1863,		1867,
<i>guentheri</i>	1863,	<i>Homopus burnesii</i> *	1870,
<i>Holocentrum andama-</i>		<i>Hoplangia durotrix</i>	1862,
<i>nense</i>	1870,	<i>Hoplocephalus ater</i>	1866,
<i>caudimaculatum</i> ..	1867,	<i>carinatus</i>	1863,
<i>diadema</i>	1867,	<i>coronatus</i>	1862,
<i>læve</i>	1867,	<i>coronoides</i>	1862,
<i>longipinna</i>	1868,	<i>curtus</i>	1862,
<i>rubrum</i>	1867,		1862,
<i>spiniferum</i>	1867,	<i>gouldii</i>	1866,
<i>Holocentrus caudimacu-</i>		<i>mastersii</i>	1866,
<i>latus</i>	1867,	<i>nigrescens</i>	1862,
<i>servus</i>	1861,		1864,
<i>Hologymnosus fasciatus</i> .	1861,	<i>nigro-striatus</i>	1864,
<i>Holothuria chrysacantho-</i>	410	<i>pallidiceps</i>	1862,
<i>phora</i>	1868,	<i>ramsayi</i>	1864,
<i>eaouari</i>	1868,	<i>superbus</i>	1861,
<i>forcipata</i>	1868,		1862,
<i>priapus</i>	1868,		1862,
	1868,	<i>temporalis</i>	1862,
<i>Homalium clavicorne</i> ..	1867,	<i>variegatus</i>	1862,
	1867,	<i>Hoplocerambyx morosus</i>	1866,
<i>pusillum</i>	1867,	<i>relictus</i>	1866,
	1867,		1866,
<i>Homalocranion atrocinc-</i>	1861,	<i>Hoplopterus cayanus</i> ..	1861,
<i>tum</i>	227		1866,

	Page		Page
Hoplopterus cayanus ..	1867, 591	Hyalea longirostra	1868, 616
	1867, 979		1868, 618
spinusosus	1864, 450		1868, 620
Hoplostethus mediterraneus	1866, 314	quadridentata	1868, 616
Hoterodes cinerealis	1867, 94		1868, 618
Houbara macqueeni	1861, 397	tridentata	1863, 378
undulata	1861, 398		1868, 616
	1864, 449		1868, 618
Huhua nipalensis	1868, 400	trispinosa	1868, 616
Hulodes caranea	1867, 73		1868, 618
drylla	1867, 73	uncinata.....	1868, 616
inangulata	1867, 73		1868, 618
palumba	1867, 73	Hyalochaeta passieti....	1864, 268
restorens.....	1867, 73	possieti	1867, 118
Humphreysia strangei ..	1867, 912	Hyalonema affinis.....	1867, 118
Hyæna antiquorum	1868, 524	lusitanica	1864, 268
brunnea	1868, 524	lusitanicum	1865, 662
	1870, 125		1867, 20
capensis	1868, 525		1867, 23
crocuta	1863, 4		1867, 117
	1864, 100		1867, 901
	1864, 652		1867, 902
	1868, 525		1867, 903
	1869, 493		1867, 905
	1869, 495		1867, 1001
fasciata	1868, 525		1867, 1002
fusca	1868, 524		1867, 1003
genet	1864, 511	mirabile.....	1867, 18
maculata	1868, 525		1867, 19
orientalis	1868, 524		1867, 20
picta	1868, 497		1867, 21
rufa.....	1868, 525		1867, 31
striata.....	1862, 323		1867, 32
	1866, 91		1867, 33
	1868, 524		1867, 350
	1869, 27		1867, 351
	1869, 245		1867, 901
	1869, 484		1867, 902
	1869, 485		1867, 903
	1869, 488		1867, 906
	1869, 495		1867, 1001
	1870, 79	mirabilis	1864, 265
venatica	1868, 497		1867, 18
villosa	1868, 524		1867, 118
virgata	1868, 525		1867, 540
vulgaris	1868, 524		1867, 901
Hyala abnormis	1868, 292		1867, 906
Hyalea angulata	1868, 616	sieboldii.....	1864, 265
	1868, 618		1864, 268
gibbosa	1868, 616		1867, 18
	1868, 618		1867, 117
globulosa	1868, 616		1867, 118
	1868, 618		1867, 119
inflexa	1868, 616		1867, 901
	1868, 618		1867, 1002
labiata	1868, 616		1867, 1003
	1868, 618	Hyalothrix lusitanica ..	1867, 119

	Page		Page
<i>Hyblæa constellata</i>	1867, 63	<i>Hydromys chrysogaster</i>	1870, 26
<i>firmamentum</i>	1867, 63	<i>Hydrophasianus sinensis</i>	1863, 321
<i>puera</i>	1867, 63	<i>Hydrophis cærulescens</i>	1869, 502
<i>Hybocystis mouhoti</i>	1862, 276	<i>cyanocincta</i>	1870, 411
<i>Hydaticus zonatus</i>	1867, 386	<i>fasciata</i>	1869, 502
<i>Hydatigena cellulosa</i>	1862, 304	<i>Hydroporus planus</i>	1867, 363
<i>globosa</i>	1862, 309	<i>globosus</i>	1867, 365
<i>granulosa</i>	1862, 310	<i>orbicularis</i>	1867, 369
<i>oblonga</i>	1862, 309	<i>Hydropotes inermis</i>	1870, 90
<i>orbicularis</i>	1862, 309	<i>inermis</i>	1870, 92
<i>Hydatina filosa</i>	1867, 225	<i>inermis</i>	1870, 644
<i>physis</i>	1867, 225	<i>Hydropsalis azaræ</i>	1866, 142
<i>Hydatis erratica</i>	1862, 310	<i>climacocercus</i>	1866, 141
<i>finna</i>	1862, 304	<i>climacocercus</i>	1866, 142
<i>globosa</i>	1862, 309	<i>forcipata</i>	1866, 143
<i>Hydatula solitaria</i>	1862, 309	<i>forcipata</i>	1866, 145
<i>Hydra hydatula</i>	1862, 309	<i>furcifera</i>	1866, 142
<i>Hydræcia naxiaoïdes</i>	1867, 50	<i>limbatus</i>	1866, 143
<i>Hydrargyra</i> —?	1864, 308	<i>lyra</i>	1866, 143
<i>Hydraspis geoffroyana</i>	1864, 130	<i>lyra</i>	1866, 145
<i>gibba</i>	1864, 130	<i>lyra</i>	1870, 782
<i>gordoni</i>	1868, 563	<i>pallescens</i>	1866, 142
<i>gordoni</i>	1868, 564	<i>pallescens</i>	1866, 145
<i>nasuta</i>	1864, 130	<i>psalurus</i>	1866, 142
<i>raniceps</i>	1864, 129	<i>schomburgki</i>	1866, 142
<i>raniceps</i>	1864, 130	<i>schomburgki</i>	1866, 145
<i>Hydrobia dubiosa</i>	1863, 358	<i>segmentata</i>	1866, 143
<i>Hydrocampa crassicor-</i>		<i>segmentata</i>	1866, 145
<i>nalus</i>	1867, 90	<i>torquata</i>	1866, 142
<i>pulchralis</i>	1867, 90	<i>torquata</i>	1866, 145
<i>Hydrocena ceramensis</i>	1862, 117	<i>trifurcata</i>	1866, 141
<i>costata</i>	1864, 676	<i>trifurcata</i>	1866, 142
<i>elongata</i>	1864, 676	<i>trifurcata</i>	1866, 145
<i>nitida</i>	1864, 674	<i>trifurcata</i>	1866, 193
<i>ovata</i>	1864, 674	<i>trifurcata</i>	1867, 583
<i>robusta</i>	1864, 676	<i>trifurcata</i>	1867, 595
<i>Hydrochelidon fissipes</i>	1867, 337	<i>trifurcata</i>	1867, 978
<i>fissipes</i>	1867, 340	<i>trifurcata</i>	1866, 143
<i>fissipes</i>	1870, 147	<i>trifurcata</i>	1866, 145
<i>indica</i>	1863, 328	<i>Hyelaphus porcinus</i>	1865, 510
<i>leucoptera</i>	1866, 218	<i>porcinus</i>	1870, 89
<i>nigra</i>	1863, 328	<i>Hyla</i>	1863, 203
<i>nigra</i>	1864, 455	<i>albomarginata</i>	1868, 488
<i>plumbea</i>	1864, 179	<i>arborea</i>	1863, 250
<i>plumbea</i>	1864, 373	<i>arborea</i>	1864, 489
<i>plumbea</i>	1867, 337	<i>arborea</i>	1868, 489
<i>Hydrochærus capybara</i>	1862, 102	<i>aurea</i>	1863, 388
<i>capybara</i>	1862, 135	<i>aurea</i>	1863, 390
<i>Hydrocicca melanops</i>	1867, 333	<i>aurea</i>	1864, 49
<i>melanops</i>	1867, 339	<i>aurea</i>	1868, 3
<i>melanops</i>	1868, 461	<i>aurea</i>	1870, 402
<i>Hydrocissa galerita</i>	1863, 214	<i>cærulea</i>	1863, 249
<i>Hydrocyon lineatus</i>	1864, 308	<i>capistrata</i>	1868, 479
<i>Hydrogale maculicollis</i>	1865, 132	<i>chinensis</i>	1870, 241
<i>Hydroides norvegica</i>	1862, 83	<i>citropus</i>	1863, 388
<i>Hydromedusa flavilabris</i>	1864, 131	<i>citropus</i>	1868, 479
<i>maximiliani</i>	1864, 131	<i>coriacea</i>	1870, 401
<i>Hydromys chrysogaster</i>	1865, 564	<i>cyanea</i>	1863, 58

	Page		Page
<i>Hyla dasynotus</i>	1868, 481	<i>Hylobates hoolock</i>	1870, 86
	1868, 488	lar	1863, 370
	1868, 490		1865, 567
ewingii	1863, 388		1868, 526
holochlora	1861, 229		1869, 603
infrafrenata	1868, 481		1870, 86
infulata	1868, 488	pileatus	1861, 136
krefftii	1863, 249		1870, 224
	1863, 250		1870, 225
	1863, 388		1870, 615
	1868, 481	syndactylus	1865, 566
labialis	1868, 479		1865, 582
leucomystax	1861, 220	<i>Hylocharis cyanea</i>	1866, 195
leucotania	1868, 481		1867, 752
	1868, 489	luscinia	1863, 217
	1868, 490	sapphirina	1867, 584
levaillantii	1868, 479		1867, 752
maculata	1861, 220		1867, 979
moreletii	1868, 479	<i>Hylodes</i>	1863, 203
nigrofrenata	1868, 481	bogotensis	1868, 479
peronii	1863, 249	sallæi	1868, 481
	1863, 250		1868, 487
	1863, 251		1868, 490
	1863, 388	<i>Hylogale zebrata</i>	1864, 524
phyllochroa	1863, 249	<i>Hylophila chloroleuca</i> . .	1867, 668
	1863, 251	falcata	1867, 668
	1868, 481	<i>Hylophilus acuticauda</i> . .	1868, 166
punctata	1868, 479	acuticaudus	1869, 170
rhodoporus	1868, 481	aurantiifrons	1869, 252
	1868, 488	cinereiceps	1864, 348
	1868, 490		1867, 348
rubella	1863, 388	decurtatus	1867, 137
rubicundula	1868, 479		1867, 137
	1868, 489		1870, 184
	1868, 490		1870, 836
serveiensis	1863, 389	ferrugineifrons	1862, 110
triangulum	1868, 481	flavipes	1862, 110
	1868, 489	hypoxanthus	1868, 627
	1868, 490		1868, 629
verreauxii	1863, 388	insularis	1861, 128
viridis	1862, 186		1868, 170
	1863, 250		1868, 630
<i>Hylactes castaneus</i>	1867, 338		1870, 565
megapodius	1867, 325	ochraceiceps	1862, 110
	1867, 338		1867, 570
tarnii	1867, 325		1870, 184
	1867, 338	pectoralis	1866, 321
<i>Hylambates marmoratus</i> .	1868, 479	plumbiceps	1864, 348
unistrigatus	1868, 481	pusillus	1864, 348
viridis	1868, 481		1867, 137
	1868, 487	rubrifrons	1867, 567
<i>Hylastes ater</i>	1867, 362		1867, 569
	1867, 376		1867, 570
<i>Hylcaon melanorhyncha</i> .	1870, 62		1867, 595
<i>Hylobates</i>	1864, 338	semibrunneus	1862, 110
agilis	1861, 212	semicinereus	1867, 567
hoolock	1863, 370		1867, 570
	1868, 526		1867, 595

	Page		Page
<i>Hylophilus viridiflavus</i>	1864, 348	<i>Hymeraphia stellifera</i> ..	1867, 543
	1867, 137	<i>vermicularis</i>	1867, 522
	1870, 184	<i>verticillata</i>	1867, 516
<i>Hylophorba ruticilla</i>	1865, 326		1867, 543
	1870, 390	<i>Hyomoschus aquaticus</i> . .	1864, 483
<i>Hylorana macrodaetyla</i>	1870, 412		1867, 954
<i>macularia</i>	1868, 479		1867, 955
<i>malabarica</i>	1869, 502		1867, 956
<i>temporalis</i>	1868, 480		1867, 958
<i>Hyloterpe philomela</i>	1863, 217		1870, 345
	1865, 326		1870, 493
<i>Hylotrypes bajulus</i>	1867, 362	<i>Hyopicus hyperythrus</i> . .	1870, 440
	1867, 379	<i>Hypætra gammoides</i>	1867, 75
<i>Hylurgus ligniperda</i>	1867, 362	<i>noctuoides</i>	1867, 75
	1867, 376	<i>Hypanis anvatara</i>	1863, 477
<i>Hymedesmia radiata</i>	1867, 521	<i>polynice</i>	1863, 477
<i>stellata</i>	1867, 544	<i>Hypena abducalis</i>	1867, 83
<i>zetlandica</i>	1867, 537	<i>basistrigalis</i>	1867, 84
<i>Hymenia recurvalis</i>	1866, 364	<i>castanealis</i>	1867, 84
<i>Hymeniacidon albescens</i>	1867, 518	<i>cervinalis</i>	1867, 83
<i>armatura</i>	1867, 518	<i>conscitalis</i>	1867, 83
<i>aurea</i>	1867, 518	<i>costinotalis</i>	1867, 83
<i>brettii</i>	1867, 518	<i>divisalis</i>	1867, 84
<i>bucklandi</i>	1867, 542	<i>extensa</i>	1867, 83
<i>carcosa</i>	1867, 523	<i>laccessalis</i>	1867, 83
<i>carunculata</i>	1867, 518	<i>longipennis</i>	1867, 85
<i>celata</i>	1867, 525	<i>rectivittalis</i>	1867, 84
<i>clavigera</i>	1867, 523	<i>tenebralis</i>	1867, 83
<i>cliftoni</i>	1867, 515	<i>Hypera variabilis</i>	1867, 363
<i>coccinea</i>	1867, 518		1867, 378
<i>consimilis</i>	1867, 518	<i>Hypercompa equitalis</i>	1865, 808
<i>crustula</i>	1867, 518	<i>imperialis</i>	1867, 682
<i>dujardini</i>	1867, 520	<i>impleta</i>	1867, 682
<i>fallaciosus</i>	1867, 518	<i>longipennis</i>	1867, 682
<i>fallax</i>	1867, 518	<i>multiguttata</i>	1865, 808
<i>ficus</i>	1867, 523	<i>plagiata</i>	1865, 808
<i>floreum</i>	1867, 537		1867, 681
<i>fragilis</i>	1867, 518	<i>Hypermitris hemichrysus</i>	1870, 198
<i>gelatinosa</i>	1867, 523	<i>Hypermaria discistriga</i>	1867, 78
<i>lactea</i>	1867, 518	<i>Hyperodon</i>	1864, 239
<i>lingua</i>	1867, 533		1864, 418
<i>macilenta</i>	1867, 537	— ?	1864, 243
<i>mammeata</i>	1867, 518	<i>bidens</i>	1864, 240
<i>membrana</i>	1867, 518		1864, 242
<i>pachyderma</i>	1867, 118	<i>borealis</i>	1864, 197
<i>perarmatus</i>	1867, 535		1864, 240
<i>perlevis</i>	1867, 518	<i>butzkopf</i>	1864, 197
<i>plumosa</i>	1867, 536		1864, 240
<i>reticulatus</i>	1867, 518		1864, 241
<i>sanguinea</i>	1867, 518		1864, 594
<i>suberea</i>	1867, 523	<i>dalei</i>	1864, 242
<i>thomasii</i>	1867, 518	<i>desmarestii</i>	1864, 243
<i>varantia</i>	1867, 539	<i>doumettii</i>	1864, 243
<i>virgultosa</i>	1867, 518	<i>gervaisii</i>	1864, 243
<i>viridans</i>	1867, 518	<i>hunteri</i>	1864, 240
<i>Hymenolopis flavopuncta</i>	1862, 307	<i>latifrons</i>	1864, 241
<i>Hymenopterus</i>	1864, 118		1864, 589
<i>Hymeraphia clavata</i>	1867, 521		1864, 590

	Page		Page
Hyperodon latifrons	1864, 592	Hypna elongata	1866, 210
rostratum	1863, 200	globosa	1866, 208
	1864, 240		1866, 210
	1864, 419	huebneri	1866, 208
Hyperolius argus	1864, 307		1866, 210
citrinus	1864, 307	rufescens	1866, 209
	1864, 311		1866, 210
flavomaculatus	1864, 307	velox	1866, 209
fornasinii	1864, 307		1866, 210
insignis	1867, 844	Hypnale nepa	1869, 502
marmoratus	1864, 480	Hypoborus ficus	1867, 363
microps	1864, 307		1867, 376
	1864, 311	Hypocala deflorata	1867, 67
modestus	1864, 307	efflorescens	1867, 68
nasutus	1864, 482	rostrata	1867, 68
reticulatus	1864, 482	subsatura	1867, 68
salinæ	1864, 307	Hypochoera nitens	1864, 110
taeniatus	1864, 307	Hypochroma basiflavata	1867, 632
toulsonii	1867, 845	boarmiaria	1867, 632
Hyperoodon butzkof	1868, 556	costistrigaria	1867, 633
butzkopf	1865, 528	dispensata	1867, 632
capensis	1865, 359	irrorataria	1867, 632
	1865, 524	leopardinata	1867, 634
	1865, 528	muscoloriaria	1867, 632
latifrons	1861, 313	nyctemerata	1867, 632
	1868, 334	tenebrosaria	1867, 633
	1868, 336	varicoloraria	1867, 633
	1868, 340	viridaria	1867, 632
	1868, 556	Hypocnemis — ?	1864, 358
rostratum	1861, 313	cantator	1864, 609
Hyperythra calcearia	1867, 619		1866, 186
ennomosaria	1867, 619		1867, 750
limbolaria	1867, 619		1867, 978
luteata	1867, 619	elegans	1867, 757
niguzaria	1867, 619	flavescens	1864, 609
penicillaria	1867, 619		1866, 567
spurcataria	1867, 619		1868, 573
trilineata	1867, 619		1868, 575
vitticostata	1867, 619	hemileuca	1866, 177
Hyphantornis aurantius	1867, 826		1866, 186
cincta	1865, 93		1866, 576
	1870, 144	hypoxantha	1868, 573
collaris	1869, 564		1868, 575
grandis	1869, 564	melanopogon	1866, 186
larvatus	1864, 110		1867, 576
nitens	1864, 110	melanosticta	1867, 757
olivaceus	1866, 23	melanura	1866, 177
royrei	1867, 826		1866, 186
silonotus	1866, 23		1868, 575
subaureus	1867, 826	myiotherina	1867, 750
	1867, 828		1867, 757
textor	1862, 324		1867, 978
	1869, 627	nævioides	1864, 357
Hypherpes corallirostris	1863, 85	pœcilonota	1866, 186
Hypna clytemnestra	1866, 206	schistacea	1864, 358
	1866, 208		1866, 186
	1866, 209	theresæ	1866, 187
elongata	1866, 209		1867, 750

	Page		Page
<i>Hypolimnas coresia</i>	1868,	<i>Hypselobagrus cavasius</i>	1867,
<i>Hypolophus sephen</i>	1865,	<i>Hypsigenys</i>	1861,
	1867,	<i>Hypsignathus monstro-</i>	
<i>Hypolycaena amasa</i>	1865,	<i>sus</i>	1862,
<i>erylus</i>	1865,		8
<i>othona</i>	1865,	<i>Hypsipetes borbonica</i>	1866,
<i>Hypomorphnus anthra-</i>		<i>crassirostris</i>	1867,
<i>cinus</i>	1870,	<i>holtii</i>	1863,
<i>gundlachi</i>	1870,	<i>maclellandi</i>	1863,
<i>urubitinga</i>	1868,	<i>madagascariensis</i>	1866,
<i>Hyponomeuta lineatono-</i>		<i>neilgherriensis</i>	1866,
<i>tella</i>	1867,	<i>nigerimus</i>	1862,
	1867,		282
<i>Hypopola thelebas</i>	1867,	<i>olivaceus</i>	1863,
<i>Hypoptopoma thoraca-</i>		<i>ourovang</i>	1863,
<i>tum</i>	1868,		1865,
<i>Hypopyra feniseca</i>	1867,		1866,
<i>mollis</i>	1867,		1870,
<i>ossigera</i>	1867,	<i>psaroides</i>	1862,
<i>restorens</i>	1867,	<i>urovang</i>	1870,
<i>unistrigata</i>	1867,	<i>Hypsiprymnus</i> — ?	1862,
<i>vespertilio</i>	1867,	<i>setosus</i>	1862,
<i>Hypotriorchis resalon</i>	1863,	<i>Hypsirrhina chinensis</i>	1870,
<i>castanonotus</i>	1864,	<i>enhydriis</i>	1870,
<i>chiquera</i>	1868,	<i>plumbea</i>	1870,
<i>columbarius</i>	1861,	<i>Hypudeus grönlandicus</i>	1868,
	1870,	<i>Hypuroptila buffoni</i>	1864,
	1870,	<i>isauræ</i>	1861,
<i>deiroleucus</i>	1870,	<i>urochrysa</i>	1861,
<i>femoralis</i>	1867,	<i>Hyracodon</i>	1863,
	1867,	<i>fuliginosus</i>	1863,
	1867,	<i>Hyrax</i>	1862,
	1867,	— ?	1863,
	1868,		1864,
	1868,	<i>abyssinicus</i>	1869,
	1869,		1869,
	1869,	<i>alpini</i>	1869,
<i>frontatus</i>	1863,		1869,
<i>rufigularis</i>	1864,		1869,
	1864,	<i>arboreus</i>	1864,
	1867,		1865,
	1867,	<i>brucei</i>	1869,
	1869,		1869,
	1870,		1869,
	1870,		1869,
<i>semitorquatus</i>	1863,	<i>burtoni</i>	1869,
	1864,		1869,
<i>Hypsa alciphon</i>	1866,	<i>capensis</i>	1861,
<i>alciphron</i>	1865,		1861,
<i>caricæ</i>	1865,		1861,
<i>egens</i>	1865,		1861,
	1866,		1862,
<i>ficus</i>	1865,		1862,
<i>heliconia</i>	1865,		1862,
<i>intacta</i>	1866,		1862,
<i>plana</i>	1865,		1863,
	1866,		1865,
<i>silvandra</i>	1867,		329

	Page		Page
<i>Hyrax capensis</i>	1865, 401	<i>Hystrix leucura</i>	1865, 353
	1866, 21		1865, 354
	1867, 692		1865, 355
	1868, 625		1865, 356
	1869, 640		1868, 624
	1869, 641	<i>leucurus</i>	1866, 308
	1869, 642		1866, 309
	1870, 95	<i>malabarica</i>	1865, 353
<i>dongolanus</i>	1869, 641		1865, 354
	1869, 642		1865, 355
<i>dorsalis</i>	1869, 641		1865, 356
<i>ferrugineus</i>	1869, 638		1866, 308
	1869, 639		1866, 309
	1869, 642		1868, 624
<i>habessinicus</i>	1869, 642	<i>nepalensis</i>	1866, 310
<i>irrorata</i>	1869, 638	<i>novæ-hispaniæ</i>	1861, 288
	1869, 639	<i>subcristata</i>	1870, 638
	1869, 638		
<i>luteogaster</i>	1869, 642	<i>Iacchus albicollis</i>	1865, 734
	1869, 641	<i>leucocephalus</i>	1865, 734
<i>ruficeps</i>	1869, 642	<i>leucomerus</i>	1865, 735
	1869, 642	<i>penicillatus</i>	1865, 734
<i>sinaiticus</i>	1869, 642	<i>vulgaris</i>	1865, 734
<i>syriacus</i>	1866, 84	<i>Ianthella basta</i>	1869, 51
	1869, 642	<i>flabelliformis</i>	1869, 50
<i>Hyria bicolorata</i>	1867, 642	<i>homei</i>	1869, 51
<i>ornata</i>	1867, 643	<i>Ianthia cyanura</i>	1862, 316
<i>pluristrigata</i>	1867, 643		1863, 290
<i>trilineata</i>	1867, 642		1863, 335
<i>Hystrix</i> — ?	1864, 378		1870, 450
<i>africæ-australis</i>	1864, 653	<i>rufilata</i>	1862, 316
	1865, 356		1863, 290
	1866, 308	<i>Ianthina bicolor</i>	1867, 230
	1866, 309		1868, 617
	1866, 309		1868, 619
	1866, 310	<i>bifida</i>	1865, 190
<i>alophus</i>	1866, 310		1867, 231
<i>bengalensis</i>	1863, 370	<i>capreolata</i>	1865, 190
<i>brevispinosus</i>	1866, 311		1867, 231
<i>cristata</i>	1862, 323	<i>casta</i>	1867, 230
	1865, 354		1863, 378
	1865, 356	<i>communis</i>	1867, 230
	1866, 80		1867, 230
	1866, 308	<i>decollata</i>	1867, 230
	1866, 310	<i>depressa</i>	1867, 230
<i>curvieri</i>	1866, 308	<i>exigua</i>	1865, 190
<i>daubentonii</i>	1866, 310		1867, 231
<i>dorsata</i>	1862, 315		1868, 617
<i>hirsutirostris</i>	1865, 356		1868, 619
	1866, 88	<i>fragilis</i>	1867, 230
	1866, 308		1868, 617
	1866, 311		1868, 619
<i>hodgsoni</i>	1865, 356	<i>ianthina</i>	1867, 230
	1870, 233	<i>nitida</i>	1868, 617
	1870, 638		1868, 619
<i>hodgsonii</i>	1866, 310		1868, 620
<i>javanica</i>	1865, 356	<i>penicephala</i>	1867, 230
	1866, 311	<i>striulata</i>	1867, 230
<i>leucura</i>	1862, 184	<i>violacea</i>	1865, 190
	1862, 322		

	Page		Page
<i>Ianthina violacea</i>	1867, 250	<i>Ichneumon edwardsii</i> ..	1864, 551
<i>Ianthœnas metallica</i> ..	1863, 486	<i>galera</i>	1864, 557
<i>Iapalura swinhooi</i>	1870, 411	<i>griseus</i>	1864, 553
<i>Ibis æthiopica</i>	1870, 381	<i>javanicus</i>	1864, 555
	1870, 382	<i>madagascariensis</i> ..	1864, 550
	1870, 663	<i>major</i>	1864, 551
<i>alba</i>	1869, 629	<i>nigricaudatus</i>	1864, 563
<i>bernieri</i>	1870, 381	<i>pharaonis</i>	1864, 548
	1870, 382		1864, 549
	1870, 663	<i>prehensilis</i>	1864, 545
<i>cærulescens</i>	1869, 635	<i>ratlamuchi</i>	1864, 563
<i>cristata</i>	1866, 425	<i>ruber</i>	1864, 572
<i>falcinellus</i>	1864, 160	<i>tenionotus</i>	1864, 565
	1867, 334	<i>urinatrix</i>	1864, 557
	1867, 339	<i>vansire</i>	1864, 557
	1868, 145	<i>Ichnoglossa</i>	1861, 91
	1869, 156	<i>Ichthyura ferruginea</i> ..	1865, 813
	1870, 799	<i>fulgurita</i>	1867, 682
<i>guarauna</i>	1867, 334	<i>indica</i>	1865, 813
<i>melanocephala</i>	1870, 428	<i>Icteria viridis</i>	1864, 173
	1870, 663		1870, 836
<i>melanopsis</i>	1867, 339	<i>Icterus abeillæi</i>	1869, 362
	1869, 600	<i>abeillii</i>	1864, 175
	1870, 665	<i>affinis</i>	1864, 175
<i>nippon</i>	1863, 318		1864, 353
<i>ordi</i>	1867, 334	<i>auduboni</i>	1864, 175
<i>ordii</i>	1864, 179	<i>auricapillus</i>	1868, 167
	1869, 156		1870, 553
<i>plumbea</i>	1869, 635	<i>baltimore</i>	1864, 175
<i>propinqua</i>	1870, 428		1864, 353
<i>religiosa</i>	1866, 425	<i>baltimorensis</i>	1867, 142
	1870, 381		1867, 279
	1870, 428		1870, 190
<i>rubra</i>	1866, 78		1870, 836
	1866, 79	<i>bullockii</i>	1869, 362
	1869, 629	<i>cayanensis</i>	1867, 573
<i>spinicollis</i>	1866, 203		1867, 594
<i>strictipennis</i>	1870, 663		1869, 159
<i>Ibycter americanus</i>	1864, 368	<i>chrysocephalus</i>	1866, 182
	1866, 198	<i>cucullatus</i>	1864, 175
	1867, 589	<i>giraudi</i>	1864, 353
	1867, 753		1867, 142
	1870, 214		1868, 107
	1870, 838		1870, 190
<i>ater</i>	1866, 198		1870, 781
	1867, 589	<i>leucopteryx</i>	1861, 74
	1867, 979	<i>mesomelas</i>	1864, 354
<i>Icambosida nigrifrons</i> ..	1865, 809		1867, 279
<i>Ichneumia</i>	1864, 509		1870, 837
<i>albescens</i>	1864, 566		1870, 838
	1864, 572	<i>parisorum</i>	1864, 175
<i>albicauda</i>	1864, 566	<i>persicus</i>	1870, 578
<i>gracilis</i>	1864, 563	<i>personatus</i>	1861, 74
<i>leucura</i>	1864, 566	<i>prothemelas</i>	1867, 279
<i>nigricauda</i>	1864, 567		1870, 837
<i>rubra</i>	1864, 572	<i>pyrrhopterus</i>	1868, 140
<i>Ichneumon ægypti</i>	1864, 548		1870, 88
<i>bondar</i>	1864, 531		1870, 89

	Page		Page
<i>Icterus salvini</i>	1870,	<i>Idiops syriacus</i>	1870,
<i>sericeus</i>	1870,		1870,
<i>spurius</i>	1864,	<i>thorellii</i>	1870,
	1867,		1870,
	1870,	<i>Idmais calvis</i>	1865,
<i>tibialis</i>	1867,	<i>fulviæ</i>	1868,
<i>violaceus</i>	1870,	<i>tripuncta</i>	1868,
<i>vulgaris</i>	1868,		1868,
	1870,	<i>Idomon alderi</i>	1867,
	1870,	<i>Ieracidea berigora</i>	1869,
<i>xanthornus</i>	1868,	<i>occidentalis</i>	1869,
	1870,	<i>Iguana tuberculata</i>	1863,
<i>Icticyon venaticus</i>	1868,		1867,
	1869,		1870,
	1864,	<i>Ilerda androcles</i>	1867,
<i>Ictides albifrons</i>	1864,	<i>brahma</i>	1865,
<i>ater</i>	1864,	<i>epicles</i>	1865,
<i>Ictinia plumbea</i>	1864,	<i>moorei</i>	1867,
	1867,	<i>oda</i>	1865,
	1867,		1865,
	1867,	<i>tamu</i>	1865,
	1868,		1865,
	1870,	<i>Imantocera penicillata</i> ..	1866,
<i>Ictonyx capensis</i>	1865,	<i>plumosa</i>	1866,
<i>frenata</i>	1865,		1866,
<i>Idea abigar</i>	1866,		1866,
<i>daos</i>	1866,	<i>Imbrius ephebus</i>	1866,
<i>diardi</i>	1866,		1866,
<i>gaura</i>	1866,	<i>lineatus</i>	1866,
<i>manuja</i>	1866,		1866,
<i>plexippus</i>	1866,		1866,
<i>Ideopsis daos</i>	1866,	<i>strigosus</i>	1866,
<i>gaura</i>	1866,		1866,
<i>Idiops aculeatus</i>	1870,	<i>Imperator chemnitzii</i> ..	1861,
<i>blackwallii</i>	1870,	<i>Indris</i>	1863,
	1870,		1864,
	1870,		1864,
<i>fuscus</i>	1870,		1864,
	1870,		1864,
	1870,	<i>albus</i>	1863,
	1870,		1867,
	1870,	<i>brevicaudatus</i>	1863,
<i>kochii</i>	1870,		1867,
	1870,		1867,
	1870,		1867,
	1870,		1867,
	1870,		1867,
<i>meadii</i>	1870,		1867,
	1870,		1867,
	1870,		1867,
	1870,		1867,
	1870,		1867,
<i>petitii</i>	1870,		1867,
	1870,	<i>diadema</i>	1867,
	1870,		1867,
	1870,		1867,
	1870,		1867,
<i>sigillatus</i>	1870,		1867,
	1870,		1867,
	1870,		1867,
	1870,		1867,
	1870,		1867,
	1870,	<i>laniger</i>	1866,
<i>syriacus</i>	1870,		1866,

	Page		Page
Indris laniger	1867, 248	Iphiteon	1863, 258
	1867, 249	beatrix	1869, 75
	1867, 250		1869, 325
	1867, 252		1869, 346
	1867, 253		1869, 349
	1867, 254		1869, 350
	1867, 256	calocyathes	1869, 75
	1867, 970		1869, 333
	1867, 974		1869, 335
longicaudatus	1866, 151		1869, 344
niger	1863, 133		1869, 350
Ingallia cupulifera	1867, 537	ingalli	1869, 72
Ingura recurrens	1867, 62		1869, 74
Inia	1863, 199		1869, 78
geoffrensis	1866, 426		1869, 331
Inuus arctoides	1870, 664		1869, 332
leoninus	1863, 370		1869, 333
	1870, 664		1869, 350
nemestrinus	1863, 370	panicea	1867, 506
sancti-johannis	1866, 556		1869, 83
	1870, 615		1869, 84
speciosus	1864, 710		1869, 93
sylvanus	1862, 22		1869, 98
Io pagodula	1866, 150		1869, 99
Iodopleura isabellæ	1867, 579		1869, 323
	1867, 595		1869, 324
	1867, 751		1869, 327
	1867, 758		1869, 329
laplaci	1867, 579		1869, 330
pipra	1867, 758		1869, 349
Iolæa amabilis	1867, 310		1869, 350
scitula	1867, 310	Irena puella	1863, 217
sculptilis	1867, 310	Irrisor cyanomelas	1863, 105
Iolaema schreibersi	1867, 979		1864, 110
Iolaus cleobis	1865, 776		1865, 94
deva	1865, 776		1869, 567
longinus	1865, 776	erythrorhynchus ..	1867, 824
	1867, 35		1867, 828
pseudo-longinus ..	1867, 35		1870, 149
	1867, 36	senegalensis	1864, 2
Iole longicornis	1866, 256		1867, 824
nigripes	1866, 257	Isapis conoidea	1863, 111
prolata	1866, 256	lirata	1863, 111
Ione cornuta	1864, 608	ovoidea	1863, 111
Ionornis martinicensis ..	1868, 459	Isaurus tuberculatus ..	1867, 234
Iontha umbrina	1867, 73	Ischnochiton elenensis..	1865, 275
Iophon nigricans	1867, 534		1865, 276
scandens	1867, 534	expressus	1865, 275
Iora scapularis	1866, 550	magdalensis	1865, 275
typhia	1865, 691	sanguineus	1865, 375
	1865, 694	Ischnognathus dekayi ..	1861, 228
	1866, 549	Ischnosceles niger	1870, 216
	1866, 550	Isis nobilis	1867, 126
viridissima	1863, 219	Ismene amara	1865, 783
zeylanica	1866, 550	aria	1865, 784
Iotreron	1863, 481	benjamini	1865, 783
eugeniæ	1869, 118	druna	1865, 784
Iphigene altior	1863, 366	forestan	1863, 478

	Page		Page
<i>Ismene gomata</i>	1865,	<i>Ixalus macropus</i>	1868,
<i>harisa</i>	1865,	<i>nasutus</i>	1868,
<i>jaina</i>	1865,		1868,
<i>javadava</i>	1865,	<i>opisthorhodus</i>	1868,
<i>ladon</i>	1865,		1868,
	1866,		1868,
<i>murdava</i>	1865,	<i>Ixodes</i> — ?	1864,
<i>sasivarna</i>	1865,	<i>Ixos analis</i>	1863,
<i>vasutana</i>	1865,	<i>aurigaster</i>	1862,
<i>Isodictya</i>	1863,	<i>chrysorrhoides</i>	1863,
<i>anomala</i>	1867,	<i>jocosus</i>	1863,
<i>cinerea</i>	1867,	<i>nigricans</i>	1867,
<i>dissimilis</i>	1867,		1867,
<i>edwardsii</i>	1867,	<i>occipitalis</i>	1863,
<i>fimbriata</i>	1867,	<i>sinensis</i>	1863,
<i>infundibuliformis</i> ..	1867,		1863,
	1868,	<i>xanthopygius</i>	1864,
<i>jugosa</i>	1867,	<i>Ixulus castaneiceps</i>	1861,
<i>lobata</i>	1867,	<i>striatus</i>	1861,
<i>lurida</i>	1867,		
<i>normani</i>	1867,	<i>Jacamerops grandis</i>	1864,
<i>palmata</i>	1867,		1867,
<i>paupera</i>	1867,	<i>Jacare longiscutata</i>	1868,
<i>robusta</i>	1867,	<i>ocellata</i>	1869,
<i>simulans</i>	1867,	<i>punctulata</i>	1868,
<i>varians</i>	1867,	<i>Jacchus auritus</i>	1862,
	1868,	<i>œdipus</i>	1862,
<i>Isognomon bicolor</i>	1863,	<i>vulgaris</i>	1862,
<i>chemnitziana</i>	1863,	<i>Jana cervina</i>	1865,
<i>Ispida philippensis cris-</i>		<i>lineosa</i>	1865,
<i>tata</i>	1869,	<i>pallida</i>	1867,
<i>Ispidina madagascariensis</i>	1866,	<i>Janachus immersus</i>	1865,
	1870,	<i>Janthina fragilis</i>	1861,
<i>picta</i>	1869,	<i>Janus sanguineus</i>	1867,
<i>Istiophorus gladius</i>	1867,	<i>Japonia barbata</i>	1867,
<i>Ithaginis geoffroyi</i>	1870,	<i>citharella</i>	1867,
	1870,	<i>Jasia athamas</i>	1865,
<i>Ithomia agrippina</i>	1863,	<i>australis</i>	1865,
<i>balboa</i>	1863,	<i>Jaspis johnstonii</i>	1867,
<i>iphianassa</i>	1863,	<i>Joera wakishiana</i>	1864,
	1863,	<i>Jouanettia darwinii</i>	1865,
	1863,	<i>Juliamyia typica</i>	1864,
<i>leucania</i>	1863,	<i>Julidina</i>	1861,
<i>nephele</i>	1863,		1861,
	1863,		1861,
<i>nero</i>	1863,	<i>Julis</i>	1861,
<i>ninonia</i>	1863,	<i>annularis</i>	1861,
	1863,	<i>cyanopleura</i>	1861,
<i>panamensis</i>	1863,	<i>geoffroyi</i>	1861,
<i>victorina</i>	1863,	<i>girardi</i>	1861,
<i>Ixais episomoides</i>	1866,	<i>heteropterus</i>	1861,
	1866,	<i>lineolatus</i>	1861,
	1866,	<i>lucasana</i>	1864,
<i>Ixalus femoralis</i>	1868,	<i>lunaris</i>	1867,
<i>glandulosus</i>	1868,		1870,
<i>macropus</i>	1868,	<i>sanctæ helenæ</i>	1868,
	1868,	<i>trilobata</i>	1867,
	484		865

	Page		Page
<i>Juncella caliculata</i>	1863, 506	<i>Ketengus typus</i>	1870, 699
<i>elongata</i>	1863, 506	<i>Ketupa ceylonensis</i>	1863, 262
<i>flagellum</i>	1863, 505		1863, 371
<i>hystrix</i>	1863, 506		1864, 430
<i>junceae</i>	1863, 506		1868, 401
<i>surculus</i>	1863, 506	<i>flavipes</i>	1868, 401
<i>vimea</i>	1863, 506	<i>Kinixys belliana</i>	1863, 193
<i>Junco alticola</i>	1863, 189		1869, 174
<i>cinereus</i>	1863, 190	<i>erosa</i>	1863, 196
	1864, 174		1863, 197
<i>Junonia almana</i>	1865, 761	<i>homeana</i>	1863, 196
<i>aonis</i>	1866, 359		1863, 197
<i>asteria</i>	1866, 359	<i>Kinosternon</i>	1863, 202
<i>asteriæ</i>	1865, 761	<i>hippocrepis</i>	1869, 182
<i>laomedia</i>	1865, 761	<i>pennsylvanicum</i>	1869, 183
<i>lemonias</i>	1865, 494	<i>scorpoides</i>	1869, 181
	1865, 761	<i>Kinothorax</i>	1863, 193
	1866, 359	<i>Kittacincla albiventris</i>	1861, 187
<i>cenone</i>	1865, 494	<i>macrura</i>	1861, 187
	1865, 761		1866, 550
<i>orithyia</i>	1865, 494	<i>Kobus</i>	1864, 658
	1865, 761	— ^p	1864, 103
<i>orythia</i>	1866, 359	<i>ellipsiprymnus</i>	1864, 99
<i>rhadama</i>	1863, 65		1864, 101
	1863, 477		1864, 102
			1867, 4
<i>Kachuga affinis</i>	1869, 203		1867, 5
<i>berdmoorei</i>	1869, 204		1867, 6
<i>berdmorei</i>	1870, 676		1867, 7
<i>hardwickii</i>	1869, 202	<i>leucotis</i>	1864, 99
<i>oldhami</i>	1869, 200		1864, 103
	1869, 203	<i>sing-sing</i>	1864, 99
	1870, 676		1864, 101
<i>peguensis</i>	1869, 200		1867, 3
	1869, 201		1867, 4
	1870, 676		1867, 5
<i>trilineata</i>	1869, 200		1867, 7
	1869, 202	<i>Kogia</i>	1863, 199
	1870, 676	<i>brevirostris</i>	1865, 529
<i>Kakadoë rubro-cristatus</i>	1864, 279	<i>Krananda semihyalina</i>	1867, 648
<i>Kaliopsis cidaris</i>	1869, 76	<i>Kraussia lamarckiana</i>	1867, 935
	1869, 338	<i>Kynos pictus</i>	1868, 497
	1869, 351	<i>Kyphobalæna</i>	1864, 395
<i>Kallima inachis</i>	1865, 767	<i>boops</i>	1864, 210
<i>Kathiah auriventer</i>	1865, 119	<i>longimana</i>	1864, 204
<i>Kellia cycladiformis</i>	1867, 928		
<i>rotunda</i>	1867, 927	<i>Labeo boga</i>	1869, 373
<i>Kennerlia bicarinata</i>	1864, 603	<i>calbasu</i>	1869, 372
<i>filosa</i>	1864, 602	<i>congora</i>	1864, 308
<i>glacialis</i>	1864, 602	<i>cylindricus</i>	1864, 308
	1864, 603	<i>denisonii</i>	1865, 299
<i>Kerivoula ærosa</i>	1861, 32	<i>dussumieri</i>	1867, 290
<i>argentata</i>	1861, 32		1869, 372
<i>formosa</i>	1862, 356	<i>dyocheilus</i>	1867, 16
	1870, 618	<i>fimbriatus</i>	1869, 372
<i>lanosa</i>	1861, 32	<i>gonius</i>	1869, 372
<i>papillosa</i>	1861, 32	<i>kontius</i>	1867, 289
<i>picta</i>	1862, 356	<i>leschenaultii</i>	1869, 372

	Page		Page
<i>Labeo melanampyx</i>	1865,	<i>Lacon setiger</i>	1866,
<i>microlepidotus</i>	1869,	<i>vestitus</i>	1863,
<i>morala</i>	1869,	<i>Lactarius delicatulus</i> . .	1865,
<i>neillii</i>	1870,	<i>Læmonema robustum</i> . .	1862,
<i>nigrescens</i>	1870,	<i>Læmophloeus clavicollis</i>	1867,
<i>pangusia</i>	1867,		1867,
<i>ricnorhynchus</i>	1869,	<i>Lafresnaya gayi</i>	1870,
<i>rohita</i>	1869,		1870,
<i>Labeobarbus canis</i>	1864,	<i>saulæ</i>	1870,
<i>hexasticus</i>	1861,	<i>Lagena wiegmanni</i>	1866,
<i>tor</i>	1867,	<i>Lagenocetus</i>	1864,
	1867,	<i>latifrons</i>	1863,
<i>Labiella albolabris</i>	1869,		1864,
<i>callosa</i>	1869,		1864,
<i>corneola</i>	1869,		1864,
<i>crassilabrum</i>	1869,		1864,
<i>ellipsoidea</i>	1869,		1865,
<i>fumosa</i>	1869,		1868,
<i>labiata</i>	1869,		1868,
<i>pachystoma</i>	1869,	<i>Lagenorhynchus</i>	1863,
<i>subrostrata</i>	1869,	<i>acutus</i>	1864,
<i>succincta</i>	1869,		1864,
<i>turgidula</i>	1869,		1866,
<i>vitrea</i>	1869,	<i>albirostris</i>	1864,
<i>Labio aureus</i>	1865,		1864,
<i>porcata</i>	1867,		1864,
<i>striolatus</i>	1867,		1866,
<i>Labrichthys bicolor</i>	1870,		1868,
<i>cyanotænia</i>	1861,		1868,
	1869,		1868,
<i>Labroides paradiseus</i>	1861,		1868,
<i>Labrus</i>	1861,	<i>asia</i>	1866,
<i>centiquadrus</i>	1861,	<i>clanculus</i>	1866,
<i>furcatus</i>	1867,	<i>electra</i>	1866,
<i>rubiginosus</i>	1861,	<i>eschrichtii</i>	1864,
<i>tæniurus</i>	1861,	<i>leucopleurus</i>	1864,
<i>Labyrinthus bifurcatus</i> . .	1866,		1864,
<i>furcillatus</i>	1866,		1866,
<i>leprieurii</i>	1866,		1868,
<i>Lacazia hibernica</i>	1868,		1868,
	1868,		1868,
<i>longirostris</i>	1868,		1868,
<i>Lacera capella</i>	1867,	<i>nilssonii</i>	1864,
<i>Lacerta alligator</i>	1867,	<i>thicolea</i>	1866,
<i>gangetica</i>	1861,	<i>Lagomys alpinus</i>	1870,
<i>lævis</i>	1864,	<i>minimus</i>	1863,
<i>rufescens</i>	1861,		1863,
<i>viridis</i>	1862,		1863,
	1862,	<i>princeps</i>	1863,
	1864,	<i>Lagonosticta minima</i> . .	1870,
	1864,	<i>Lagoptera dotata</i>	1867,
<i>Lachesis mutus</i>	1861,	<i>honesta</i>	1867,
	1861,	<i>magica</i>	1867,
	1861,	<i>Lagopus albus</i>	1863,
<i>Lachnolaimus</i>	1861,		1864,
<i>Laciniaria exilis</i>	1866,	<i>alpinus</i>	1863,
	1866,	<i>hemileucurus</i>	1864,
<i>Lacon bipapulatus</i>	1866,		1864,
<i>formosanus</i>	1866,		348

	Page		Page
<i>Lagopus inutus</i>	1863,	<i>Laminella zebra</i>	1869,
<i>rupestris</i>	1864,	<i>Lamna cornubica</i>	1862,
<i>scoticus</i>	1863,	<i>Lampania australis</i>	1867,
	1864,	<i>zonalis</i>	1866,
<i>Lagostomus trichodactylus</i>	1863,	<i>Lampornis gramineus</i> ..	1867,
	1868,		1870,
	1862,	<i>mango</i>	1861,
<i>Lagothrix humboldtii</i> ..	1863,		1864,
	1863,		1866,
	1865,		1867,
<i>Lagyrza megaspila</i>	1867,		1867,
<i>rigusaria</i>	1867,		1867,
<i>Laimodonta conica</i>	1862,		1868,
<i>quoyi</i>	1867,		1868,
<i>sulcata</i>	1867,		1870,
<i>Lajonkairia elegans</i>	1870,		1870,
<i>Lalage leucophæa</i>	1863,	<i>porphyryra</i>	1861,
<i>nycthemera</i>	1863,	<i>prevosti</i>	1870,
<i>terat</i>	1869,		1870,
	1869,	<i>veraguensis</i>	1867,
<i>Lalates osburni</i>	1861,		1870,
<i>Lama glama</i>	1862,	<i>Lamprococyx basalis</i> ..	1869,
<i>huanaca</i>	1862,		1869,
<i>pacos</i>	1862,	<i>plagosus</i>	1869,
<i>Lambertia formosa</i>	1865,		1869,
<i>Lambidium oniscus</i>	1862,	<i>Lamprocolius ignitus</i> ..	1866,
<i>Lamellaria indica</i>	1867,	<i>phœnicopterus</i>	1864,
<i>inflata</i>	1863,		1865,
<i>perspicua</i>	1867,	<i>splendidus</i>	1866,
<i>Lamellina lævis</i>	1864,	<i>Lamprolæma rhami</i>	1864,
	1864,	<i>Lamprophis aurora</i>	1861,
<i>serrata</i>	1864,		1861,
	1864,	<i>Lampropsar guianensis</i> .	1861,
<i>Lamia carcelii</i>	1866,		1868,
<i>germarii</i>	1866,	<i>Lampropygia cœligena</i> ..	1868,
<i>fistulator</i>	1866,		1868,
<i>lusca</i>	1866,		1870,
<i>Laminella baldwini</i>	1869,	<i>Lamproscapha ensiformis</i>	1866,
<i>bella</i>	1869,	<i>wheatleyi</i>	1866,
<i>citrina</i>	1869,	<i>Lamprosoma alienum</i> ..	1866,
<i>concaospira</i>	1869,	<i>concolor</i>	1866,
<i>concinna</i>	1869,	<i>Lamprotornis æneus</i>	1866,
<i>erecta</i>	1869,	<i>columbinus</i>	1867,
<i>fusoidea</i>	1869,	<i>fulvipennis</i>	1869,
<i>gigantea</i>	1869,	<i>metallica</i>	1862,
<i>gravida</i>	1869,		1869,
<i>magna</i>	1869,	<i>obscura</i>	1862,
<i>mighelsiana</i>	1869,		1863,
<i>physa</i>	1869,	<i>purpureus</i>	1869,
<i>picta</i>	1869,	<i>pyrrhopogon</i>	1863,
<i>polita</i>	1869,	<i>Lanceola paretii</i>	1868,
<i>remyi</i>	1869,	<i>Landemania irrorata</i> ..	1869,
<i>sanguinea</i>	1869,		1869,
<i>straminea</i>	1869,		1869,
<i>terebra</i>	1869,	<i>perocellata</i>	1869,
<i>tetrao</i>	1869,	<i>Laniarius albigollis</i>	1863,
<i>venusta</i>	1869,	<i>backbakiri</i>	1865,
<i>violacea</i>	1869,	<i>icterus</i>	1864,

	Page		Page
Laniarius icterus	1870, 148	Lanius dealbatus	1870, 598
	1870, 149	dominicanus	1866, 555
monteiri	1870, 148		1868, 116
	1870, 149	elegans	1870, 595
Lanio atricapillus	1864, 581		1870, 598
aurantius	1864, 581	erythronotus	1863, 286
	1867, 139		1866, 569
leucothorax	1864, 581	excubitor	1861, 365
	1867, 139		1862, 102
	1870, 188		1862, 321
versicolor	1864, 581		1863, 335
Lanistes boltenianus ..	1864, 117		1870, 430
collurio	1864, 8		1870, 590
	1864, 443		1870, 591
	1864, 444		1870, 592
excubitor	1864, 444		1870, 593
excubitoroides	1864, 173		1870, 596
ludovicianus	1864, 173		1870, 597
meridionalis	1864, 444		1870, 598
mexicanus	1864, 173	excubitorius	1870, 590
minor	1864, 444		1870, 599
nyassanus	1865, 233	excubitoroides	1870, 595
ovum	1864, 117		1870, 599
	1864, 118	fallax	1869, 430
	1865, 233		1870, 596
personatus	1864, 444		1870, 597
purpureus	1864, 117	hemileucurus	1870, 596
	1864, 118		1870, 597
	1865, 233	kiek	1870, 599
rufus	1864, 443	lahtora	1870, 590
subcoronatus	1864, 8		1870, 591
Lanius algeriensis	1870, 590		1870, 595
	1870, 593		1870, 596
	1870, 594		1870, 597
	1870, 597		1870, 598
	1870, 598	leucogaster	1863, 28
aucheri	1870, 596		1866, 555
borealis	1870, 590	leuconotus	1870, 596
	1870, 591	leucopygus	1870, 596
	1870, 592		1870, 598
	1870, 593	leucorhynchus	1866, 555
bucephalus	1862, 319	lucionensis	1863, 286
	1863, 287		1863, 296
	1863, 335		1863, 335
	1870, 435		1870, 131
burra	1870, 596		1870, 428
chinensis	1863, 286		1870, 438
	1866, 549	ludovicianus	1870, 590
	1865, 620		1870, 595
collaris	1863, 516	macrocerus	1870, 599
collurio	1863, 531	madagascariensis ..	1870, 390
	1870, 596	magnirostris	1870, 131
cristatus	1863, 286	major	1870, 592
	1865, 693		1870, 593
cucullatus	1863, 30		1870, 597
dealbatus	1870, 593	manillensis	1866, 555
	1870, 596		1868, 116
	1870, 597		1868, 117

	Page		Page
<i>Lanius meridionalis</i>	1870, 590	<i>Larus bridgesi</i>	1867, 336
	1870, 593	<i>brunneicephalus</i> ..	1863, 327
	1870, 594	<i>cachinnans</i>	1863, 327
	1870, 596	<i>canus</i>	1863, 325
	1870, 597		1863, 517
<i>minor</i>	1870, 590		1864, 272
	1870, 594		1864, 455
	1870, 596	<i>cinereo-caudatus</i> ..	1867, 320
	1870, 599		1867, 336
	1870, 600	<i>cirrocephalus</i>	1868, 146
<i>niger</i>	1861, 77		1870, 802
<i>nigriceps</i>	1863, 286	<i>crassirostris</i>	1863, 326
<i>orbitalis</i>	1870, 596	<i>dominicanus</i>	1867, 340
<i>pallens</i>	1870, 596		1868, 529
<i>pallidirostris</i>	1870, 590	<i>franklini</i>	1867, 336
	1870, 598		1867, 340
	1870, 600	<i>frobenii</i>	1867, 320
<i>pallidus</i>	1870, 598	<i>fuliginosus</i>	1870, 323
<i>phoenicurus</i>	1863, 286	<i>fuscescens</i>	1867, 315
	1863, 335	<i>fuscus</i>	1863, 327
	1870, 430		1864, 454
<i>princeps</i>	1870, 599		1867, 315
<i>schach</i>	1863, 286		1867, 416
	1863, 335	<i>glaucescens</i>	1863, 326
	1863, 486	<i>glaucotis</i>	1864, 73
<i>septentrionalis</i>	1870, 592		1867, 340
<i>superciliosus</i>	1863, 286	<i>glaucus</i>	1863, 326
<i>tephronotus</i>	1863, 286		1863, 327
<i>vigil</i>	1870, 599		1864, 495
<i>waldeni</i>	1870, 131	<i>gelastes</i>	1864, 455
	1870, 430	<i>ichthyaetos</i>	1864, 454
<i>Laogona hippocla</i>	1865, 762	<i>kittlitzii</i>	1867, 336
<i>hippocla</i>	1865, 495	<i>leucopterus</i>	1863, 326
<i>hypselis</i>	1865, 762		1863, 327
<i>Laothoe verticillata</i> . . .	1867, 543	<i>maculipennis</i>	1868, 146
<i>Laparocercus azoricus</i> ..	1867, 360	<i>major</i>	1864, 272
	1867, 378	<i>marinus</i>	1861, 365
	1867, 388	<i>melanocephalus</i> . . .	1864, 455
	1867, 391		1868, 178
<i>Lapemis curtus</i>	1862, 224	<i>melanorhynchus</i> ..	1868, 178
<i>Laphyctes melancholicus</i>	1870, 572	<i>melanurus</i>	1863, 326
<i>satrapa</i>	1870, 572		1870, 429
<i>Larentia ærata</i>	1867, 654		1870, 603
<i>variegata</i>	1867, 653	<i>minutus</i>	1869, 530
<i>Larus argentatus</i>	1861, 368		1869, 531
	1862, 376	<i>modestus</i>	1867, 336
	1863, 326		1867, 340
	1863, 327	<i>niveus</i>	1863, 325
	1864, 454		1863, 326
	1867, 315		1864, 272
	1869, 629		1865, 618
<i>audouini</i>	1865, 455	<i>occidentalis</i>	1863, 326
<i>belcheri</i>	1867, 340		1863, 327
	1867, 991		1864, 272
	1868, 570	<i>personatus</i>	1869, 158
<i>bonapartii</i>	1868, 178	<i>ridibundus</i>	1863, 327
	1868, 570		1864, 455
<i>brachyrhynchus</i> ..	1863, 326	<i>rissa</i>	1867, 430

	Page		Page
<i>Larus roseiventris</i>	1864,	<i>Latirus spadiceus</i>	1863,
<i>scoresbii</i>	1867,	<i>squamosus</i>	1862,
	1867,	<i>violaceus</i>	1865,
	1868,	<i>Latona epidermia</i>	1865,
<i>serranus</i>	1869,	<i>Latridius minutus</i>	1867,
<i>tridactylus brachy-</i>			1867,
<i>rhynchus</i>	1863,	<i>nodifer</i>	1867,
<i>Larvivora</i> — ?	1863,		1867,
<i>cyanea</i>	1862,	<i>Latrodictus hamatus</i> ..	1870,
	1863,	<i>Laurion circe</i>	1867,
<i>gracilis</i>	1862,	<i>gemina</i>	1865,
	1863,	<i>metallica</i>	1867,
<i>sibilans</i>	1863,	<i>Lavia frons</i>	1866,
<i>Lasea australis</i>	1867,	<i>Lazaria affinis</i>	1863,
<i>scalaris</i>	1867,	<i>Lebeda ampla</i>	1865,
<i>Lasiocampa strigilis</i> ...	1867,	<i>buddha</i>	1865,
<i>vittata</i>	1867,	<i>concolor</i>	1865,
<i>Lasiommata baldiva</i> ...	1865,	<i>latipennis</i>	1867,
	1865,	<i>nanda</i>	1867,
	1865,	<i>nobilis</i>	1865,
<i>dejanira</i>	1866,	<i>plagiata</i>	1865,
<i>menava</i>	1865,	<i>plagifera</i>	1865,
	1865,	<i>repanda</i>	1865,
<i>satricus</i>	1865,	<i>undans</i>	1867,
	1865,	<i>vinata</i>	1865,
<i>schakra</i>	1865,	<i>Leda</i>	1862,
<i>telephassa</i>	1865,	<i>crassa</i>	1865,
<i>Lasiopus</i>	1864,	<i>dohrni</i>	1861,
<i>Lasiorhinus latifrons</i> ..	1865,		1867,
<i>m'coyii</i>	1865,	<i>elenensis</i>	1863,
	1865,	<i>fossa</i>	1863,
<i>Lasiurus grayii</i>	1862,	<i>irradiata</i>	1870,
<i>novaboracensis</i>	1861,	<i>polita</i>	1863,
<i>rufus</i>	1865,	<i>Legatus albicollis</i>	1864,
<i>Latax canadensis</i>	1865,		1867,
<i>lataxina</i>	1865,		1867,
<i>marina</i>	1865,		1870,
<i>Lataxina mollis</i>	1865,	<i>variegatus</i>	1864,
<i>Laterirallus gossii</i>	1868,	<i>Leila blainvilliana</i> ...	1866,
<i>hypoleucus</i>	1868,	<i>gigantea</i>	1866,
<i>Lates calcarifer</i>	1865,	<i>Leiobalana</i>	1864,
	1869,	<i>Leiodon viridipunctatus</i>	1865,
	1870,	<i>Leiolepis bellii</i>	1861,
	1870,	<i>reevesii</i>	1863,
<i>colonorum</i>	1864,	<i>Leiopyrga cingulata</i> ...	1863,
	1870,		1865,
<i>Lathria cinerea</i>	1861,	<i>picturata</i>	1865,
<i>fusco-cinerea</i>	1861,		1867,
<i>Lathriosoma typicum</i> ..	1861,	<i>Leiostraca</i> — ?	1863,
<i>Latiaxis nodosa</i>	1867,	<i>acutissima</i>	1867,
<i>pagodus</i>	1863,	<i>involuta</i>	1863,
<i>tortilis</i>	1863,	<i>iota</i>	1863,
<i>Latirus castaneus</i>	1863,	<i>linearis</i>	1863,
<i>ceratus</i>	1863,	<i>producta</i>	1863,
<i>gemmatus</i>	1865,		1865,
<i>gibbus</i>	1865,	<i>recta</i>	1863,
<i>prismaticus</i>	1865,		1865,
<i>rudis</i>	1863,	<i>solitaria</i>	1863,

	Page		Page
<i>Leiostraca solitaria</i>	1865, 273	<i>Lemur furcifer</i>	1864, 621
<i>Leiothrix cinerea</i>	1861, 202		1864, 622
<i>luteus</i>	1866, 418		1864, 623
<i>Leipoa</i>	1862, 85		1864, 642
<i>ocellata</i>	1861, 288	<i>galago</i>	1863, 147
	1864, 42		1864, 629
<i>Leistes albipes</i>	1867, 320		1864, 647
	1867, 985	<i>griseus</i>	1863, 142
<i>americanus</i>	1870, 576		1863, 161
<i>anticus</i>	1868, 140		1864, 612
	1870, 673		1864, 639
<i>guianensis</i>	1867, 573	<i>indri</i>	1863, 133
	1867, 750	<i>lanatus</i>	1863, 141
	1869, 252		1866, 151
	1870, 176	<i>laniger</i>	1863, 141
	1870, 191		1866, 151
	1870, 576		1866, 152
<i>icterocephalus</i>	1870, 576		1867, 247
<i>melanicterus</i>	1870, 575	<i>leucomystax</i>	1862, 347
<i>superciliaris</i>	1868, 140		1863, 136
	1870, 333		1864, 710
<i>Leiuranus</i> — ?	1861, 226		1866, 1
<i>Lelapia australis</i>	1867, 557		1866, 419
<i>Lema postrema</i>	1866, 353	<i>macaco</i>	1862, 322
<i>Lemintina</i> — ?	1862, 65		1862, 347
<i>cuvieri</i>	1862, 80		1863, 136
<i>Lemmus hudsonius</i>	1868, 349		1864, 633
<i>norvegicus</i>	1862, 324		1866, 1
	1868, 624	<i>mayottensis</i>	1866, 419
<i>Lemnas mutabilis cora</i>	1866, 276	<i>milii</i>	1864, 612
<i>Lemur</i>	1863, 131		1864, 617
	1864, 325		1864, 642
<i>albifrons</i>	1863, 137	<i>mongoz</i>	1862, 322
	1864, 710		1863, 137
<i>albimana</i>	1863, 139		1863, 138
<i>albimanus</i>	1868, 624		1863, 139
<i>anjuanensis</i>	1862, 102	<i>murinus</i>	1863, 143
	1863, 139		1864, 617
<i>avahi</i>	1866, 151		1864, 620
<i>bicolor</i>	1864, 707		1864, 641
<i>catta</i>	1861, 249	<i>niger</i>	1863, 136
	1862, 325		1864, 710
	1863, 136	<i>nigrifrons</i>	1862, 185
	1864, 326		1862, 322
	1864, 633		1863, 137
	1864, 710		1864, 710
	1866, 419		1868, 624
	1868, 624		1870, 40
<i>chrysampyx</i>	1863, 138	<i>pusillus</i>	1863, 149
<i>cinereus</i>	1864, 639		1864, 617
<i>collaris</i>	1863, 139		1864, 618
<i>crassicaudatus</i>	1863, 140		1864, 641
	1864, 645		1867, 972
<i>diadema</i>	1867, 247	<i>ruber</i>	1863, 136
<i>flaviventer</i>	1863, 138	<i>rufifrons</i>	1863, 138
<i>flavus</i>	1864, 707		1868, 624
<i>furcifer</i>	1863, 145	<i>rufiventer</i>	1863, 138
	1864, 612	<i>rufus</i>	1863, 138

	Page		Page
Lemur spectrum	1863, 151	Leopardus macrocelides.	1862, 353
tarsius	1863, 151	macrocelis	1862, 352
varius	1863, 136		1864, 381
	1864, 710		1870, 4
volans	1863, 152		1870, 228
xanthomystax	1863, 138	onca	1867, 264
	1864, 710	pardus	1867, 263
	1868, 624		1870, 628
	1870, 40	pictus	1867, 271
Lenyra astaroth	1867, 676		1867, 403
Leo africanus	1867, 263	reevesii	1863, 184
asiaticus	1863, 182		1870, 629
barbarus	1863, 182	sumatranus	1867, 401
capensis	1863, 182	tigrinoides	1867, 271
gambianus	1863, 182		1867, 404
	1867, 263	varius	1870, 228
googerattensis	1863, 182		1870, 237
	1867, 263	viverrinus	1861, 136
marinus	1864, 34	Lepas anatifera	1869, 441
	1868, 190	Lepidocephalichthys bal-	
nobilis	1867, 263	gara	1869, 383
persicus	1867, 263		1870, 370
senegalensis	1863, 182	thermalis	1870, 371
Leopardus auratus	1867, 265	Lepidocolaptes atripes ..	1870, 113
brachyurus	1862, 352	Lepidonotus fragilis	1863, 108
	1863, 183	grubei	1863, 107
	1864, 380	insignis	1863, 106
	1867, 264	lordii	1863, 107
	1867, 266	Lepidophyma flavimacu-	
	1870, 4	lata	1863, 155
	1870, 628	Lepidopleurus adamsii ..	1865, 274
chinensis	1863, 184		1865, 275
	1867, 264	antiquus	1867, 223
	1870, 430	liratus	1864, 192
concolor	1867, 265		1865, 187
elliotti	1863, 184	longicymba	1865, 187
	1867, 269		1867, 222
	1867, 399	proteus	1867, 222
griseus	1867, 270	speciosus	1864, 192
	1867, 403		1865, 187
hernandesii	1867, 402	tenuisculptus	1865, 275
hernandezii	1867, 265	ustulatus	1867, 222
himalayanus	1867, 267	variegatus	1864, 192
	1867, 404		1865, 187
	1867, 405	Lepidosiren	1862, 98
	1870, 796		1863, 475
inconspicuus	1863, 185	annectens	1862, 103
	1867, 273		1862, 129
	1867, 396		1868, 286
japonensis	1862, 262		1870, 221
	1864, 378	dissimilis	1866, 34
	1867, 264	paradoxa	1862, 130
	1870, 4		1862, 131
	1870, 431		1866, 34
	1870, 628	Lepidosternon grayii ..	1865, 444
japonicus	1863, 183		1865, 452
	1863, 510		1865, 453
macrocelides	1862, 352	macrocephalum	1865, 452

	Page		Page
<i>Lepidosternon maximi-</i>		<i>Leptachatina dimidiata</i>	1869, 651
<i>lianus</i>	1865, 452	<i>exilis</i>	1869, 651
<i>microcephalum</i>	1865, 444	<i>extensa</i>	1869, 651
	1865, 451	<i>extincta</i>	1869, 651
<i>phocæna</i>	1865, 444	<i>fusca</i>	1869, 651
	1865, 453	<i>fuscula</i>	1869, 651
<i>scutigerum</i>	1865, 454	<i>glutinosa</i>	1869, 651
<i>sphenorhynchum</i>	1865, 454	<i>gracilis</i>	1869, 651
<i>Lepidurus angasii</i>	1866, 122	<i>grana</i>	1869, 651
	1866, 123	<i>guttula</i>	1869, 651
<i>viridis</i>	1866, 122	<i>kanaiensis</i>	1869, 650
<i>Lepilemur</i>	1863, 132	<i>lævis</i>	1869, 651
<i>furcifer</i>	1863, 145	<i>lucida</i>	1869, 650
	1864, 621	<i>margarita</i>	1869, 651
	1864, 642	<i>nitida</i>	1869, 651
	1867, 971	<i>obclavata</i>	1869, 651
<i>griseus</i>	1863, 161	<i>obsolata</i>	1869, 650
<i>murinus</i>	1863, 143	<i>obtusa</i>	1869, 651
	1864, 615	<i>oryza</i>	1869, 651
	1864, 616	<i>pyramis</i>	1869, 651
	1864, 618	<i>resinula</i>	1869, 651
	1864, 639	<i>sandwichensis</i>	1869, 650
	1864, 641	<i>saxatilis</i>	1869, 650
	1867, 966	<i>sculpta</i>	1869, 650
	1867, 973	<i>scutilus</i>	1869, 650
<i>mustelinus</i>	1863, 144	<i>semicostata</i>	1869, 651
	1864, 623	<i>simplex</i>	1869, 651
	1864, 643	<i>striatula</i>	1869, 651
	1866, 419	<i>tenebrosa</i>	1869, 651
	1867, 968	<i>tenuicostata</i>	1869, 651
	1867, 971	<i>terebralis</i>	1869, 651
<i>myoxinus</i>	1863, 144	<i>teres</i>	1869, 651
	1864, 640	<i>Leptacinus pusillus</i>	1867, 362
	1867, 972		1867, 383
<i>ruficaudatus</i>	1867, 968	<i>Leptasthenura ægitha-</i>	
	1867, 971	<i>loides</i>	1867, 324
<i>Leporinus frederici</i>	1868, 244		1867, 338
<i>hypselonotus</i>	1868, 244		1869, 632
<i>megalepis</i>	1868, 229	<i>andicola</i>	1869, 636
	1868, 244	<i>paranensis</i>	1861, 377
<i>Lepralia adpressa</i>	1865, 269	<i>Leptinaria elisæ</i>	1861, 231
<i>Leprodera elongata</i>	1866, 250	<i>emmelinæ</i>	1861, 231
<i>plagiata</i>	1866, 250	<i>lamellata</i>	1866, 443
<i>pleuricausta</i>	1866, 250	<i>Leptocephalus malabari-</i>	
<i>trimaculata</i>	1866, 250	<i>cus</i>	1865, 308
<i>Leptachatina accincta</i>	1869, 650	<i>Leptochiton versicolor</i>	1867, 223
<i>acuminata</i>	1869, 650	<i>Leptocircus curius</i>	1865, 753
<i>antiqua</i>	1869, 651	<i>meges</i>	1865, 758
<i>balteata</i>	1869, 651	<i>Leptocoma braziliana</i>	1866, 543
<i>brevicula</i>	1869, 651	<i>zeylanica</i>	1865, 691
<i>cerealis</i>	1869, 651		1865, 694
<i>chrysalis</i>	1869, 650	<i>Leptodeira annulata</i>	1861, 15
<i>cingula</i>	1869, 651		1863, 55
<i>clausina</i>	1869, 650	<i>rufescens</i>	1861, 209
<i>compacta</i>	1869, 651		1861, 265
<i>cornea</i>	1869, 651		1864, 307
<i>costulosa</i>	1869, 651	<i>Leptodera appendiculata</i>	1870, 12
<i>cylindrata</i>	1869, 650	<i>Leptognathus catesbyi</i>	1861, 15

	Page		Page
Leptognathus catesbyi ..	1863, 56	Leptoptila — ?	1864, 370
mikanii	1863, 56		1867, 159
Leptojulis cyanopleura ..	1861, 412	albifrons	1864, 178
Leptomerus heloicus ..	1866, 442		1864, 370
Lepton adamsi	1867, 910		1868, 60
	1867, 911		1870, 838
	1867, 928	brasiliensis	1869, 633
Leptonyx weddellii	1864, 33	cassini	1868, 59
Leptopelecanus fuscus ..	1869, 586		1868, 60
Leptophis trifrenatus ..	1861, 219		1870, 217
Leptopogon amauroce-		cerviniventris	1868, 59
phala	1866, 567		1868, 60
amaurocephalus ..	1864, 358	chalcauchenia	1869, 633
	1867, 757	dubusi	1866, 198
	1870, 197		1868, 60
erythropros	1862, 111	erythrothorax	1868, 60
flavovirens	1864, 361	jamaicensis	1868, 60
peruvianus	1867, 751	plumbeiceps	1868, 59
	1867, 757		1868, 60
pileatus	1866, 567		1870, 838
	1867, 757	rufaxilla	1867, 591
	1870, 197		1868, 59
pœcilotis	1862, 111		1868, 60
poliocephalus	1870, 197		1869, 598
superciliaris	1862, 111	verreauxi	1864, 370
	1870, 197		1867, 159
Leptopoma caroli	1862, 182		1868, 60
cinctellum	1861, 388		1870, 217
	1865, 413		1870, 782
decipiens	1861, 29	Leptoptilos agala	1865, 693
	1865, 413	Leptoptilus argala	1863, 517
dohrnii	1864, 38	capillatus	1863, 225
globulosum	1861, 29	Leptosceles mitchelli ..	1867, 331
lowei	1865, 414		1867, 339
mathildæ	1862, 182	Leptosoma discolor	1870, 398
melanostoma	1865, 414	Leptosomus afer	1866, 424
menadense	1861, 389		1870, 398
mouhoti	1861, 195	crombec	1865, 683
nigricans	1861, 388	discolor	1865, 682
panayense	1864, 39		1865, 683
papuanum	1862, 181		1865, 684
	1865, 413		1865, 834
pellucidum	1862, 181	viridis	1865, 683
pfeifferi	1862, 182	Leptotarsis eytoni	1864, 301
portei	1862, 116		1866, 418
	1862, 117	Leptotriccus supercilia-	
pulcarium	1861, 29	ris	1868, 389
scalare	1865, 414		1870, 176
	1865, 416		1870, 196
trochus	1862, 182	sylviola	1868, 389
undatum	1865, 413	Leptoxyura cinnamomea	1866, 184
wallacei	1865, 413		1867, 574
Leptopterus melaleucus	1868, 116		1867, 595
viridis	1865, 835		1867, 978
	1866, 423		1869, 252
	1870, 389	Leptura — ?	1867, 362
Leptopteryx leucorhyn-			1867, 379
chus	1866, 556	Lepus — ?	1870, 80

	Page		Page
<i>Lepus ægyptiacus</i>	1866,	<i>Lepus variabilis</i>	1869,
<i>æthiopicus</i>	1866,		1869,
<i>americanus</i>	1869,	<i>Lepyrodes geometralis</i> ..	1866,
	1869,		1867,
	1869,	<i>lepidalis</i>	1867,
	1869,	<i>perspicualis</i>	1867,
<i>arcticus</i>	1868,	<i>Lernæa cyclopterina</i>	1861,
<i>brachyotis</i>	1862,	<i>Lesbia forficata</i>	1868,
<i>campestris</i>	1869,	<i>Lesinia farcimen</i>	1868,
<i>cuniculus</i>	1862,	<i>Lestris buffonii</i>	1863,
	1866,	<i>parasita</i>	1863,
<i>douglasii</i>	1861,	<i>pomarina</i>	1863,
<i>glacialis</i>	1868,	<i>pomerinus</i>	1861,
	1868,	<i>Lethe drypetis</i>	1870,
	1868,	<i>dyrta</i>	1870,
	1868,	<i>Lethrinus cæruleus</i>	1867,
	1868,	<i>crocopterus</i>	1867,
	1869,	<i>genivittatus</i>	1867,
	1869,	<i>harak</i>	1870,
<i>hainanus</i>	1870,	<i>karwa</i>	1867,
	1870,	<i>longirostris</i>	1867,
	1870,	<i>nebulosus</i>	1867,
<i>isabellinus</i>	1866,	<i>ramak</i>	1867,
<i>nanus</i>	1869,		1868,
<i>nigricollis</i>	1870,		1868,
<i>nigripes</i>	1861,	<i>striatus</i>	1867,
<i>palustris</i>	1861,	<i>xanthotænia</i>	1870,
	1870,	<i>Leucania confusa</i>	1867,
<i>peguensis</i>	1870,	<i>decissima</i>	1867,
<i>princeps</i>	1863,	<i>designata</i>	1867,
	1863,	<i>exsanguis</i>	1867,
<i>ruficaudatus</i>	1870,	<i>exterior</i>	1867,
<i>saxatilis</i>	1864,	<i>extranea</i>	1867,
<i>sinaiticus</i>	1866,	<i>pulcherrima</i>	1867,
<i>sinensis</i>	1861,		1867,
	1862,	<i>venalba</i>	1867,
	1864,	<i>Leucinodes orbonalis</i> ..	1867,
	1870,	<i>Leucippus chionogaster</i> .	1866,
	1870,	<i>chlorocereus</i>	1866,
	1870,		1866,
	1870,		1867,
<i>syriacus</i>	1866,	<i>Leuciscus</i> —?	1862,
<i>timidus</i>	1861,	<i>binotatus</i>	1869,
	1861,	<i>brachiatus</i>	1861,
	1862,	<i>erythrophthalmus</i> ..	1861,
	1862,	<i>harengula</i>	1869,
	1864,	<i>malabaricus</i>	1865,
	1866,	<i>melettinus</i>	1869,
	1869,	<i>novacula</i>	1869,
	1870,	<i>rutilus</i>	1861,
	1870,	<i>salmonoides</i>	1869,
<i>tolai</i>	1870,	<i>stigma</i>	1868,
	1870,	<i>Leucocerca pectoralis</i> ..	1866,
	1870,	<i>Leucocyon lagopus</i>	1868,
	1870,	<i>Leucodipterum sinense</i> .	1870,
<i>variabilis</i>	1861,		1870,
	1862,	<i>Leucodipteron canorum</i> .	1863,
	1868,	<i>sinense</i>	1863,
	1869,		278

	Page		Page
<i>Leucogypsia algoensis</i> ..	1867, 557	<i>Lieberkuhnia agagrophla</i>	1867, 520
<i>gossei</i>	1867, 557	<i>calix</i>	1867, 520
<i>Leucoma latifascia</i>	1865, 806	<i>ciliata</i>	1867, 554
<i>subvitrea</i>	1867, 680	<i>Lielaphis holochrous</i> ..	1863, 60
<i>1865, 803</i>	803	<i>Ligula colubri-blumen-</i>	
<i>Leuconia fistulosa</i>	1867, 556	<i>bachii</i>	1861, 120
<i>nivea</i>	1867, 556	<i>Ligurinus chloris</i>	1863, 160
<i>pumila</i>	1867, 556	<i>Lima angulata</i>	1863, 363
<i>Leucophæus belcheri</i> ..	1867, 991	<i>arcuata</i>	1865, 656
<i>Leucophlebia lineata</i> ..	1865, 793	<i>bullata</i>	1863, 363
<i>Leucopternis albicollis</i> ..	1870, 555	<i>distorta</i>	1865, 656
<i>ghiesbreghti</i>	1870, 215	<i>fragilis</i>	1867, 933
<i>kaupi</i>	1867, 589	<i>pacifica</i>	1865, 281
<i>kuhli</i>	1867, 589	<i>scabra</i>	1865, 657
<i>princeps</i>	1865, 429	<i>squamosa</i>	1867, 933
<i>semiplumbeus</i>	1864, 369	<i>tenera</i>	1861, 405
<i>superciliaris</i>	1867, 589	<i>Limacodes apicalis</i>	1867, 685
<i>1867, 595</i>	595	<i>graciosa</i>	1867, 684
<i>Leucosarcia picata</i>	1869, 628	<i>retractata</i>	1865, 819
<i>Leucosolenia botryoides</i>	1867, 555	<i>Limæa pectinata</i>	1870, 7
<i>contorta</i>	1867, 555	<i>1870, 9</i>	9
<i>coriacea</i>	1867, 556	<i>Limaria vulgaris</i>	1862, 228
<i>lacunosa</i>	1867, 555	<i>Limatula bullata</i>	1863, 509
<i>pulchra</i>	1867, 556	<i>1865, 656</i>	656
<i>Leucospiza novæ-hollan-</i>		<i>ceylanica</i>	1863, 509
<i>diæ</i>	1867, 178	<i>falklandica</i>	1863, 509
<i>1867, 179</i>	179	<i>japonica</i>	1863, 509
<i>1867, 393</i>	393	<i>subauriculata</i>	1863, 509
<i>Leucosticte arctoa</i>	1868, 580	<i>Limax agrestis</i>	1865, 531
<i>brandti</i>	1868, 580	<i>berytensis</i>	1865, 531
<i>brunneinucha</i>	1868, 580	<i>noctilucus</i>	1864, 250
<i>gigliolii</i>	1868, 579	<i>phœniciacus</i>	1865, 531
<i>griseinucha</i>	1868, 580	<i>tenellus</i>	1865, 531
<i>hæmatopygia</i>	1868, 580	<i>variegatus</i>	1865, 545
<i>tephrocotis</i>	1868, 580	<i>Limenitis danava</i>	1865, 765
<i>Leucotina esther</i>	1867, 116	<i>daraxa</i>	1865, 765
<i>1867, 117</i>	117	<i>dudu</i>	1865, 765
<i>1867, 225</i>	225	<i>ismene</i>	1865, 764
<i>Leucozonia cingulata</i> ..	1863, 344	<i>ligyes</i>	1865, 497
<i>Levenia coarctata</i>	1863, 345	<i>procris</i>	1865, 764
<i>Lexias dirtea</i>	1865, 767	<i>trivena</i>	1865, 497
<i>Lialis childrenii</i>	1862, 225	<i>zayla</i>	1865, 764
<i>Libratula plana</i>	1865, 512	<i>zulema</i>	1865, 764
<i>Libythea lepita</i>	1865, 771	<i>Limicola pygmæa</i>	1864, 272
<i>1870, 726</i>	726	<i>Limicolaria crystallinus</i> .	1865, 412
<i>myrrha</i>	1865, 771	<i>flammea</i>	1864, 116
<i>Lichanotus</i>	1863, 132	<i>1864, 118</i>	118
<i>indri</i>	1864, 326	<i>nilotica</i>	1864, 116
<i>laniger</i>	1866, 151	<i>1864, 118</i>	118
<i>Lichenops erythropterus</i>	1868, 141	<i>tenebrica</i>	1864, 116
<i>1869, 433</i>	433	<i>1864, 118</i>	118
<i>perspicillatus</i>	1868, 141	<i>1864, 118</i>	118
<i>1869, 432</i>	432	<i>1864, 118</i>	118
<i>1869, 433</i>	433	<i>turris</i>	1866, 375
<i>Lichia glauca</i>	1868, 225	<i>1861, 25</i>	25
<i>toloo-parah</i>	1867, 861	<i>Limnæa</i> — ?	1864, 117
<i>Licinus brevicollis</i>	1867, 363		
<i>1867, 367</i>	367		

	Page		Page
<i>Limnæa</i> — ?	1865, 197	<i>Limosa hudsonica</i>	1867, 332
<i>elodes</i>	1863, 68		1867, 339
<i>emarginata</i>	1862, 106		1869, 252
<i>natalensis</i>	1865, 233	<i>lapponica</i>	1863, 312
<i>ovata</i>	1862, 106	<i>melanura</i>	1862, 185
<i>sumassii</i>	1863, 68		1863, 313
<i>swinhoei</i>	1866, 319	<i>melanuroïdes</i>	1863, 313
<i>Limnæus peregra</i>	1870, 36	<i>recurvirostra</i>	1863, 312
<i>syriacus</i>	1865, 540	<i>rufa</i>	1862, 320
<i>tener</i>	1865, 540		1863, 312
<i>truncatulus</i>	1865, 545		1866, 18
<i>Limnas ferruginea vin-</i>		<i>uropygialis</i>	1863, 312
<i>cetoxici</i>	1866, 45		1863, 313
<i>mutabilis midamus</i>	1866, 272	<i>Lina ænea</i>	1866, 354
— <i>nemertes</i>	1866, 287	<i>formosana</i>	1866, 354
<i>Limnetis gouldii</i>	1862, 149	<i>Linaria chloris</i>	1863, 516
<i>wahlbergii</i>	1862, 149	<i>Lineus beattii</i>	1866, 101
<i>Limnocharis</i> — ?	1869, 294	<i>longissimus</i>	1866, 102
<i>Limnocinclus acuminatus</i>	1868, 8	<i>Linguatula pinguicola</i> ..	1862, 293
<i>Limnocorax flavirostris</i> ..	1864, 114	<i>venarum</i>	1862, 294
	1865, 95	<i>Lingula hians</i>	1867, 935
	1867, 827	<i>ovalis</i>	1866, 146
	1867, 828	<i>Linota canescens</i>	1861, 368
<i>Limnodynastes affinis</i> ..	1868, 480	<i>cannabina</i>	1861, 59
<i>dorsalis</i>	1863, 387		1862, 129
<i>dumerilii</i>	1868, 478		1864, 448
<i>krefftii</i>	1863, 387	<i>montium</i>	1861, 59
	1868, 480	<i>Linsang</i>	1864, 503
<i>platycephalus</i>	1868, 480	<i>gracilis</i>	1864, 519
<i>tasmaniensis</i>	1863, 387	<i>pardicolor</i>	1864, 520
<i>Limnopardalis variegatus</i>	1868, 444	<i>richardsoni</i>	1864, 520
<i>Limnornis curvirostris</i> ..	1868, 138	<i>Liocardium apicinum</i> ..	1865, 274
	1868, 141	<i>Liolepis guttatus</i>	1870, 240
	1868, 636	<i>Liolepisma belli</i>	1865, 469
	1870, 113	<i>Liopelma hochstetteri</i> ..	1868, 478
<i>Limopsis abyssicola</i>	1862, 230	<i>Liophis cobella</i>	1861, 14
<i>belcheri</i>	1862, 229		1861, 322
<i>borealis</i>	1862, 229		1863, 57
<i>cancellata</i>	1862, 229	<i>conirostris</i>	1861, 14
<i>concinna</i>	1870, 7		1861, 322
	1870, 9		1863, 57
<i>crenata</i>	1862, 230	<i>merremii</i>	1861, 14
<i>cumingi</i>	1862, 229		1861, 322
<i>forskalii</i>	1862, 230		1863, 57
<i>japonica</i>	1862, 229	<i>reginæ</i>	1861, 14
	1862, 230		1861, 322
	1866, 146		1863, 57
<i>macgillivrayi</i>	1862, 230	<i>Liosceles</i>	1864, 610
<i>multistriata</i>	1862, 229	<i>Liotia angasi</i>	1865, 178
	1862, 231		1867, 214
<i>obliqua</i>	1862, 229	<i>armata</i>	1863, 72
	1862, 230	<i>australis</i>	1863, 72
<i>oblonga</i>	1862, 229		1865, 178
<i>philippii</i>	1862, 230	<i>clathrata</i>	1863, 72
<i>pygmæa</i>	1862, 229	<i>dædala</i>	1863, 72
<i>woodwardi</i>	1862, 231	<i>pilula</i>	1863, 72
<i>Limosa ægocephala</i>	1863, 313	<i>siderea</i>	1863, 72
<i>cinerea</i>	1863, 312		1865, 178

	Page		Page
<i>Liotia tantilla</i>	1863, 72	<i>Lithosia remelana</i>	1865, 798
<i>Liothrix lutea</i>	1863, 298	<i>reticulata</i>	1865, 798
<i>Lipaugus albogriseus</i> ..	1864, 362	<i>servia</i>	1867, 677
<i>cineraceus</i>	1861, 210	<i>tetragona</i>	1867, 677
<i>fuscocinereus</i>	1867, 579	<i>vagesa</i>	1867, 677
<i>holerythrus</i>	1861, 210	<i>varana</i>	1865, 797
.....	1861, 211	<i>viridata</i>	1865, 797
.....	1864, 361	<i>Lithospongia torva</i>	1867, 506
.....	1867, 149	<i>Litiopa bombyx</i>	1868, 617
.....	1867, 279	1868, 619
.....	1870, 199	1868, 621
<i>hypopyrrhus</i>	1861, 211	<i>saxicola</i>	1863, 354
.....	1867, 757	<i>Litoria aurea</i>	1870, 402
<i>lateralis</i>	1867, 751	<i>latopalmata</i>	1868, 481
.....	1867, 757	<i>marmorata</i>	1863, 387
<i>plumbeus</i>	1861, 210	<i>nasuta</i>	1863, 387
<i>rufescens</i>	1861, 211	1863, 388
.....	1864, 361	<i>punctata</i>	1863, 387
.....	1867, 149	<i>wilcoxii</i>	1864, 48
.....	1861, 211	1868, 481
.....	1866, 190	<i>Littorina anglostoma</i> ..	1863, 352
<i>subalaris</i>	1861, 210	<i>angulifera</i>	1861, 405
.....	1861, 211	<i>aspera</i>	1863, 352
.....	1861, 211	<i>atrata</i>	1863, 352
<i>unirufus</i>	1861, 211	1863, 354
.....	1861, 212	1867, 209
.....	1864, 361	<i>australis</i>	1863, 352
.....	1867, 149	<i>carinifera</i>	1863, 352
.....	1867, 279	<i>conspersa</i>	1863, 353
.....	1870, 199	1863, 353
<i>Lipotus mellivorus</i>	1865, 144	<i>dilatata</i>	1861, 405
<i>Lissotriton palmatus</i>	1863, 159	<i>dubiosa</i>	1863, 352
<i>punctatus</i>	1862, 103	<i>excavata</i>	1863, 352
<i>Litbada sericearia</i>	1867, 624	<i>fasciata</i>	1863, 352
<i>Lithocharis apicalis</i>	1867, 363	1863, 353
.....	1867, 384	<i>foveata</i>	1863, 352
<i>debilicornis</i>	1867, 364	<i>laevis</i>	1867, 209
.....	1867, 384	<i>mauritiana</i>	1867, 209
.....	1867, 362	<i>megasoma</i>	1863, 352
<i>ochracea</i>	1867, 384	<i>melanostoma</i>	1866, 146
.....	1867, 384	<i>muricata</i>	1861, 405
<i>ripicola</i>	1867, 363	<i>newcombiana</i>	1866, 146
.....	1867, 384	<i>obesa</i>	1866, 146
.....	1867, 364	<i>parvula</i>	1863, 352
.....	1867, 384	<i>philippii</i>	1863, 352
.....	1867, 384	1863, 353
<i>tricolor</i>	1867, 384	1865, 172
<i>Lithocolletis bauhiniae</i> ..	1867, 672	<i>pintado</i>	1866, 146
<i>Lithodermus cuneus</i> ..	1868, 94	<i>pulchra</i>	1863, 353
<i>Lithodomus</i> — ?	1863, 363	<i>puncticulata</i>	1863, 353
<i>Lithophaga canaliferus</i> ..	1865, 196	<i>pyramidalis</i>	1867, 209
<i>fusca</i>	1866, 146	<i>undulata</i>	1865, 172
<i>Lithophagus aristatus</i> ..	1863, 363	1865, 197
<i>attenuatus</i>	1863, 363	1865, 197
<i>cinnamomeus</i>	1863, 364	<i>unifasciata</i>	1865, 172
<i>plumula</i>	1863, 363	1867, 209
<i>Lithosia basinota</i>	1865, 798	<i>varia</i>	1863, 352
<i>beema</i>	1865, 798	1863, 353
<i>cramboides</i>	1867, 666	<i>ziczac</i>	1861, 405
<i>disjuncta</i>	1865, 797	<i>Lituarina</i>	1862, 31
<i>magnifica</i>	1865, 797		

	Page		Page
Lituaria australis	1862, 33	Lontra enhydridis	1865, 125
phalloides	1862, 34	insularis	1865, 125
Lituina	1862, 33	Lophinus palmatus	1863, 203
Lituus lævis	1862, 226	punctatus	1863, 203
1869, 186		Lophiomys imhausii	1868, 183
Liuperus elegans	1868, 479	Lophius piscatorius	1862, 138
Lobiger —?	1861, 246	Lophocercus viridis	1861, 246
viridis	1863, 510	Lophocerus galeatus	1870, 519
Lobiospiza notabilis	1870, 817	Lophohelia prolifera	1862, 245
Lobipes antarcticus	1867, 332	Lopholæmus antarcticus.	1862, 250
hyperboreus	1863, 315	1864, 158	
Lobivanellus cinereus ..	1863, 309	Lophophanes atricrista-	
goënsis	1864, 376	tus	1865, 397
1866, 569		Lophophorus	1862, 253
1866, 571		cuvieri	1863, 120
inornatus	1863, 309	1868, 623	
lateralis	1863, 90	impeyanus	1863, 104
1869, 437		1863, 115	
lobatus	1866, 203	1863, 126	
1869, 280		1865, 256	
Lobocheilus gobioides ..	1861, 225	1868, 297	
ricnorhynchus	1861, 225	1869, 628	
Lobodon carcinophaga ..	1864, 33	1870, 163	
Lobostoma cinnamo-		refulgens	1868, 1
meum	1866, 148	sclateri	1870, 162
quadridens	1861, 65	1870, 163	
Lobotes surinamensis ..	1865, 14	1870, 219	
1869, 299		Lophopteryx saturata ..	1865, 814
1870, 683		Lophorina superba	1862, 159
Locastra cuproviridalis .	1867, 87	1862, 160	
phereciuscalis	1867, 86	Lophornis adorabilis ..	1870, 176
Locustella certhiola	1863, 293	1870, 207	
1863, 336		delatirii	1864, 365
1870, 430		1870, 207	
hendersonii	1863, 293	1870, 208	
1863, 336		helenæ	1870, 207
macropus	1863, 93	1870, 208	
1863, 293		magnifica	1870, 207
minuta	1863, 93	reginæ	1868, 629
1863, 293		Lophortyx californianus.	1862, 322
ochotensis	1863, 93	Lophosaura	1864, 468
1863, 293		pumila	1864, 467
1863, 336		1864, 474	
1870, 601		tigris	1864, 467
raii	1863, 93	1864, 475	
1863, 94		ventralis	1864, 467
rubescens	1863, 93	1864, 475	
Loepa katinka	1865, 818	Lophospiza griseiceps ..	1867, 178
miranda	1867, 684	trivirgata	1867, 178
sikkima	1865, 818	Lophostoma	1861, 105
Loncheres myosurus ..	1868, 203	bidens	1866, 113
Lonchorhina	1863, 81	sylvicolum	1861, 104
aurita	1863, 83	1861, 106	
1866, 113		1861, 108	
Lonchura anomala	1868, 203	Lophostrix cristata	1867, 590
Lontra brasiliensis ..	1865, 125	stricklandi	1867, 158
1865, 128		1870, 216	
Proc. Zool. Soc. Index, 1861-70.		Lophotes cepedianus ..	1863, 40

	Page		Page
Lophotes cristatus	1863,	Loriculus galgulus	1863,
reinwardtii	1863,		1864,
Lophotibis cristata	1865,		1864,
Lophura hyas	1865,		1866,
	1866,	indicus	1863,
Lophyrus adamsii	1863,	melanopterus	1864,
	1865,		1864,
australis	1867,	pusillus	1863,
concentricus	1867,		1864,
	1867,		1864,
dispar	1863,	regulus	1864,
glaucus	1867,		1864,
jugosus	1867,	sclateri	1862,
muricatus	1865,		1862,
	1867,		1864,
perviridis	1865,		1864,
smaragdinus	1867,	stigmatus	1864,
	1867,		1864,
	1867,	vernalis	1866,
stokesii	1863,		1866,
	1865,	Loripes	1862,
tenuisculptus	1863,	assimilis	1867,
tulipa	1865,		1867,
Lorica angasi	1864,		1867,
	1865,	decussata	1870,
cimolia	1864,		1870,
	1865,	icterica	1865,
	1867,		1867,
volvox	1864,		1867,
Loricaria acuta	1868,	leucoma	1865,
barbata	1868,	ovum	1867,
lamina	1868,	picta	1870,
	1868,	tumida	1867,
	1868,	Loris	1864,
lanceolata	1868,		1864,
	1868,		1864,
macromystax	1869,	ceylonicus	1863,
	1869,	gracilis	1862,
	1869,		1863,
platystoma	1868,		1864,
	1868,		1864,
	1868,		1865,
rostrata	1868,		1870,
Loriculus	1864,	Lorius amboinensis	1863,
amabilis	1864,	borneus	1864,
	1864,	cæruleatus	1864,
apicalis	1864,	cardinalis	1864,
	1864,		1869,
asiaticus	1866,		1869,
bonapartei	1864,		1869,
	1864,		1869,
culacissi	1864,	chlorocercus	1864,
	1864,		1864,
	1867,		1867,
flosculus	1863,		1869,
	1863,		1869,
	1864,		1869,
	1864,		1869,
galgulus	1863,	cyanauchen	1864,
	208		289

	Page		Page
Lorius cyanauchen	1864, 290	Lucina deshayesi	1865, 652
	1864, 294	elegans	1870, 791
cyanurus	1864, 289	exasperata	1867, 926
domicella	1861, 436	fieldingi	1870, 791
	1864, 288		1870, 795
	1864, 294	icterica	1865, 651
garrulus	1864, 289		1867, 926
	1864, 294	leucoma	1865, 651
hypenochrous	1864, 289	macandreae	1870, 791
	1864, 294		1870, 795
	1869, 122	muricata	1861, 405
	1869, 124	ovulum	1867, 926
hypoinochrous	1861, 436	parvula	1867, 926
	1869, 122	pecten	1861, 405
ornatus	1864, 291	pennsylvanica	1861, 405
papuensis	1864, 292	rugifera	1867, 926
puniceus	1861, 436	simplex	1867, 926
superbus	1864, 289	squamosa	1861, 405
tricolor	1861, 436	tellinoides	1863, 365
	1864, 288	tigrina	1861, 405
Lotor vulgaris	1864, 704		1867, 926
Lottia patina	1863, 361	undata	1865, 279
	1865, 277	Lucinopsis elegans	1870, 6
Loxia albiventris	1870, 437		1870, 9
americana	1864, 174	Lumbricus canis renalis	1862, 302
cardinalis	1863, 516	echiurus	1868, 109
curvirostra	1862, 324	edulis	1868, 79
	1863, 299	foetidus	1869, 43
	1863, 337	gulonis sibirici	1862, 302
	1870, 437	in renibus	1862, 302
leucoptera	1863, 299	martis	1862, 302
	1863, 337	sanguineus in rene	
madagascariensis	1866, 423	canis	1862, 302
mexicana	1864, 174	teres hominis	1862, 294
molucca	1863, 33	oxyurus	1868, 83
nasuta	1870, 583	phalloides	1868, 78
punctularia	1866, 552	thalassemia	1868, 112
torrida	1870, 583	Lunella porcata	1865, 196
undulata	1866, 552	reclusa	1866, 146
Loxigilla anoxantha	1861, 74	undulata	1865, 177
violacea	1861, 74		1867, 213
Loxodonta africana	1868, 262	Luponia castanea	1868, 178
	1868, 264		1868, 180
Loxosiphon aspergillum	1868, 104	similis	1868, 178
elegans	1868, 104	Lupus anthus	1868, 502
Loxura atymnus	1865, 777		1868, 503
tripunctata	1865, 777		1868, 506
Lozostoma flavofasciata	1867, 671	aureus	1868, 504
semisulphurea	1867, 671	chanco	1868, 501
Lucapina incei	1867, 218	gigas	1868, 501
Lucina concentrica	1863, 426	laniger	1868, 501
	1863, 428	mexicanus	1868, 502
	1865, 651	occidentalis	1868, 501
concinna	1870, 791	pallipes	1868, 504
	1870, 795	sylvestris	1868, 501
cumingi	1863, 426	vulgaris	1868, 501
	1863, 428	Lurocalis gouldi	1866, 135
	1865, 651		1867, 583

	Page		Page
<i>Lurocalis leucopygus</i> ..	1866, 135	<i>Lutra leptonyx</i>	1865, 123
<i>nattereri</i>	1866, 132		1865, 130
	1866, 145		1870, 230
	1867, 533	<i>lutreola</i>	1865, 117
<i>semitorquatus</i>	1866, 132	<i>lutris</i>	1865, 136
	1866, 145	<i>macrodus</i>	1865, 128
<i>Luscinia philomela</i>	1861, 234	<i>maculicollis</i>	1865, 132
	1861, 368	<i>marina</i>	1865, 136
<i>sinuata</i>	1866, 23	<i>minor</i>	1865, 117
<i>Luscinopsis fluviatilis</i> ..	1864, 438	<i>montana</i>	1865, 129
<i>savii</i>	1864, 438	<i>monticola</i>	1865, 124
<i>Lusciola akahige</i>	1870, 430		1865, 127
<i>caligata</i>	1863, 293		1865, 131
<i>cyanura</i>	1863, 290	<i>nair</i>	1861, 390
<i>Lusconiola melanopogon</i>	1870, 221		1864, 381
<i>Lutodeira chanos</i>	1867, 858		1865, 127
	1868, 12	<i>nudipes</i>	1865, 126
<i>chloropterus</i>	1867, 863	<i>paraguensis</i>	1865, 129
<i>Lutra aterrima</i>	1865, 129	<i>perspicillata</i>	1865, 130
<i>aurobrunnea</i>	1865, 131	<i>platensis</i>	1861, 280
<i>barang</i>	1865, 123		1865, 128
<i>brasiliana</i>	1865, 125	<i>poensis</i>	1865, 130
<i>brasiliensis</i>	1865, 125	<i>roensis</i>	1865, 126
	1865, 133	<i>simul</i>	1865, 127
	1868, 64	<i>sinensis</i>	1865, 131
	1868, 66	<i>solitaria</i>	1865, 135
	1869, 58		1868, 66
<i>californica</i>	1861, 280		1869, 57
	1865, 128	<i>swinhcei</i>	1867, 182
	1865, 133		1870, 625
<i>canadensis</i>	1865, 128	<i>tavayensis</i>	1865, 127
	1865, 133	<i>vison</i>	1865, 116
	1865, 134	<i>vittata</i>	1865, 122
<i>capensis</i>	1865, 130	<i>vulgaris</i>	1861, 101
<i>chilensis</i>	1861, 279		1864, 56
	1865, 128		1865, 126
	1865, 126		1865, 128
<i>chinensis</i>	1865, 126		1865, 402
	1865, 127		1866, 90
	1870, 228		1867, 181
	1870, 229		1868, 64
	1870, 230		1868, 624
	1870, 624	<i>Lutraria dissimilis</i>	1867, 917
<i>cinerea</i>	1865, 130	<i>elegans</i>	1863, 368
<i>destructor</i>	1865, 134	<i>philippinarum</i>	1865, 645
<i>enhydriis</i>	1865, 125	<i>rhynchæna</i>	1865, 645
<i>felina</i>	1865, 128		1867, 917
<i>gambianus</i>	1865, 130	<i>Lutremys europæa</i>	1863, 176
<i>grayi</i>	1865, 132	<i>Lutreola vison</i>	1865, 116
<i>hudsonica</i>	1865, 133	<i>Lutronectes whiteleyi</i> ..	1867, 180
<i>indica</i>	1865, 127		1867, 181
	1870, 228		1870, 626
<i>indigitata</i>	1865, 131	<i>Luvarus imperialis</i>	1866, 332
	1870, 229	<i>Luxiaria phyllosaria</i>	1867, 617
<i>insularis</i>	1865, 125	<i>Lycæna ælianus</i>	1865, 773
<i>inunguis</i>	1864, 652	<i>alexis</i>	1865, 773
	1865, 130	<i>bætica</i>	1865, 773
<i>katab</i>	1865, 127	<i>batikeli</i>	1863, 478
<i>lataxina</i>	1865, 133		

	Page		Page
<i>Lycæna cnejus</i>	1865, 773	<i>Lycosa pilipes</i>	1870, 819
<i>dipora</i>	1866, 360	<i>prælongipes</i>	1870, 819
<i>elpis</i>	1865, 506		1870, 822
<i>kandarpa</i>	1865, 509	<i>tarentula apuliæ</i> ..	1870, 823
<i>karsandra</i>	1866, 360	<i>trucidatoria</i>	1869, 542
<i>kasmira</i>	1866, 360	<i>Lygæus consentaneus</i> ..	1863, 166
<i>nisa</i>	1870, 726		1863, 167
<i>pandava</i>	1866, 360	<i>Lygniodes ciliata</i>	1867, 69
<i>parrhasius</i>	1865, 773	<i>hypoleuca</i>	1867, 69
<i>plinius</i>	1865, 772	<i>Lygodactylus strigatus</i> .	1864, 59
<i>pluto</i>	1866, 360		1864, 307
<i>rosimon</i>	1865, 773		1865, 642
<i>roxus</i>	1865, 772	<i>Lygophis wuchereri</i>	1863, 57
<i>sangra</i>	1866, 360	<i>Lymantria albicans</i>	1865, 805
<i>theophrastus</i>	1865, 772	<i>aryana</i>	1867, 681
<i>varunana</i>	1866, 360	<i>basinigra</i>	1865, 805
<i>zena</i>	1865, 505	<i>beatrice</i>	1867, 681
<i>Lycænesthes bengalensis</i>	1865, 773	<i>bhascara</i>	1865, 805
<i>fulvicaudus</i>	1865, 822	<i>concolor</i>	1865, 805
<i>Lycalopex cancrivorus</i> ..	1868, 514	<i>grandis</i>	1865, 805
<i>fulvicaudus</i>	1868, 511	<i>lineata</i>	1867, 681
<i>vetulus</i>	1868, 511	<i>marginata</i>	1867, 681
<i>Lycæon pictus</i>	1862, 135	<i>mathura</i>	1865, 805
<i>tricolor</i>	1868, 497	<i>munda</i>	1867, 681
<i>typicus</i>	1868, 497	<i>obsoleta</i>	1865, 805
<i>venaticus</i>	1865, 232	<i>semicincta</i>	1865, 805
	1868, 496	<i>superans</i>	1865, 805
	1868, 497	<i>Lymnæa stagnalis</i>	1864, 69
<i>Lychas americanus</i>	1869, 543	<i>Lynchus erythrotis</i>	1863, 186
<i>maculatus</i>	1869, 543	<i>Lyncodon patagonica</i> ..	1865, 146
<i>Lycimna polymesata</i> ..	1867, 624	<i>Lyncus borealis</i>	1867, 276
<i>Lyciscus cagotis</i>	1868, 508	<i>canadensis</i>	1867, 276
<i>Lycodon aulicus</i>	1861, 219	<i>erythrotis</i> ..	1867, 275
	1864, 310		1867, 875
	1869, 502	<i>fasciatus</i>	1867, 276
<i>hebe</i>	1861, 219	<i>isabellinus</i>	1867, 261
<i>Lycornis cornuta</i>	1868, 463		1867, 276
<i>Lycos dauricus</i>	1863, 304	<i>lupulinus</i>	1867, 276
	1863, 338	<i>maculatus</i>	1867, 277
<i>monedula</i>	1863, 305	<i>pardinus</i>	1867, 276
<i>neglectus</i>	1863, 305	<i>rufus</i>	1867, 277
	1863, 338	<i>Lyonsia navicula</i>	1863, 70
<i>Lycosa agretyca</i>	1869, 542	<i>saxicola</i>	1863, 70
<i>inexorabilis</i>	1869, 541	<i>Lynia archeri</i>	1865, 55
	1869, 543	<i>deliciosa</i>	1864, 54
	1869, 544	<i>lyriformis</i>	1865, 164
<i>ligata</i>	1869, 540	<i>mitriformis</i>	1864, 54
	1869, 543	<i>nucleus</i>	1864, 54
	1869, 544	<i>Lysca ardesiaca</i>	1868, 464
<i>picta</i>	1869, 541	<i>Mabouia chinensis</i>	1870, 239
			1870, 410
		<i>Macacus</i>	1864, 338
		— ?	1862, 324
		<i>andamanensis</i>	1869, 467
			1869, 468
			1870, 220

	Page		Page
<i>Macacus andamanensis</i>	1870, 663	<i>Macacus radiatus</i>	1865, 558
<i>arctoides</i>	1866, 202	<i>rhesus</i>	1861, 101
<i>assamensis</i>	1867, 950		1861, 234
	1868, 566		1861, 365
<i>cyclopis</i>	1862, 324		1861, 366
	1862, 350		1861, 367
	1864, 380		1861, 368
	1864, 710		1862, 22
	1864, 711		1862, 140
	1870, 226		1862, 321
	1870, 615		1862, 322
<i>cynomolgus</i>	1861, 59		1862, 350
	1861, 101		1865, 562
	1861, 365		1865, 576
	1861, 366		1865, 577
	1861, 439		1867, 951
	1862, 22		1868, 567
	1862, 185		1868, 624
	1862, 325		1869, 278
	1864, 16	<i>sancti-johannis</i>	1870, 615
	1864, 710	<i>speciosus</i>	1864, 710
	1868, 624		1865, 561
<i>erythræus</i>	1862, 376		1865, 563
	1864, 710		1865, 582
	1870, 226		1865, 584
	1870, 227	<i>MacAndrewia azorica</i> . .	1867, 507
	1870, 615		1869, 86
<i>inornatus</i>	1866, 202		1869, 87
<i>inuus</i>	1867, 254		1869, 94
<i>lasiotus</i>	1868, 60		1869, 99
	1868, 61		1869, 390
<i>leoninus</i>	1870, 663	<i>Macaria divisaria</i>	1866, 365
<i>maurus</i>	1866, 202	<i>eleonora</i>	1867, 648
<i>nemestrinus</i>	1861, 209	<i>emersaria</i>	1867, 648
	1861, 265	<i>metagonaria</i>	1867, 647
	1861, 368	<i>nora</i>	1867, 648
	1862, 139	<i>permotaria</i>	1867, 648
	1864, 710	<i>perspicuaria</i>	1867, 647
	1865, 562	<i>streniataria</i>	1867, 648
	1865, 563	<i>strenuataria</i>	1867, 648
	1865, 565	<i>Macgillivrayia spinigera</i>	1867, 231
	1865, 582	<i>Macha australis</i>	1861, 424
	1868, 624	<i>cumingiana</i>	1861, 425
	1869, 468	<i>deshayesii</i>	1861, 424
	1870, 615	<i>philippinarum</i>	1861, 424
	1870, 664	<i>strigillata</i>	1866, 146
<i>ocreatus</i>	1870, 383	<i>sulcata</i>	1861, 424
<i>pileatus</i>	1861, 367	<i>Machæra patula</i>	1865, 203
	1861, 368	<i>Machæerhamphus alci-</i>	
	1862, 322	<i>nus</i>	1866, 324
	1862, 324	<i>Machæerhynchus albi-</i>	
	1864, 710	<i>frons</i>	1861, 429
	1867, 949		1861, 434
<i>radiatus</i>	1861, 59	<i>flaviventer</i>	1868, 384
	1862, 139	<i>xanthogenys</i>	1861, 434
	1862, 184	<i>Machæropterus</i>	1864, 583
	1862, 324	<i>striolatus</i>	1866, 567
	1864, 710		1867, 751

	Page		Page
<i>Machæropterus striolatus</i>	1867, 978	<i>Macroglossa triopus</i>	1867, 676
<i>Machephilus dumerilli</i>	1867, 713	<i>Macroglossus minimus</i>	1866, 64
<i>Machetes pugnax</i>	1862, 185	<i>Macrognathus armatus</i>	1861, 222
	1863, 312	<i>Macromerus typicus</i>	1867, 247
	1866, 23	<i>Macron kelletii</i>	1865, 753
<i>Machetornis rixosa</i>	1868, 142	<i>wrightii</i>	1865, 753
	1868, 168	<i>Macrones aor</i>	1869, 307
<i>Macleayius</i>	1864, 589		1869, 619
<i>australiensis</i>	1864, 588	<i>armatus</i>	1865, 289
<i>Macoma concinna</i>	1863, 366		1870, 370
<i>dombeyi</i>	1863, 366	<i>cavasius</i>	1865, 290
<i>siliqua</i>	1863, 366		1867, 16
<i>solidula</i>	1863, 368		1869, 307
<i>truncata</i>	1866, 146	<i>corsula</i>	1869, 307
<i>umbonella</i>	1865, 647	<i>tengara</i>	1865, 289
<i>Macrobrachium africa-</i>			1868, 275
<i>num</i>	1868, 366		1868, 278
	1868, 368		1868, 279
	1868, 586		1869, 307
	1868, 587	<i>Macronus ptilosus</i>	1863, 215
<i>americanum</i>	1868, 363	<i>Macronycterus gigas</i>	1866, 82
	1868, 368	<i>Macronyx capensis</i>	1866, 23
	1868, 585	<i>Macropharyngodon geof-</i>	
<i>formosense</i>	1868, 364	<i>froyi</i>	1861, 412
	1868, 368	<i>Macrophragma</i>	1861, 359
	1868, 586	<i>Macrophyllum newwiedii</i>	1866, 113
<i>gangeticum</i>	1868, 365	<i>Macropsalis forcipata</i>	1866, 143
<i>longidigitum</i>	1868, 365	<i>lyra</i>	1866, 143
	1868, 368	<i>segmentata</i>	1866, 143
	1868, 586	<i>ypanemæ</i>	1866, 143
<i>Macrobrochis gigas</i>	1865, 796	<i>Macropterotonotus magur</i>	1867, 15
<i>Macroceramus polystrep-</i>		<i>Macropteryx klecho</i>	1863, 212
<i>tus</i>	1861, 233	<i>longipennis</i>	1865, 617
<i>Macrocheilus japonicus</i>	1867, 311	<i>mystaceus</i>	1861, 433
<i>Macrochisma producta</i>	1865, 185		1865, 616
<i>sinensis</i>	1867, 312	<i>Macropus atlas</i>	1865, 851
	1867, 315	<i>caixana</i>	1867, 758
<i>Macrochlamys consul</i>	1865, 405	<i>erubescens</i>	1870, 126
<i>cutteri</i>	1870, 794		1870, 127
	1870, 795		1870, 609
<i>glutinosa</i>	1865, 405	<i>giganteus</i>	1866, 28
<i>minima</i>	1867, 303		1866, 30
	1867, 315		1868, 625
<i>perlucida</i>	1867, 303	<i>gigas</i>	1861, 234
	1867, 315	<i>major</i>	1862, 135
<i>tenuicula</i>	1868, 14		1864, 159
	1868, 17		1866, 29
			1866, 30
<i>Macroclommys temminckii</i>	1868, 622		1867, 476
<i>Macroclommys</i>	1863, 202		1870, 127
<i>Macrocolus halticus</i>	1868, 200	<i>melanops</i>	1866, 28
<i>Macrodipteryx longipen-</i>			1870, 126
<i>nis</i>	1867, 821		1870, 127
	1867, 822	<i>ocydromus</i>	1866, 30
<i>Macrodon trahira</i>	1868, 239	<i>robustus</i>	1867, 476
<i>Macroglossa corythus</i>	1865, 794	<i>ruber</i>	1862, 135
<i>gyrans</i>	1865, 794	<i>rufus</i>	1862, 140
<i>passalus</i>	1865, 794		1866, 28

	Page		Page
<i>Macropus rufus</i>	1868,	<i>Malacoptila inornata</i> ..	1862,
	1870,		1864,
	1863,		1870,
<i>Macropygia æmiliana</i> ..	486		201
<i>albicapilla</i>	1862,	<i>panamensis</i>	1862,
<i>albocapilla</i>	1862,		1864,
<i>amboinensis</i>	1863,		1864,
<i>crassirostris</i>	1869,		1870,
<i>doreya</i>	1861,	<i>poliopis</i>	1862,
<i>magna</i>	1863,		1870,
	1863,	<i>rufa</i>	1866,
<i>phasianella</i>	1861,		1867,
<i>reinwardtii</i>	1861,	<i>verapacis</i>	1864,
<i>Macroramphus griseus</i> ..	1863,		1870,
	1864,	<i>Malacorhynchus mem-</i>	
	1864,	<i>branaceus</i>	1869,
<i>Macroscelides intufi</i> ...	1864,	<i>Malapterus</i>	1861,
<i>tetradactylus</i>	1864,	<i>Malea</i>	1862,
<i>Macrosila discistriga</i> ...	1865,	<i>ringens</i>	1863,
<i>nyctiphanes</i>	1867,	<i>Malleus albus</i>	1865,
<i>Macrotarsus</i>	1863,		1867,
<i>Macrotis waterhousii</i> ..	1861,	<i>regulus</i>	1865,
<i>Macrotoma corticina</i> ..	1863,	<i>vulsellatus</i>	1865,
<i>Macrotus waterhousii</i> ..	1865,	<i>Mallotus arcticus</i>	1868,
	1865,		1868,
	1865,	<i>Malurus callainus</i>	1867,
	1866,	<i>cyaneus</i>	1865,
	1866,		1865,
<i>Mactra amygdala</i>	1865,		1865,
<i>australis</i>	1865,		1866,
<i>contraria</i>	1867,		1866,
<i>corbuloides</i>	1867,		1869,
<i>crassa</i>	1865,	<i>frenatus</i>	1869,
<i>glabrata</i>	1865,	<i>lamberti</i>	1865,
<i>lateralis</i>	1867,		1865,
<i>luzonica</i>	1867,		1865,
<i>ovalina</i>	1867,	<i>leuconotus</i>	1865,
<i>pinguis</i>	1865,	<i>leucopterus</i>	1865,
<i>polita</i>	1865,	<i>melanotus</i>	1867,
<i>pura</i>	1865,		1869,
<i>pusilla</i>	1867,	<i>splendens</i>	1867,
<i>rostrata</i>	1867,	<i>Mamestra albirena</i>	1867,
<i>rufescens</i>	1865,	<i>albomaculata</i>	1867,
	1867,	<i>chalybeata</i>	1867,
<i>velata</i>	1863,	<i>infausta</i>	1867,
<i>Mactrella exoleta</i>	1863,	<i>metallica</i>	1867,
<i>Madrepora rubra</i>	1867,	<i>nigrocuprea</i>	1867,
<i>Mærialla</i>	1864,	<i>sikkima</i>	1867,
<i>Magas cumingi</i>	1867,	<i>suffusa</i>	1867,
<i>Magilus dentiferus</i> ...	1862,	<i>Manatus</i>	1864,
<i>Malachius militaris</i> ...	1867,	<i>americanus</i>	1864,
	1867,		1866,
	1867,		1867,
<i>Malaclemmys concentrica</i>	1862,		1870,
	1869,		1870,
	1863,	<i>australis</i>	1864,
<i>Malaclemys</i>	202	<i>borealis</i>	1864,
<i>Malacocercus terricolor</i> .	1864,	<i>hydropithecus</i>	1868,
	1865,	<i>latirostris</i>	1861,
	1865,		
<i>Malacoptila costaricensis</i>	1870,		
<i>fusca</i>	1867,		
	1867,		

	Page		Page
<i>Manatus owenii</i>	1861, 277	<i>Manis dalmannii</i>	1865, 366
<i>senegalensis</i>	1861, 277		1865, 367
<i>simia</i>	1868, 360		1865, 368
<i>vogelii</i>	1861, 277	<i>guy</i>	1865, 366
<i>Mancinella aculeata</i>	1862, 227	<i>indica</i>	1865, 367
<i>armigera</i>	1862, 227		1865, 369
<i>castanea</i>	1862, 227	<i>javanica</i>	1865, 366
<i>histris</i>	1862, 227		1865, 367
<i>mutabilis</i>	1862, 227		1865, 368
<i>Mangelia</i> — ?	1861, 404	<i>laticauda</i>	1865, 366
	1862, 227		1865, 367
	1863, 348		1865, 368
<i>acuticostata</i>	1863, 348	<i>leptura</i>	1865, 369
<i>albolaqueata</i>	1865, 280	<i>leucura</i>	1865, 366
<i>cavernosa</i>	1865, 160	<i>longicauda</i>	1865, 363
<i>clavata</i>	1870, 254	<i>longicaudata</i>	1865, 363
<i>exigua</i>	1863, 348	<i>macroura</i>	1865, 363
<i>gemmulosa</i>	1863, 348		1865, 368
<i>gracilis</i>	1870, 254	<i>multiscutata</i>	1865, 363
<i>insculpta</i>	1863, 420	<i>pentadactyla</i>	1861, 139
	1863, 428		1865, 366
	1865, 160		1865, 367
<i>letourneuxiana</i>	1867, 204		1865, 368
<i>leufroyi</i>	1863, 348	<i>temminckii</i>	1864, 654
<i>lineata</i>	1865, 160		1865, 369
<i>neglecta</i>	1863, 348	<i>tetradactyla</i>	1865, 363
<i>picata</i>	1863, 419	<i>tetradactylus</i>	1865, 363
	1863, 428	<i>tricuspis</i>	1865, 363
	1867, 204		1865, 364
<i>pura</i>	1865, 160		1865, 365
<i>splendida</i>	1867, 309	<i>tridentata</i>	1865, 363
	1867, 315	<i>Manouria emys</i>	1870, 675
<i>sulcata</i>	1865, 272	<i>fusca</i>	1869, 171
<i>sulcosa</i>	1863, 348		1869, 174
<i>vinentina</i>	1865, 160	<i>Mantellum angulatum</i> ..	1865, 656
<i>Mangusta albicauda</i>	1864, 566	<i>Mantis</i>	1863, 166
<i>brachyura</i>	1864, 556	— ?	1864, 118
<i>elegans</i>	1864, 523	<i>cardwellii</i>	1863, 479
<i>galera</i>	1864, 557	<i>marginata</i>	1863, 479
<i>ichneumon</i>	1864, 548	<i>pustulata</i>	1863, 479
<i>javanica</i>	1864, 555	<i>undata</i>	1863, 480
<i>levaillantii</i>	1864, 572	<i>unimaculata</i>	1863, 479
<i>malaccensis</i>	1864, 556	<i>Manucodia atra</i>	1861, 436
<i>paludinoso</i>	1864, 557	<i>gouldi</i>	1866, 201
<i>penicillata</i>	1864, 572	<i>keraudrenii</i>	1861, 436
<i>tetradactyla</i>	1864, 579	<i>viridis</i>	1861, 436
<i>urinatrix</i>	1864, 557	<i>Maracana weddellii</i> ...	1866, 197
<i>vitticollis</i>	1864, 569	<i>Marcala ignivorata</i> ...	1867, 651
<i>Manis africana</i>	1865, 363	<i>Marcia faba</i>	1865, 649
<i>aspera</i>	1865, 366	<i>Mardara calligramma</i> ..	1865, 805
<i>aurita</i>	1865, 366	<i>Mareca americana</i>	1865, 256
	1865, 367		1867, 167
<i>brachyura</i>	1865, 368	<i>awsuree</i>	1864, 300
<i>brachyurus</i>	1864, 381	<i>chiloensis</i>	1867, 335
<i>brevicaudata</i>	1865, 368		1867, 339
<i>crassicaudata</i>	1865, 368		1869, 635
<i>dalmanni</i>	1870, 236		1870, 665
	1870, 650		1870, 667

	Page		Page
<i>Mereca penelope</i>	1861,	<i>Martes americana</i>	1865,
	1864,		1865,
	1867,	<i>brachyura</i>	1865,
<i>Maretia variegata</i>	1866,	<i>canadensis</i>	1865,
<i>Margarita angulata</i>	1867,	<i>domestica</i>	1865,
<i>sinensis</i>	1865,	<i>fagorum</i>	1865,
<i>Margaritifera fimbriata</i> ..	1867,	<i>flavigula</i>	1864,
<i>margaritifera</i>	1865,		1865,
<i>Margaritiphora barbata</i> ..	1863,		1870,
<i>fimbriata</i>	1863,	<i>foina</i>	1865,
<i>mazatlanica</i>	1863,	<i>gwatkinsii</i>	1864,
<i>Margarodes amphitritalis</i>	1867,		1865,
<i>conchyalis</i>	1867,	<i>japonica</i>	1865,
<i>laticostalis</i>	1867,	<i>melanops</i>	1865,
<i>pomonalis</i>	1867,	<i>pennantii</i>	1865,
<i>psittacalis</i>	1867,	<i>philippensis</i>	1864,
<i>Margaronia amphitritalis</i>	1867,	<i>vison</i>	1865,
<i>conchyalis</i>	1867,	<i>vulgaris</i>	1865,
<i>laticostalis</i>	1867,	<i>zibellina</i>	1865,
<i>marthesiusalis</i>	1867,	<i>Maruca aquatilis</i>	1867,
<i>pomonalis</i>	1867,	<i>Mastacembelus armatus</i> .	1861,
<i>psittacalis</i>	1866,		1865,
	1867,		1867,
<i>transvisalis</i>	1867,		1869,
<i>Margaroperdix striata</i> ..	1863,		1869,
	1865,	<i>cryptacanthus</i>	1867,
<i>Margarornis brunnescens</i>	1867,	<i>guentheri</i>	1865,
	1870,	<i>pancalus</i>	1869,
<i>squamigera</i>	1870,	<i>zebrinus</i>	1869,
<i>Marginella</i> — ?	1863,	<i>Mastygophora scopige-</i>	
<i>attenuata</i>	1867,	<i>ralis</i>	1867,
<i>avena</i>	1861,	<i>Mauremys fuliginosa</i> ..	1869,
<i>cerulescens</i>	1863,		1869,
<i>cylindrica</i>	1862,	<i>laniaria</i>	1869,
<i>deburghi</i>	1863,		1869,
<i>glans</i>	1863,		1870,
<i>minor</i>	1863,	<i>Mauritia barclayi</i>	1869,
<i>mirabilis</i>	1869,	<i>venifera</i>	1865,
<i>muscaria</i>	1867,	<i>Maxula idonea</i>	1867,
<i>obtusa</i>	1870,	<i>Mayoa modesta</i>	1869,
<i>ovulum</i>	1867,	<i>Mecaria divisaria</i>	1867,
<i>pallida</i>	1861,	<i>vagata</i>	1867,
<i>prunum</i>	1863,	<i>Mechanitis isthmia</i>	1863,
<i>sapotilla</i>	1863,	<i>polymnia</i>	1863,
<i>simplex</i>	1867,	<i>Mecistura caudata</i>	1863,
<i>translucida</i>	1867,		1863,
<i>turbinata</i>	1867,	<i>ouratensis</i>	1870,
<i>varia</i>	1861,	<i>trivirgata</i>	1863,
<i>Marinula xanthostoma</i> ..	1867,	<i>Mecocerculus diadema</i> ..	1862,
<i>Marmorina shivula</i>	1867,	<i>gratiosus</i>	1862,
<i>singha</i>	1867,	<i>leucophrys</i>	1862,
<i>Marputius chilensis</i>	1865,		1868,
<i>nasuta</i>	1865,	<i>Mecodina lanceola</i>	1867,
<i>Marsenia indica</i>	1867,	<i>Mecotagus guerinii</i>	1866,
<i>Martes abietum</i>	1865,	<i>tigrinus</i>	1866,
	1865,		1866,
	1865,	<i>Medon imberbis</i>	1867,
	1865,	<i>Megacephalon maleo</i> ..	1861,

	Page		Page
Megacephalon maleo ..	1863, 34	Megapodius duperreyii..	1861, 290
rubripes	1861, 288	eremita	1867, 830
	1864, 42	forsteni	1861, 289
Megacerops coloradensis.	1870, 467		1864, 43
Megaderma frons	1864, 99	forstenii	1863, 34
lyra	1866, 83	freycineti	1861, 288
	1870, 616		1861, 432
spasma	1866, 83		1861, 438
Megæra ecaudata	1866, 64		1862, 247
Megærophis flaviceps ..	1870, 368		1864, 42
	1870, 369	gilbertii	1861, 289
Megalæma asiatica	1862, 283		1864, 43
	1866, 418	gouldii	1861, 290
chrysopogon	1863, 201		1864, 43
	1863, 206	la-perousi	1861, 289
chrysopsis	1863, 206	la-perousii	1864, 43
	1863, 210	macgillivrayi.....	1861, 289
hayi	1863, 210		1864, 43
mystacophanes	1863, 210	nicobariensis	1861, 290
nuchalis	1862, 283		1864, 43
	1863, 333	pritchardi	1869, 529
versicolor	1863, 210	pritchardii	1864, 41
virens	1863, 269		1864, 42
Megalaima hodgsonii ..	1866, 540		1864, 44
lineata	1866, 540	quoyi	1864, 43
Megalixalus infrarufus ..	1868, 480	quoyii	1861, 289
	1868, 485	reinwardtii	1861, 290
	1870, 150		1861, 438
Megalobrycon cephalus..	1869, 423		1863, 487
	1869, 424		1864, 43
Megalomastoma simula-		rubripes	1861, 288
crum	1861, 232		1861, 299
Megalophrys guttulata..	1868, 490		1861, 438
Megaloprepia magnifica.	1868, 387		1864, 43
Megalops cuninga	1865, 310	senex	1867, 830
cyprinoides	1869, 386		1868, 7
	1870, 701		1868, 118
setipinnis	1864, 183	stairii	1861, 290
Megalorhynchus hayi ..	1863, 206		1864, 44
sanguinolentus	1863, 206	tumulus	1861, 290
	1863, 210		1864, 43
Megalotis cerdo	1868, 520	wallacei	1861, 290
lalandii	1868, 523		1864, 43
Megalurus galactotes ..	1863, 489	wallacii	1863, 34
timoriensis	1863, 485	Megaptera	1863, 199
	1863, 489		1864, 205
Meganeuron krefftii	1865, 440		1864, 395
Megapicus hæmatogaster	1867, 157	kuzira	1870, 652
Megapodius	1864, 276	lalandii	1864, 205
andersoni	1861, 291		1864, 207
	1864, 44	longimana	1864, 196
brazieri	1869, 529		1864, 205
burnabyi	1861, 290		1864, 207
	1864, 42		1864, 208
	1864, 44		1864, 209
	1869, 545		1864, 210
cumingii	1861, 290		1864, 386
	1864, 43		1864, 387

	Page		Page
Megaptera longimana ..	1864, 390	Melampus oblongus	1861, 405
	1864, 391	ovatus	1867, 231
	1864, 395	parvulus	1869, 61
	1864, 397	philippii	1864, 676
	1864, 410	pusillus	1869, 61
	1864, 416	semiplicata	1869, 60
	1864, 418	striatus	1861, 244
	1864, 419	zonatus	1864, 676
	1865, 43	Melanatria	1863, 60
	1865, 213	Melanerpes chrysauchen.	1870, 176
	1868, 336		1870, 213
	1868, 348		1870, 330
	1868, 548	cruentatus	1866, 197
novæ-zelandiæ	1864, 207		1867, 587
pœskop	1864, 205		1867, 753
Megarhynchus chrysoce-			1870, 213
phalus	1870, 571	flavifrons	1870, 213
chrysogaster	1864, 360	flavigularis	1870, 213
	1870, 571	formicivorus	1864, 177
mexicanus	1864, 360		1870, 213
	1870, 571	pulcher	1870, 330
	1870, 837	rubrifrons	1870, 213
pitangua	1867, 578	Melania cancellata	1867, 491
	1868, 168	crenulata	1866, 146
	1870, 571	fasciolata	1866, 146
pitanguus	1870, 571	iravadica	1869, 445
Megascolex cœruleus ..	1862, 25	judaica	1865, 545
	1869, 41	lateritia	1866, 146
	1869, 42	nodicincta	1865, 234
diffringens	1869, 40	onca	1863, 415
	1869, 42	pagodula	1866, 150
	1869, 387	petenensis	1863, 414
Megasoma albicans	1865, 822	pyramis	1865, 541
venustum	1865, 822		1866, 146
Megatherium	1862, 97	rothiana	1865, 541
Megistanus bæotus	1865, 639	rubro-punctata	1865, 541
Megisto acmenis	1866, 476	tenuisulcata	1865, 197
cymelia	1866, 465	tuberculata	1864, 117
Megopis costipennis	1866, 536		1864, 118
mutica	1866, 536		1865, 234
procera	1866, 228		1865, 541
	1866, 536		1866, 376
Meiglyptes badiusus	1863, 206		1869, 66
	1863, 210	variabilis	1869, 466
badius	1863, 206	victoriæ	1865, 234
brunneus	1863, 210	Melaniella brevicula	1870, 379
jugularis	1861, 182		1870, 380
Melampus	1863, 358	Melanippe catenaria	1867, 655
bridgesii	1869, 66		1867, 686
caffer	1869, 66	cupreata	1867, 655
cinctus	1864, 676	Melanitis lais	1867, 674
coffea	1861, 405	leucozyma	1861, 53
fasciatus	1861, 232	malelas	1865, 770
	1861, 405	melane	1861, 53
	1869, 66	mimalon	1861, 52
fuscus	1864, 676	patna	1865, 770
lividus	1869, 65	undularis	1865, 770
melanops	1865, 105		1866, 359

	Page		Page
Melanitis vasudeva	1865, 770	Meles ankuma	1870, 623
Melanocetus johnsonii	1864, 302	chinensis	1868, 206
Melanochelys trijuga	1869, 187		1868, 207
Melanochlora sultanea	1866, 551		1868, 208
Melanocorypha calandra	1864, 434		1868, 209
mongolica	1863, 271		1870, 622
Melanoides glaphyra	1863, 412	collaris	1865, 138
godmanni	1863, 413	europæus	1865, 139
obeliscus	1863, 412	indica	1865, 143
salvinii	1863, 413	jeffersonii	1865, 141
swinhoei	1870, 8	labradoria	1865, 141
	1870, 9	leptorhynchus	1868, 207
tumida	1863, 413		1870, 622
Melanopsis ammonis	1865, 542	leucolæmus	1870, 623
costata	1865, 542	leucurus	1865, 139
costellata	1865, 542		1865, 140
eremita	1865, 542		1868, 206
helena	1861, 384		1868, 207
jordanica	1865, 542		1868, 208
prærosa	1865, 541		1868, 209
	1865, 542		1870, 622
	1865, 543	lotor	1864, 704
sauleyi	1865, 542	mellivora	1865, 144
Melanotus dichrous	1867, 363	surinamensis	1864, 702
	1867, 375	taxus	1862, 184
tamsuyensis	1866, 349		1865, 138
umber	1866, 349		1865, 139
Melanoxanthus melano-			1865, 140
cephalus	1866, 350		1865, 141
Melaraphe phasianella	1863, 356		1868, 206
Meleagrina placunoides	1861, 405		1868, 207
Meleagris	1863, 115		1868, 624
cristata	1870, 525		1870, 791
	1870, 526	vulgaris	1865, 139
gallopavo	1861, 368		1866, 90
	1861, 402	zibethica	1864, 512
	1862, 186	Meletta libertatis	1866, 603
	1862, 254	petenensis	1866, 603
	1863, 125	thrissa	1866, 603
	1868, 300	Melibæa australis	1867, 229
lindsayi	1861, 288	Melictes beskii	1868, 498
mexicana	1861, 402	Melierax monogrammi-	
	1863, 125	cus	1864, 2
ocellata	1861, 234		1864, 107
	1861, 402		1870, 150
	1862, 254	musicus	1863, 105
	1863, 125		1864, 107
	1863, 187	polyzonus	1864, 2
	1864, 75		1864, 4
	1866, 368	Meligethes incanus	1867, 363
	1869, 628		1867, 371
satyra	1863, 122	tristis	1867, 371
Meles alba	1864, 704	Meliphaga australasiana	1869, 279
albigularis	1865, 140	longirostris	1869, 279
americanus	1865, 141	sericea	1865, 642
ankuma	1865, 140	Melitæa durga	1865, 503
	1865, 466	sindura	1865, 496
	1868, 207		1865, 509

	Page		Page		
Melithreptes lunulatus ..	1869,	279	Meminna	1864,	482
Melithreptus lunulatus ..	1865,	403	indica	1864,	483
Melitta bombylifformis ..	1865,	794	malaccensis	1864,	483
eurytion	1865,	794	Menapia kamadena	1865,	812
Mellisuga longirostris ..	1870,	562	xanthophila	1867,	682
moschita	1870,	562	Menestho sculptilis	1867,	310
Mellivora capensis	1864,	651	Meniceros bicornis	1869,	241
	1865,	143	Menobranchnus	1863,	203
	1865,	144	lateralis	1869,	450
	1865,	680	Menopoma	1863,	203
	1867,	98	alleghaniense	1869,	254
indica	1865,	143		1869,	276
	1865,	680	Mentula cucurbitacea ..	1868,	108
	1867,	98	Menura alberti	1868,	52
leuconota	1867,	98	novæ-hollandiæ ..	1866,	167
ratel	1861,	307	superba	1862,	23
	1865,	143		1863,	374
	1865,	144		1865,	59
ratelus	1865,	143		1867,	391
Melo boderipii	1864,	54		1867,	688
diadema	1864,	54		1868,	49
	1868,	374		1868,	53
	1868,	375		1868,	262
ducalis	1868,	374	victoriæ	1862,	23
	1868,	375		1868,	52
georginae	1864,	54		1868,	53
	1868,	374	Menyllus ingalli	1867,	533
indicus	1865,	169	Mephitis africana	1865,	151
miltonis	1864,	54	amazonica	1865,	146
mucronatus	1864,	54	americana	1865,	147
umbilicatus	1864,	54		1865,	148
	1868,	374	assamensis	1865,	138
Melogale fusca	1865,	153	bicolor	1865,	150
personata	1865,	153	chilensis	1865,	146
Melopelia leucoptera ..	1864,	178		1870,	664
	1870,	838		1870,	665
meloda	1867,	330	chinga	1865,	147
	1867,	339		1865,	148
Melophus melanicterus ..	1863,	300	concolor	1865,	149
Melopsittacus undulatus	1862,	140	conepate	1865,	146
	1865,	235	frenata	1865,	151
	1865,	238	furcatus	1865,	146
	1865,	692	humboldtii	1865,	146
	1869,	279	intermedia	1861,	280
	1869,	627		1865,	146
Melosia arctica	1868,	541	interrupta	1865,	150
Melospiza fallax	1864,	174	javanensis	1865,	142
gouldii	1862,	369	leuconota	1861,	280
Melozone biarcuata	1868,	324		1865,	146
leucotis	1868,	326	libyca	1865,	151
rubricata	1868,	326	longicaudata	1861,	280
Melursus	1864,	699		1865,	146
labiatus	1864,	700	macroura	1865,	148
	1868,	73		1865,	149
	1870,	767	marputio	1865,	146
libycus	1864,	680	mephitica	1865,	148
	1864,	700	mesoleuca	1861,	280
Membranipora flemingii .	1865,	269		1865,	145

	Page		Page
Mephitis mesoleuca	1865, 146	Merops chrysocercus ..	1870, 145
mesomelas	1865, 148	erythropterus	1863, 105
mexicana	1865, 149	1864, 111	
molinae	1865, 146	1865, 96	
nasuta	1865, 145	ferrugiceps	1866, 538
occidentalis	1865, 148	hirundinaceus	1865, 96
patagonica	1865, 146	javanicus	1863, 213
quitensis	1865, 146	1863, 484	
suffocans	1865, 146	moluccensis	1869, 120
varians	1865, 148	ornatus	1861, 433
vittata	1865, 149	1862, 335	
westermanni	1865, 146	1862, 338	
zorilla	1865, 150	1863, 484	
Meretrix albida	1865, 196	persicus	1863, 159
petechialis	1865, 196	philippensis	1865, 691
Mergana æquilinearia ..	1867, 624	1865, 692	
bilineata	1867, 624	1865, 693	
debitaria	1867, 624	1865, 694	
restitutaria	1867, 624	quinticolor	1866, 538
Merganetta armata	1867, 340	savignyi	1866, 421
chilensis	1869, 158	supercilius	1865, 834
columbiana	1869, 157	1866, 421	
leucogenys	1869, 157	1870, 145	
turneri	1869, 600	1870, 397	
Mergulus albellus	1864, 454	vaillantii	1866, 421
alle	1864, 495	viridis	1864, 375
castor	1864, 185	1864, 433	
merganser	1864, 185	1865, 691	
serrator	1864, 454	1865, 693	
squamatus	1864, 184	1865, 694	
Mergus albellus	1863, 322	1866, 538	
cucullatus	1863, 517	viridissimus	1866, 421
1863, 529		Merula atrosericea	1870, 783
1867, 167		borbonica	1866, 423
1867, 168		dactyloptera	1863, 515
merganser	1863, 323	leucogenys	1861, 170
serrator	1863, 323	madagascariensis ..	1866, 422
Meriones schlegelii	1863, 529	mandarina	1863, 334
Merionœda acuta	1865, 400	simillima	1867, 834
scitella	1866, 510	vinitincta	1869, 471
Meroë hians	1867, 909	Merulaxis griseicollis ..	1870, 182
1867, 922		Mesalina pardalis	1864, 488
Merops ægyptius	1864, 433	Mesapos stellifera	1867, 543
1865, 96		Mesiodon micropterus ..	1864, 242
1866, 421		Mesites tardii	1867, 361
1870, 145		1867, 363	
apiaster	1864, 433	1867, 377	
1866, 377		Mesobema cancrivora ..	1864, 568
1866, 379		Mesodesma cuneatum ..	1865, 648
badius	1863, 213	elongatum	1865, 647
		1867, 920	
		obtusum	1865, 648
		1867, 920	
		præcisum	1865, 647
		triquetrum	1865, 648
		Mesodiodon sowerbyi ..	1864, 241
		Mesoplodon sowerbiensis	1864, 242
		1864, 418	

	Page		Page
Mesoplodon sowerbiensis	1864, 419	Metallura tyrianthina ..	1868, 169
Mesoprion ——— ^p	1864, 23		1868, 629
annularis	1868, 150		1870, 782
	1869, 297		1870, 803
	1870, 680	Metania gregaria	1867, 551
aratus	1864, 145	paulata	1867, 551
argentimaculatus ..	1867, 849	reticulata	1867, 551
aurolineatus	1865, 8	Metopiana peposaca	1868, 146
bleekeri	1870, 680		1870, 665
chirtah	1868, 150		1870, 666
	1868, 151	Metopides occipitalis ..	1866, 226
	1869, 297		1866, 249
	1870, 680		1866, 267
decussatus	1870, 680	Metopothrix aurantiacus.	1866, 177
erythrinus	1867, 849		1866, 190
erythrognathus	1867, 849	Metriopelia anais	1866, 100
fulviflamma	1865, 12	aymara	1867, 989
	1867, 849		1868, 570
gembra	1867, 849	melanoptera	1867, 330
griseus	1864, 23		1867, 339
johnii	1865, 8		1869, 155
	1870, 680		1870, 665
lutjanus	1867, 849	Metula trifasciata	1870, 254
machas	1867, 849	Mezium sulcatum	1867, 364
malabaricus	1868, 150		1867, 376
	1868, 151	Michelia champa	1865, 757
multidens	1870, 680	Mico argentatus	1868, 256
novem-fasciatus ..	1864, 23	melanurus	1868, 256
rangus	1865, 9	sericeus	1868, 257
	1870, 680		1868, 262
rubellus	1865, 11		1869, 592
russelli	1867, 701		1869, 593
	1867, 702		1869, 594
russellii	1870, 680	Micra hemirhoda	1867, 61
sillago	1865, 10	partita	1867, 668
sillao	1869, 297	Micrastur brachypterus .	1869, 365
	1870, 680	concentricus	1866, 198
therapon	1869, 514		1869, 367
	1870, 680		1869, 368
vitta	1867, 849	gilvicollis	1864, 369
Mesosa allapsa	1866, 225		1866, 198
	1866, 231		1867, 590
curculionides	1866, 232		1869, 365
griseata	1866, 231		1869, 367
perplexa	1866, 232		1869, 368
Messaga delicia	1868, 224		1869, 369
hesperia	1868, 224	guerilla	1869, 365
maritona	1868, 224		1869, 367
Messarar alcippe	1867, 673		1869, 368
erymanthis	1865, 762		1870, 216
Messarar erymanthus ..	1866, 358		1870, 838
Mestleta abrupta	1867, 78	leucauchen	1869, 365
Mesua ferrea	1866, 429		1869, 366
Metallura castaneiven-			1869, 367
tris	1870, 206		1869, 369
cupreicauda	1867, 983	macrorhynchus	1867, 759
	1867, 987		1869, 365
	1868, 569		1869, 366

	Page		Page
Micrastur mirandollii ..	1867, 753	Microcebus myoxinus ..	1867, 962
	1867, 759		1867, 963
	1869, 365		1867, 964
	1869, 366		1867, 965
poliogaster	1864, 369		1867, 966
ruficollis	1869, 254		1867, 967
	1869, 365		1867, 972
	1869, 366	pusillus	1863, 143
semitorquatus	1869, 365		1864, 615
	1870, 216		1864, 617
xanthothorax	1869, 254		1864, 618
	1869, 366		1864, 619
	1869, 367		1864, 620
zonothorax	1869, 252		1864, 621
	1869, 254		1864, 622
	1869, 365		1864, 623
	1869, 366		1864, 624
Microcebus	1863, 129		1864, 629
	1864, 625		1864, 632
coquereli	1866, 419		1864, 634
	1867, 966		1864, 641
	1867, 967		1867, 961
	1867, 972		1867, 962
elegantulus	1864, 647		1867, 963
furcifer	1864, 621		1867, 964
	1864, 623		1867, 965
	1864, 633		1867, 966
	1864, 634		1867, 967
	1864, 642		1867, 972
	1867, 971	rufus	1863, 149
galago	1864, 624		1864, 617
minor	1864, 615		1864, 641
	1864, 618		1867, 961
	1864, 619		1867, 972
	1864, 620	smithii	1864, 620
	1864, 622		1864, 632
	1864, 623		1864, 634
	1864, 640		1864, 639
	1864, 642		1864, 641
	1867, 964		1867, 972
	1867, 966	typicus	1864, 619
	1867, 967		1864, 620
	1867, 969		1864, 622
	1867, 973		1864, 623
murinus	1863, 143		1864, 633
	1864, 641		1864, 639
myoxinus	1863, 144		1864, 641
	1863, 149		1864, 642
	1864, 614		1867, 968
	1864, 617	Microcerculus albigularis	1866, 70
	1864, 618		1866, 71
	1864, 619	bambla	1866, 70
	1864, 620		1866, 71
	1864, 621	leucostictus	1864, 345
	1864, 622		1867, 134
	1864, 623		1868, 170
	1864, 640	luscinia	1866, 70
	1864, 642		1866, 71

	Page		Page
<i>Microcerculus lusciniæ</i> ..	1867, 134	<i>Micropalama himantopus</i>	1862, 369
<i>marginatus</i>	1866, 70	<i>tacsanowskia</i>	1866, 199
	1866, 71		1863, 313
	1867, 977	<i>Microphis cunculus</i>	1869, 387
<i>philomela</i>	1866, 69	<i>tenuis</i>	1870, 702
	1866, 70	<i>Microplax grayi</i>	1864, 194
	1866, 71		1865, 58
	1867, 134		1867, 224
<i>Microchelidon tibialis</i> ..	1864, 347	<i>Micropogon altipinnis</i> ..	1864, 149
<i>Microchera albo-coronata</i>	1867, 130	<i>Micropternus badius</i> ..	1863, 267
	1867, 131	<i>badius</i>	1863, 87
	1867, 154		1863, 267
	1870, 207	<i>fokiensis</i>	1863, 267
<i>parvirostris</i>	1867, 131	<i>gularis</i>	1863, 87
<i>Microcionia ambigua</i>	1867, 535		1863, 267
<i>armata</i>	1867, 535	<i>phaiiceps</i>	1863, 87
<i>atrosanguinea</i>	1867, 535		1863, 267
<i>carnosa</i>	1867, 535	<i>Micropterus cinereus</i> ..	1861, 367
<i>fallax</i>	1867, 521		1867, 340
<i>fictitia</i>	1867, 535		1868, 329
<i>lævis</i>	1867, 539	<i>patachonicus</i>	1861, 46
<i>spinulenta</i>	1867, 535	<i>Micropygia schomburgki</i>	1868, 458
<i>Microcystis misella</i>	1865, 405	<i>Microrhynchus</i>	1863, 132
<i>Microdesmus dipus</i>	1864, 26		1864, 634
<i>Microeca conspicillata</i> ..	1861, 435		1864, 638
<i>flavivirescens</i>	1861, 435	<i>laniger</i>	1863, 141
<i>macroptera</i>	1865, 464		1865, 833
<i>superciliosa</i>	1863, 485		1866, 151
<i>Microglossa alecto</i>	1861, 365		1866, 153
	1861, 437		1866, 154
	1865, 235		1866, 165
<i>aterrima</i>	1861, 437	<i>Microsaura</i>	1864, 467
<i>Microglossum aterrimum</i>	1864, 281	<i>melanocephala</i>	1864, 474
	1864, 293	<i>Microscelis amaurotis</i> ..	1863, 334
<i>goliath</i>	1864, 281		1870, 601
	1864, 293	<i>Midas argentatus</i>	1869, 593
<i>Microglossus</i>	1864, 275		1869, 594
<i>Micronia aculeata</i>	1866, 365	<i>elegantulus</i>	1865, 735
	1867, 646	<i>labiatus</i>	1865, 735
<i>caudata</i>	1867, 646	<i>leucogenys</i>	1865, 735
<i>fasciata</i>	1867, 646	<i>mystax</i>	1865, 735
<i>gannata</i>	1867, 646	<i>rufoverter</i>	1865, 735
<i>obtusata</i>	1867, 646	<i>ursulus</i>	1869, 593
<i>simpliciata</i>	1867, 646	<i>Midaus meliceps</i>	1865, 142
<i>sparsaria</i>	1867, 646	<i>Milax noctilucus</i>	1864, 250
<i>striataria</i>	1867, 646	<i>Miletus boisduvali</i>	1865, 777
<i>Micronisus badius</i>	1866, 568	<i>drumila</i>	1865, 777
	1868, 394		1865, 822
<i>gabar</i>	1864, 429	<i>Milionia glauca</i>	1867, 678
<i>gularis</i>	1863, 261	<i>Milvago australis</i>	1868, 529
<i>madagascariensis</i> ..	1865, 833	<i>chimachima</i>	1866, 198
	1865, 834		1867, 589
<i>monogrammicus</i> ..	1870, 150		1870, 214
<i>polyzonoides</i>	1865, 834	<i>chimango</i>	1867, 329
<i>soloënsis</i>	1863, 261		1867, 338
<i>stevensoni</i>	1863, 261		1868, 143
<i>tachiro</i>	1865, 834		1869, 252
<i>Micronycteris megalotis</i>	1866, 113	<i>crassirostris</i>	1867, 329

	Page		Page		
<i>Milvago crassirostris</i> ..	1867,	988	<i>Mimela ignicauda</i>	1866,	345
<i>leucurus</i>	1868,	529	<i>simplex</i>	1866,	345
<i>megalopterus</i>	1867,	329	<i>splendens</i>	1866,	345
	1867,	338		1866,	346
	1867,	988	<i>Mimeta</i>	1864,	274
	1868,	569	<i>bouruensis</i>	1863,	19
	1869,	155		1863,	26
<i>pezoporus</i>	1868,	143		1863,	31
<i>Milvulus monachus</i>	1864,	361	<i>flavocincta</i>	1868,	385
<i>tyrannus</i>	1864,	361	<i>forsteni</i>	1863,	27
	1867,	149	<i>viridifusca</i>	1863,	485
	1867,	578	<i>Mimistena femorata</i>	1866,	227
	1867,	978		1866,	514
	1869,	252		1866,	536
	1870,	199	<i>Mimon</i>	1861,	108
<i>violentus</i>	1868,	142	<i>bennettii</i>	1861,	106
	1870,	549		1866,	113
<i>Milvus ægyptius</i>	1866,	420	<i>Mimus calandria</i>	1868,	139
	1867,	823		1870,	89
<i>affinis</i>	1863,	484	<i>leucospilus</i>	1866,	96
	1867,	393	<i>longicaudatus</i>	1866,	96
<i>assimilis</i>	1868,	399	<i>melanopterus</i>	1863,	166
<i>ater</i>	1862,	22		1870,	553
	1864,	428	<i>melanotis</i>	1870,	323
	1868,	399	<i>modulator</i>	1868,	139
<i>govinda</i>	1861,	265	<i>thenca</i>	1866,	96
	1863,	260		1867,	320
	1865,	693		1867,	337
	1866,	568	<i>Miniopterus blepotis</i> ..	1870,	616
	1868,	393	<i>dasythrix</i>	1861,	39
	1868,	395	<i>schreibersii</i>	1861,	39
	1868,	399	<i>Minla cinerea</i>	1861,	202
<i>isurus</i>	1867,	393	<i>Minolia angulata</i>	1867,	217
	1867,	687	<i>bellula</i>	1869,	48
<i>melanotis</i>	1863,	260	<i>pulcherrima</i>	1869,	48
	1863,	332	<i>tigrina</i>	1863,	433
	1868,	399	<i>vitiliginea</i>	1865,	182
<i>migrans</i>	1866,	378		1867,	217
	1866,	379	<i>Minous monodactylus</i> ..	1865,	18
	1866,	380	<i>Mionectes assimilis</i>	1864,	358
<i>monachus</i>	1870,	572		1870,	837
	1870,	573	<i>oleagineus</i>	1864,	358
<i>niger</i>	1863,	260		1866,	188
	1864,	374		1867,	147
	1869,	627		1867,	577
<i>parasiticus</i>	1863,	162		1867,	751
	1864,	428		1867,	978
	1866,	324		1870,	196
	1866,	420	<i>olivaceus</i>	1870,	196
<i>regalis</i>	1863,	516	<i>striaticollis</i>	1864,	358
	1864,	428		1868,	628
	1866,	379	<i>Mionorus lunatus</i>	1867,	943
<i>tyrannus</i>	1870,	572	<i>Miopithecus</i>	1864,	626
<i>violentus</i>	1870,	333	<i>Mioxicebus</i>	1864,	642
	1870,	572	<i>Mirafra horsfieldi</i>	1865,	689
	1870,	671		1865,	690
<i>Mimela chinensis</i>	1866,	346	<i>hova</i>	1863,	164
<i>chryseis</i>	1866,	345		1865,	836

	Page		Page
Mirafrava hova	1866,	Mitrella garrettii	1865,
javanica	1863,	infumata	1865,
	1863,	interrupta	1865,
	485	lincolnensis	1865,
Miresa albipuncta	1865,	menkeana	1865,
brevilinea	1867,	pellucida	1867,
castaneipars	1865,	semiconvexa	1865,
Mirounga cristata	1868,	spinifera	1867,
Mitra adamsi	1861,	subreflexa	1867,
alveolus	1865,	yorkensis	1865,
antoniae	1870,	Mitrephorus aurantiiven-	
	1870,	tris	1870,
arabica	1861,	Mitroidea multiplicata ..	1865,
aurora	1861,	Mitu brasiliensis	1870,
australis	1865,	Mitua tomentosa	1870,
brunnea	1865,		1870,
buccinata	1865,		1870,
carbonaria	1867,		1870,
citharoidea	1862,		1870,
coccinea	1866,		1870,
corbicula	1870,	tuberosa	1870,
dimidiata	1870,		1870,
funiculata	1863,		1870,
gambiana	1861,		1870,
glabra	1865,		1870,
	1867,		1870,
granulosa	1863,	Mixophyes fasciolatus ..	1864,
interseulpta	1870,		1868,
interstriata	1870,	Mixornis borneensis	1863,
isabella	1867,		1863,
lens	1863,	chloris	1866,
lowei	1862,		1866,
mediomaculata	1870,	gularis	1866,
malaleuca	1865,		1866,
melaniana	1867,	rubicapilla	1866,
nigra	1867,		1866,
nigricans	1865,	ruficeps	1866,
nucleola	1863,		1866,
prætexta	1870,	sumatrana	1863,
procissa	1865,	sumatranus	1866,
puella	1865,	Mniotilta petechia	1870,
rosettæ	1865,	varia	1861,
	1865,		1864,
rugosa	1870,		1864,
saltata	1865,		1867,
savignyi	1862,		1870,
solida	1867,		1870,
solitaria	1863,	Mochlus punctulatus ..	1864,
sordida	1867,		1864,
strangei	1867,	Modelia guttata	1863,
	1867,	Modiola australis	1865,
	1867,		1867,
striatula	1861,	brasiliensis	1863,
tessellata	1865,	capax	1863,
tristis	1863,	concinna	1867,
umbonata	1870,	cumingiana	1865,
Mitrella australis	1865,	edulis	1863,
chinensis	1867,	flavida	1865,
dermestoides	1865,	glaberrima	1867,

	Page		Page
<i>Modiola multiformis</i> ..	1863,	<i>Molothrus sericeus</i>	1867,
<i>opifex</i>	1867,		1870,
<i>semifusca</i>	1863,		1870,
<i>strigata</i>	1867,	<i>Momotus bahamensis</i> ..	1870,
<i>subtorta</i>	1867,	<i>brasiliensis</i>	1866,
<i>tulipa</i>	1861,		1867,
	1865,		1867,
	1867,	<i>cæruleiceps</i>	1864,
<i>Modiolarca exilis</i>	1863,	<i>castaneiceps</i>	1864,
<i>pusio</i>	1863,	<i>lessoni</i>	1864,
<i>subtorta</i>	1867,		1867,
<i>Modiolaria barbata</i>	1867,		1870,
	1867,		1870,
<i>cumingiana</i>	1865,	<i>martii</i>	1864,
<i>Modulus catenulatus</i> ..	1863,		1866,
<i>disculus</i>	1863,		1867,
<i>Mœra fusca</i>	1864,		1867,
<i>grossimana</i>	1864,		1870,
<i>tenella</i>	1864,	<i>microstephanus</i>	1864,
<i>Moerchia nystii</i>	1861,	<i>psalurus</i>	1864,
<i>Moho</i>	1862,		1867,
<i>Molobrus sericeus</i>	1868,	<i>semirufus</i>	1864,
<i>Molossus</i>	1862,	<i>subrufescens</i>	1864,
<i>acetabulosus</i>	1861,		1867,
<i>fuliginosus</i>	1861,		1867,
<i>fumarius</i>	1861,	<i>swainsoni</i>	1868,
	1865,		1870,
<i>limbatus</i>	1861,	<i>Monachus albiventer</i> ..	1864,
<i>natalensis</i>	1861,		1868,
<i>obscurus</i>	1861,	<i>tropicalis</i>	1864,
	1866,	<i>Monarcha</i>	1864,
	1866,	<i>albiventris</i>	1866,
<i>Molothrus æneus</i>	1870,	<i>carinata</i>	1863,
	1870,	<i>chrysomela</i>	1861,
	1870,	<i>cinerascens</i>	1861,
<i>atronitens</i>	1870,		1862,
	1870,		1862,
<i>badius</i>	1868,		1863,
	1870,		1863,
<i>bonariensis</i>	1868,		1867,
	1870,	<i>dichroa</i>	1861,
	1870,	<i>fulviventris</i>	1867,
	1870,	<i>godeffroyi</i>	1867,
	1870,	<i>griseogularis</i>	1861,
	1870,	<i>guttula</i>	1861,
	1870,	<i>inornata</i>	1861,
	1870,		1867,
	1870,	<i>leucotis</i>	1861,
	1870,	<i>leucura</i>	1861,
<i>cassini</i>	1870,		1863,
	1870,	<i>loricata</i>	1863,
<i>discolor</i>	1870,		1863,
	1870,	<i>melanoptera</i>	1861,
<i>pecoris</i>	1870,	<i>rugensis</i>	1867,
<i>purpurascens</i>	1869,	<i>telescopthalma</i> ..	1861,
	1870,	<i>trivirgata</i>	1863,
<i>robustus</i>	1870,		1866,
<i>rufo-axillaris</i>	1868,		1866,
	1868,	<i>Monasa flavirostris</i>	1867,
	1870,		752

	Page		Page
Monasa grandior	1868, 327	Monodonta lineatus	1865, 180
morpheus	1868, 327	melanochloris	1865, 197
nigrifrons	1866, 192	seminigra	1862, 4
	1867, 583		1862, 5
	1867, 595	virgata	1865, 181
	1867, 978	Monohammus aspersus	1866, 245
pallescens	1868, 327	brianus	1866, 244
peruana	1866, 192	georgius	1866, 245
	1867, 752	larvatus	1866, 245
	1868, 327	obfuscatus	1866, 250
Moneta spinigera	1870, 728	sublineatus	1866, 250
	1870, 736	succinctor	1866, 250
	1870, 746	Monophyllus	1861, 87
Monilea corrugata	1867, 217	—?	1865, 81
Monitor flavescens	1861, 215	leachii	1861, 278
gouldi	1862, 376	redmanii	1861, 63
niloticus	1861, 109		1861, 64
	1861, 268		1861, 91
	1862, 22		1865, 69
	1863, 47		1865, 83
	1864, 307	redmanni	1866, 116
	1864, 480	Monoptygma cingulata	1867, 311
Monoceros	1863, 201	concinna	1867, 225
	1864, 247	stylinum	1862, 235
brevidentatum	1863, 343	Monostoma lentis	1862, 291
cingulatum	1863, 344		1862, 292
monodon	1864, 197	Monotoma quadricollis	1867, 362
Monochamus fistulator	1866, 226		1867, 372
	1866, 251	4-foveolata	1867, 362
musivus	1866, 226		1867, 371
	1866, 251	spinicollis	1867, 371
sobrius	1866, 226	Monotrophis capensis	1865, 443
	1866, 251		1865, 454
			1865, 455
Monocondylæa isocardi-		Montacuta dionæa	1865, 270
oides	1866, 444	obtusa	1865, 270
	1870, 376	Montifringilla adamsi	1868, 580
semisulcata	1870, 376	brunneinucha	1865, 618
	1870, 380	gebleri	1868, 580
Monocrepidius posticus	1867, 365	nivalis	1864, 448
	1867, 375		1868, 580
Monodon monoceros	1864, 247	Mopsea arbusculum	1862, 245
	1864, 418	dichotoma	1862, 246
	1864, 419	Morchellana	1862, 30
	1864, 502	spinulosa	1862, 31
	1866, 559	Morchia obvoluta	1863, 74
	1868, 336		1870, 5
	1868, 338	Morelia spilotes	1862, 224
	1868, 339		1865, 58
	1868, 340	variegata	1862, 185
	1868, 534		1862, 224
	1868, 552		1867, 315
spurius	1868, 556	Morio	1862, 227
Monodonta apicina	1865, 181	Mormon cirrhatum	1863, 331
	1867, 215	corniculatum	1863, 331
buccata	1865, 179	glaciale	1863, 331
concamerata	1867, 217	Mormoops blainvillii	1861, 65
constricta	1865, 182		1865, 72
interrupta	1865, 182		

	Page		Page
<i>Mormops blainvillii</i>	1863, 83	<i>Motacilla flavescens</i>	1863, 485
<i>Mormopterus jugularis</i>	1865, 468	<i>flaviventris</i>	1863, 163
<i>Mormus exornatus</i>	1866, 442	1870, 395
<i>toraylii</i>	1866, 443	<i>francisi</i>	1870, 123
<i>Mormyrus catostoma</i>	1864, 308	1870, 124
<i>macrolepidotus</i>	1864, 308	<i>frontata</i>	1870, 129
<i>petersii</i>	1864, 22	<i>gularis</i>	1866, 547
<i>tamandua</i>	1864, 22	1866, 548
<i>Morphnus guianensis</i>	1867, 753	<i>japonica</i>	1863, 274
<i>urubitinga</i>	1870, 554	1863, 275
<i>Morococcyx erythropygia</i>	1870, 551	1863, 276
<i>Morpho bioculatus</i>	1861, 53	1863, 334
<i>Morula tuberculata</i>	1865, 196	1870, 130
<i>Morum</i>	1862, 227	<i>leucopsis</i>	1863, 274
<i>Morunga elephantina</i>	1864, 33	1870, 121
.	1868, 189	1870, 124
.	1869, 106	<i>lugens</i>	1863, 275
.	1869, 109	<i>lugubris</i>	1862, 317
<i>probiscidea</i>	1868, 527	1863, 274
<i>Moschus javanicus</i>	1862, 102	1863, 275
<i>kanchil</i>	1861, 101	1863, 276
<i>meminna</i>	1862, 102	1864, 108
<i>moschiferus</i>	1862, 136	1864, 436
.	1864, 68	1870, 129
.	1869, 276	<i>luzonensis</i>	1870, 120
.	1870, 80	<i>luzoniensis</i>	1863, 274
.	1870, 90	1863, 334
.	1870, 93	1865, 693
.	1870, 94	1865, 695
.	1870, 475	<i>maderaspatana</i>	1863, 276
<i>pygmæus</i>	1870, 98	1870, 129
<i>stanleyanus</i>	1861, 367	<i>maura</i>	1866, 422
.	1862, 22	<i>melanope</i>	1863, 274
.	1862, 102	<i>ocularis</i>	1862, 317
<i>Motacilla alba</i>	1862, 317	1863, 275
.	1863, 274	1863, 334
.	1863, 275	1870, 129
.	1863, 276	1870, 130
.	1864, 436	<i>personata</i>	1870, 123
.	1870, 121	<i>rayi</i>	1862, 186
.	1870, 123	1863, 160
.	1870, 130	<i>rubicapilla</i>	1866, 547
<i>albeola</i>	1863, 275	1866, 548
.	1870, 130	<i>rubicola</i>	1866, 422
<i>alboides</i>	1863, 274	<i>salicaria</i>	1863, 293
<i>boarula</i>	1862, 317	<i>singalensis</i>	1866, 543
.	1863, 160	1866, 544
.	1863, 274	<i>speciosa</i>	1863, 276
.	1863, 334	<i>sulphurea</i>	1863, 274
<i>capensis</i>	1869, 567	1864, 436
<i>dukhunensis</i>	1862, 317	1870, 395
.	1870, 121	<i>sybilla</i>	1866, 422
.	1870, 130	<i>typhia</i>	1866, 549
<i>felix</i>	1870, 121	<i>vidua</i>	1869, 567
.	1870, 122	1870, 143
.	1870, 123	1870, 148
.	1870, 124	<i>yarrelli</i>	1869, 627
.	1870, 129	<i>yarrellii</i>	1862, 325

	Page		Page
<i>Motacilla yarrellii</i>	1863,	<i>Mungos vitticollis</i>	1864,
	1863,	<i>Munia acuticauda</i>	1863,
<i>Mucronalia involuta</i>	1865,		1866,
<i>mucronata</i>	1867,	<i>amandava</i>	1866,
<i>Mugil</i> — ?	1864,	<i>ferruginea</i>	1863,
<i>axillaris</i>	1867,	<i>fuscans</i>	1863,
	1869,		1863,
<i>bontah</i>	1870,	<i>fuscata</i>	1863,
<i>borneensis</i>	1869,	<i>maja</i>	1863,
<i>brasilfensis</i>	1864,	<i>malabarica</i>	1862,
<i>cæruleo-maculatus</i>	1867,		1866,
	1870,	<i>malacca</i>	1863,
<i>capito</i>	1870,	<i>molucca</i>	1863,
<i>cascasia</i>	1869,		1863,
	1869,	<i>oryzivora</i>	1863,
<i>chelo</i>	1862,		1863,
<i>compressus</i>	1864,		1863,
<i>corsula</i>	1869,		1863,
<i>cunnesius</i>	1865,		1866,
<i>dobula</i>	1864,		1867,
<i>engeli</i>	1865,	<i>pallida</i>	1863,
<i>hamiltonii</i>	1869,		1863,
<i>macrochilus</i>	1870,	<i>punctularia</i>	1863,
<i>microlepis</i>	1868,		1866,
<i>nepalensis</i>	1861,	<i>quinticolor</i>	1863,
<i>parsia</i>	1865,	<i>striata</i>	1866,
	1867,	<i>topela</i>	1863,
	1869,		1863,
<i>poecilus</i>	1865,	<i>tristissima</i>	1865,
<i>proboscideus</i>	1861,	<i>undulata</i>	1865,
	1864,		1866,
<i>smithii</i>	1868,	<i>Muræna bengalensis</i>	1861,
	1868,	<i>chlorostigma</i>	1867,
<i>sundanensis</i>	1865,	<i>flavomarginata</i>	1870,
	1870,	<i>flavopicta</i>	1869,
<i>troschelii</i>	1867,	<i>macrurus</i>	1870,
<i>waigiensis</i>	1865,	<i>maculata</i>	1861,
	1870,		1865,
<i>Mulinia angulata</i>	1863,		1867,
<i>donaciformis</i>	1863,	<i>moringa</i>	1869,
<i>pinguis</i>	1865,	<i>nebulosa</i>	1870,
<i>ventricosa</i>	1863,	<i>nigra</i>	1870,
<i>Mulloides flavolineatus</i>	1867,	<i>nubila</i>	1867,
	1870,	<i>ophis</i>	1867,
<i>Mullus barberinus</i>	1867,	<i>picta</i>	1870,
<i>cyclostoma</i>	1867,	<i>rüppellii</i>	1870,
<i>cyclostomus</i>	1867,	<i>sanctæ helenæ</i>	1869,
<i>dispilurus</i>	1867,	<i>tessellata</i>	1870,
<i>flavolineatus</i>	1867,	<i>tigrina</i>	1870,
<i>fraterculus</i>	1867,	<i>undulata</i>	1870,
<i>luteus</i>	1867,	<i>unicolor</i>	1869,
<i>oxycephalus</i>	1867,	<i>variegata</i>	1867,
<i>vittatus</i>	1867,	<i>Murænesox telabon</i>	1865,
<i>Mungos</i>	1864,		1865,
<i>adailensis</i>	1864,		1870,
<i>fasciatus</i>	1863,	<i>Murænichthys schultzi</i>	1870,
	1864,	<i>Murex</i> — ?	1861,
<i>gambianus</i>	1864,	<i>acanthopterus</i>	1865,

	Page		Page
<i>Murex acanthopterus</i> ..	1867, 186	<i>Murex uncinarius</i>	1867, 186
<i>adunco-spinosus</i> ..	1862, 370	<i>vibex</i>	1863, 347
<i>aduncus</i>	1862, 372	<i>vittatus</i>	1863, 347
<i>adustus</i>	1862, 371	<i>Muria albolineata</i>	1869, 558
	1865, 196	<i>Muricidea cirrosa</i>	1862, 373
<i>alabastrum</i>	1863, 508	<i>diadema</i>	1862, 373
<i>ambiguus</i>	1863, 346	<i>dubia</i>	1863, 346
<i>angasi</i>	1867, 186		1865, 281
<i>belcheri</i>	1863, 346		1865, 282
<i>branderis</i>	1862, 57	<i>erosa</i>	1863, 346
<i>burnettii</i>	1862, 373	<i>puteola</i>	1862, 373
<i>cirrosus</i>	1862, 373	<i>vittata</i>	1863, 347
<i>clathratus</i>	1862, 374	<i>Murlida lineosa</i>	1867, 685
<i>costatus</i>	1867, 188	<i>Mus</i> —?	1864, 382
<i>crassispina</i>	1862, 370		1865, 468
<i>crassus</i>	1862, 374	<i>agrarius</i>	1866, 559
<i>cristatus</i>	1865, 158		1870, 637
<i>diadema</i>	1862, 373	<i>alexandrinus</i>	1864, 653
<i>dubius</i>	1863, 346		1866, 420
<i>elongatus</i>	1862, 371		1870, 635
<i>emarginatus</i>	1862, 373	<i>anomalous</i>	1868, 203
<i>erosus</i>	1863, 346	<i>argenteus</i>	1870, 637
<i>falcatus</i>	1862, 372	<i>badius</i> ..	1870, 233
<i>foliaceus</i>	1862, 374		1870, 637
<i>fournieri</i>	1862, 373	<i>bandicota</i>	1870, 635
<i>japonicus</i>	1862, 373	<i>barbarus</i>	1868, 624
<i>lactuca</i>	1862, 373	<i>beavanii</i>	1866, 559
<i>lamellosus</i>	1862, 374	<i>canna</i>	1870, 636
<i>macgillivrayi</i>	1862, 203	<i>celebensis</i>	1867, 598
<i>mancinella</i>	1862, 227	<i>colonus</i>	1865, 469
<i>microphyllus</i>	1866, 146	<i>coninga</i>	1864, 185
<i>monachus</i>	1862, 373		1864, 187
<i>multicostatus</i>	1862, 374		1864, 382
<i>neri</i>	1867, 187	<i>coxinga</i>	1870, 636
<i>neritoides</i>	1862, 227	<i>darvini</i>	1868, 158
<i>nigritus</i>	1863, 346	<i>decumanus</i>	1862, 348
<i>olearium</i>	1867, 188		1864, 186
<i>palmiferus</i>	1867, 186		1864, 187
<i>parthenopus</i>	1867, 188		1864, 382
<i>pumilus</i>	1865, 158		1866, 88
<i>radix</i>	1863, 346		1866, 559
<i>rectirostris</i>	1863, 346		1868, 339
<i>recurvirostris</i>	1863, 346		1868, 340
<i>regius</i>	1863, 346		1868, 343
<i>rorifluus</i>	1862, 373		1868, 350
<i>salebrosus</i>	1863, 346		1870, 233
<i>scalarinus</i>	1863, 508		1870, 431
<i>scalaris</i>	1865, 157		1870, 635
<i>serotinus</i>	1865, 157		1870, 636
<i>sinensis</i>	1862, 371	<i>fallax</i>	1864, 653
<i>sobrinus</i>	1862, 370	<i>flavescens</i>	1864, 186
<i>spengleri</i>	1867, 188		1864, 187
<i>tenuispina</i>	1862, 370		1870, 636
<i>ternispina</i>	1862, 370	<i>grönlandicus</i>	1868, 331
<i>tribulus</i>	1862, 370		1868, 349
<i>triformis</i>	1865, 158	<i>hirsutus</i>	1867, 318
	1867, 186	<i>indicus</i>	1868, 158
<i>tritoneum-australe</i> ..	1867, 187		1870, 635

	Page		Page
<i>Mus indicus</i>	1870,	<i>Muscicapa gularis</i>	1863,
<i>leptosoma</i>	1868,	<i>helianthea</i>	1865,
<i>losea</i>	1870,	<i>hylocharis</i>	1863,
<i>macropus</i>	1866,		1863,
	1867,	<i>icterophrys</i>	1870,
	1867,	<i>luctuosa</i>	1863,
<i>maritimus</i>	1866,	<i>luteola</i>	1863,
<i>maura</i>	1862,	<i>mugimaki</i>	1863,
<i>messorius</i>	1862,	<i>mutata</i>	1865,
<i>minutus</i>	1866,	<i>narcissina</i>	1863,
	1870,	<i>oliva</i>	1862,
	1870,		1867,
<i>musculus</i>	1861,	<i>olivacea</i>	1861,
	1862,	<i>pagana</i>	1861,
	1864,	<i>plumbea</i>	1861,
	1866,	<i>pondiceriana</i>	1863,
	1868,	<i>principalis</i>	1863,
	1868,	<i>rivularis</i>	1865,
	1868,	<i>rustica</i>	1861,
	1868,	<i>sibilatrix</i>	1861,
	1870,	<i>simplex</i>	1861,
<i>natalensis</i>	1865,	<i>stragulata</i>	1865,
<i>nemorivagus</i>	1870,	<i>tricolor</i>	1863,
<i>ningpoënsis</i>	1870,	<i>trivirgata</i>	1870,
<i>norvegicus</i>	1868,	<i>vermivora</i>	1861,
<i>prætextus</i>	1866,	<i>vociferans</i>	1861,
<i>rattus</i>	1861,	<i>Muscigralla brevicauda</i> ..	1867,
	1862,	<i>Muscipeta</i>	1861,
	1867,	<i>affinis</i>	1863,
	1868,	<i>albiceps</i>	1861,
	1868,		1868,
	1870,		1870,
<i>rufescens</i>	1868,	<i>fuscata</i>	1867,
	1870,	<i>leucocilla</i>	1861,
<i>setifer</i>	1870,	<i>melaleuca</i>	1869,
<i>sylvaticus</i>	1866,	<i>monacha</i>	1870,
	1868,	<i>mutata</i>	1870,
	1870,	<i>virgata</i>	1866,
<i>tectorum</i>	1861,	<i>Muscisaxicola albifrons</i> .	1867,
	1866,		1868,
<i>xanthura</i>	1867,	<i>albilora</i>	1867,
<i>Muscicapa aëdon</i>	1862,		1867,
<i>albicilla</i>	1863,	<i>cinerea</i>	1867,
<i>altiloqua</i>	1861,		1867,
<i>belli</i>	1865,	<i>flavinucha</i>	1867,
<i>bivittata</i>	1865,		1867,
<i>brasieri</i>	1865,	<i>flavivertex</i>	1867,
<i>brevirostris</i>	1861,	<i>fluviatilis</i>	1866,
<i>cinereo-alba</i>	1863,		1866,
<i>collaris</i>	1864,		1867,
<i>colonus</i>	1861,		1869,
<i>erythaca</i>	1863,	<i>macloviana</i>	1867,
<i>flicauda</i>	1861,	<i>maculirostris</i>	1866,
<i>fuscedula</i>	1863,		1867,
<i>grisola</i>	1863,		1867,
	1863,		1868,
	1863,		1868,
	1864,		1869,

	Page		Page
<i>Muscisaxicola mentalis</i> ..	1866, 99	<i>Mustela erminea</i>	1865, 114
	1867, 326		1865, 115
	1867, 338		1868, 342
	1867, 982	<i>eversmannii</i>	1865, 110
	1867, 986	<i>flavigula</i>	1865, 108
<i>nigrifrons</i>	1868, 569		1865, 109
	1867, 326	<i>foetida</i>	1865, 109
	1867, 338	<i>foina</i>	1865, 105
<i>rubricapilla</i>	1867, 326		1865, 108
	1867, 338		1870, 431
	1867, 986	<i>frenata</i>	1861, 287
	1868, 569		1865, 114
<i>rufivertex</i>	1867, 326	<i>furo</i>	1865, 110
	1867, 338	<i>fusca</i>	1865, 111
	1867, 987		1865, 131
	1869, 154	<i>gale</i>	1865, 113
<i>Muscivora castelnaudi</i> ..	1867, 978		1865, 114
	1867, 981		1865, 115
<i>mexicana</i>	1864, 343	<i>galera</i>	1864, 555
	1864, 360		1864, 557
	1867, 148		1865, 121
	1870, 198	<i>goodmanii</i>	1865, 108
<i>occidentalis</i>	1864, 360	<i>gulina</i>	1865, 121
<i>regia</i>	1867, 981	<i>gulo</i>	1865, 120
<i>Muscium lacustre</i>	1862, 228		1868, 358
<i>Musophaga olivacea</i>	1861, 367		1868, 359
<i>violacea</i>	1861, 59	<i>hardwickii</i>	1865, 108
	1861, 367	<i>hodgsonii</i>	1865, 118
<i>Mustela</i>	1864, 542	<i>horsfieldii</i>	1865, 118
<i>abietum</i>	1865, 104	<i>humboldtii</i>	1865, 115
	1865, 106	<i>huro</i>	1865, 106
<i>africana</i>	1865, 120	<i>indica</i>	1865, 143
<i>agilis</i>	1865, 113	<i>italsi</i>	1864, 117
<i>albinucha</i>	1865, 114		1865, 118
<i>alpina</i>	1865, 114	<i>javanica</i>	1865, 115
<i>altaica</i>	1865, 114	<i>kathiah</i>	1865, 119
<i>americana</i>	1865, 105	<i>lasiotis</i>	1865, 109
	1865, 106	<i>leucopus</i>	1865, 106
<i>aterrima</i>	1865, 129		1865, 107
<i>aureoventris</i>	1864, 55	<i>leucotis</i>	1865, 107
	1865, 115		1865, 109
<i>auriventer</i>	1865, 119	<i>libyca</i>	1865, 151
<i>barbara</i>	1862, 134	<i>longicauda</i>	1865, 112
	1865, 121	<i>lutra</i>	1865, 126
<i>boccamela</i>	1865, 113		1865, 131
<i>brasiliensis</i>	1865, 114	<i>lutreocephala</i>	1865, 116
	1865, 115	<i>lutreola</i>	1865, 116
<i>canadensis</i>	1865, 107		1865, 117
	1865, 116	<i>lutris</i>	1865, 136
<i>canigula</i>	1865, 117	<i>martes</i>	1865, 104
<i>capensis</i>	1865, 144		1865, 106
<i>chinga</i>	1865, 148		1865, 107
<i>cicognani</i>	1865, 111		1865, 108
<i>cuja</i>	1865, 122		1865, 109
<i>elliottii</i>	1865, 109	<i>melampus</i>	1866, 80
<i>erminea</i>	1864, 497	<i>melanops</i>	1865, 105
	1865, 111	<i>melanorhyncha</i>	1865, 108
	1865, 112	<i>minx</i>	1865, 116

	Page		Page
<i>Mustela natsi</i>	1865, 117	<i>Mya truncata</i>	1868, 429
<i>nigra</i>	1865, 108	<i>Mycale grandis</i>	1867, 533
<i>nivalis</i>	1865, 113	<i>lingua</i>	1867, 533
<i>nudipes</i>	1865, 119	<i>Mycalasis anaxias</i>	1865, 770
<i>patagonica</i>	1855, 115	<i>blasius</i>	1867, 718
	1865, 146		1867, 720
<i>pennantii</i>	1865, 107	<i>clerimon</i>	1867, 720
<i>peregrina</i>	1865, 110	<i>daidis</i>	1867, 721
<i>personata</i>	1865, 153	<i>drusia</i>	1865, 770
<i>piscatoria</i>	1865, 108		1866, 360
<i>præcineta</i>	1865, 110	<i>hesione</i>	1865, 770
<i>pusilla</i>	1865, 113		1867, 720
<i>putorius</i>	1865, 109	<i>ita</i>	1867, 721
	1865, 110	<i>lalassis</i>	1865, 770
	1866, 90	<i>malsara</i>	1865, 770
	1869, 13	<i>martius</i>	1867, 720
<i>quiqui</i>	1865, 122	<i>medus</i>	1867, 720
<i>richardsoni</i>	1865, 112	<i>melusina</i>	1867, 719
	1865, 113	<i>miriam</i>	1867, 719
<i>rufa</i>	1865, 117	<i>moorei</i>	1867, 720
<i>sarmatica</i>	1865, 110	<i>nala</i>	1867, 720
<i>sibirica</i>	1861, 390	<i>narcissus</i>	1863, 478
	1865, 117		1867, 721
	1870, 238	<i>nicotia</i>	1865, 770
	1870, 431	<i>otrea</i>	1865, 770
	1870, 624		1866, 360
<i>striata</i>	1864, 547	<i>perseus</i>	1867, 718
<i>strigidorsa</i>	1865, 119		1867, 719
<i>subpalinata</i>	1865, 114	<i>raesaces</i>	1867, 719
<i>sylvatica</i>	1865, 104	<i>runeka</i>	1865, 770
<i>sylvestris</i>	1865, 104	<i>samba</i>	1865, 770
<i>taira</i>	1865, 121		1866, 360
<i>vison</i>	1862, 302		1867, 720
	1865, 116	<i>sanatana</i>	1867, 674
<i>vittata</i>	1865, 122	<i>sirius</i>	1867, 718
<i>vulgaris</i>	1863, 510		1867, 721
	1864, 55	<i>tabitha</i>	1867, 720
	1865, 104	<i>terminus</i>	1867, 718
	1865, 111		1867, 720
	1865, 113	<i>visala</i>	1865, 770
	1865, 114	<i>zachæus</i>	1867, 721
	1866, 90	<i>Mycetæa hirta</i>	1867, 362
<i>vulpina</i>	1865, 106		1867, 373
<i>winingus</i>	1865, 116	<i>Mycetes</i>	1861, 249
<i>xanthogenys</i>	1865, 115	<i>seniculus</i>	1862, 333
<i>zibellina</i>	1865, 104		1863, 374
	1865, 105		1864, 335
	1865, 106		1864, 338
<i>zorilla</i>	1862, 102		1865, 559
	1865, 151	<i>ursinus</i>	1862, 333
<i>Mustelirallus albicollis</i> ..	1868, 451	<i>Mycetopus falcatus</i>	1868, 179
<i>Mustilia falcipennis</i>	1865, 820		1868, 180
<i>Mutilla bilunata</i>	1864, 118	<i>soleniformis</i>	1866, 444
<i>guineensis</i>	1864, 118	<i>Mycteria americana</i>	1864, 138
<i>Mutum pinima</i>	1870, 518		1870, 800
<i>Mya arenaria</i>	1868, 67	<i>australis</i>	1864, 374
<i>truncata</i>	1864, 496		1867, 762
	1868, 67	<i>senegalensis</i>	1861, 234

	Page		Page
<i>Myctophum caudispino-</i>		<i>Myiarchus swainsoni</i> ..	1868, 632
<i>sum</i>	1863, 43	<i>validus</i>	1869, 161
<i>Mydasta discoidea</i>	1866, 227	<i>venezuelensis</i>	1861, 76
	1866, 512		1868, 628
	1866, 536	<i>Myiobius atricaudus</i>	1868, 632
<i>Mydaus collaris</i>	1865, 138		1864, 360
<i>javanensis</i>	1865, 143	<i>atropurpureus</i>	1870, 198
<i>javanicus</i>	1865, 142	<i>auriceps</i>	1866, 99
<i>macrurus</i>	1865, 153	<i>barbatus</i>	1868, 142
<i>meliceps</i>	1865, 142		1864, 360
<i>Mygale</i> — ?	1864, 118	<i>bellus</i>	1867, 751
<i>Myiadestes melanops</i> ..	1864, 580	<i>capitalis</i>	1862, 111
	1870, 180	<i>cinnamomeus</i>	1864, 583
<i>unicolor</i>	1864, 581	<i>erythrurus</i>	1866, 100
<i>Myiagra azurea</i>	1863, 289		1864, 361
	1863, 335		1867, 148
<i>cærulea</i>	1862, 341		1867, 578
	1863, 485		1867, 595
<i>erythropros</i>	1868, 6		1867, 751
	1868, 117		1870, 198
	1868, 118	<i>flavicans</i>	1870, 781
<i>galeata</i>	1863, 29	<i>nævius</i>	1862, 112
<i>latirostris</i>	1861, 434		1866, 189
	1863, 491		1867, 148
<i>puella</i>	1862, 335		1863, 138
	1862, 340		1868, 142
<i>rufigula</i>	1863, 485		1868, 168
	1863, 491		1870, 198
<i>Myiarchus cantans</i>	1869, 161	<i>nationi</i>	1866, 99
	1869, 162		1868, 174
<i>cinerascens</i>	1868, 631		1868, 175
<i>cooperi</i>	1868, 631	<i>pallidus</i>	1861, 77
	1870, 837	<i>pulcher</i>	1862, 112
<i>crinitus</i>	1864, 361		1866, 100
	1868, 631	<i>rufescens</i>	1868, 174
<i>erythrocerus</i>	1868, 628		1868, 175
	1868, 631		1868, 569
<i>ferox</i>	1864, 360	<i>stolidus</i>	1861, 77
	1867, 578	<i>sulphureipygius</i> ..	1867, 148
	1868, 168		1870, 198
	1868, 631	<i>vieillotides</i>	1866, 100
	1868, 632		1868, 168
	1869, 161	<i>xanthopygius</i>	1866, 189
	1869, 162	<i>Myiochanes</i> — ?	1864, 360
	1870, 554	<i>ardesiacus</i>	1870, 781
<i>lawrencii</i>	1870, 837	<i>Myiodiodes coronatus</i> ..	1865, 284
<i>leucophrys</i>	1862, 113	<i>mitratus</i>	1864, 347
<i>magnirostris</i>	1870, 323	<i>pusillus</i>	1870, 183
<i>nigricapillus</i>	1867, 148	<i>tristriatus</i>	1865, 285
	1867, 278	<i>Myiodynastes audax</i>	1867, 578
	1867, 279		1868, 168
	1870, 199	<i>chrysocephalus</i>	1870, 781
<i>nigriceps</i>	1867, 148	<i>luteiventris</i>	1864, 176
	1867, 578		1870, 837
	1868, 168	<i>nobilis</i>	1864, 360
<i>panamensis</i>	1864, 360		1867, 148
	1870, 199		1870, 198
<i>stolidus</i>	1861, 77	<i>solitarius</i>	1867, 751

	Page		Page
Myiodynastes solitarius .	1867,	Myletes duriventris	1868,
superciliaris	1870,		229
Myiolestes affinis	1861,		247
	1861,	Myliusia callocyathes ..	1867,
aruensis	1861,		506
heinei	1869,		76
megarhynchus	1861,		333
pulverulentus	1861,	grayii	1869,
Myiopatis pusilla	1870,		335
Myiophobus	1862,		350
Myiophonus cæruleus ..	1862,		351
	1863,	Mynes leucis	1862,
insularis	1862,	Myobatis celtenkee	1867,
	1863,	Myocebus	1864,
temminckii	1863,	Myochama anomioides..	1867,
Myiops catharina	1864,	strangei	1867,
Myiopsitta tigrina	1864,	Myodes grönlandicus ..	1868,
Myiothera capistrata . . .	1863,		343
gularis	1866,		349
Myiotheretes rufiventris .	1868,	hudsonius	1868,
	1868,		343
Myiothlypis nigricristata	1865,		349
Myioturdus fuscater . . .	1867,	torquatus	1868,
Myiozetetes cayennensis	1864,		334
	1866,		339
	1867,		340
	1867,		342
	1867,		343
	1867,		349
	1867,		350
	1868,	Myodora brevis	1867,
	1869,	convexa	1865,
	1870,	crassa	1867,
	1870,	ovata	1865,
columbianus	1864,		644
	1867,		915
	1867,	pandoræformis	1867,
	1870,	striata	1864,
granadensis	1864,	Myonia concinna	1867,
	1867,	Myopotamus coypus	1866,
	1867,		395
	1869,		664
	1870,	Myoxicebus	1863,
guianensis	1867,	Myoxomys bicolor	1861,
	1868,	latimanus	1861,
	1870,	salvini	1861,
inornatus	1870,	Myoxus avellanarius ..	1861,
	1870,	cinereus	1870,
marginatus	1864,	melanurus	1866,
similis	1867,	melitensis	1867,
	1870,	muscardinus	1862,
	1870,	nitela	1866,
texensis	1864,	Myrina acte	1865,
	1867,	amyntor	1867,
	1870,	freja	1867,
	1870,	jafira	1867,
	1870,	jafra	1865,
	1870,	jalindra	1865,
	1870,	jangala	1865,
	1870,	mandarina	1865,
	1870,	onyx	1867,
Myle carpenteri	1867,	ravata	1865,
Myletes asterias	1869,		822

	Page		Page
<i>Myrina syrinx</i>	1867,	<i>Myrmelastes plumbeus</i> ..	1867,
<i>triopas</i>	1865,	<i>Myrmornis crissalis</i>	1870,
<i>Myriosteon higginsii</i> ..	1864,	<i>hoffmanni</i>	1870,
	1864,	<i>Myrmotherula</i> — ? ..	1864,
<i>Myriotrochus</i>	1861,	<i>axillaris</i>	1864,
<i>Myripristis jacobus</i>	1869,		1866,
<i>pralinus</i>	1867,		1867,
<i>Myrmarectos</i>	1864,		1867,
<i>eversmannii</i>	1864,		1867,
	1864,		1867,
	1864,	<i>brevicauda</i>	1867,
<i>Myrmeciza exul</i>	1864,		1867,
<i>ferruginea</i>	1864,		1867,
<i>hemimelæna</i>	1867,		1868,
	1867,	<i>cinereiventris</i>	1867,
	1868,		1867,
<i>immaculata</i>	1864,		1868,
	1868,		1868,
	1870,	<i>fulviventris</i>	1864,
<i>læmosticta</i>	1864,		1868,
	1867,	<i>gularis</i>	1864,
<i>longipes</i>	1864,	<i>hæmatonota</i>	1866,
<i>marginata</i>	1868,		1867,
<i>ruficauda</i>	1868,		1867,
<i>Myrmecobius fasciatus</i> ..	1868,		1868,
<i>Myrmecocichla æthiops</i> ..	1866,	<i>hawxwelli</i>	1866,
<i>formicivora</i>	1869,		1867,
<i>Myrmecophaga aculeata</i>	1865,		1867,
<i>afra</i>	1865,		1867,
<i>annulata</i>	1864,	<i>melæna</i>	1864,
	1865,		1866,
<i>bivittata</i>	1865,		1867,
<i>capensis</i>	1865,	<i>menetriesi</i>	1867,
<i>crispus</i>	1865,		1869,
<i>didactyla</i>	1865,		1870,
<i>jubata</i>	1862,	<i>minor</i>	1868,
	1862,	<i>multostriata</i>	1866,
	1865,	<i>pygmæa</i>	1864,
	1865,		1866,
	1865,		1867,
	1867,		1867,
	1868,	<i>surinamensis</i>	1864,
	1869,		1866,
<i>longicaudata</i>	1865,		1868,
<i>minima</i>	1865,	<i>unicolor</i>	1868,
<i>myosura</i>	1865,	<i>Myroconger compressus</i> ..	1869,
<i>nigra</i>	1865,	<i>Myrteta planaria</i>	1867,
<i>sciurea</i>	1865,	<i>Myrtus francescæ</i>	1867,
<i>striata</i>	1864,		1868,
	1865,	<i>Myscebus palmarum</i>	1864,
<i>tamandua</i>	1865,	<i>Mysia adamsi</i>	1867,
	1865,		1867,
	1865,		1867,
<i>tetradactyla</i>	1865,	<i>globulosa</i>	1867,
<i>tridactyla</i>	1865,	<i>jacksoniensis</i>	1867,
	1865,		1867,
	1865,		1867,
<i>ursina</i>	1865,	<i>sphæricula</i>	1867,
<i>Myrmelastes corvinus</i> ..	1864,	<i>tumida</i>	1870,
<i>plumbeus</i>	1866,		1870,
	1867,		795
	1867,		

	Page		Page
Myspithacus	1864,	Nandinia binotata	1864,
Mystacina	1863,		1869,
Mystacornis crossleyi ..	1870,	Nandus marmoratus	1865,
	1870,		1867,
Mystus kaporat	1867,		1869,
Mythimna cervina	1867,	Nanina arata	1869,
	1867,	assimilis	1866,
Mythomys velox	1861,		1866,
	1865,	aulica	1865,
Mytilicardia crassicostata	1865,	bistrialis	1862,
excavata	1867,	caesia	1861,
macrotheca	1865,	cernica	1868,
Mytilus dunkeri	1867,		1868,
exustus	1861,		1868,
galloprovincialis ..	1867,	cineta	1865,
hirsutus	1865,	citrina	1865,
	1867,	climacterica	1869,
lavallianus	1861,	conconvospira	1867,
margaritiferus	1865,	conulus	1867,
menkeanus	1865,		1867,
multiformis	1863,		1869,
planulatus	1867,	de-crespignii	1868,
rostratus	1865,		1868,
Myurella elata	1863,	detecta	1867,
larvæformis	1863,	geoffreyi	1868,
tuberculosa	1863,		1868,
Myxilla involvens	1867,	ignescens	1865,
tridens	1867,	imperfecta	1868,
Myxus harengus	1861,	luctuosa	1865,
Myzomela chermesina ..	1861,	mozambicensis	1864,
erythrocephala	1861,		1864,
lafargei	1869,	nitella	1868,
	1869,		1868,
major	1867,	philyrina	1868,
nigrita	1861,	poweri	1868,
rubratra	1867,		1868,
	1868,	ravida	1867,
	1868,		1867,
	1868,	redfieldi	1867,
	1868,	sieboldtiana	1866,
solitaria	1869,	sulcifera	1868,
	1869,		1868,
vulnerata	1863,	titanica	1862,
Nacella cernica	1869,	tumens	1865,
Nænia chalybeata	1867,	turrifera	1869,
cuprea	1867,	virginia	1868,
verticillata	1867,		1868,
Naja haje	1861,	wallacei	1865,
	1861,	Nannoperca australis ..	1861,
	1864,		1862,
mossambica	1864,	Nannophryne variegata .	1870,
tripudians	1861,		1870,
	1862,	Nannophrys ceylonensis .	1868,
	1862,		1868,
Nandinia	1864,	Napothera bivittata	1863,
binotata	1861,	Naprepa varians	1865,
	1864,	Narano divaricata	1865,
	1864,	rubiginosa	1863,
	529		425

	Page		Page
Narario rubiginosa	1863, 428	Nassa suturalis	1867, 190
	1867, 924	tænia	1866, 146
Nardoa lacunosa	1867, 555	thersites	1866, 146
Narica	1864, 702	turricula	1865, 516
insculpta	1865, 280	unifasciata	1865, 516
Naseus brevirrostris	1867, 858	versicolor	1863, 343
Nasica susurrans	1870, 839	wilsonii	1863, 343
Nasiterna pusio	1865, 620	Nassaria lyrata	1862, 227
	1869, 124	Nassodonta insignis	1866, 445
	1869, 126		1866, 451
pygmæa	1861, 437	Nasua dorsalis	1866, 169
	1862, 165	fusca	1861, 280
	1864, 281		1862, 323
	1864, 293		1864, 702
	1865, 620	leucorypha	1864, 702
	1869, 119	mondie	1864, 702
Nassa — ?	1861, 404	monticola	1864, 703
acuta	1863, 343	narica	1864, 702
canescens	1863, 342		1864, 703
compacta	1865, 154		1866, 169
	1865, 163		1866, 170
	1867, 190	nocturna	1864, 702
complanata	1863, 343		1864, 703
crebristriata	1863, 343	obfuscata	1864, 702
decussata	1863, 342	olivacea	1864, 703
dermestina	1865, 516	quasie	1864, 702
exilis	1863, 343	rufa	1864, 701
fasciata	1865, 162		1864, 703
	1865, 163	socialis	1864, 701
gemmulata	1866, 146	solitaria	1864, 702
gemmulosa	1863, 342		1864, 703
incrassata	1865, 154	Natalus lepidus	1865, 67
	1865, 163	stramineus	1861, 65
	1867, 190		1865, 67
jacksoniana	1867, 190	Natica adspersa	1865, 96
labecula	1867, 190	ala-papilionis	1865, 197
luteostoma	1863, 342	baconi	1865, 167
mangeloides	1867, 190	canrena	1861, 404
marginulata	1866, 146	chemnitzii	1863, 357
microstoma	1865, 516		1867, 198
munieriana	1865, 163	clausa	1861, 404
nodifera	1863, 342	conica	1865, 167
obliqua	1865, 513	dillwynii	1861, 404
obsoleta	1863, 343	haneti	1863, 358
olivacea	1865, 516	hebræa	1865, 96
	1866, 146	lamarckiana	1867, 198
pagodus	1863, 342	lineata	1866, 146
panamensis	1863, 343	lurida	1863, 357
paupera	1863, 343	marmorata	1869, 274
	1865, 516	maroccana	1863, 357
pauperata	1865, 163		1865, 516
	1867, 190		1866, 146
plebecula	1865, 516	marochiensis	1867, 197
plicata	1865, 516	melastoma	1867, 198
proxima	1863, 343	millepunctata	1865, 96
rufocincta	1867, 190	otis	1863, 357
scabriusecula	1863, 343	petiveriana	1865, 197
striata	1863, 343	plumbea	1867, 197

	Page		Page
<i>Natica plumbea</i>	1867, 198	<i>Nectarinia asiatica</i>	1865, 664
<i>salangoensis</i>	1863, 357	<i>aspasia</i>	1861, 433
<i>sordida</i>	1861, 405		1863, 32
	1867, 197	<i>auriceps</i>	1862, 335
<i>souleyetiana</i>	1863, 357		1862, 343
<i>stercus-muscarum</i> ..	1865, 96	<i>coccineogastra</i>	1866, 542
<i>strangei</i>	1867, 198	<i>collaris</i>	1867, 824
<i>umbilicata</i>	1865, 167	<i>coquereli</i>	1866, 421
<i>undulata</i>	1865, 516	<i>cruentata</i>	1869, 566
<i>unifasciata</i>	1863, 357	<i>dussumieri</i>	1867, 344
<i>virginea</i>	1863, 357		1867, 821
<i>Naticina nitida</i>	1865, 167	<i>eques</i>	1861, 433
	1867, 198	<i>eximia</i>	1861, 433
<i>picta</i>	1865, 167		1866, 542
<i>umbilicata</i>	1867, 199	<i>flammaxillaris</i>	1866, 541
<i>Natrix lævissima</i>	1863, 16	<i>flavo-striata</i>	1865, 478
<i>Naucrates ductor</i>	1863, 379	<i>formosa</i>	1866, 22
	1868, 10	<i>fraseri</i>	1866, 326
<i>Nausibius dentatus</i>	1867, 361	<i>frenata</i>	1861, 433
	1867, 372		1862, 335
<i>Nautilus fascia</i>	1861, 152		1862, 342
	1862, 228	<i>goolpariensis</i>	1866, 541
<i>spirula</i>	1862, 226	<i>grayi</i>	1865, 479
<i>Navicella</i> —?	1861, 268	<i>gutturalis</i>	1867, 824
<i>cærulescens</i>	1867, 999		1867, 825
<i>cookii</i>	1867, 994		1869, 506
<i>cumingiana</i>	1867, 997		1870, 142
<i>elliptica</i>	1867, 993	<i>hartlaubi</i>	1866, 326
<i>entrecasteauxii</i>	1867, 999	<i>hasseltii</i>	1863, 220
<i>eximia</i>	1867, 999		1866, 543
<i>freycineti</i>	1867, 997	<i>insignis</i>	1865, 663
<i>lapeyrousii</i>	1867, 994	<i>jardini</i>	1865, 96
<i>lineata</i>	1867, 993		1867, 824
	1867, 994		1869, 566
	1867, 998	<i>jugularis</i>	1866, 542
<i>luzonica</i>	1867, 997	<i>lotenia</i>	1865, 664
<i>orientalis</i>	1867, 999	<i>macklotii</i>	1863, 220
<i>porcellana</i>	1864, 117	<i>natalensis</i>	1865, 96
	1864, 118		1867, 824
<i>psittacea</i>	1867, 997		1869, 566
<i>reticulata</i>	1867, 999	<i>osea</i>	1864, 445
<i>tessellata</i>	1867, 998	<i>pectoralis</i>	1863, 220
<i>Naviculina cliftoni</i>	1867, 538		1863, 486
<i>Naxa textilis</i>	1865, 803		1866, 541
<i>Naxia calefaciens</i>	1867, 75	<i>phayrei</i>	1866, 543
<i>calorifica</i>	1867, 75	<i>philippensis</i>	1866, 542
<i>circumsignata</i>	1867, 75	<i>phœnicotis</i>	1863, 220
<i>onelia</i>	1867, 75		1866, 543
<i>Neæra pulchella</i>	1870, 789	<i>porphyrolæma</i>	1865, 479
<i>rugata</i>	1867, 914	<i>proserpina</i>	1863, 19
<i>Nealotus tripes</i>	1865, 434		1863, 32
<i>Nectarinia affinis</i>	1864, 445	<i>seheriæ</i>	1866, 541
<i>afra</i>	1866, 22	<i>senegalensis</i>	1866, 331
<i>amasia</i>	1861, 433		1869, 566
<i>angladiana</i>	1863, 162	<i>seychellensis</i>	1867, 344
	1865, 834		1867, 821
	1866, 421	<i>siparaja</i>	1863, 220
<i>asiatica</i>	1864, 445		1865, 479

	Page		Page
Nectarinia solaris	1863, 486	Neocerambyx intricatus .	1866, 527
	1866, 542	lambii	1866, 228
souimanga	1863, 162		1866, 527
	1865, 834	paris	1866, 528
	1866, 421	Neochelidon tibialis . . .	1864, 347
	1870, 387		1869, 597
splendida	1866, 331		1869, 598
zenobia	1861, 433	Neochera dominia	1867, 677
	1863, 32	marmorea	1867, 677
	1866, 542	Neocnemis occidentalis . .	1867, 378
Nectris tenuirostris	1863, 330		1867, 389
Nedytisis obrioides	1866, 227		1867, 391
	1866, 267	Neoctantes niger	1868, 571
Neetroplus nematopus . . .	1866, 603		1868, 572
Nelcynda rectificata	1867, 651		1868, 575
Neleta serrata	1867, 743		1870, 243
Nelicurvius pensilis	1867, 823	Neofelis brachyurus	1867, 266
	1870, 395	macrocelis	1867, 266
Nella katchelé	1865, 18		1870, 228
Nemacheilus bilturio	1869, 382		1870, 628
blythii	1869, 552	Neolucanus castanopte-	
botia	1869, 382	rus	1866, 346
cincticauda	1869, 552		1866, 347
denisoni	1867, 287	championi	1866, 347
guentheri	1867, 282	sinicus	1866, 347
	1867, 285	swinhoei	1866, 346
mugah	1869, 382	Neomeris	1863, 201
phoxocheila	1869, 551	Neomorpha gouldi	1870, 383
semiararmatus	1867, 282	Neomorphus geoffroyi . . .	1864, 249
	1867, 286		1866, 59
serpentarius	1869, 551		1866, 60
sinuatus	1870, 371	rufipennis	1864, 249
striatus	1867, 347		1866, 59
triangularis	1865, 295		1866, 60
zonalternans	1869, 551	salvini	1866, 60
Nematoideum colubri-			1867, 156
americani	1861, 124	Neonympha acmenis	1866, 476
colubri-blumenbachii	1861, 124	antonoë	1866, 486
hominis (ventriculi)	1862, 294	areolatus	1866, 499
hominis (viscerum)	1862, 294	camerta	1866, 462
Nemorhædus sumatrensis . . .	1866, 4	canthus	1866, 503
Nemoricola indica	1862, 317	clerica	1866, 461
	1863, 276	clerimene	1866, 498
	1870, 433	clorimene	1866, 498
Nemosia auricollis	1867, 750	cosmophila	1866, 497
fulvescens	1866, 180	eurytris	1866, 465
fulviceps	1866, 180	fallax	1866, 474
guira	1866, 180	florimel	1866, 502
pileata	1866, 180	galesus	1866, 473
	1867, 571	gemma	1866, 500
	1867, 977	gemma	1866, 495
ruficeps	1868, 167	grimon	1866, 472
	1870, 780	halyma	1866, 503
sordida	1866, 180	helicta	1866, 499
Nenia bartletti	1866, 441	hermes	1866, 475
	1866, 451	mollina	1866, 481
Neocerambyx aurifaber	1866, 527	pacarus	1866, 501
intricatus	1866, 228	peribæa	1866, 502

	Page		Page
<i>Neonympha periphias</i> ..	1866, 465	<i>Nereis dumerilii</i>	1870, 12
<i>phares</i>	1866, 477	<i>foliata</i>	1863, 108
<i>phocion</i>	1866, 499	<i>virens</i>	1863, 108
<i>phronius</i>	1866, 470	<i>Nerice pallida</i>	1867, 683
<i>pimpla</i>	1866, 470	<i>Nerita albicilla</i>	1865, 196
<i>polixenes</i>	1866, 503	<i>atrata</i>	1865, 175
<i>poltyis</i>	1866, 476	1867, 212
<i>quantius</i>	1866, 488	<i>bernhardi</i>	1863, 358
<i>renata</i>	1866, 470	<i>costata</i>	1863, 110
<i>sosybius</i>	1866, 474	1866, 146
<i>Neope bhadra</i>	1865, 770	<i>deshayesi</i>	1863, 358
<i>pulaha</i>	1865, 770	<i>guilloouana</i>	1866, 146
<i>Neophron ginginianus</i> ..	1868, 392	<i>longii</i>	1865, 197
<i>occipitalis</i>	1865, 675	<i>ornata</i>	1863, 358
<i>percnopterus</i>	1862, 376	<i>peloronta</i>	1861, 405
.....	1863, 516	<i>plicata</i>	1866, 146
.....	1864, 426	<i>polita</i>	1865, 196
.....	1865, 675	<i>punctulata</i>	1865, 175
.....	1866, 568	1867, 212
.....	1868, 392	<i>scabricosta</i>	1863, 358
<i>pileatus</i>	1866, 331	<i>squammulata</i>	1867, 146
<i>Neopipo cinnamomea</i> ..	1869, 439	<i>stella</i>	1865, 196
<i>rubicunda</i>	1869, 438	<i>tessellata</i>	1861, 405
<i>Neopus malaiensis</i>	1868, 396	<i>versicolor</i>	1861, 405
.....	1868, 399	<i>yoldii</i>	1866, 146
<i>Neorhynchus nasesus</i> ..	1869, 147	<i>Neritella lifuensis</i>	1864, 36
<i>Neorina hilda</i>	1865, 767	<i>subpunctata</i>	1866, 146
<i>krishna</i>	1867, 673	<i>Neritina bellardi</i>	1865, 543
<i>sita</i>	1865, 770	<i>gagates</i>	1869, 66
<i>Neoscopelus macrolepi-</i>		<i>guayaquilensis</i>	1863, 358
<i>dotus</i>	1863, 44	<i>intermedia</i>	1863, 358
<i>Neotoma ferruginea</i>	1861, 282	<i>interrupta</i>	1865, 197
<i>Nephelium litchi</i>	1867, 77	<i>jordani</i>	1865, 543
<i>longanum</i>	1862, 351	<i>michonii</i>	1865, 543
.....	1862, 357	<i>picta</i>	1863, 358
<i>Nephocetes niger</i>	1865, 615	<i>pritchardi</i>	1861, 206
<i>Neptea florida</i>	1862, 27	<i>rubida</i>	1865, 514
<i>Neptis aceris</i>	1865, 497	<i>syriaca</i>	1865, 545
.....	1866, 359	<i>viridis</i>	1861, 405
<i>columella</i>	1865, 763	<i>wallacii</i>	1861, 206
<i>hordonia</i>	1865, 763	<i>Neritula lucida</i>	1864, 35
<i>kikideli</i>	1863, 477	1867, 190
<i>matuta</i>	1865, 763	<i>Nesiarchus nasutus</i>	1862, 173
<i>miah</i>	1865, 763	1865, 435
<i>nandina</i>	1865, 497	1865, 436
.....	1865, 763	<i>Nesopsar nigerrimus</i> ..	1861, 74
<i>radha</i>	1867, 673	<i>Nesotragus livingstoni-</i>	
<i>soma</i>	1865, 763	<i>anus</i>	1864, 657
.....	1867, 673	<i>moschatus</i>	1861, 268
<i>vikasi</i>	1865, 763	1864, 99
<i>zaida</i>	1865, 497	1864, 101
<i>Neptomenus brama</i>	1869, 429	1864, 657
<i>dobula</i>	1869, 429	<i>Nesta candida</i>	1870, 5
<i>Neptunea dilatata</i>	1865, 159	1870, 9
<i>tasmaniensis</i>	1865, 159	<i>Nestor hypopolius</i>	1867, 473
<i>Neptunus pelagicus</i>	1869, 440	<i>Nettapus auritus</i>	1863, 165
.....	1869, 444	1866, 426
<i>Nereis bicanaliculata</i> ..	1863, 109	<i>pulchellus</i>	1868, 388

	Page		Page
<i>Nettastomella darwinii</i>	1865, 202	<i>Nisus cruentus</i>	1867, 175
<i>Neurina procopialis</i>	1867, 95		1867, 176
<i>Neurosigma siva</i>	1868, 615	<i>erythrauchen</i>	1867, 177
<i>Neusterophis lævissima</i>	1863, 16	<i>francesii</i>	1866, 420
<i>Neverita baconi</i>	1865, 167	<i>fringillarius</i>	1866, 303
<i>conica</i>	1865, 167		1866, 420
<i>Neviasca variabilis</i>	1867, 81	<i>gracilis</i>	1868, 633
<i>Nevillia lucida</i>	1868, 289	<i>gularis</i>	1867, 171
	1868, 294	<i>iogaster</i>	1867, 173
<i>picta</i>	1868, 289	<i>lantzii</i>	1866, 420
	1868, 294	<i>leucorrhous</i>	1869, 134
<i>Newcombia cinnamomea</i>	1869, 649	<i>madagascariensis</i>	1866, 420
<i>cumingi</i>	1869, 649	<i>magnirostris</i>	1868, 633
<i>hutchinsonii</i>	1869, 649		1869, 131
<i>mœsta</i>	1869, 649		1869, 132
<i>newcombiana</i>	1869, 649	<i>minutus</i>	1867, 171
<i>obscura</i>	1869, 649	<i>morelii</i>	1866, 420
<i>philippiana</i>	1869, 649	<i>rhodogaster</i>	1867, 171
<i>plicata</i>	1869, 649	<i>sphenurus</i>	1869, 115
<i>sulcata</i>	1869, 649	<i>striatus</i>	1866, 303
<i>Newtonia brunneicauda</i>	1866, 422	<i>sulaënsis</i>	1867, 176
	1870, 392	<i>tinus</i>	1866, 304
<i>Nicon leachii</i>	1861, 91	<i>torquatus</i>	1867, 176
<i>Nicoria spengleri</i>	1869, 189	<i>trinolatus</i>	1867, 172
<i>Nidalia occidentalis</i>	1861, 296	<i>variatus</i>	1866, 304
<i>Nigidius cornutus</i>	1866, 347	<i>virgatus</i>	1863, 484
<i>formosanus</i>	1866, 347		1867, 171
<i>obesus</i>	1866, 347	<i>Nitidella cribraria</i>	1862, 344
<i>parryi</i>	1866, 347	<i>Nitidula campbelli</i>	1861, 201
<i>Nigrita bicolor</i>	1866, 328	<i>colon</i>	1867, 362
<i>Niltava cyanomelæna</i>	1862, 317		1867, 371
<i>Ninella straminea</i>	1865, 177	<i>obsoleta</i>	1867, 363
	1867, 213		1867, 371
<i>Ninox japonicus</i>	1862, 316	4- <i>pustula</i>	1867, 362
	1863, 262		1867, 371
	1863, 332	<i>Nobilia turbata</i>	1867, 650
<i>scutellatus</i>	1863, 402	<i>Noctilio americanus</i>	1861, 68
<i>scutulata</i>	1863, 371		1865, 78
<i>Niotha pauperata</i>	1865, 163		1866, 147
<i>Niphona arrogans</i>	1866, 230	<i>leporinus</i>	1866, 431
<i>cylindræa</i>	1866, 230	<i>mastivus</i>	1865, 78
<i>Niræus equestris</i>	1866, 518	<i>Noctua bubo</i>	1867, 72
<i>Nisaëtus bonelli</i>	1868, 397	<i>cunicularia</i>	1868, 143
<i>Niso brunnea</i>	1866, 146	<i>dioscoreæ</i>	1867, 68
<i>Nisoniades dasahara</i>	1865, 787	<i>nudipes</i>	1868, 328
<i>diocles</i>	1865, 787	<i>polleni</i>	1863, 421
<i>salsala</i>	1865, 786	<i>sonneratii</i>	1866, 421
<i>Nisoria undata</i>	1870, 430	<i>umminia</i>	1867, 74
<i>Nisuoïdes morelii</i>	1866, 420	<i>variegata</i>	1869, 123
<i>Nisus approximans</i>	1867, 177	<i>Nodus dalei</i>	1864, 242
<i>brutus</i>	1866, 420	<i>Noemia chalybeata</i>	1866, 227
<i>ceramensis</i>	1863, 21		1866, 509
	1863, 22	<i>flavicornis</i>	1866, 227
<i>chionogaster</i>	1866, 303		1866, 509
<i>cirrhocephalus</i>	1863, 21	<i>Noetia reversa</i>	1863, 364
— <i>ceramensis</i>	1867, 177	<i>Noicia chinensis</i>	1867, 740
<i>concentricus</i>	1869, 368	<i>Nomada furva</i>	1862, 121
<i>cruentus</i>	1867, 170	<i>Nonnula frontalis</i>	1866, 192

	Page		Page
Nonnula frontalis	1867,	Nucula inconspicua	1870,
ruficapilla	1866,	loringii	1863,
Northia serrata	1863,	lyalli	1863,
Noserius tibialis	1866,	mirabilis	1863,
	1866,	pisum	1863,
Notherodius holostictus .	1861,	polita	1863,
Nothocrax urumutum . .	1870,	strangei	1867,
	1870,	Nuculana rostrata	1862,
	1870,	Nudaria margaritacea . .	1867,
	1870,	margaritaria	1867,
	1870,	subcervina	1867,
Nothura	1862,	Numenes insignis	1865,
cinerascens	1867,	partila	1865,
maculosa	1868,	patrana	1865,
punctulata	1867,	siletti	1865,
Notoa	1863,	Numenius ———?	1864,
subnigra	1864,	arcuatus	1862,
Notochelys platynota . .	1863,		1863,
Notodonta basalis	1865,	arquatus	1866,
Notonecta ———?	1863,		1869,
Notophorus torquatus . .	1868,	australis	1862,
	1868,		1863,
Notoplax speciosa	1861,	borealis	1863,
Notopteris macdonaldii .	1866,		1867,
Notopterus chitala	1869,		1867,
kpirat	1867,	brevirostris	1867,
	1869,	hudsonicus	1863,
macdonaldii	1866,		1867,
pallasii	1867,		1867,
	1867,		1868,
Notornis	1864,		1867,
mantelli	1862,		1868,
	1870,		1868,
Nototherium inerme . .	1865,		1870,
Novacula	1861,	longirostris	1864,
cultrata	1868,	madagascariensis . .	1869,
sanctæ helenæ	1868,	major	1863,
	1868,		1869,
	1868,	microrhynchus	1867,
Novaculichthys tæniurus	1861,		1867,
Nucifraga caryocatactes .	1861,	minor	1862,
	1862,		1863,
	1863,		1866,
	1863,	minutus	1863,
	1865,	phæopus	1863,
	1867,		1866,
	1867,		1867,
	1867,		1867,
	1870,		1868,
Nucula	1862,		1868,
castrensis	1863,	rufescens	1862,
cobboldiæ	1863,		1863,
consobrina	1863,	tahitiensis	1863,
	1867,	tenuirostris	1863,
crassa	1865,	uropygialis	1861,
cumingii	1863,		1862,
divaricata	1863,		1862,
elenensis	1863,		1863,
exigua	1863,		35

	Page		Page
Numenius uropygialis ..	1863, 317	Nycthemerus argentatus	1863, 120
	1863, 318		1863, 307
	1863, 487	Nyctibius æthereus	1866, 128
Numida	1862, 253		1866, 129
cristata	1863, 126	bracteatus	1866, 145
	1870, 383		1866, 145
maculipennis	1863, 125	cornutus.....	1866, 585
meleagris	1861, 80		1866, 129
	1863, 125	grandis	1870, 203
mitrata	1862, 12		1866, 128
	1863, 125		1866, 145
	1864, 107	jamaicensis	1866, 193
	1864, 114		1861, 77
	1869, 437		1866, 125
plumifera	1863, 126		1866, 126
ptilorhyncha.....	1863, 125		1866, 129
pucherani	1863, 115		1866, 145
	1863, 126		1867, 454
pucheranii	1864, 114		1870, 203
rendalli	1863, 125		1870, 557
tiarata	1863, 115	leucopterus	1866, 130
	1863, 125		1866, 145
	1865, 836	longicaudatus	1866, 128
	1866, 425		1866, 145
	1870, 399	pallidus	1866, 129
verreauxi	1870, 383	pectoralis	1866, 129
vulturina	1863, 126		1870, 557
	1865, 677	rufus	1866, 130
	1867, 953		1866, 145
	1869, 527		1866, 585
	1870, 280	urutao.....	1866, 129
Nuria alta	1869, 558	Nycticebus.....	1864, 631
daurica	1869, 377		1864, 643
malabarica	1869, 559	javanicus	1863, 149
Nutria felina	1865, 128		1864, 323
Nyctale barbata	1863, 333		1865, 254
funerea	1863, 332	tardigradus	1863, 149
tengmalmii	1862, 323		1863, 375
Nyctalemon patroclus ..	1865, 796		1864, 710
Nyctea nivea.....	1861, 394		1865, 240
	1863, 332		1865, 241
Nyctemera cenis	1867, 679		1865, 246
expandens	1869, 44		1865, 255
	1869, 45		1867, 821
interlecta	1867, 679		1870, 615
lacticinia	1865, 803	Nycticejus nidicola	1864, 651
latistriga	1865, 803	planirostris	1861, 33
maculosa	1865, 803	temminckii	1866, 558
plagifera.....	1867, 679	Nycticorax.....	1864, 71
varians	1865, 803	ardeola	1863, 517
	1866, 362	caledonicus	1863, 35
Nyctereutes procyonoides	1868, 522		1868, 118
	1868, 523		1869, 280
	1870, 237	cucullatus	1867, 687
	1870, 631	gardeni	1864, 73
Nycteris fuliginosa	1864, 651		1866, 199
thebaica	1866, 83		1867, 334
Nycterops pilosa	1866, 83		

	Page		Page
Nycticorax goisagi	1868, 4	Nyctipithecus villosus	1865, 577
	1868, 8		1865, 587
	1868, 118	trivirgatus	1861, 101
griseus	1863, 223		1862, 140
	1863, 320		1862, 333
manillensis	1869, 119	Nyctophilus gouldi	1866, 220
melanolophus	1863, 320	Nymphalis anticlea	1865, 627
obscurus	1864, 73	athamas	1865, 498
	1867, 334		1865, 634
	1867, 339		1865, 767
	1869, 156	australis	1862, 87
pauper	1870, 323	baya	1865, 636
	1870, 327		1865, 637
pileatus	1867, 749	berenice	1865, 637
	1867, 979		1867, 873
violaceus	1861, 81	bernardus	1865, 636
Nyctidromus affinis	1866, 144		1865, 767
albicollis	1866, 124	boueti	1865, 628
	1866, 144	brutus	1865, 625
	1866, 145	caledonia	1867, 873
	1866, 193	calydonia	1865, 638
	1867, 752		1867, 873
	1867, 978	candiope	1865, 628
	1869, 252	castor	1865, 625
	1869, 598	codomanus	1866, 580
	1870, 782	delphis	1867, 673
	1870, 837	dolon	1865, 767
americanus	1864, 364	ephyra	1865, 629
	1866, 144	epijasius	1865, 623
derbianus	1861, 78	erithalion	1865, 627
derbyanus	1866, 144	etesipe	1865, 629
grallarius	1866, 144	ethalion	1865, 627
grandis	1864, 364	etheocles	1865, 629
guianensis	1864, 176	etheta	1865, 629
	1864, 364	eudamippus	1865, 767
	1866, 144	eupale	1865, 638
	1870, 204	fabius	1865, 628
Nyctiellus lepidus	1861, 65		1865, 767
	1865, 67	franck	1867, 873
Nyctimene agriloides	1866, 226	horatius	1865, 627
	1866, 254	iocaste	1865, 628
Nyctinomus — ?	1865, 61	jahlusa	1865, 637
brasilensis	1861, 68	jason	1865, 623
	1861, 69	lampedo	1865, 628
jugularis	1865, 468		1865, 639
murinus	1861, 68	lucretius	1865, 626
nasutus	1861, 68	marica	1865, 630
	1865, 61	marmax	1865, 767
Nyctiornis amictus	1863, 214	miltiades	1865, 639
Nyctipao crepuscularis	1867, 72	mycerina	1865, 638
exterior	1867, 72	narcaeus	1865, 635
gemmans	1867, 72	neanthes	1865, 638
glaucopis	1867, 72	nesiope	1865, 639
obliterans	1867, 72	nitebis	1865, 635
Nyctipithecus felinus	1862, 325	numenes	1865, 630
	1862, 333	pelias	1865, 624
	1864, 710	pleione	1866, 457
	1865, 587	polixo	1865, 636

	Page		Page
<i>Nymphalis pollux</i>	1865, 623	<i>Ochropleura costalis</i>	1867, 56
<i>psaphon</i>	1865, 636	<i>flammatra</i>	1867, 55
<i>pyrrhus</i>	1865, 632	<i>musiva</i>	1867, 56
<i>sempronius</i>	1865, 633	<i>renalis</i>	1867, 55
<i>thersander</i>	1865, 639	<i>spilota</i>	1867, 55
<i>thieste</i>	1865, 631	<i>triangularis</i>	1867, 55
<i>thurias</i>	1865, 631	<i>Ochthoëca albidiana</i>	1862, 113
<i>tiridates</i>	1865, 629	<i>chilensis</i>	1870, 787
<i>xiphares</i>	1865, 631	<i>citrinifrons</i>	1867, 326
<i>zoolina</i>	1865, 638	<i>diadema</i>	1862, 113
<i>Nymphicus novæ-hol-</i>		<i>funicolor</i>	1870, 781
<i>landiæ</i>	1869, 279	<i>fumigata</i>	1869, 600
<i>Nyroca australis</i>	1869, 280	<i>leucophrys</i>	1870, 786
<i>leucophthalma</i>	1869, 629	<i>leucophrys</i>	1867, 986
<i>Nysis lata</i>	1867, 79	<i>leucophrys</i>	1868, 171
<i>Nyssia herbifera</i>	1867, 684	<i>leucophrys</i>	1868, 569
<i>latifascia</i>	1867, 684	<i>nigrita</i>	1869, 154
<i>Obages palparis</i>	1866, 226	<i>nigrita</i>	1870, 779
<i>palparis</i>	1866, 243	<i>cenanthoides</i>	1870, 781
<i>palparis</i>	1866, 267	<i>polionota</i>	1870, 787
<i>Obba papilla</i>	1865, 408	<i>setophagoides</i>	1869, 600
<i>Obeliscus aciculatus</i>	1862, 233	<i>setophagoides</i>	1870, 786
<i>annulatus</i>	1867, 311	<i>setophagoides</i>	1869, 599
<i>balteatus</i>	1862, 232	<i>setophagoides</i>	1870, 786
<i>brunnea</i>	1862, 233	<i>setophagoides</i>	1868, 168
<i>buxeus</i>	1862, 234	<i>setophagoides</i>	1868, 170
<i>conicus</i>	1863, 357	<i>setophagoides</i>	1868, 171
<i>eburneus</i>	1862, 232	<i>setophagoides</i>	1870, 781
<i>elegans</i>	1862, 233	<i>setophagoides</i>	1870, 779
<i>nitidulus</i>	1862, 232	<i>setophagoides</i>	1870, 781
<i>pulchellus</i>	1869, 232	<i>setophagoides</i>	1870, 786
<i>pusillus</i>	1862, 232	<i>setophagoides</i>	1867, 683
<i>pusillus</i>	1866, 441	<i>Ocinara lactea</i>	1867, 683
<i>pusillus</i>	1866, 451	<i>Octodon cumingii</i>	1866, 395
<i>pusillus</i>	1866, 441	<i>octodon</i>	1868, 530
<i>striatula</i>	1862, 233	<i>Octopus</i>	1864, 1
<i>teres</i>	1862, 232	<i>Oculina prolifera</i>	1862, 201
<i>trifasciatus</i>	1862, 232	<i>rosea</i>	1868, 132
<i>vitreus</i>	1862, 232	<i>rosea</i>	1869, 338
<i>Oberea clara</i>	1866, 227	<i>virginea</i>	1868, 564
<i>clara</i>	1866, 265	<i>Oculinaria australis</i>	1868, 564
<i>curialis</i>	1866, 227	<i>Ocyalus latirostris</i>	1866, 182
<i>curialis</i>	1866, 264	<i>latirostris</i>	1867, 749
<i>tenuata</i>	1866, 226	<i>wagleri</i>	1864, 353
<i>tenuata</i>	1866, 265	<i>wagleri</i>	1867, 142
<i>Ocana helicina</i>	1861, 143	<i>wagleri</i>	1870, 190
<i>Ocenebra japonica</i>	1862, 373	<i>wagleri</i>	1870, 836
<i>lactuca</i>	1862, 373	<i>Ocydromus australis</i>	1863, 516
<i>Ochetorhynchus ruficaudus</i>	1867, 324	<i>australis</i>	1869, 472
<i>ruficaudus</i>	1867, 338	<i>australis</i>	1869, 473
<i>Ochetostomum erythro-</i>		<i>australis</i>	1870, 117
<i>grammon</i>	1868, 113	<i>earlei</i>	1869, 472
<i>gärtneri</i>	1868, 112	<i>lafresnayanus</i>	1869, 431
<i>grohmanni</i>	1868, 112	<i>lafresnayanus</i>	1869, 472
<i>lessoni</i>	1868, 112	<i>novæ-zeelandiæ</i>	1869, 431
<i>mutatorium</i>	1868, 112	<i>sylvestris</i>	1869, 472
<i>Ocyphaps lophotes</i>	1869, 628	<i>Ocyphaps lophotes</i>	1869, 628

	Page		Page
<i>Ocypterus leucogaster</i> ..	1866, 555	<i>Ædicnemus grallarius</i> ..	1862, 322
	1866, 556	<i>magnirostris</i>	1862, 346
<i>papuensis</i>	1866, 555	<i>superciliaris</i>	1868, 176
<i>Ocypus olens</i>	1867, 365		1868, 570
	1867, 383	<i>Ædipoda</i> — ?	1863, 166
<i>Odagra devestita</i>	1867, 680	<i>Ædocephalus cuvieri</i> ..	1866, 308
<i>Odax</i>	1861, 418	<i>Æmona philippensis</i> ..	1866, 532
<i>moluccanus</i>	1861, 409	<i>Ena capensis</i>	1864, 3
<i>Odobænus rosmarus</i>	1868, 427		1865, 675
<i>Odonestis bheroba</i>	1867, 685		1866, 425
<i>Odontodes bolinoides</i> ..	1867, 67	<i>Æstrus bovis</i>	1866, 592
<i>Odontolabis carinatus</i> ..	1866, 348	<i>hominis</i>	1866, 591
<i>Odontophorus erythrops</i>	1864, 586	<i>tarandi</i>	1866, 590
<i>guyanensis</i>	1864, 371		1866, 592
	1867, 591	<i>Æta spinosa</i>	1870, 739
<i>guttatus</i>	1870, 218		1870, 747
<i>leucolæmus</i>	1867, 161	<i>Ogmobalæna</i>	1864, 395
	1870, 217	<i>Oidemia nigra</i>	1864, 454
<i>marmoratus</i>	1864, 371	<i>Oleacina conferta</i>	1861, 26
	1870, 218	<i>decidua</i>	1861, 26
<i>melanotis</i>	1864, 586	<i>multispira</i>	1861, 26
	1867, 161	<i>saccata</i>	1861, 26
<i>stellatus</i>	1867, 753	<i>turgida</i>	1861, 26
<i>veraguensis</i>	1867, 130	<i>Olene mendosa</i>	1867, 681
	1867, 161	<i>Olenecamptus bilobus</i> ..	1866, 226
<i>Odontoptera discospilata</i>	1867, 621		1866, 253
<i>Odontopus sexpunctatus</i>	1864, 118	<i>optatus</i>	1866, 226
<i>Odostomia krefftii</i>	1867, 112		1866, 253
	1867, 117	<i>quietus</i>	1866, 226
	1867, 200		1866, 254
<i>lactea</i>	1867, 112	<i>serratus</i>	1866, 253
	1867, 117	<i>Oligodon fasciatus</i>	1869, 501
	1867, 200	<i>subgriseus</i>	1869, 501
<i>lævis</i>	1867, 112	<i>Oligorus macquariensis</i> .	1864, 184
	1867, 117	<i>Oligostigma crassicornalis</i>	1867, 90
	1867, 200	<i>tripunctalis</i>	1867, 90
<i>lirata</i>	1867, 311	<i>Oligostoma orbitalis</i>	1866, 364
<i>mamillata</i>	1865, 272	<i>Oligyra sprucei</i>	1866, 443
<i>pascoei</i>	1867, 112	<i>Olios tridentiger</i>	1869, 538
	1867, 117		1869, 544
	1867, 200	<i>Olisthops</i>	1861, 418
<i>sulcata</i>	1867, 311	<i>Oliva angulata</i>	1863, 341
<i>Æcophora subganomella</i>	1867, 670		1863, 342
<i>Ædemia americana</i>	1863, 324	<i>araneosa</i>	1863, 342
<i>fusca</i>	1863, 324	<i>australis</i>	1865, 164
	1864, 14	<i>columellaris</i>	1863, 342
<i>nigra</i>	1863, 324	<i>dama</i>	1863, 342
	1867, 167	<i>fusiformis</i>	1861, 404
<i>perspicillata</i>	1867, 167		1863, 342
<i>Ædicnemus</i>	1863, 512	<i>gracilis</i>	1863, 342
	1864, 71	<i>inconspicua</i>	1863, 342
	1864, 340	<i>julietta</i>	1863, 342
<i>bistriatus</i>	1865, 397	<i>lineolata</i>	1863, 342
	1869, 430	<i>literata</i>	1863, 342
<i>crepitans</i>	1862, 321	<i>melchersi</i>	1863, 342
	1863, 517	<i>nivea</i>	1861, 404
	1864, 377	<i>pellucida</i>	1863, 342
	1864, 449	<i>porphyria</i>	1863, 342

	Page		Page
<i>Oliva reticularis</i>	1863,	<i>Onocrotalus fuscus</i>	1869,
<i>reticulata</i>	1861,		572
<i>semistriata</i>	1863,	<i>hernandezii</i>	1869,
<i>tergina</i>	1863,		586
<i>testacea</i>	1863,	<i>minor</i>	1869,
<i>undatella</i>	1863,	<i>philippensis</i>	1869,
<i>venulata</i>	1863,		584
<i>volutella</i>	1863,	<i>thagus</i>	1868,
<i>Olivella bullula</i>	1861,		269
<i>eburnea</i>	1861,		588
<i>fulgida</i>	1863,	<i>Onthophagus taurus</i>	1867,
<i>inconspicua</i>	1863,		362
<i>jaspidea</i>	1861,	<i>vacca</i>	1867,
<i>leucozona</i>	1863,		374
	1863,	<i>Onychocephalus acutus</i> .	1869,
	428	<i>mucruso</i>	1864,
<i>leucozonias</i>	1867,	<i>Onychogale</i>	1864,
<i>nympha</i>	1863,	<i>maccarthiæ</i>	1864,
	1867,	<i>Onychoprion melanau-</i>	
<i>oryza</i>	1861,	<i>chen</i>	1866,
<i>pardalis</i>	1863,	<i>Onychorhynchus castel-</i>	
	1863,	<i>naudi</i>	1867,
	428	<i>Opalia funiculata</i>	1863,
	1867,		356
<i>pellucida</i>	1863,	<i>granulosa</i>	1865,
<i>semistriata</i>	1863,	<i>Opatrum hispidum</i>	1867,
<i>undatella</i>	1863,		380
<i>volutella</i>	1863,	<i>Opeas achatinacea</i>	1865,
<i>Ombria psittacula</i>	1863,	<i>Operculatum indicum</i> ..	1867,
<i>Omiza incitata</i>	1867,	<i>Ophicardilus australis</i> ..	1867,
<i>pachiararia</i>	1867,	<i>quoyi</i>	1867,
<i>Ommatophoca rossii</i>	1864,	<i>sulcatus</i>	1867,
<i>Ommatophora luminosa</i> .	1867,	<i>Ophichthys colubrinus</i> ..	1870,
<i>Omocyrius fulvisparsus</i> .	1866,	<i>regius</i>	1869,
	226	<i>Ophideres cajeta</i>	1866,
	1866,		363
	246	<i>fullonica</i>	1867,
	1866,		68
	267	<i>hypermnestra</i>	1867,
<i>Omphalius coronulatus</i> ..	1863,	<i>materna</i>	1867,
<i>ligulatus</i>	1863,	<i>plana</i>	1867,
	1865,	<i>salaminia</i>	1866,
<i>panamensis</i>	1863,		363
<i>viridulus</i>	1863,		1867,
<i>Omphalotropis borbonica</i>	1868,	<i>Ophiocephalus auroline-</i>	
	292	<i>atus</i>	1870,
	1868,	<i>barca</i>	1861,
<i>ceramensis</i>	1865,		222
<i>costellata</i>	1867,	<i>diplogramma</i>	1865,
	1867,	<i>diplogramme</i>	1870,
	315	<i>gachua</i>	1866,
<i>picturata</i>	1867,		35
	1867,		1867,
<i>Oncostoma cinereigulare</i>	1864,		282
	1870,		283
<i>olivaceum</i>	1864,		1867,
	1870,		347
<i>Onithochiton incei</i>	1867,		1868,
<i>rugulosus</i>	1867,		1869,
	1867,		305
	115		1869,
	117		520
	1867,		1870,
	223		694
<i>Onocrotalus albus</i>	1869,	<i>grandinosus</i>	1865,
	572	<i>indicus</i>	1867,
<i>americanus</i>	1869,		14
	579		
	1869,		
	572		

	Page		Page
Ophiocephalus kelaarti ..	1868,	Ophryzone kaupi	1868,
latus	1861,	Ophthalmodes diurnaria	1867,
lata	1867,	infusaria	1867,
leucopunctatus	1865,	Ophthalmolepis lineolatus	1861,
marulius	1865,	Opilus mollis	1867,
	1865,		1867,
	1867,	Opisthocomus	1862,
	1869,	cristatus	1865,
	1870,		1867,
punctatus	1861,		1867,
	1867,		1867,
	1868,		1868,
	1868,		1868,
	1868,	Opisthoporus biciliatus ..	1865,
	1869,	birostris	1865,
	1869,	rostellatus	1865,
stewartii	1867,	Opisthostoma de-crepignii	1866,
striatus	1865,	nii	1866,
	1867,		1866,
	1867,		1866,
	1868,	fairbanki	1866,
	1869,		1866,
Ophiocoma	1863,		1866,
Ophiodes cuprea	1867,		1866,
separans	1867,	nilgiricum	1866,
trapezium	1867,		1866,
triphænoides	1866,		1866,
	1867,		1866,
Ophiognathus ampullaceus	1861,	Oporabia macularia	1867,
Ophiogyra entodonta ..	1870,	Oporornis formosa	1862,
stenogyra	1866,		1864,
stenostrepta	1866,	formosus	1867,
Ophiomorus miliaris ...	1864,	Opsarius goha	1869,
Ophiops elegans	1864,	guttatus	1869,
Ophiostoma pontierii ..	1862,	Oræsia emarginata	1867,
Ophisma attaccicola	1867,	provocans	1867,
cunulifera	1867,	rectistria	1867,
deficiens	1867,	Orbicula cumingii	1863,
gravata	1867,	Orca	1863,
lætabilis	1867,	brevirostris	1870,
maturescens	1867,	capensis	1864,
umminia	1867,		1870,
Ophistospongia australis	1867,		1870,
papilla	1867,		1870,
Ophiusa achatina	1867,		1870,
albivitta	1867,		1870,
arctotænia	1866,		1870,
	1867,	crassidens	1864,
	1867,		1864,
fulvotænia	1867,		1864,
joviana	1867,		1864,
myops	1867,		1864,
obumbrata	1867,	desmarestii	1864,
rubricans	1867,	gladiator	1864,
simillima	1867,		1864,
stuposa	1866,		1864,
	1867,		1864,
umbrosa,	1867,		1864,

	Page		Page
<i>Orca gladiator</i>	1864, 424	<i>Oreocincla aurea</i>	1863, 279
	1868, 336	<i>hancii</i>	1863, 279
	1868, 340		1863, 334
	1868, 543	<i>heinei</i>	1863, 279
	1868, 549		1863, 334
	1868, 550	<i>lunulata</i>	1869, 279
	1870, 71	<i>Oreoica gutturalis</i>	1866, 440
	1870, 76		1869, 279
<i>intermedia</i>	1864, 425	<i>Oreonympha nobilis</i>	1869, 295
	1870, 71		1869, 600
	1870, 77	<i>Oreophasis derbiana</i>	1866, 368
<i>latirostris</i>	1870, 76		1866, 369
	1870, 77		1866, 370
<i>magellanica</i>	1870, 76	<i>derbianus</i>	1862, 256
<i>meridionalis</i>	1864, 425		1870, 510
	1864, 426		1870, 540
	1865, 470		1870, 541
	1865, 471		1870, 543
<i>pacifica</i>	1870, 71	<i>derbyanus</i>	1863, 516
	1870, 76	<i>Oreophilus ruficollis</i>	1867, 331
	1870, 77		1867, 339
<i>stenorhyncha</i>	1870, 71		1867, 989
	1870, 72		1868, 570
	1870, 74	<i>totanirostris</i>	1867, 989
	1870, 77	<i>Oreopyra calolæma</i>	1864, 584
<i>Orchesticus ater</i>	1869, 597		1864, 585
	1870, 553		1867, 153
<i>Orchilus ecaudatus</i>	1868, 628		1870, 205
	1868, 631		1870, 206
<i>Oreas</i> —?	1863, 2	<i>castaneiventris</i>	1867, 153
<i>canna</i>	1862, 22		1870, 205
	1862, 323		1870, 206
	1863, 230	<i>cinereicauda</i>	1870, 205
	1864, 67		1870, 206
	1864, 99	<i>hemileuca</i>	1864, 584
	1864, 105		1864, 585
	1864, 160	<i>leucaspis</i>	1864, 584
	1864, 269		1864, 585
	1864, 659		1867, 130
	1865, 261		1867, 153
	1867, 953		1870, 205
	1868, 625		1870, 206
<i>derbianus</i>	1863, 169	<i>venusta</i>	1870, 206
	1869, 52	<i>Oreotragus saltator</i>	1864, 657
<i>fimbriata</i>	1866, 497	<i>Oreotrochilus estellæ</i> ..	1867, 983
— <i>helicta</i>	1866, 499		1867, 987
<i>livingstonii</i>	1864, 99		1868, 569
	1864, 105	<i>leucopleurus</i>	1867, 328
	1864, 659		1864, 338
<i>strigata</i>	1866, 476	<i>Oresia emarginata</i>	1866, 363
	1866, 480	<i>rectistria</i>	1866, 363
— <i>canthe</i>	1866, 475	<i>Oreta extensa</i>	1867, 683
— <i>lysidge</i>	1866, 482	<i>obtusa</i>	1867, 683
— <i>ocyrhoë</i>	1866, 459	<i>pavaca</i>	1865, 815
<i>Oregonia longimana</i>	1864, 663	<i>suffusa</i>	1867, 683
<i>Oreinus hodgsonii</i>	1861, 224	<i>vatama</i>	1865, 816
<i>maculatus</i>	1861, 224	<i>Orgyia albifascia</i>	1865, 803
<i>Oreocincla aurea</i>	1863, 278	<i>plana</i>	1865, 803

	Page		Page
<i>Orgyia subfascia</i>	1865, 803	<i>Orsonoba medmaria</i>	1867, 664
<i>Orina angulata</i>	1867, 540	<i>rajaca</i>	1866, 365
<i>Orinoma damaris</i>	1865, 770	<i>Ortalida</i>	1862, 254
<i>Oriolus acrorhynchos</i> ..	1862, 340	<i>adspersa</i>	1870, 536
<i>auratus</i>	1864, 2	<i>albiventris</i>	1870, 507
	1864, 6		1870, 509
<i>bicolor</i>	1865, 93		1870, 510
<i>boderipii</i>	1863, 485		1870, 512
<i>buffonianus</i>	1863, 302		1870, 531
<i>ceylonensis</i>	1866, 550		1870, 533
<i>chinensis</i>	1863, 282		1870, 535
	1863, 334		1870, 536
	1870, 442		1870, 543
<i>cochinchinensis</i>	1863, 282		1870, 544
<i>coturnix</i>	1864, 42	<i>araucuan</i>	1870, 506
<i>frontalis</i>	1862, 335		1870, 511
	1862, 340		1870, 512
<i>galbula</i>	1862, 321		1870, 533
	1862, 323		1870, 535
	1863, 47		1870, 537
	1864, 443		1870, 542
	1866, 327		1870, 543
<i>indicus</i>	1863, 282	<i>bronzina</i>	1870, 512
<i>larvatus</i>	1865, 93		1870, 534
	1870, 148	<i>canicollis</i>	1870, 506
<i>melanocephalus</i>	1865, 690		1870, 534
	1866, 550		1870, 543
<i>melanotis</i>	1861, 434		1870, 544
<i>moloxita</i>	1864, 103	<i>caracco</i>	1870, 536
<i>mülleri</i>	1861, 434		1870, 543
<i>ocellatus</i>	1863, 303		1870, 544
<i>rolleti</i>	1870, 148	<i>cinereiceps</i>	1870, 217
<i>sinensis</i>	1863, 302		1870, 511
<i>striatus</i>	1861, 434		1870, 540
<i>tenuirostris</i>	1863, 282		1870, 543
<i>viridis</i>	1869, 279	<i>erythroptera</i>	1870, 540
<i>xanthonotus</i>	1863, 216		1870, 542
<i>Ornismya fanny</i>	1869, 148		1870, 543
<i>Ornithoptera pompeius</i> ..	1865, 756	<i>frantzii</i>	1870, 511
<i>rhadamanthus</i>	1865, 755		1870, 540
<i>Ornithorhynchus</i>	1862, 97	<i>garrula</i>	1870, 539
	1862, 135		1870, 542
	1864, 18		1870, 543
<i>anatinus</i>	1865, 386	<i>goudoti</i>	1867, 159
<i>brevirostris</i>	1865, 386		1867, 160
<i>crispus</i>	1865, 386		1870, 507
<i>fuscus</i>	1865, 386		1870, 531
<i>hystrix</i>	1865, 386	<i>guttata</i>	1869, 598
<i>lævis</i>	1865, 386		1870, 506
<i>paradoxus</i>	1865, 385		1870, 507
<i>rufus</i>	1865, 386		1870, 508
<i>Ornix albifrons</i>	1867, 671		1870, 512
<i>Orocetes cinclorhynchus</i>	1862, 318		1870, 536
	1863, 282		1870, 537
<i>gularis</i>	1862, 318		1870, 542
	1863, 282		1870, 543
<i>Oroidea adriatica</i>	1867, 520		1870, 544
<i>Orphnus tæniolus</i>	1866, 442	<i>katraca</i>	1861, 367

	Page		Page
<i>Ortalida leucogaster</i> ..	1870,	<i>Ortalida wagleri</i>	1870,
<i>leucogastra</i>	1870,		534
	1870,	<i>Orthalicus bensoni</i>	1866,
	1870,	<i>crystallinus</i>	1865,
	1870,	<i>gallina-sultana</i>	1866,
<i>maccalli</i>	1869,	<i>labeo</i>	1866,
	1870,	<i>mars</i>	1861,
	1870,	<i>regina</i>	1866,
<i>montagnii</i>	1870,	<i>yatesi</i>	1866,
<i>motmot</i>	1870,	<i>Orthonyx spaldingi</i>	1868,
	1870,		386
	1870,	<i>spinicauda</i>	1869,
	1870,	<i>spinicaudus</i>	1866,
	1870,	<i>Orthosia curviplena</i> ...	1868,
	1870,	<i>externa</i>	1867,
<i>plumbeiceps</i>	1870,	<i>Orthotomus cineraceus</i> ..	1863,
	1870,	<i>coronatus</i>	1861,
<i>poliocephala</i>	1864,	<i>longicauda</i>	1865,
	1867,		690
	1869,	<i>phyllorhaphesus</i> ...	1866,
	1870,	<i>sepium</i>	1863,
	1870,	<i>Ortygarchus cayanensis</i>	1868,
	1870,	<i>mangle</i>	1868,
	1870,	<i>Ortygometra albicollis</i> ..	1868,
	1870,	<i>angolensis</i>	1870,
	1870,	<i>baillonii</i>	1864,
	1870,		3
<i>ruficauda</i>	1870,		7
	1870,	<i>carolina</i>	1868,
	1870,	<i>cayanensis</i>	1868,
	1870,	<i>chilensis</i>	1868,
	1870,	<i>cinerea</i>	1868,
	1870,	<i>crex</i>	1863,
	1870,	<i>flaviventris</i>	1868,
	1870,	<i>jamaicensis</i>	1868,
<i>ruficeps</i>	1870,		456
	1870,	<i>lateralis</i>	1868,
	1870,	<i>melanops</i>	1868,
	1870,	<i>minuta</i>	1868,
<i>ruficrissa</i>	1870,	<i>quadristrigata</i>	1868,
	1870,		4
	1870,		8
	1870,		118
<i>rufiventris</i>	1870,	<i>Ortyx</i> —?	1862,
<i>squamata</i>	1870,	<i>virginianus</i>	1861,
	1870,		80
	1870,		234
	1870,		2
<i>superciliaris</i>	1870,	<i>Orycteropus æthiopicus</i> .	1865,
	1870,		382
	1870,		669
	1870,		670
	1870,	<i>capensis</i>	1864,
<i>vetula</i>	1869,		654
	1870,		328
	1870,		328
	1870,		382
	1870,		431
	1870,		93
	1870,		94
	1870,		670
	1870,		699
	1870,	<i>senegalensis</i>	1865,
<i>wagleri</i>	1870,	<i>Oryctes pyrrihus</i>	1867,
	1870,		478

	Page		Page
<i>Oryx beisa</i>	1866,	<i>Ostinops montezumæ</i> ..	1867,
	1869,		1870,
<i>leucoryx</i>	1863,	<i>viridis</i>	1867,
	1864,		1867,
	1864,	<i>yuracarium</i>	1866,
	1868,	<i>Ostracion arcus</i>	1867,
	1869,	<i>nasus</i>	1865,
<i>Oryzoborus æthiops</i>	1864,	<i>tesserula</i>	1865,
	1867,	<i>trigonus</i>	1870,
<i>crassirostris</i>	1866,	<i>Ostrea</i>	1865,
	1867,	<i>amara</i>	1863,
	1867,	<i>bullata</i>	1865,
<i>funereus</i>	1867,		1867,
	1870,	<i>circumsuta</i>	1867,
<i>melas</i>	1867,	<i>columbiensis</i>	1863,
	1867,	<i>conchaphila</i>	1863,
	1869,	<i>cucullata</i>	1865,
	1869,	<i>cumingii</i>	1861,
<i>torridus</i>	1866,	<i>edulis</i>	1863,
	1867,		1865,
	1867,	— <i>purpurea</i>	1867,
	1867,	<i>glomerata</i>	1865,
	1868,	<i>iridescens</i>	1863,
	1870,	<i>lima</i>	1862,
<i>Oscilla annulata</i>	1867,		1865,
<i>cingulata</i>	1867,		1867,
<i>circinata</i>	1867,	<i>limacella</i>	1862,
<i>lirata</i>	1867,	<i>malleus-albus</i>	1865,
<i>sulcata</i>	1867,		1867,
<i>Osica undulata</i>	1867,	<i>mordax</i>	1865,
<i>Osicerda alienata</i>	1867,		1867,
<i>costimaculata</i>	1867,	<i>ocrea</i>	1865,
<i>trinotaria</i>	1867,	<i>palmula</i>	1863,
<i>Osmetectis fusca</i>	1864,	<i>panamensis</i>	1863,
<i>Osmia rufa</i>	1862,	<i>purpurea</i>	1867,
<i>Osparius bacaila</i>	1867,	<i>regula</i>	1865,
<i>canarensis</i>	1870,	<i>rufa</i>	1863,
<i>malabaricus</i>	1870,	<i>tegula</i>	1867,
	1870,	<i>tulipa</i>	1865,
<i>Osphranter antilopinus</i> ..	1866,	<i>virescens</i>	1867,
<i>robustus</i>	1870,		1867,
<i>Ospromenus nobilis</i> ..	1869,	<i>virginica</i>	1863,
<i>olfax</i>	1867,		1864,
<i>trichopterus</i>	1862,	<i>vulsella</i>	1865,
<i>Ossonoba torpida</i>	1867,	<i>Otaria byronia</i>	1869,
<i>Osteobrama rapax</i>	1869,	<i>falklandica</i>	1868,
<i>Osteogeniosus militaris</i> .	1865,	<i>godeffroyi</i>	1869,
<i>Ostinops angustifrons</i> ..	1866,	<i>hookeri</i>	1866,
<i>atrovirens</i>	1866,		1867,
	1869,		1868,
<i>cristatus</i>	1864,		1869,
	1866,	<i>jubata</i>	1868,
	1867,		1868,
	1867,		1868,
	1870,		1868,
	1870,		1869,
<i>guatimozinus</i>	1864,		1869,
<i>montezuma</i>	1864,		1869,

	Page		Page
Otaria jubata.....	1869, 104	Otis tetrax.....	1861, 367
	1869, 106		1864, 449
	1869, 107	Otocompsa emeria	1865, 664
	1869, 108	fuscicaudata	1865, 664
	1869, 109	jocosa	1865, 664
	1870, 802		1865, 693
leonina	1864, 34		1866, 570
	1868, 190	Otocorys albigula	1862, 318
	1869, 108		1863, 272
nigrescens	1869, 101	alpestris	1863, 272
	1869, 106		1863, 334
	1869, 109		1864, 435
philippii.....	1869, 108	penicillata	1862, 318
stelleri	1869, 108		1863, 272
	1870, 633		1864, 435
ulloæ	1869, 108	scriba	1863, 272
Otidiphaps nobilis	1870, 4	sibirica	1862, 318
Otiorhynchus scabrosus.	1867, 363	Otocyon caffer	1868, 523
	1867, 378	delalandii	1869, 527
sulcatus	1867, 363	lalandii	1864, 100
	1867, 378		1864, 652
Otis arabs	1867, 687		1865, 232
australis.....	1866, 203		1868, 523
	1868, 471	Otogale	1863, 139
	1868, 473	crassicaudata.....	1863, 140
	1868, 475		1863, 145
	1868, 476		1864, 456
	1869, 140		1864, 626
houbara	1868, 475		1864, 646
kori.....	1868, 471		1865, 60
	1868, 473		1865, 61
	1868, 475	elegantula	1864, 647
	1868, 476	garnettii	1863, 140
	1869, 140		1864, 626
	1869, 141		1864, 646
melanogaster.....	1864, 114		1864, 711
nigriceps	1868, 476	pallida	1863, 140
picturata	1865, 88		1864, 324
	1865, 90		1864, 626
rufocristata	1865, 89		1864, 646
senegalensis	1867, 687	Otogyps calvus	1863, 371
tarda	1861, 101		1868, 391
	1861, 398	Otolemur	1864, 626
	1862, 137	agisymbanus	1864, 627
	1863, 62		1864, 645
	1863, 308		1864, 646
	1863, 331	Otolicnus alleni.....	1862, 13
	1863, 338		1864, 647
	1863, 515		1865, 590
	1863, 517	apicalis	1861, 274
	1864, 449		1863, 141
	1865, 717		1864, 626
	1865, 747		1864, 647
	1868, 471	crassicaudatus	1862, 13
	1868, 472		1863, 140
	1868, 473		1863, 231
	1868, 476		1864, 324
	1869, 140		1864, 325

	Page		Page
Otolicnus crassicaudatus	1864, 626	Otostomus strigatus	1870, 375
	1864, 646	scitus	1866, 442
	1864, 650		1866, 451
demidoffii	1864, 648	toraylii	1866, 443
galago	1863, 146	Otus americanus	1869, 634
	1864, 647	brachyotus	1863, 262
garnettii	1863, 140		1864, 430
	1864, 324		1867, 339
	1864, 325		1868, 143
	1864, 646		1868, 400
	1864, 711		1870, 799
madagascariensis	1864, 641		1870, 800
maholi	1864, 650	capensis	1869, 276
minor	1864, 641		1870, 2
peii	1863, 148	galapagoensis	1870, 323
	1863, 380	grammicus	1861, 80
	1863, 381	madagascariensis	1863, 162
	1864, 327	mexicanus	1869, 634
	1864, 329	vulgaris	1861, 101
	1864, 331		1862, 316
	1864, 334		1863, 262
	1864, 629		1864, 430
	1864, 648		1867, 441
senegalensis	1863, 148	Ouakaria calvus	1862, 333
	1864, 629	spixii	1862, 333
sennaarensis	1864, 626	Ourax erythrorhynchus	1870, 520
sennariensis	1864, 648	galeata	1870, 519
teng	1863, 148	mitu	1870, 506
Otolithus albus	1864, 149		1870, 520
aneus	1867, 939	pauxi	1870, 519
	1870, 684	Ovibos moschatus	1868, 331
argenteus	1861, 222		1868, 335
	1868, 9		1868, 339
	1868, 10		1868, 340
maculatus	1869, 300		1868, 342
ruber	1865, 19		1868, 351
	1867, 939	Ovis — ?	1864, 159
	1869, 516	ammon	1861, 235
reticulatus	1864, 149		1863, 94
squamipinnis	1866, 601		1870, 341
submaculatus	1869, 516	aries	1861, 101
Otostomus bartletti	1866, 442		1861, 234
	1866, 451		1861, 307
canaliculatus	1866, 442		1862, 22
crichtoni	1866, 442		1864, 68
exornatus	1866, 442		1866, 85
expansus	1866, 442		1868, 339
gueinzii	1870, 375		1868, 340
heloicus	1866, 442		1868, 356
maculatus	1866, 443		1870, 80
mittocheilus	1869, 162		1870, 475
montagnei	1866, 442	capensis	1862, 137
musivus	1866, 442	cycloceros	1861, 368
pulcherimus	1866, 442		1862, 185
	1866, 451		1862, 186
rectilinearis	1870, 375		1862, 323
saccatus	1870, 375		1863, 230
similaris	1870, 375		1868, 624

	Page		Page		
<i>Ovis montana</i>	1870,	469	<i>Oxytelus sculptus</i>	1867,	384
<i>musimon</i>	1862,	137	<i>Oxyuris vermicularis</i> ..	1862,	289
	1863,	230		1862,	301
	1864,	68		1862,	304
	1864,	160	<i>Oxyurus spinicauda</i>	1867,	324
	1868,	625		1867,	338
<i>nahura</i>	1870,	475			
<i>tragelaphus</i>	1861,	234	<i>Pachyarches amphitri-</i>		
	1861,	366	<i>talis</i>	1867,	94
	1862,	185	<i>marthesiusalis</i>	1867,	94
	1864,	67	<i>pomonalis</i>	1867,	94
	1864,	68	<i>psittacalis</i>	1867,	94
	1864,	159	<i>Pachybatrachus robustus</i>	1868,	557
	1868,	625		1868,	558
<i>vignei</i>	1861,	368		1868,	560
	1870,	468		1869,	227
<i>Ovula avena</i>	1863,	340		1869,	228
<i>emarginata</i>	1863,	340	<i>Pachycephala brunnea</i> ..	1865,	478
<i>neglecta</i>	1863,	340	<i>calliope</i>	1863,	30
<i>variabilis</i>	1863,	340		1863,	486
<i>Ovulum angasi</i>	1867,	207	<i>clio</i>	1862,	335
<i>gibbosum</i>	1861,	404		1862,	341
<i>hordaceum</i>	1867,	207		1863,	30
<i>subreflexum</i>	1867,	207	<i>fulvotincta</i>	1863,	486
<i>Oxydoras acipenserinus</i> .	1868,	230		1863,	492
<i>Oxyglossus lima</i>	1861,	189	<i>griseiceps</i>	1861,	435
<i>Oxygyrus keraudrenii</i> ..	1868,	617	<i>griseonota</i>	1861,	429
	1868,	619		1861,	435
<i>Oxylabes madagascariensis</i>	1870,	386	<i>grisola</i>	1863,	217
	1870,	387		1863,	486
<i>Oxylophus coromandus</i> .	1863,	209	<i>gutturalis</i>	1869,	471
<i>glandarius</i>	1864,	3	<i>jacquinoti</i>	1869,	545
	1864,	431	<i>lineolata</i>	1862,	335
	1864,	445		1862,	341
	1866,	22		1863,	30
<i>Oxynotus ferrugineus</i> ..	1866,	423	<i>lugubris</i>	1861,	435
<i>newtoni</i>	1866,	423	<i>macrorhyncha</i>	1863,	30
<i>Oxyodes clytia</i>	1867,	69	<i>melanura</i>	1862,	342
<i>Oxyopes littoralis</i>	1869,	531		1863,	30
<i>Oxyopogon lindeni</i>	1870,	782		1869,	279
	1870,	787	<i>mentalis</i>	1863,	30
<i>Oxyrhamphus flammiceps</i>	1868,	326	<i>monacha</i>	1861,	435
<i>frater</i>	1868,	326	<i>orioloides</i>	1869,	118
<i>Oxyrhopus cloelia</i>	1861,	15		1869,	124
	1863,	56	<i>orpheus</i>	1863,	486
<i>formosus</i>	1863,	56	<i>pectoralis</i>	1863,	30
<i>immaculatus</i>	1863,	56		1869,	279
<i>petolarius</i>	1861,	15	<i>rufescens</i>	1862,	335
	1863,	56		1862,	341
<i>trigeminus</i>	1861,	15		1863,	30
	1863,	56	<i>rufipinnis</i>	1861,	435
<i>Oxyrhynchus frater</i>	1870,	194	<i>simplex</i>	1862,	341
<i>Oxytelus complanatus</i> ..	1867,	362	<i>spinicauda</i>	1861,	435
	1867,	384	<i>virescens</i>	1861,	435
<i>nitidulus</i>	1867,	362	<i>Pachycheilus corvinus</i> ..	1861,	233
	1867,	384	<i>gracilis</i>	1863,	413
<i>sculptus</i>	1867,	362	<i>hians</i>	1870,	374
			<i>jansoni</i>	1870,	794

	Page		Page
<i>Pachycheilus lævissimus</i>	1863,	<i>Padollus scalaris</i>	1865,
<i>Pachydactylus bibronii</i> ..	1865,	<i>Pagomys foetidus</i>	1864,
<i>Pachymatisma johnstonia</i>	1863,		1864,
	1867,		1864,
	1867,		1868,
<i>listeri</i>	1868,		1868,
<i>Pachyrhamphus</i> —? ..	1869,		1868,
<i>albescens</i>	1868,		1868,
<i>albinucha</i>	1868,		1868,
<i>albogriseus</i>	1868,		1868,
	1870,		1868,
	1870,		1868,
<i>atricapillus</i>	1867,	<i>groenlandicus</i>	1868,
	1867,	<i>hispidus</i>	1868,
<i>cinereiventris</i>	1864,	<i>nummularis</i>	1864,
	1867,		1864,
	1870,	<i>Pagophila eburnea</i>	1861,
<i>cinereus</i>	1864,	<i>Pagophilus groenlandicus</i>	1864,
	1866,		1864,
	1867,		1864,
	1868,		1864,
	1870,		1864,
<i>cinnamomeus</i>	1864,		1864,
<i>homochrous</i>	1864,		1864,
<i>major</i>	1864,		1868,
<i>mitratus</i>	1868,		1868,
<i>niger</i>	1861,		1868,
	1867,		1868,
	1870,		1868,
<i>nigrescens</i>	1861,		1868,
<i>polychropterus</i>	1867,		1868,
<i>Pachysoma labiatum</i> ..	1861,		1868,
<i>Pachystoma concentricum</i>	1866,		1868,
<i>Pachyteria bicolor</i>	1866,	<i>Paguma</i>	1864,
<i>equestris</i>	1866,	<i>bondar</i>	1864,
	1866,	<i>crossii</i>	1864,
<i>fasciata</i>	1866,	<i>grayi</i>	1864,
<i>insignita</i>	1866,		1864,
	1866,		1864,
<i>lambii</i>	1866,		1864,
	1866,		1864,
	1866,	<i>larvata</i>	1862,
<i>speciosa</i>	1866,		1864,
	1866,		1864,
<i>spinicollis</i>	1866,		1864,
	1866,		1864,
	1866,		1864,
<i>strumosa</i>	1866,		1870,
	1866,	<i>leucomystax</i>	1864,
	1866,		1864,
<i>virescens</i>	1866,		1864,
	1866,		1864,
	1866,	<i>trivirgata</i>	1864,
<i>Padollus emmæ</i>	1865,	<i>Pagurus</i>	1863,
<i>parvus</i>	1865,	<i>Pajeros pampanus</i>	1867,
<i>rubicundus</i>	1865,	<i>Palæmon</i>	1863,

		Page			Page
<i>Palæmon</i> <i>carcinus</i>	1868,	586	<i>Paludina</i> <i>bulimoides</i> ..	1864,	117
<i>cementarius</i>	1868,	586		1865,	233
	1868,	587	<i>chinensis</i>	1865,	196
<i>gaudichaudi</i>	1868,	586	<i>crassa</i>	1869,	445
	1868,	587	<i>decussatula</i>	1869,	445
<i>jamaicensis</i>	1868,	585	<i>digona</i>	1869,	445
<i>ornatus</i>	1868,	586	<i>dis similis</i>	1869,	445
<i>Palæornis</i> <i>alexandri</i>	1861,	367	<i>doliaris</i>	1869,	445
	1867,	346	<i>fragilis</i>	1865,	189
<i>alexandrinus</i>	1862,	376	<i>microgramma</i>	1869,	445
<i>barbatus</i>	1864,	282	<i>oxytropis</i>	1869,	445
<i>bengalensis</i>	1862,	185	<i>phialensis</i>	1865,	541
	1863,	259	<i>polita</i>	1865,	233
<i>caniceps</i>	1864,	282	<i>præmorsa</i>	1869,	445
	1864,	293	<i>seminalis</i>	1863,	67
<i>cyancephalus</i>	1863,	259	<i>sumatrensis</i>	1869,	445
<i>erythrogenys</i>	1866,	555	<i>unicolor</i>	1864,	117
<i>flavicollaris</i>	1863,	259	<i>Paludinella</i>	1861,	233
<i>javanicus</i>	1863,	208	<i>Paludomus</i> <i>acutus</i>	1862,	109
	1864,	282	<i>ajanensis</i>	1869,	66
	1864,	293	<i>chilinoides</i>	1862,	108
<i>longicauda</i>	1870,	427		1862,	109
<i>longicaudatus</i>	1863,	207	<i>spiralis</i>	1862,	109
<i>longicaudus</i>	1864,	282	<i>Palumbus</i> <i>elphinstonei</i>	1866,	571
	1864,	293	<i>Palythoa</i> <i>axinellæ</i>	1867,	238
<i>malaccensis</i>	1862,	140	<i>bertholeti</i>	1867,	234
<i>nicobaricus</i>	1866,	555	<i>mammillosa</i>	1867,	238
<i>rosa</i>	1863,	259	<i>Pamphagus</i> — ?	1864,	118
<i>schisticeps</i>	1866,	568	<i>Pamphila</i> <i>augias</i>	1865,	792
<i>torquatus</i>	1862,	184		1866,	361
	1865,	238	<i>danna</i>	1865,	508
	1865,	691		1865,	509
<i>wardi</i>	1867,	346	<i>mæsa</i>	1865,	509
<i>Palaina</i> <i>coxi</i>	1868,	16		1866,	361
	1868,	17	<i>mathias</i>	1870,	728
	1869,	560	<i>sagara</i>	1865,	792
<i>Palamedea</i>	1864,	70	<i>Pampusanna</i> <i>criniger</i> ..	1865,	239
<i>chavaria</i>	1863,	511	<i>Panacra</i> <i>assamensis</i>	1867,	675
	1863,	517	<i>automedon</i>	1867,	675
	1864,	75	<i>busiris</i>	1865,	793
<i>cornuta</i>	1864,	14	<i>lignaria</i>	1865,	793
	1866,	200	<i>mydon</i>	1867,	675
	1866,	417	<i>scapularis</i>	1867,	675
<i>Palapteryx</i>	1862,	255	<i>truncata</i>	1867,	675
<i>ingens</i>	1865,	750	<i>variolosa</i>	1867,	675
	1870,	54	<i>vigil</i>	1865,	793
<i>Pales</i> <i>cliftoni</i>	1867,	235	<i>Panchax</i> <i>argenteus</i>	1867,	706
	1867,	236	<i>cyanophthalmos</i> ..	1867,	706
<i>Palimna</i> <i>mouhotii</i>	1866,	225	<i>cyanophthalmus</i> ..	1869,	310
	1866,	237	<i>latipes</i>	1867,	706
<i>tessellata</i>	1866,	225	<i>lineatum</i>	1865,	307
	1866,	237		1867,	705
<i>Pallene</i> <i>bicolor</i>	1863,	205	<i>m'clellandi</i>	1867,	706
<i>collaris</i>	1863,	99	<i>panchax</i>	1867,	705
	1865,	609	<i>rubrostigma</i>	1867,	705
<i>Palmipora</i> — ?	1862,	77		1867,	706
<i>Paludina</i> <i>balteata</i>	1869,	445	<i>Pandesma</i> <i>quenavadi</i> ..	1867,	65
<i>bengalensis</i>	1869,	445	<i>Pandion</i> <i>carolinensis</i> ..	1864,	369

	Page		Page
<i>Pandion haliaëtus</i>	1863,	<i>Panoplites flavescens</i> ..	1870,
	1864,	<i>mathewsi</i>	1870,
	1867,	<i>Pantana dispar</i>	1867,
	1868,	<i>Panterpe insignis</i>	1864,
<i>leucocephalus</i>	1861,		1867,
<i>Pandora bilirata</i>	1864,	<i>Panthalops hodgsoni</i> ..	1870,
<i>brevifrons</i>	1864,	<i>Panurgus banksianus</i> ..	1862,
<i>ceylanica</i>	1864,		1862,
<i>cistula</i>	1864,	<i>Panychlora parvirostris</i> .	1867,
<i>claviculata</i>	1863,	<i>stenura</i>	1870,
<i>cornuta</i>	1863,		1870,
	1864,	<i>Panyptila cayanensis</i> ..	1865,
<i>cumingii</i>	1861,		1865,
<i>indica</i>	1864,	<i>cayennensis</i>	1863,
<i>oblonga</i>	1864,	<i>melanoleuca</i>	1863,
<i>obtusa</i>	1864,		1865,
	1864,		1865,
	1864,	<i>sancti-hieronymi</i> ..	1863,
	1864,		1865,
<i>punctata</i>	1864,	<i>Paphia pleione</i>	1866,
	1864,	<i>Papilio aconthea</i>	1868,
<i>radiata</i>	1864,	<i>adonea</i>	1868,
<i>rostrata</i>	1864,	<i>ægyptius</i>	1866,
	1864,	<i>affinis</i>	1866,
<i>striata</i>	1864,	<i>agamemnon</i>	1865,
<i>wardiana</i>	1864,	<i>agestor</i>	1865,
	1864,		1865,
<i>Pangasius buchani</i> ..	1869,		1865,
<i>Pangshura dura</i>	1869,	<i>aglea</i>	1866,
<i>flaviventris</i>	1870,	<i>ajax</i>	1863,
	1870,	<i>alcippe</i>	1867,
<i>smithii</i>	1869,	<i>alcippus</i>	1866,
	1870,	<i>amasia</i>	1865,
<i>sylhetensis</i>	1870,	<i>amulia</i>	1868,
<i>tecta</i>	1869,	<i>amyntor</i>	1867,
	1869,	<i>anchisiades</i>	1863,
	1870,	<i>androgeos</i>	1865,
<i>tectum</i>	1870,	<i>androgeus</i>	1866,
<i>tentorium</i>	1869,	<i>anticlea</i>	1865,
<i>ventricosa</i>	1870,	<i>anticrates</i>	1865,
<i>Panisala truncataria</i> ...	1867,	<i>antiphates</i>	1865,
<i>Panolia acuticauda</i> ...	1863,	<i>antonoe</i>	1866,
<i>acuticornis</i>	1867,	<i>aranea</i>	1866,
	1867,	<i>arcesilaus</i>	1863,
	1869,	<i>archippus</i>	1866,
	1870,	<i>areturus</i>	1865,
<i>eldi</i>	1867,	<i>areolatus</i>	1866,
	1867,	<i>argante</i>	1866,
	1867,	<i>arganthe</i>	1866,
	1867,	<i>argentus</i>	1866,
	1870,	<i>ariarathes</i>	1863,
	1870,	<i>artenice</i>	1866,
<i>eldii</i>	1863,	<i>astarte</i>	1866,
<i>frontalis</i>	1870,	<i>athamas</i>	1865,
<i>platyceros</i>	1867,	<i>aventina</i>	1866,
	1867,	<i>basilissa</i>	1866,
	1869,	<i>bathycles</i>	1865,
	1870,	<i>berenice</i>	1866,

	Page		Page
Papilio bernardus	1865, 636	Papilio doris	1867, 720
blasius	1867, 720	dorothea	1867, 719
bootes	1867, 672	dryasis	1866, 294
branchus	1863, 242	ebusa	1866, 489
bromius	1863, 476	echeria	1866, 43
brutus	1865, 625	egialea	1866, 43
camulus	1865, 625	elphenor	1867, 672
canthus	1866, 503	eleusine	1866, 289
cardui	1870, 725	epiphorbas	1863, 476
castor	1863, 623	epycides	1865, 756
	1865, 625	eques	1865, 623
	1865, 756	eresimus	1866, 45
catilla	1870, 727	erinus	1863, 64
caudius	1866, 451	erippus	1866, 44
chaon	1865, 757		1866, 45
charmione	1869, 43	erithonius	1865, 487
	1869, 44		1865, 757
charopus	1863, 64		1866, 356
	1863, 476		1870, 727
chiron	1865, 757	etheocles	1865, 629
chloris	1866, 490	etolus	1865, 776
chromus	1865, 777	eudoxus	1865, 626
chrysippus	1866, 46	eupale	1865, 638
	1870, 724	euphanes	1866, 457
cinyra	1865, 777	euryalus	1865, 631
cissia	1866, 459	eurydice	1866, 503
clarissa	1866, 462	eurytris	1866, 465
claudius	1866, 294	eurytus	1866, 465
cleona	1866, 57	evagoras	1863, 242
clerimon	1867, 719	evan	1867, 672
climena	1866, 282	evelina	1868, 600
cloanthus	1865, 487	fabius	1865, 628
	1865, 757	florimel	1866, 502
clorimena	1866, 498	folus	1865, 778
cluena	1866, 489	ganesa	1865, 757
clueria	1866, 489	genutia	1866, 47
clymena	1866, 578	gilippus	1866, 44
clymenus	1866, 578		1866, 45
	1866, 579	gliciria	1870, 726
clytemnestra	1866, 208	glycerion	1865, 758
codomannus	1866, 579	govindra	1865, 486
cora	1866, 276	gyas	1867, 672
core	1866, 276	halyma	1866, 502
crantor	1866, 467	hecabe	1870, 727
crino	1865, 757	hector	1865, 756
cymela	1866, 465	hegesippus	1866, 49
damocles	1866, 44	helenus	1865, 757
dasarada	1865, 757	helle	1866, 460
demoleus	1863, 64	hermes	1866, 475
demolion	1866, 356	herse	1866, 490
diphilus	1865, 756	hesione	1866, 459
	1866, 356	horatius	1865, 627
dirtea	1868, 613	hostilius	1863, 242
disparilis	1863, 64	hyale	1870, 727
	1863, 476	icarius	1865, 757
dissimilis	1865, 486	ilea	1870, 727
	1865, 756	ilus	1863, 242
doris	1866, 482	ismare	1866, 50

	Page		Page
Papilio jasius	1865,	Papilio phædon	1866,
jason	1865,	phalantha	1870,
junia	1866,	philene	1866,
juventa	1866,	1870,	725
krishna	1865,	philolaus	1863,
lea	1866,	philoxenus.....	1865,
libye	1866,	phocion	1866,
limniacæ	1866,	phorbanta	1863,
limniacæ	1870,	1863,	476
lotis	1866,	plexippus	1866,
lubentina	1868,	1866,	47
lucretius.....	1865,	podalirius	1863,
lydia	1866,	1865,	241
lysidice	1866,	polixena.....	1865,
macareus	1865,	polixenes	1866,
machaon	1865,	pollux.....	1865,
1866,	356	1865,	625
marica	1865,	1865,	756
martius	1867,	polycaon.....	1863,
medus	1867,	polyctor.....	1865,
megarus	1867,	polymnestor	1865,
melaneus	1866,	polytes	1865,
melanippus	1866,	1865,	756
melissa	1866,	protenor.....	1865,
1868,	604	1865,	487
melusina	1867,	protesilaus.....	1863,
mesentina	1870,	pyrrhus	1865,
midamus	1866,	1865,	632
1866,	268	1865,	634
1866,	272	renata.....	1866,
miltiades	1865,	rhadamanthus ...	1866,
miriam	1867,	rhamni	1870,
monina	1868,	rhea	1865,
mulciber	1866,	rhetenor	1865,
myncea	1866,	romulus	1865,
narcissus	1867,	sarpedon.....	1865,
niavius	1866,	1865,	487
niphe	1870,	1865,	757
nireus	1863,	sclateri	1865,
1863,	64	sempronius	1865,
nisus	1865,	similis	1866,
nomius	1865,	1866,	51
obazus	1863,	sirius	1867,
1863,	64	solon	1865,
ocirrhoë.....	1866,	sosybius.....	1866,
ocypete	1866,	superba	1866,
pammon.....	1865,	sylvester.....	1866,
1865,	487	tabitha	1867,
1866,	356	terminus	1867,
panope	1865,	thersander	1865,
paris	1865,	thieste	1865,
pelias	1865,	timeus	1867,
pelsa	1868,	tiridates	1865,
penelope.....	1866,	tolumnia	1866,
peribæa	1866,	torquatus	1866,
perseus	1867,	tulliolus	1866,
petilia.....	1866,	varuna	1865,
1866,	46	virgatus	1865,
		xanticles	1863,
		1863,	241

	Page		Page
<i>Papilio xenocles</i>	1865, 756	<i>Paradisea regia</i>	1862, 160
<i>xiphares</i>	1865, 631	<i>rubra</i>	1861, 430
<i>zachæus</i>	1867, 721		1861, 436
<i>zingha</i>	1865, 637		1862, 157
<i>Papillina subera</i>	1867, 516		1862, 160
<i>Papuina aruensis</i>	1865, 411		1862, 161
<i>aurora</i>	1865, 411	<i>sexpennis</i>	1861, 436
<i>labium</i>	1865, 411	<i>sexsetacea</i>	1862, 154
<i>lanceolata</i>	1865, 411		1862, 157
<i>leucotropis</i>	1865, 411	<i>speciosa</i>	1861, 436
<i>mysolensis</i>	1865, 411	<i>superba</i>	1862, 154
<i>nodifera</i>	1865, 411	<i>wilsoni</i>	1861, 436
<i>novæ-guineensis</i> ..	1865, 411		1865, 465
<i>vitrea</i>	1865, 411	<i>Paradoxurus</i>	1864, 508
<i>waigiouensis</i>	1865, 411	<i>albifrons</i>	1864, 525
<i>Papyridea tenuicostata</i> ..	1865, 651		1864, 536
<i>Paracyathus</i>	1862, 201	<i>annulatus</i>	1864, 545
<i>Paradanio aurolineatus</i> .	1867, 282	<i>auratus</i>	1864, 541
	1867, 296		1864, 542
	1867, 347	<i>aureus</i>	1864, 526
<i>elegans</i>	1867, 297		1864, 532
<i>neilgherriensis</i>	1867, 281		1864, 537
	1867, 282	<i>binotatus</i>	1864, 530
	1867, 296	<i>bondar</i>	1862, 102
<i>simplex</i>	1867, 364		1864, 505
	1867, 372		1864, 528
<i>Paradigalla carunculata</i> .	1862, 160		1864, 529
<i>Paradisea alba</i>	1862, 160		1864, 531
<i>apoda</i>	1861, 436		1864, 541
	1862, 153		1864, 542
	1862, 154		1869, 19
	1862, 160	<i>crassiceps</i>	1864, 545
	1862, 161	<i>crossii</i>	1864, 505
	1863, 385		1864, 528
<i>atra</i>	1861, 436		1864, 529
<i>bartlettii</i>	1861, 431		1864, 533
	1861, 436		1864, 534
<i>calva</i>	1865, 465		1864, 535
<i>magnifica</i>	1862, 154		1864, 536
	1862, 156	<i>derbianus</i>	1864, 524
	1862, 157		1864, 541
	1862, 159	<i>dubius</i>	1864, 529
	1862, 160		1864, 537
	1862, 161	<i>fasciatus</i>	1864, 529
<i>papuana</i>	1861, 431		1864, 536
	1861, 436		1864, 537
	1862, 123	<i>finlaysonii</i>	1864, 545
	1862, 140	<i>fuscus</i>	1864, 532
	1862, 153	<i>grayi</i>	1864, 505
	1862, 154		1864, 527
	1862, 155		1864, 534
	1862, 156		1864, 540
	1862, 160		1864, 541
	1862, 184		1864, 542
	1862, 185	<i>hamiltonii</i>	1864, 530
<i>regia</i>	1861, 436	<i>hermaphroditus</i> ...	1864, 529
	1862, 153		1864, 532
	1862, 154		1864, 533

	Page		Page
<i>Paradoxurus hirsutus</i> ..	1864, 531	<i>Paradoxurus stigmaticus</i>	1864, 543
<i>javanica</i>	1864, 536	<i>strictus</i>	1864, 544
<i>jourdanii</i>	1864, 541	<i>sumatranus</i>	1864, 536
<i>lævidens</i>	1864, 542	<i>trivirgatus</i>	1864, 543
<i>laniger</i>	1864, 543		1864, 544
	1864, 505	<i>typicus</i>	1864, 532
	1864, 540	<i>typus</i>	1861, 365
	1864, 542		1864, 526
<i>larvatus</i>	1864, 505		1864, 527
	1864, 540		1864, 528
	1864, 541		1864, 533
	1864, 542	<i>tylerii</i>	1865, 406
<i>leucocephalus</i>	1864, 541	<i>zebra</i>	1864, 524
<i>leucomystax</i>	1864, 160	<i>zeylanicus</i>	1864, 528
	1864, 540		1864, 529
	1864, 541		1864, 531
	1864, 542		1864, 532
<i>leucotis</i>	1864, 544		1864, 533
<i>linsang</i>	1864, 519		1864, 537
<i>macrodus</i>	1864, 528		1864, 538
	1864, 529	<i>Paraglena fortunei</i>	1866, 352
	1864, 538	<i>swinhoei</i>	1866, 352
<i>musanga</i>	1864, 505	<i>Paraglenea fortunei</i>	1866, 352
	1864, 527	<i>swinhoei</i>	1866, 352
	1864, 528	<i>Parapholas penita</i>	1865, 203
	1864, 529	<i>Parasa isabella</i>	1867, 684
	1864, 534	<i>laleana</i>	1867, 684
	1864, 536	<i>lepida</i>	1867, 684
	1864, 537	<i>nararia</i>	1867, 685
	1864, 545	<i>punica</i>	1867, 684
<i>musangoides</i>	1864, 537	<i>unicolor</i>	1867, 685
<i>nigrifrons</i>	1864, 528	<i>Parasia apicipunctella</i> ..	1867, 670
	1864, 529	<i>Paravetta discinota</i>	1865, 814
	1864, 534		1865, 823
	1864, 535	<i>Pardachirus pavoninus</i> .	1870, 699
	1864, 537	<i>Pardalina warwickii</i>	1867, 267
	1864, 538		1867, 405
<i>nipalensis</i>	1864, 505		1870, 796
	1864, 540		1870, 797
	1864, 541	<i>Pardalotus</i>	1863, 481
<i>ogilbyi</i>	1864, 541	<i>obsoletus</i>	1863, 486
<i>pallasii</i>	1861, 136	<i>punctatus</i>	1869, 279
	1862, 102	<i>rubricatus</i>	1863, 233
	1864, 505	<i>Pardirallus variegatus</i> ..	1868, 444
	1864, 536	<i>Pareba vesta</i>	1865, 760
<i>pennantii</i>	1864, 531	<i>Paria freycineti</i>	1867, 997
<i>philippensis</i>	1864, 524	<i>psittacea</i>	1867, 997
	1864, 528	<i>Parias maculata</i>	1861, 220
	1864, 529	<i>Parinia leucophæa</i>	1866, 327
	1864, 532	<i>Parisoma frontale</i>	1866, 436
	1864, 537	<i>Parmella olivieri</i>	1867, 308
	1864, 541	<i>planata</i>	1867, 308
<i>prehensilis</i>	1864, 519		1867, 315
	1864, 545	<i>Parmophorus elongatus</i> .	1867, 219
<i>quadriscriptus</i>	1864, 544	<i>lævis</i>	1867, 219
	1864, 545	<i>unguis</i>	1865, 185
<i>quinquelineatus</i> ..	1864, 537	<i>Parnassius</i> — P	1865, 488
<i>setosus</i>	1864, 536	<i>hardwickii</i>	1865, 488

	Page		Page
<i>Parnassius jacquemonti</i>	1865, 488	<i>Partula crassilabris</i>	1864, 675
<i>Parnus prolifericornis</i> ..	1867, 364	<i>decussatula</i>	1864, 675
	1867, 370	<i>dentifera</i>	1864, 675
<i>Paroaria gularis</i>	1866, 181	<i>elongata</i>	1864, 676
	1867, 572	<i>faba</i>	1864, 675
<i>Parodolepas neptuni</i> ..	1869, 442	<i>fasciata</i>	1864, 675
	1869, 443	<i>filosa</i>	1864, 675
<i>Paroides biarmicus</i>	1861, 368	<i>fusca</i>	1864, 675
<i>Parotia sexsetacea</i>	1862, 159	<i>ganymedis</i>	1864, 675
	1862, 160	<i>garrettii</i>	1864, 672
<i>Parotis psittacalis</i>	1867, 94	<i>globosa</i>	1864, 675
<i>Parra</i>	1863, 513	<i>gracilis</i>	1864, 675
<i>africana</i>	1864, 3		1864, 676
	1865, 90	<i>hebe</i>	1864, 675
	1866, 425	<i>hyalina</i>	1864, 671
	1870, 150		1864, 672
<i>albinucha</i>	1866, 425	<i>imperfurata</i>	1864, 675
<i>capensis</i>	1864, 7	<i>labiata</i>	1864, 675
<i>chavaria</i>	1864, 14	<i>lignaria</i>	1864, 671
	1864, 15	<i>lineata</i>	1864, 676
	1864, 75	<i>lineolata</i>	1864, 675
<i>gallinacea</i>	1861, 438	<i>lugubris</i>	1864, 672
	1864, 661		1864, 673
	1868, 388	<i>megastoma</i>	1864, 675
<i>gynostoma</i>	1864, 372	<i>navigatoria</i>	1864, 675
	1870, 218	<i>nodosa</i>	1864, 675
<i>hypomelæna</i>	1864, 372	<i>otaheitana</i>	1864, 675
	1870, 218	<i>ovalis</i>	1864, 675
<i>intermedia</i>	1870, 218	<i>pacifica</i>	1864, 672
<i>jacana</i>	1863, 517	<i>perversa</i>	1864, 675
	1866, 200	<i>planilabrum</i>	1864, 672
	1868, 145		1864, 675
	1869, 252	<i>producta</i>	1864, 671
<i>luzoniensis</i>	1863, 321	<i>protea</i>	1864, 675
<i>melanopygia</i>	1864, 372	<i>radiata</i>	1864, 675
	1867, 161	<i>recta</i>	1864, 675
	1870, 218	<i>robusta</i>	1864, 675
<i>Parthenia exarata</i>	1863, 354	<i>rosea</i>	1864, 675
<i>quinquecincta</i>	1863, 353	<i>rubescens</i>	1864, 675
	1863, 354	<i>rufa</i>	1864, 675
<i>Parthenos gambrisius</i> ..	1865, 762	<i>rustica</i>	1864, 675
<i>Partula abbreviata</i>	1864, 675	<i>simulans</i>	1864, 672
<i>affinis</i>	1864, 675		1864, 675
<i>alternata</i>	1864, 675	<i>sinistrorsa</i>	1864, 675
<i>amabilis</i>	1864, 672	<i>solidula</i>	1864, 675
	1864, 675	<i>stolida</i>	1864, 675
<i>arguta</i>	1864, 670	<i>striolata</i>	1864, 675
<i>attenuata</i>	1864, 672	<i>suturalis</i>	1864, 675
<i>auriculata</i>	1864, 675	<i>tæniata</i>	1864, 672
<i>bilineata</i>	1864, 675		1864, 675
<i>caledonica</i>	1861, 368	<i>tahitiana</i>	1864, 671
<i>callifera</i>	1864, 675	<i>trilineata</i>	1864, 675
<i>citrina</i>	1864, 675	<i>turricula</i>	1864, 675
<i>clara</i>	1864, 671	<i>umbilicata</i>	1864, 675
<i>cognata</i>	1864, 675	<i>vanikorensis</i>	1864, 675
<i>compacta</i>	1864, 675	<i>varia</i>	1864, 675
<i>compressa</i>	1864, 675	<i>variabilis</i>	1864, 675
<i>crassa</i>	1864, 675	<i>vexillum</i>	1864, 675

	Page		Page
<i>Partula virginea</i>	1864,	<i>Parus niger</i>	1864,
<i>vittata</i>	1864,	<i>ouratensis</i>	1870,
<i>Partulina compta</i>	1869,	<i>palustris</i>	1863,
<i>crassa</i>	1869,		1863,
	1869,	<i>pekinensis</i>	1870,
<i>dolium</i>	1869,	<i>sibiricus</i>	1870,
<i>dwighti</i>	1869,	<i>sultaneus</i>	1866,
<i>gouldi</i>	1869,	<i>varius</i>	1862,
<i>grisea</i>	1869,		1863,
<i>marmorata</i>	1869,	<i>venustulus</i>	1870,
<i>proxima</i>	1869,	<i>Pasithea pulchra</i>	1869,
<i>rufa</i>	1869,		1869,
<i>splendida</i>	1869,		1869,
<i>tappaniana</i>	1869,	<i>viridis</i>	1869,
<i>tessellata</i>	1869,		1870,
<i>virgulata</i>	1869,	<i>Passer arcuatus</i>	1866,
<i>Parula americana</i>	1861,	<i>cisalpinus</i>	1864,
<i>gutturalis</i>	1870,	<i>diffusus</i>	1864,
<i>inornata</i>	1870,		1867,
<i>pitiayumi</i>	1868,		1867,
	1868,		1870,
	1869,	<i>domesticus</i>	1863,
<i>Parulus ruficeps</i>	1868,		1864,
<i>Parus afer</i>	1865,		1866,
	1865,		1870,
<i>ater</i>	1863,	<i>hispaniolensis</i>	1866,
	1863,		1866,
	1863,		1866,
	1864,	<i>indicus</i>	1864,
<i>borealis</i>	1863,		1865,
<i>cæruleus</i>	1863,		1866,
	1863,	<i>moabiticus</i>	1864,
<i>castaneiventris</i>	1863,		1864,
<i>castaneiventris</i>	1862,	<i>montanus</i>	1862,
<i>caudatus</i>	1863,		1863,
<i>cinerascens</i>	1864,		1863,
<i>cinereus</i>	1863,		1870,
	1863,	<i>ouratensis</i>	1870,
	1866,	<i>petronius</i>	1870,
<i>cyanus</i>	1863,	<i>russatus</i>	1863,
<i>flavocristatus</i>	1866,		1863,
<i>furcatus</i>	1863,	<i>salicarius</i>	1864,
<i>insperatus</i>	1870,	<i>simplex</i>	1870,
<i>kamtschaticus</i>	1870,	<i>swainsoni</i>	1870,
<i>kamtschatkensis</i> ..	1863,	<i>swainsonii</i>	1864,
	1863,	<i>Passerina discolor</i>	1870,
<i>lugubris</i>	1864,		1870,
<i>major</i>	1863,	<i>leclancheri</i>	1870,
	1863,	<i>Passerita mycerizans</i> ..	1869,
	1864,	<i>Pastor bicolor</i>	1863,
	1866,	<i>corythaix</i>	1861,
<i>minor</i>	1863,	<i>fuscus</i>	1866,
	1863,	<i>mahrattensis</i>	1866,
	1865,	<i>malabaricus</i>	1862,
	1870,		1865,
	1870,	<i>malayensis</i>	1863,
<i>monticola</i>	1870,	<i>roseus</i>	1864,
<i>niger</i>	1864,		2

	Page		Page
Pastor roseus	1864, 445	Pauxi galeata	1870, 520
temporalis	1863, 303		1870, 542
tristis	1866, 423		1870, 543
turdiformis	1863, 302		1870, 669
Patagioenas caribea	1861, 80	mitu	1870, 506
maculosa	1869, 600		1870, 520
Patagona gigas	1867, 328	tomentosa	1862, 140
	1867, 338		1870, 520
	1867, 983	Pavo	1863, 115
	1867, 988	bicalcaratus	1863, 124
	1868, 569	cristatus	1863, 123
	1869, 154		1863, 127
Patella	1862, 226	javanicus	1863, 123
achates	1865, 197	muticus	1863, 123
aculeata	1867, 211		1863, 127
	1867, 221		1869, 628
	1867, 737	nigripennis	1863, 123
alticostata	1865, 56		1863, 127
	1865, 186		1868, 531
antiquata	1867, 211		1869, 628
argentea	1865, 197	spicifer	1864, 373
auriculata	1867, 746	tibetanus	1863, 124
calamus	1865, 186	Pavonia ajax	1863, 248
chinensis	1867, 740	automedon	1863, 249
compressa	1865, 97	ilioneus	1863, 249
costata	1867, 221	oileus	1863, 248
equestris	1867, 747	Peasia	1863, 510
fornicata	1867, 738	Pecten asperrimus	1865, 656
gealei	1865, 57	aspersus	1863, 363
	1865, 186	australis	1865, 656
jacksoniensis	1867, 220	bifrons	1863, 428
latistrigata	1865, 154		1865, 156
	1865, 186		1865, 656
limbata	1865, 185	fumatus	1867, 933
longula	1862, 56	inca	1863, 363
miniata	1865, 97	laticostatus	1865, 756
pentagona	1867, 221	medius	1865, 656
porcellana	1867, 738	nodosus	1861, 405
rudis	1865, 197	tasmanicus	1863, 428
rustica	1865, 97	tegula	1867, 933
sellæformis	1867, 221	tumbezensis	1863, 363
squamifera	1867, 221	ventricosus	1863, 363
tectum sinensis	1867, 747	ziczac	1861, 405
testudinaria	1865, 197	Pectinator spekei	1868, 156
tramoserica	1865, 185	spekii	1869, 113
	1867, 221		1870, 673
vulgata	1863, 362	Pectinium	1862, 228
Patelloida conoidea	1865, 186	Pectoglossa persimilis ..	1867, 698
septiformis	1867, 220	Pectunculus — ?	1865, 270
stellaris	1867, 220	assimilis	1863, 364
Patula	1869, 644	belcheri	1862, 230
boopis	1867, 72	cancellatus	1862, 229
macrops	1867, 72	grayanus	1867, 932
Pauxi galeata	1870, 505	holosericus	1867, 932
	1870, 506	inæqualis	1863, 364
	1870, 507	maculatus	1863, 364
	1870, 508	obliquus	1865, 655
	1870, 519	radians	1865, 655

	Page		Page
<i>Pectunculus tenuicostatus</i>	1867, 932	<i>Pelecanus conspicillatus</i> .	1869, 574
<i>Pedetes caffer</i>	1865, 400		1869, 576
<i>Pedicularia pacifica</i>	1865, 516		1869, 578
<i>sicula</i>	1862, 196		1869, 590
	1865, 516	<i>crispus</i>	1864, 455
<i>Pedionomus torquatus</i> ..	1869, 236		1868, 267
	1869, 237		1868, 269
<i>Pegasus draconis</i>	1870, 702		1869, 573
<i>Pelagus</i>	1864, 33		1869, 574
<i>Pelamis bicolor</i>	1862, 224		1869, 575
	1869, 297		1869, 576
	1869, 502		1869, 578
<i>Pelargopsis amauroptera</i>	1870, 63		1869, 581
	1870, 67	<i>cristatus</i>	1869, 582
	1870, 69		1869, 573
<i>burmanica</i>	1870, 66		1869, 583
	1870, 67		1869, 585
	1870, 69	<i>erythrorhynchus</i> ..	1869, 573
<i>floresiana</i>	1870, 68		1869, 574
	1870, 69		1869, 576
<i>fraseri</i>	1870, 65		1869, 578
	1870, 66		1869, 588
	1870, 69		1869, 589
<i>gouldi</i>	1870, 63	<i>fuscus</i>	1869, 590
	1870, 69		1864, 373
<i>gurial</i>	1870, 63		1867, 336
	1870, 66		1868, 268
	1870, 67		1868, 269
	1870, 68		1869, 408
	1870, 69		1869, 573
<i>leucocephala</i>	1870, 64		1869, 574
	1870, 69		1869, 575
<i>leucocephalus</i>	1870, 67		1869, 576
<i>malaccensis</i>	1870, 67		1869, 578
<i>melanoryncha</i>	1870, 62		1869, 586
	1870, 69		1869, 590
<i>Pelatia javanica</i>	1866, 83	<i>gangeticus</i>	1869, 584
<i>Pelecanus</i> — ?	1864, 115	<i>gracilis</i>	1867, 336
	1867, 819	<i>javanicus</i>	1868, 266
<i>albigula</i>	1867, 336		1868, 268
<i>americanus</i>	1869, 589		1868, 269
<i>australis</i>	1869, 573		1869, 572
	1869, 578		1869, 573
	1869, 590		1869, 574
<i>bougainvillii</i>	1867, 336		1869, 575
<i>brachydactylus</i>	1869, 589		1869, 576
<i>brasilianus</i>	1867, 336		1869, 578
<i>calorhynchus</i>	1869, 584		1869, 579
<i>carbo</i>	1862, 137		1869, 580
<i>carolinensis</i>	1869, 573		1869, 581
	1869, 586		1869, 584
<i>cirrhatu</i> s	1867, 336		1869, 586
<i>conspicillatus</i>	1864, 158		1870, 173
	1868, 268	<i>manillensis</i>	1869, 573
	1868, 269		1869, 584
	1869, 289	<i>megalophus</i>	1869, 580
	1869, 280	<i>minor</i>	1864, 115
	1869, 573		1868, 267

	Page		Page
<i>Pelecanus minor</i>	1869, 574	<i>Pelecanus philippensis</i> .	1869, 573
	1869, 575		1869, 574
	1869, 576		1869, 575
	1869, 578		1869, 583
	1869, 580		1869, 584
	1869, 581		1869, 585
	1869, 586		1869, 586
<i>mitratus</i>	1868, 266	<i>purpurascens</i>	1867, 336
	1868, 267	<i>roseus</i>	1869, 573
	1868, 268		1869, 574
	1868, 269		1869, 579
	1869, 574		1869, 583
	1869, 575	<i>rufescens</i>	1868, 266
	1869, 580		1868, 267
	1869, 581		1868, 268
	1870, 173		1868, 269
<i>molinae</i>	1867, 336		1869, 572
	1868, 268		1869, 573
	1868, 269		1869, 574
	1869, 572		1869, 575
	1869, 573		1869, 576
	1869, 574		1869, 578
	1869, 575		1869, 585
	1869, 576		1869, 586
	1869, 578	<i>sharpei</i>	1870, 173
	1869, 588		1870, 409
<i>onocrotalus</i>	1862, 102	<i>thagus</i>	1867, 336
	1863, 325		1867, 340
	1864, 455		1869, 573
	1867, 438		1869, 575
	1868, 2		1869, 588
	1868, 264	<i>trachyrhynchus</i>	1867, 336
	1868, 265		1868, 268
	1868, 266		1868, 269
	1868, 267		1869, 573
	1868, 268		1869, 574
	1868, 269		1869, 588
	1869, 572		1869, 589
	1869, 573		1869, 590
	1869, 574	<i>Pelecus flavipinnis</i>	1869, 382
	1869, 575	<i>Pelias berus</i>	1862, 322
	1869, 576		1862, 376
	1869, 578	<i>Pellicaria scutulata</i>	1867, 208
	1869, 579	<i>Pelidna pusilla</i>	1861, 80
	1869, 580	<i>Pellona ditchoa</i>	1870, 701
	1869, 581	<i>dussumieri</i>	1869, 386
	1869, 582	<i>motius</i>	1869, 386
	1869, 586	<i>sladeni</i>	1869, 623
	1869, 589	<i>Pelochelys</i>	1864, 89
	1870, 173	<i>bibronii</i>	1864, 90
	1870, 409	<i>cantorii</i>	1864, 90
<i>patagiatus</i>	1869, 582		1864, 91
<i>phæospilus</i>	1869, 574		1869, 215
	1869, 583	<i>cumingii</i>	1864, 90
	1869, 585	<i>Pelodiscus labiatus</i>	1864, 78
<i>philippensis</i>	1863, 325	<i>Pelodryas</i>	1863, 58
	1868, 268		
	1868, 269		

	Page		Page
Pelodryas cærulea	1862, 185	Penelope aburri	1870, 509
	1863, 249		1870, 530
	1863, 250	adspersa	1870, 510
	1863, 388	albiventris	1870, 507
Pelodytes hermaphrodi-			1870, 509
tus	1862, 301		1870, 533
Pelomedusa gehafæ	1864, 133	araucuan	1870, 506
niger	1864, 133		1870, 507
spekii	1864, 115		1870, 509
subrufa	1864, 133		1870, 533
Pelomys fallax	1864, 653		1870, 535
Pelopœus flavipes	1867, 342	argyrotis	1870, 509
Pelophilus fordii	1861, 142		1870, 510
madagascariensis	1865, 837		1870, 528
Pelopia brevifrons	1868, 17		1870, 542
Pelotrophus microcephalus	1864, 308		1870, 543
	1864, 314	aspersa	1870, 508
microlepis	1864, 308	boliviana	1870, 506
	1864, 314		1870, 526
Peltastes elongatus	1869, 171		1870, 543
	1869, 172		1870, 544
	1870, 656	brasiliensis	1870, 526
geographicus	1869, 173	bridgesi	1870, 510
	1870, 655		1870, 525
geometricus	1870, 655	canicollis	1870, 507
græcus	1869, 173		1870, 534
	1870, 658	carunculata	1870, 531
leithii	1870, 657	cristata	1868, 298
marginatus	1869, 173		1870, 505
	1870, 657		1870, 507
platynotus	1870, 655		1870, 511
semiserratus	1870, 656		1870, 521
stellatus	1870, 654		1870, 522
sulcatus	1869, 173		1870, 523
	1870, 658		1870, 525
tentorius	1870, 656		1870, 526
verreauxii	1870, 656		1870, 541
Peltocephalus tracaxa	1864, 135		1870, 542
Peltops blainvillei	1861, 433		1870, 543
blainvillii	1862, 165	cujubi	1870, 509
Penæus bocagei	1863, 255		1870, 530
	1867, 900	cumanensis	1869, 598
caramote	1863, 257		1870, 505
	1867, 901		1870, 511
edwardsianus	1867, 897		1870, 529
	1867, 901		1870, 530
foliaceus	1867, 901	fronticornis	1870, 541
longirostris	1867, 900	garrula	1870, 539
membranaceus	1867, 900	grayi	1870, 511
	1867, 901		1870, 529
siphonoceros	1867, 900		1870, 530
	1867, 901	greeyi	1870, 510
	1867, 901		1870, 511
Penares helleri	1867, 542		1870, 523
Pencillaria mammillaris	1867, 527		1870, 542
Penelope	1862, 254		1870, 543
aburri	1867, 160	greeyii	1866, 206
	1870, 507	guttata	1870, 506

	Page		Page
Penelope guttata	1870, 536	Penelope obscura	1870, 524
jacuini	1870, 511		1870, 525
	1870, 529		1870, 543
	1870, 530		1870, 544
jacuaca	1870, 526	ochrogaster	1870, 527
jacuacu	1870, 506		1870, 543
	1870, 526		1870, 544
jacucaca	1870, 506	parrakoua	1870, 532
	1870, 507	pileata	1862, 137
	1870, 508		1870, 507
	1870, 509		1870, 508
	1870, 523		1870, 509
	1870, 524		1870, 521
	1870, 528		1870, 527
	1870, 543		1870, 542
	1870, 544		1870, 543
jacupeba	1870, 506	pipile	1867, 160
	1870, 507		1870, 508
	1870, 511		1870, 529
	1870, 524		1870, 530
	1870, 544	poliocephala	1870, 507
jacupema	1870, 505		1870, 537
	1870, 507	purpurascens	1861, 234
	1870, 522		1862, 325
	1870, 523		1864, 371
jacutinga	1870, 506		1870, 507
	1870, 530		1870, 508
	1870, 544		1870, 522
leucogaster	1870, 539		1870, 526
leucoptera	1870, 507		1870, 541
	1870, 530	rufescens	1870, 526
lichtensteini	1870, 510	ruficeps	1870, 507
	1870, 528		1870, 533
maculata	1870, 536	rufiventris	1867, 160
marail	1870, 505		1870, 508
	1870, 508		1870, 510
	1870, 522		1870, 531
	1870, 523	sclateri	1870, 510
	1870, 542		1870, 527
	1870, 543		1870, 543
montana	1870, 528		1870, 544
motmot	1870, 532	superciliaris	1862, 184
	1870, 533		1870, 506
nattereri	1870, 511		1870, 507
	1870, 529		1870, 508
	1870, 530		1870, 509
nigra	1867, 160		1870, 523
	1870, 509		1870, 527
	1870, 528		1870, 543
nigricapilla	1866, 206		1870, 544
	1870, 510	vetula	1870, 507
	1870, 511		1870, 538
	1870, 524	Penelopina nigra	1870, 509
	1870, 525		1870, 528
nigrifrons	1870, 530		1870, 541
obscura	1870, 505		1870, 543
	1870, 506	Penelopsis leucogastra . .	1870, 539
	1870, 510		

	Page		Page
<i>Pennatula cynomorium</i> .	1862,	<i>Perdix ponticerianus</i> ..	1864,
<i>mirabilis</i>	1863,		1866,
<i>phalloides</i>	1862,	<i>rubra</i>	1862,
<i>Penora silhetica</i>	1867,		1863,
<i>Pentacrinus caput-me-</i>		<i>spadicea</i>	1866,
<i>dusæ</i>	1861,	<i>sphenura</i>	1863,
<i>europæus</i>	1868,	<i>striata</i>	1866,
<i>Pentadactylus albolabris</i>	1865,	<i>thoracica</i>	1863,
<i>chideus</i>	1867,	<i>Pergesa acteus</i>	1865,
<i>tubercuiatus</i>	1867,	<i>castor</i>	1865,
<i>Pentapus aurolineatus</i> ..	1867,		1867,
<i>Pentastoma</i>	1862,	<i>velata</i>	1867,
<i>denticulatum</i>	1861,	<i>Peribasis aspersa</i>	1866,
	1862,		1866,
<i>oxycephalum</i>	1861,	<i>pubicollis</i>	1866,
<i>teretiusculum</i>	1862,		1866,
<i>Penthema lisarda</i>	1865,	<i>Perichaeta cingulata</i>	1869,
<i>Pentonyx gabonensis</i> ..	1863,	<i>Pericrocotus brevirostris</i> .	1866,
	1864,		1870,
<i>gehafinæ</i>	1864,	<i>cantonensis</i>	1863,
<i>Perameles doreyana</i>	1867,	<i>cinereus</i>	1863,
<i>nasuta</i>	1867,		1863,
<i>obesula</i>	1867,		1863,
<i>Perca cernua</i>	1862,	<i>exul</i>	1863,
<i>miniata</i>	1867,		1863,
<i>scandens</i>	1867,	<i>flammeus</i>	1863,
<i>Percis hexophthalma</i> ..	1870,	<i>griseigularis</i>	1862,
<i>Percnia felinaria</i>	1867,		1863,
<i>Percnostola fortis</i>	1867,	<i>saularis</i>	1862,
	1867,	<i>sordidus</i>	1863,
	1867,	<i>speciosus</i>	1863,
	1868,	<i>Peridrome orbicularis</i> ..	1867,
<i>funebri</i>	1866,	<i>Perigea apameoides</i>	1867,
	1867,	<i>canorufa</i>	1867,
<i>Perdicella alexandri</i>	1869,	<i>illicta</i>	1867,
<i>helena</i>	1869,	<i>tricycla</i>	1867,
<i>manoensis</i>	1869,	<i>Perigonia macroglosso-</i>	
<i>minuscula</i>	1869,	<i>ides</i>	1867,
<i>ornata</i>	1869,	<i>obliterans</i>	1865,
<i>sandwichensis</i>	1869,	<i>Perilampus atpar</i>	1869,
<i>zebrina</i>	1869,	<i>aurolineatus</i>	1865,
<i>Perdicula erythrorhyncha</i>	1866,	<i>canarensis</i>	1870,
<i>Perdix barbata</i>	1863,	<i>fulvescens</i>	1869,
	1863,		1869,
	1863,		1869,
<i>cinerea</i>	1862,	<i>laubuca</i>	1869,
	1862,		1869,
	1862,	<i>macropodus</i>	1869,
	1862,	<i>malabaricus</i>	1870,
	1862,	<i>osteographus</i>	1869,
	1863,	<i>Perina basalis</i>	1865,
	1863,	<i>Perinephala ostentalis</i> ..	1867,
	1864,	<i>Periophthalmus fuscatus</i>	1869,
<i>cranchii</i>	1864,	<i>kœlreuteri</i>	1866,
<i>gularis</i>	1864,		1867,
<i>hodgsoniæ</i>	1861,		1868,
<i>madagascariensis</i> ..	1866,		1869,
<i>melanocephala</i>	1866,		1870,

	Page		Page
<i>Periophthalmus papilio</i> .	1869, 512	<i>Perognathus parvus</i>	1868, 201
<i>scintillans</i>	1869, 516		1868, 203
<i>Peripia peronii</i>	1870, 239	<i>penicillatus</i>	1868, 201
<i>Periploma angasi</i>	1865, 644	<i>Peronæoderma albinella</i>	1865, 646
<i>Perisoreus infaustus</i>	1863, 337	<i>Petalocerus bellianus</i> ..	1864, 666
<i>Peristera afra</i>	1867, 827	<i>bicornis</i>	1864, 666
	1870, 150	<i>Petalococonchus</i>	1861, 336
<i>brachyptera</i>	1868, 60	<i>cereus</i>	1861, 351
<i>chalcospilos</i>	1862, 12	<i>domingensis</i>	1861, 353
<i>cinerea</i>	1864, 178	<i>flavescens</i>	1861, 361
	1864, 370	<i>intortus</i>	1861, 353
	1867, 753	<i>macrophragma</i>	1861, 360
	1870, 217	<i>nerinæoides</i>	1861, 350
<i>elegans</i>	1869, 280	<i>octosectus</i>	1861, 350
<i>frontalis</i>	1869, 633	<i>renisectus</i>	1861, 338
	1870, 587		1861, 346
<i>jamaicensis</i>	1869, 633	<i>sculpturatus</i>	1861, 353
<i>macroductyla</i>	1863, 60	<i>varians</i>	1861, 338
<i>principalis</i>	1866, 330	<i>Petalostoma minutum</i> ..	1868, 98
<i>rufaxilla</i>	1870, 587	<i>Petasophora anais</i>	1870, 782
<i>simplex</i>	1866, 330	<i>cabanisi</i>	1870, 210
<i>tympanistria</i>	1866, 425	<i>cyanotis</i>	1868, 169
<i>Peristernia luculenta</i> ..	1863, 429		1870, 210
<i>Perna</i> — ?	1863, 363		1870, 782
<i>australis</i>	1865, 653		1870, 803
	1867, 929	<i>delphinæ</i>	1870, 210
<i>ephippium</i>	1861, 405		1870, 803
<i>flavida</i>	1865, 653		1870, 837
<i>fulgida</i>	1870, 7	<i>iolata</i>	1867, 988
	1870, 9		1868, 569
<i>glaberrima</i>	1867, 929		1870, 803
<i>Pernis apivorus</i>	1861, 366	<i>thalassina</i>	1864, 177
	1863, 332	<i>Petricola cognata</i>	1863, 367
	1864, 428	<i>pholadiformis</i>	1863, 367
<i>crassirostris</i>	1862, 337	<i>tenuis</i>	1863, 367
<i>longicauda</i>	1861, 433	<i>Petrobalæna minor</i>	1864, 253
<i>madagascariensis</i> ..	1866, 420	<i>Petrochelidon albilinea</i> .	1864, 347
<i>magnirostris</i>	1862, 337	<i>albiventris</i>	1863, 189
<i>Perodicticus</i>	1864, 335		1866, 178
	1864, 631	<i>cinerea</i>	1869, 599
	1864, 644	<i>cyanoleuca</i>	1867, 984
<i>calabarensis</i>	1863, 150	<i>euchrysea</i>	1861, 72
<i>geoffroyi</i>	1863, 150	<i>fulva</i>	1861, 72
<i>potto</i>	1863, 150	<i>littorea</i>	1863, 189
	1864, 323		1864, 347
	1864, 324	<i>lunifrons</i>	1870, 286
	1869, 1	<i>melanogaster</i>	1870, 293
	1869, 469	<i>spilodera</i>	1870, 286
	1870, 86		1870, 293
<i>Perognathus bicolor</i>	1868, 202		1870, 320
	1868, 204	<i>thalassina</i>	1864, 173
<i>crisetodipus</i>	1868, 202	<i>tibialis</i>	1864, 347
<i>fasciatus</i>	1868, 201		1869, 598
	1868, 205	<i>Petrocincla affinis</i>	1863, 281
<i>flavus</i>	1868, 203		1863, 282
<i>hispidus</i>	1868, 202	<i>cyanea</i>	1863, 281
<i>monticola</i>	1868, 202		1864, 440
	1868, 204	<i>explorator</i>	1866, 23

	Page		Page
<i>Petrocincla manilensis</i> ..	1862,	<i>Phacochcerus aeliani</i>	1867,
	1863,		1867,
	1863,		1868,
<i>pandoo</i>	1863,		1868,
<i>saxatilis</i>	1864,		1869,
<i>superciliosa</i>	1865,		1869,
<i>Petrocossyphus cyaneus</i> ..	1866,	<i>aethiopicus</i>	1861,
<i>Petrodromus tetradactylus</i>	1864,		1861,
	1866,		1862,
<i>Petrogale brachyotis</i> ..	1866,		1862,
	1866,		1867,
<i>longicauda</i>	1865,		1867,
<i>xanthopus</i>	1866,		1868,
	1868,		1868,
<i>Petroica bicolor</i>	1863,		1869,
<i>hypoleuca</i>	1861,		1869,
<i>multicolor</i>	1869,	<i>africanus</i>	1864,
<i>phoenicea</i>	1869,		1868,
<i>Petromyzon fluviatilis</i> ..	1870,		1868,
	1870,		1868,
	1870,	<i>barbatus</i>	1868,
<i>planeri</i>	1870,	<i>haroja</i>	1868,
	1870,	<i>koiropotamus</i>	1868,
	1870,	<i>pallasii</i>	1868,
<i>Petronia brachydactyla</i> ..	1864,	<i>penicillatus</i>	1862,
<i>stulta</i>	1864,	<i>Phædusa formosensis</i> ..	1866,
<i>Petrorhynchus capensis</i> ..	1865,		1866,
	1865,	<i>similaris</i>	1866,
	1865,		1866,
<i>Peuceæ æstivalis</i>	1867,	<i>Phægorista bala</i>	1865,
	1868,	<i>catocalina</i>	1867,
<i>botterii</i>	1868,	<i>catocaloides</i>	1865,
<i>boucardi</i>	1868,	<i>longipennis</i>	1865,
	1868,	<i>transiens</i>	1865,
<i>cassinii</i>	1868,	<i>Phæochroa cuvieri</i>	1864,
<i>notosticta</i>	1868,		1867,
	1868,		1870,
<i>ruficeps</i>	1868,	<i>roberti</i>	1870,
<i>Pezopetes capitalis</i>	1870,	<i>Phæolæma æquatorialis</i> ..	1870,
<i>Pezophaps</i>	1862,	<i>Phæoprogne fusca</i>	1868,
<i>minor</i>	1865,	<i>Phaëthon æthereus</i>	1866,
<i>solitaria</i>	1865,	<i>phœnicurus</i>	1863,
	1865,		1863,
	1865,	<i>Phaëthornis adolphi</i>	1864,
	1869,		1867,
<i>Pezoporus formosus</i>	1868,	<i>anthophilus</i>	1868,
	1868,	<i>bourcierii</i>	1867,
<i>occidentalis</i>	1868,	<i>cassinii</i>	1867,
<i>Phacellodomus frontalis</i> ..	1869,	<i>cephalus</i>	1867,
	1870,	<i>emiliæ</i>	1867,
<i>striaticeps</i>	1869,		1870,
<i>Phacochcerus</i> — ?....	1863,	<i>eurynomus</i>	1864,
<i>aeliani</i>	1861,	<i>guyi</i>	1868,
	1861,	<i>hispidus</i>	1866,
	1862,	<i>longirostris</i>	1864,
	1862,		1867,
	1862,		1870,
	1864,	<i>malaris</i>	1867,
	106		752

	Page		Page
<i>Phaëthornis malaris</i>	1867, 979	<i>Phalæna-noctua pomona</i> 1867,	68
<i>nigricinctus</i>	1867, 979	<i>virbia</i>	1867, 77
<i>oseryi</i>	1867, 979	<i>Phalæna-pyralis procopi-</i>	
<i>symmatophora</i>	1870, 803	<i>alis</i>	1867, 95
<i>yaruqui</i>	1867, 803	<i>tyres</i>	1867, 95
<i>Phaëton candidus</i>	1866, 426	<i>Phalænopsis lowii</i>	1866, 3
	1868, 9	<i>Phalangioides negatalis</i> . 1867,	97
	1868, 118	<i>Phalangista chrysorrhos</i> 1861,	318
<i>phœnicurus</i>	1861, 183	<i>maculata</i>	1861, 317
	1869, 472	<i>vulpina</i>	1861, 234
<i>Phaëtornis mazeppa</i>	1870, 652		1861, 366
<i>Phainopepla nitens</i>	1864, 173		1861, 367
<i>Phaiopicus badius</i>	1863, 267		1862, 22
<i>blythii</i>	1863, 87		1862, 140
<i>jerdoni</i>	1863, 87		1868, 625
<i>phaiiceps</i>	1863, 267	<i>Phalanna polymena</i>	1865, 802
<i>rufonotus</i>	1863, 87		1866, 362
<i>Phakellia robusta</i>	1867, 517	<i>Phalaropus fulicarius</i> . . 1863,	315
<i>ventilabrum</i>	1867, 516		1865, 256
<i>Phakellura gazoralis</i>	1867, 93		1867, 165
<i>indica</i>	1867, 93		1867, 166
<i>indicalis</i>	1867, 93	<i>hyperboreus</i>	1861, 438
<i>superalis</i>	1867, 93		1867, 166
<i>translucidalis</i>	1867, 93	<i>wilsoni</i>	1864, 179
<i>Phalacra metagonaria</i>	1867, 79		1867, 339
<i>Phalacrocorax</i> — ?	1865, 618	<i>Phalcobænus montanus</i> . 1867,	329
<i>africanus</i>	1865, 89		1867, 988
<i>bicristatus</i>	1863, 325	<i>Phalera cossoides</i>	1867, 682
<i>bougainvillii</i>	1867, 340	<i>grotei</i>	1867, 682
<i>brasilianus</i>	1867, 340	<i>parivala</i>	1865, 815
	1868, 146	<i>raya</i>	1865, 815
	1869, 601	<i>sangana</i>	1867, 682
	1870, 219	<i>tenebrosa</i>	1865, 815
<i>capillatus</i>	1863, 325	<i>Phalera bimaculata</i> . . . 1867,	365
<i>carbo</i>	1863, 47		1867, 380
	1863, 324	<i>cadaverina</i>	1867, 381
	1863, 517	<i>Phaleris cristatella</i> 1863,	330
	1864, 455		1865, 618
	1867, 439	<i>mystacea</i>	1863, 331
	1870, 603	<i>tetracula</i>	1863, 331
<i>carboides</i>	1869, 280		1870, 604
<i>cirrhatus</i>	1867, 340	<i>Phalium areola</i>	1862, 227
<i>carunculatus</i>	1868, 529	<i>flammeolum</i>	1862, 227
<i>gaimardi</i>	1867, 340	<i>glaucum</i>	1862, 227
<i>leucogaster</i>	1869, 280	<i>Phaneta everetti</i>	1870, 794
<i>magellanicus</i>	1868, 529		1870, 795
<i>purpurascens</i>	1867, 340	<i>Phania pyrostoma</i>	1865, 408
<i>pygmæus</i>	1864, 455	<i>Phaps chalcoptera</i>	1862, 323
<i>sulcirostris</i>	1869, 280		1869, 280
<i>Phalacrus consimilis</i>	1867, 363		1869, 628
	1867, 371	<i>histrionica</i>	1869, 628
<i>coruscus</i>	1867, 363	<i>Pharella ovalis</i>	1861, 423
	1867, 371	<i>Pharomacrus antisianus</i> 1870,	782
<i>Phalæna attacus lucina</i> . 1866,	121	<i>auriceps</i>	1870, 782
<i>caudata</i>	1867, 646	<i>costaricensis</i>	1870, 202
<i>eleonora</i>	1867, 648	<i>fulgidus</i>	1868, 628
<i>hermonia</i>	1867, 72	<i>mocinno</i>	1867, 151
<i>mygdonia</i>	1867, 72		1870, 202

	Page		Page
Pharomacrus pavoninus .	1867, 583	Phascolomys latifrons . .	1867, 803
	1867, 593		1867, 804
Pharsalia incerta	1866, 226		1867, 805
	1866, 244		1867, 806
Phascochœrus æliani . .	1868, 46		1867, 807
africanus	1868, 46		1867, 808
	1868, 47		1867, 809
edentatus	1868, 47		1867, 810
incisivus	1868, 46		1867, 811
larvatus	1868, 35		1867, 812
typicus	1868, 47		1867, 813
Phascogale calura	1866, 431		1867, 814
lanigera	1866, 433		1867, 815
	1866, 434	magnus	1865, 851
penicillata	1866, 431		1865, 852
	1866, 434		1865, 854
	1868, 4		1867, 798
Phascolarctos cinereus . .	1862, 1		1867, 815
	1862, 85	mitchelli	1865, 851
Phascolarctus cinereus . .	1867, 815		1865, 853
Phascolomys angasii . .	1865, 839	niger	1865, 849
	1865, 848		1865, 854
	1865, 849		1867, 799
	1865, 850	platyrhinus	1865, 839
	1865, 854		1865, 843
angassi	1867, 799		1865, 844
bassii	1865, 853		1865, 846
fossor	1865, 853		1865, 847
fusca	1865, 853		1865, 848
lasiorhinus	1865, 838		1865, 849
	1865, 839		1865, 850
	1865, 840		1865, 851
	1865, 842		1865, 852
	1865, 843		1865, 853
	1865, 846		1865, 854
	1865, 850		1867, 798
	1865, 854		1867, 799
	1867, 798		1867, 800
latifrons	1861, 268		1867, 801
	1865, 838		1867, 802
	1865, 839		1867, 803
	1865, 840		1867, 804
	1865, 842		1867, 805
	1865, 843		1867, 806
	1865, 844		1867, 808
	1865, 846		1867, 809
	1865, 847		1867, 810
	1865, 848		1867, 811
	1865, 849		1867, 812
	1865, 850		1867, 813
	1865, 852		1867, 814
	1865, 853		1867, 815
	1865, 854	setosus	1865, 839
	1867, 798		1865, 849
	1867, 799		1865, 854
	1867, 800		1867, 799
	1867, 801	ursinus	1865, 839
	1867, 802		1865, 850

	Page		Page
<i>Phascolomys ursinus</i> ..	1865,		
	853	<i>Phascolosoma cumanense</i>	1868,
<i>vombatus</i>	1865,	<i>cylindratum</i>	1868,
	846	<i>elongatum</i>	1868,
<i>wombat</i>	1861,	<i>fasciatum</i>	1868,
	269		1868,
	1862,	<i>fasciolatum</i>	1868,
	102		1868,
	1865,	<i>flavum</i>	1868,
	838	<i>forbesi</i>	1868,
	1865,	<i>genuense</i>	1868,
	839	<i>glans</i>	1868,
	1865,	<i>gouldii</i>	1868,
	840	<i>granulatum</i>	1868,
	1865,		1868,
	841	<i>granulosum</i>	1868,
	1865,	<i>grayi</i>	1868,
	842	<i>guttatum</i>	1868,
	1865,	<i>harveii</i>	1868,
	843	<i>hawkinsii</i>	1868,
	1865,	<i>immodestum</i>	1868,
	844	<i>javanense</i>	1868,
	1865,	<i>jeffreysii</i>	1868,
	845	<i>johnstoni</i>	1868,
	1865,	<i>læve</i>	1868,
	846		1868,
	1865,	<i>leachii</i>	1868,
	847	<i>lima</i>	1868,
	1865,	<i>longicolle</i>	1868,
	848	<i>lordi</i>	1868,
	1865,	<i>loricatum</i>	1868,
	849	<i>margaritaceum</i> ...	1868,
	1865,	<i>minutum</i>	1868,
	850	<i>multitorquatum</i> ..	1868,
	1865,	<i>nigrescens</i>	1868,
	851	<i>nigriceps</i>	1868,
	1865,		1868,
	852	<i>noduliferum</i>	1868,
	1865,	<i>nordfolcense</i>	1868,
	853	<i>obscurum</i>	1868,
	1865,	<i>ørstedii</i>	1868,
	854	<i>orbiniense</i>	1868,
	1867,	<i>oxyurum</i>	1868,
	798	<i>pacificum</i>	1868,
	1867,	<i>papilliferum</i>	1868,
	800	<i>papillosum</i>	1868,
	1867,	<i>pectinatum</i>	1868,
	801	<i>pellucidum</i>	1868,
	1867,	<i>perlucens</i>	1868,
	802		1868,
	1867,	<i>placostegi</i>	1868,
	803	<i>planispinosum</i> ...	1868,
	1867,	<i>plicatum</i>	1868,
	804	<i>pourtalesi</i>	1868,
	1867,	<i>punctatissimum</i> ...	1868,
	805	<i>puntarenæ</i>	1868,
	1867,	<i>pygmæum</i>	1868,
	806	<i>radiata</i>	1868,
	1867,		1868,
	807		114
	1867,		89
	808		93
	1867,		93
	809		98
	1867,		84
	810		86
	1867,		90
	811		114
	1867,		89
	812		93
	1867,		93
	813		98
	1867,		84
	814		84
	1867,		86
	815		90
	1868,		114
	625		89
<i>wombatus</i>	1865,		93
	853		83
<i>Phascolosoma æthiops</i> ..	1868,		96
<i>agassizii</i>	1868,		86
<i>albo-lineatum</i> ...	1868,		95
<i>ambiguum</i>	1868,		96
<i>antillarum</i>	1868,		86
<i>arcuatum</i>	1868,		95
<i>australe</i>	1868,		96
<i>bernhardus</i>	1868,		86
	1868,		86
<i>boreale</i>	1868,		87
<i>cæmentarium</i> ...	1868,		84
<i>capsiforme</i>	1868,		87
	1868,		83
	83		84
	1868,		84
	84		114
<i>carneum</i>	1868,		85
<i>cochlearium</i>	1868,		85
<i>constellatum</i>	1868,		94
<i>coriaceum</i>	1868,		94
	1868,		86
	86		101
	86		102

	Page		Page
<i>Phascolosoma rapa</i>	1868, 86	<i>Phasianella ventricosa</i> . . .	1865, 176
<i>riiseii</i>	1868, 96	<i>venusta</i>	1867, 212
<i>rubens</i>	1868, 85	<i>zebra</i>	1865, 176
<i>spinicauda</i>	1868, 93	<i>Phasianus</i>	1862, 253
<i>strombi</i>	1868, 87	<i>albocristatus</i>	1863, 121
<i>tenuicinctum</i>	1868, 83	<i>amherstiae</i>	1863, 117
<i>tigrinum</i>	1868, 97	<i>argus</i>	1863, 124
<i>truncatum</i>	1868, 102	<i>auritus</i>	1863, 118
<i>tuberculatum</i>	1868, 87	<i>colchicus</i>	1861, 234
<i>varians</i>	1868, 94		1862, 142
<i>vermiculum</i>	1868, 85		1862, 321
<i>violaceum</i>	1868, 85		1863, 116
<i>vulgare</i>	1868, 84		1863, 126
<i>Phascolosomum ambi-</i>			1863, 529
<i>guum</i>	1868, 97		1870, 136
<i>antillarum</i>	1868, 96		1870, 404
<i>bernhardus</i>	1868, 87		1870, 408
<i>capitatum</i>	1868, 87		1870, 670
<i>dentalii</i>	1868, 87	<i>crawfurdi</i>	1863, 76
<i>echinorhynchus</i>	1868, 80	<i>decollatus</i>	1870, 135
<i>fasciolatum</i>	1868, 97		1870, 404
<i>flavum</i>	1868, 97		1870, 408
<i>forbesi</i>	1868, 83		1870, 670
<i>genuense</i>	1868, 95	<i>elegans</i>	1870, 670
<i>gouldii</i>	1868, 85	<i>fasciatus</i>	1863, 120
<i>granulatum</i>	1868, 88	<i>formosanus</i>	1870, 406
	1868, 97		1870, 408
<i>granulosum</i>	1868, 95	<i>garrulus</i>	1870, 506
<i>harveyi</i>	1868, 82		1870, 539
<i>johnstoni</i>	1868, 95	<i>hamiltonii</i>	1863, 121
<i>leachii</i>	1868, 97	<i>ignitus</i>	1863, 118
<i>lima</i>	1868, 95		1863, 119
<i>noduliferum</i>	1868, 92	<i>impeyanus</i>	1862, 142
<i>nordfolcense</i>	1868, 97		1863, 115
<i>papillosum</i>	1868, 95	<i>insignis</i>	1870, 403
<i>pourtalesi</i>	1868, 98		1870, 404
<i>punctatissimum</i>	1868, 85		1870, 406
<i>puntarenæ</i>	1868, 95		1870, 408
<i>rubens</i>	1868, 85	<i>katraca</i>	1870, 532
<i>strombi</i>	1868, 87	<i>leucolophus</i>	1870, 505
<i>tenuicinctum</i>	1868, 83	<i>lineatus</i>	1863, 120
<i>tigrinum</i>	1868, 97	<i>marail</i>	1870, 505
<i>vulgare</i>	1868, 84	<i>mongolicus</i>	1863, 116
<i>Phasianella angasi</i>	1865, 177		1870, 136
<i>australis</i>	1865, 176		1870, 404
<i>bulimoides</i>	1865, 176		1870, 405
<i>kochii</i>	1867, 213		1870, 406
<i>mauritiana</i>	1867, 209		1870, 408
<i>nivosa</i>	1865, 177	<i>motmot</i>	1870, 505
<i>picta</i>	1865, 176		1870, 532
<i>pulchella</i>	1861, 405	<i>nycthemerus</i>	1863, 120
<i>pullus</i>	1861, 405	<i>parraka</i>	1870, 505
<i>reticulata</i>	1865, 176		1870, 532
	1865, 177	<i>parragua</i>	1870, 532
<i>sanguinea</i>	1865, 176	<i>pictus</i>	1863, 117
	1867, 213	<i>purpureus</i>	1863, 119
<i>varia</i>	1865, 176	<i>reevesii</i>	1863, 117
<i>venosa</i>	1865, 176		1863, 126

	Page		Page
<i>Phasianus reevesii</i>	1863, 307	<i>Phedina borbonica</i>	1870, 383
	1866, 437	<i>madagascariensis</i> ..	1870, 295
	1868, 115		1870, 320
	1868, 210		1870, 388
	1869, 628	<i>spilodera</i>	1870, 293
<i>reynaudi</i>	1863, 120	<i>Phellia vestita</i>	1861, 299
<i>scintillans</i>	1866, 210	<i>Phelsuma</i> —?	1864, 115
<i>shawii</i>	1870, 403	<i>cepedianum</i>	1864, 307
	1870, 404	<i>Phenecticus aureiven-</i>	
	1870, 408	<i>tris</i>	1869, 147
<i>sladeni</i>	1870, 404		1870, 840
	1870, 408	<i>aureoventer</i>	1870, 840
<i>sœmmerringi</i>	1863, 117	<i>chrysogaster</i>	1867, 984
	1863, 338		1868, 569
	1864, 159		1869, 147
	1864, 160		1870, 840
	1864, 374	<i>chrysopeplus</i>	1870, 840
	1865, 256	<i>tibialis</i>	1870, 189
	1865, 746		1870, 840
	1866, 78	<i>uropygialis</i>	1870, 840
	1869, 628	<i>Philampelus anceus</i>	1865, 793
<i>stacei</i>	1863, 117	<i>naga</i>	1865, 794
<i>superbus</i>	1862, 102	<i>sericeus</i>	1867, 675
	1862, 220	<i>Philedon bouruensis</i>	1863, 26
	1862, 221	<i>Philemon moluccensis</i> ..	1869, 120
	1863, 116	<i>vulturinus</i>	1869, 120
	1863, 126		1869, 124
	1863, 306	<i>Philepitta castanea</i>	1870, 396
	1863, 338	<i>geoffroyi</i>	1866, 422
<i>torquatus</i>	1862, 221		1870, 396
	1866, 436	<i>jala</i>	1866, 422
	1868, 210		1870, 396
	1869, 628	<i>schlegeli</i>	1866, 422
	1870, 135	<i>sericea</i>	1866, 422
	1870, 136		1870, 396
	1870, 404	<i>Philhydrus lividus</i>	1867, 363
	1870, 407		1867, 370
	1870, 408	<i>melanocephalus</i>	1867, 370
<i>veneratus</i>	1863, 117	<i>Philine</i> —?	1861, 405
<i>versicolor</i>	1862, 324	<i>angasi</i>	1865, 189
	1863, 47		1867, 227
	1863, 116	<i>Philippia lutea</i>	1867, 201
	1863, 126	<i>Philodromus aureolus</i> ..	1869, 538
	1863, 338	<i>cespiticolis</i>	1869, 538
	1869, 628	<i>signatus</i>	1869, 537
	1870, 136		1869, 543
	1870, 404	<i>Philodryas olfersii</i>	1863, 55
	1870, 409	<i>reinhardtii</i>	1863, 55
<i>wallichii</i>	1863, 117		1863, 56
	1863, 127	<i>schottii</i>	1861, 325
	1869, 628	<i>serra</i>	1861, 14
<i>Phasidus niger</i>	1862, 126	<i>viridissimus</i>	1861, 13
<i>Phassus aboe</i>	1867, 686		1861, 14
<i>damor</i>	1867, 686		1861, 325
<i>signifer</i>	1865, 822		1863, 55
<i>Phauda flammans</i>	1867, 679	<i>Philomela luscinia</i>	1863, 159
<i>Phedina borbonica</i>	1870, 295		1864, 440
	1870, 320	<i>Philona inops</i>	1867, 677

	Page		Page
Philonthus æneus	1867, 362	Phloeophagus laurineus .	1867, 377
	1867, 383		1867, 387
nigritulus	1867, 364	spadix	1867, 364
	1867, 383		1867, 377
proximus	1867, 364	sulcipennis	1867, 377
	1867, 383	tenax	1867, 364
scybalarius	1867, 362		1867, 377
	1867, 383	variabilis	1867, 377
sordidus	1867, 362		1867, 387
	1867, 383	Phlogœnas bartletti	1863, 377
umbratilis	1867, 362	crinigera	1865, 239
	1867, 383		1865, 240
ventralis	1867, 383		1869, 628
Philopator basimaculata	1865, 800	cruenta	1861, 366
	1865, 823		1863, 377
Philortyx fasciatus	1864, 178	Phlogophora indica	1867, 57
Philotia varians	1867, 522	Phlogopsis ellisiana	1866, 74
Philus antennatus	1866, 507	erythroptera	1866, 73
globulicollis	1866, 507	macleannani	1864, 357
inconspicuus	1866, 350		1866, 74
	1866, 507		1867, 145
pallescens	1866, 350		1868, 575
rufescens	1866, 227	nigromaculata	1866, 73
	1866, 506		1867, 576
Philydor amaurotis	1861, 379	trivittatus	1866, 74
columbianus	1868, 167	Phoca albicauda	1868, 416
	1868, 170	albiventer	1864, 32
	1869, 252		1864, 33
	1870, 329	annellata	1864, 31
consobrinus	1870, 328		1868, 414
erythrocerus	1861, 379	barbata	1864, 28
	1867, 574		1864, 29
fuscipennis	1866, 72		1864, 30
	1867, 143		1864, 33
panerythrus	1862, 110		1864, 497
	1868, 170		1864, 499
	1870, 329		1868, 334
pyrrhodes	1861, 378		1868, 335
	1866, 72		1868, 340
	1867, 978		1868, 419
ruficaudatus	1861, 379		1868, 424
ruficollis	1861, 378		1868, 425
	1862, 110		1868, 426
rufobrunneus	1866, 72		1868, 427
	1867, 143		1868, 430
rufus	1861, 378	bothnica	1868, 414
	1862, 110	canina	1864, 411
	1868, 170	caspica	1864, 34
striaticollis	1861, 378	chorissii	1864, 32
subfulvus	1861, 377	communis	1868, 411
superciliaris	1861, 378	concolor	1868, 414
turdinus	1866, 184	cristata	1868, 435
	1870, 329	cucullata	1868, 435
Phissama transiens	1865, 808	desmarestii	1868, 416
Phleocryptes melanops . .	1866, 98	dimidiata	1868, 435
	1867, 324	discolor	1868, 414
	1867, 338	dorsata	1868, 416
striaticeps	1869, 633	falklandica	1868, 192

	Page		Page
<i>Phoca fasciata</i>	1868, 414	<i>Phoca vitulina</i>	1862, 102
<i>foetida</i>	1868, 402		1868, 333
	1868, 403		1868, 403
	1868, 414		1868, 411
	1869, 407		1868, 412
	1870, 605		1868, 424
	1870, 607		1869, 107
	1870, 608		1869, 407
<i>frederici</i>	1868, 414		1870, 604
<i>groenlandica</i>	1864, 31		1870, 605
	1868, 360		1870, 606
	1868, 414		1870, 608
	1868, 416	<i>Phocaena</i>	1863, 201
	1868, 425	<i>acuta</i>	1864, 239
	1868, 436	<i>brevirostris</i>	1870, 544
	1868, 437	<i>communis</i>	1863, 440
	1869, 407		1864, 17
	1870, 604		1864, 197
	1870, 606		1864, 245
	1870, 607		1864, 419
<i>grypus</i>	1868, 426		1865, 319
<i>halichoerus</i>	1868, 426		1865, 320
<i>hispida</i>	1864, 31		1865, 321
	1868, 414		1868, 71
<i>isidorei</i>	1868, 435		1868, 336
<i>jubata</i>	1868, 190		1868, 340
<i>lagura</i>	1868, 416		1868, 361
<i>largha</i>	1864, 32		1868, 534
<i>leonina</i>	1868, 435		1868, 550
<i>leporina</i>	1864, 33		1868, 551
	1868, 360		1870, 607
	1868, 424	<i>crassidens</i>	1864, 245
	1868, 425		1864, 420
	1868, 426	<i>melas</i>	1864, 243
<i>leucopla</i>	1868, 435	<i>rondeletii</i>	1864, 245
<i>linnaei</i>	1868, 411	<i>spinipinnis</i>	1865, 195
<i>littorea</i>	1868, 411		1865, 228
<i>lutris</i>	1865, 136		1865, 230
<i>mitrata</i>	1868, 435		1865, 231
<i>mülleri</i>	1868, 416		1865, 320
<i>nummularis</i>	1864, 31	<i>tuberculifera</i>	1865, 318
	1864, 32		1865, 320
<i>oceanica</i>	1864, 30		1868, 551
	1868, 416	<i>Phoenicocercus carnifex</i>	1867, 580
<i>pilayi</i>	1868, 416	<i>nigricollis</i>	1866, 567
<i>scopulicola</i>	1868, 426		1867, 751
<i>semilunaris</i>	1868, 416	<i>nigrigularis</i>	1867, 978
<i>stelleri</i>	1868, 190	<i>Phoenicophaus erythro-</i>	
<i>thienemanni</i>	1868, 426	<i>gnathus</i>	1863, 208
<i>tigrina</i>	1864, 32	<i>Phoenicopterus</i> — ? ..	1861, 367
<i>ursina</i>	1868, 331	<i>andinus</i>	1867, 319
	1868, 342		1867, 334
	1868, 357		1867, 339
	1868, 358		1867, 983
	1868, 360	<i>antiquorum</i>	1862, 140
<i>variegata</i>	1868, 411		1862, 321
<i>vitulina</i>	1861, 366		1863, 517
	1861, 367		1864, 453

	Page		Page
<i>Phcenicopterus antiquo-</i>		<i>Phonasca lichtensteini</i> ..	1870, 579
<i>rum</i>	1869, 432	<i>Phonipara gutturalis</i> ..	1864, 352
<i>chilensis</i>	1867, 334	<i>omissa</i>	1868, 167
<i>ignipalliatu</i> s	1867, 334	<i>pusilla</i>	1864, 174
	1867, 339		1864, 352
	1868, 145		1867, 142
<i>ruber</i>	1866, 418		1870, 190
<i>Phenicornis princeps</i> ..	1863, 285	<i>Phorus agglutinans</i>	1861, 405
<i>Phenicothraupis erythro-</i>		<i>Phos crassum</i>	1863, 343
<i>laema</i>	1864, 350	<i>senticosus</i>	1866, 146
<i>fuscicauda</i>	1864, 350	<i>Phosphorax noctilucus</i> ..	1864, 250
	1867, 139	<i>Phoxinus</i>	1864, 77
<i>ignicapilla</i>	1870, 581	<i>Phractocephalus itchkeea</i>	1869, 613
<i>rubica</i>	1867, 139	<i>Phrontis fasciata</i>	1865, 162
	1867, 749	<i>munieriana</i>	1865, 163
	1870, 187	<i>Phryganea</i>	1863, 78
	1870, 581	<i>Phrygilus alaudinus</i>	1867, 322
<i>rubicoides</i>	1864, 173		1867, 337
	1864, 350		1867, 985
	1867, 139		1868, 568
	1870, 581	<i>atriceps</i>	1867, 985
	1870, 836		1868, 569
<i>rubra</i>	1870, 581	<i>fruticeti</i>	1867, 322
<i>vinacea</i>	1870, 187		1867, 337
<i>Pholadidea penita</i>	1865, 203		1867, 985
<i>tubifera</i>	1863, 369		1868, 569
<i>Pholas australasiæ</i>	1865, 643	<i>gayi</i>	1867, 322
<i>costata</i>	1865, 755		1867, 337
<i>crucigera</i>	1863, 369	<i>geospizopsis</i>	1866, 323
<i>dactylus</i>	1863, 369		1870, 785
<i>darwinii</i>	1865, 203	<i>melanoderus</i>	1861, 47
<i>laqueata</i>	1863, 369		1868, 529
<i>similis</i>	1865, 643	<i>ocularis</i>	1868, 568
<i>striata</i>	1861, 405	<i>plebeius</i>	1868, 568
<i>tubifera</i>	1863, 369		1868, 569
<i>xylophaga</i>	1863, 369	<i>speculifer</i>	1867, 985
<i>Pholcus opilionides</i>	1869, 533		1868, 569
<i>phalangioides</i>	1869, 531	<i>unicolor</i>	1866, 324
	1869, 533		1867, 322
	1869, 534		1867, 337
	1869, 543		1870, 781
<i>rivulatus</i>	1870, 819		1870, 785
<i>Pholeoptynx cunicularia</i>	1867, 987	<i>xanthogrammus</i> ..	1861, 47
	1868, 143	<i>Phrymaturus palluma</i> ..	1862, 114
	1868, 175	<i>Phryniscus varius</i>	1868, 479
	1868, 261	<i>Phrynobatrachus nata-</i>	
	1868, 570	<i>lensis</i>	1862, 190
	1869, 155		1864, 480
	1870, 220		1864, 481
<i>Pholidauges leucogaster</i>	1864, 3	<i>Phrynocephalus helio-</i>	
	1864, 6	<i>scopus</i>	1861, 50
<i>Pholidotus africanus</i> ..	1865, 368	<i>Phrynops geoffroyana</i> ..	1864, 130
	1865, 369	<i>geoffroyi</i>	1870, 711
<i>dalmanni</i>	1865, 366	<i>Phrynosoma cornutum</i> ..	1861, 59
	1870, 236	<i>Phumanola namaquensis</i>	1864, 467
<i>indicus</i>	1865, 368		
<i>javanicus</i>	1865, 366		
<i>longicaudatus</i>	1865, 363		

	Page		Page
Phumanola namaquensis	1864,	474	
Phurys obliqua	1867,	80	
strigata	1867,	80	
Phycodes hirundinicornis	1867,	63	
Phycus brevis	1870,	743	
	1870,	747	
Phyllobates elegans	1868,	479	
Phyllocnistis citrella	1867,	672	
Phyllodes consobrina	1867,	68	
fasciata	1867,	69	
ustulata	1867,	68	
Phyllomanes olivaceus	1870,	565	
Phyllomyias griseocapilla	1861,	382	
semifusca	1861,	383	
	1867,	577	
	1868,	168	
	1870,	554	
Phyllonotus acanthopho-			
rus	1862,	372	
coronatus	1862,	372	
falcatus	1862,	372	
radix	1863,	346	
regius	1863,	346	
unifasciatus	1862,	372	
Phyllonycteris poeyi	1861,	65	
	1865,	81	
Phyllophora	1861,	90	
Phyllopneste bonellii	1864,	439	
borealis	1863,	296	
	1863,	336	
brevirostris	1864,	439	
coronata	1863,	296	
	1863,	297	
	1863,	336	
eversmannii	1863,	297	
fuscata	1863,	295	
	1863,	336	
javanica	1863,	296	
plumbeitarsa	1863,	296	
plumbeitarsus	1870,	439	
rufa	1863,	159	
	1863,	296	
	1863,	297	
	1864,	439	
silbilatrix	1863,	159	
	1864,	438	
sibirica	1863,	295	
sylvicultrix	1863,	295	
	1863,	296	
	1863,	336	
	1870,	439	
tenellipes	1863,	295	
trochilus	1863,	159	
	1863,	516	
	1864,	2	
	1864,	438	
	1866,	327	
	1869,	565	
Phyllopneste xantho-			
dryas	1863,	296	
Phyllopteryx eques	1865,	327	
	1865,	328	
foliata	1865,	327	
Phyllorhina aurita	1870,	615	
caffra	1864,	650	
diadema	1866,	426	
	1870,	615	
gigas	1865,	400	
insignis	1870,	615	
nobilis	1866,	82	
pygmaea	1866,	82	
swinhoii	1870,	615	
Phyllornis aurifrons	1865,	695	
cochinchinensis	1866,	3	
jala	1866,	422	
javensis	1863,	219	
jerdoni	1866,	3	
Phylloscartes ventralis	1867,	577	
Phylloscopus coronatus	1862,	317	
fuscatus	1863,	295	
	1863,	296	
	1870,	447	
javanicus	1863,	295	
plumbeitarsus	1863,	296	
sylvicultrix	1863,	295	
tenellipes	1863,	295	
Phyllostoma	1861,	108	
bennettii	1861,	103	
	1861,	106	
bidens	1861,	107	
brachyotum	1861,	64	
brevicaudum	1861,	104	
childreni	1861,	107	
crenulatum	1861,	107	
elongatum	1861,	104	
	1861,	105	
	1861,	106	
hastatum	1861,	89	
	1866,	112	
	1866,	114	
	1866,	430	
litratum	1861,	107	
obscurum	1861,	64	
perspicillatum	1861,	64	
planirostre	1861,	64	
scrobiculatum	1861,	105	
spectrum	1861,	103	
superciliatum	1861,	64	
Phyllostrephus capensis	1861,	396	
Phyllotis philippensis	1866,	81	
Phymateus squarrosus	1864,	118	
Phymatius morbillosus	1863,	166	
Physa aliciae	1862,	106	
aurantia	1863,	412	
badia	1863,	416	
bonus-henricus	1863,	417	

	Page		Page
<i>Physa carinata</i>	1861,	<i>Physalus antiquorum</i> ..	1865,
	143		700
<i>concinna</i>	1863,		1865,
	417		725
<i>cumingii</i>	1861,		1865,
	144		730
<i>elliptica</i>	1863,		1865,
	412		731
<i>ferruginea</i>	1863,		1868,
	416		188
<i>heterostropha</i>	1863,		1868,
	68		189
<i>inflata</i>	1864,		1868,
	39		336
<i>lirata</i>	1863,		1868,
	60		340
<i>lordii</i>	1863,		1868,
	68		547
<i>mœsta</i>	1861,		1869,
	144		604
<i>newcombi</i>	1863,		1869,
	416		611
<i>obesa</i>	1861,		1870,
	144		330
<i>olivacea</i>	1863,	<i>boops</i>	1864,
	416		212
<i>purpurostoma</i>	1861,	<i>duguidii</i>	1864,
	231		196
<i>reevii</i>	1863,		1864,
	417		201
<i>sowerbyana</i>	1861,		1864,
	231		220
<i>truncata</i>	1861,		1864,
	144		221
<i>Physalia pelagica</i>	1863,		1865,
	378		207
<i>Physalus</i>	1864,		1865,
— ?	1864,		217
<i>antiquorum</i>	1864,		218
	196		1865,
	1864,		605
	200	<i>latirostris</i>	1864,
	1864,		414
	214		1864,
	1864,		419
	216		1865,
	1864,		472
	217		1868,
	1864,		188
	218	<i>sibbaldii</i>	1864,
	1864,		196
	220		1864,
	1864,		222
	221		1864,
	1864,		392
	256		1865,
	1864,		472
	385		1865,
	1864,		473
	386		1868,
	1864,		187
	387		1868,
	1864,		188
	389		1868,
	1864,		189
	390	<i>vulgaris</i>	1864,
	1864,		216
	392	<i>Physeter</i>	1863,
	1864,	— ?	1864,
	393		197
	1864,		1864,
	395		234
	1864,	<i>bidens</i>	1864,
	397		241
	1864,		1864,
	399		242
	1864,	<i>brevirostris</i>	1865,
	400		529
	1864,	<i>catodon</i>	1864,
	409		246
	1864,	<i>macrocephalus</i>	1864,
	410		231
	1864,		1864,
	411		234
	1864,		1865,
	414		390
	1864,		1865,
	418		393
	1864,		1867,
	419		823
	1865,		1868,
	206		549
	1865,	<i>microps</i>	1864,
	207		234
	1865,		1864,
	210		235
	1865,		1868,
	211		549
	1865,	<i>simus</i>	1865,
	215		511
	1865,	<i>trumpo</i>	1864,
	216		231
	1865,	<i>tursio</i>	1864,
	218		196
	1865,		1864,
	226		197
	1865,		1864,
	472		234
	1865,		1864,
	473		235
	1865,	<i>Physiculus dalwigkii</i> ..	1868,
	474		226
	1865,	<i>Physopsis africana</i>	1864,
	699		117

	Page		Page
<i>Physopsis africana</i>	1864, 118	<i>Picolaptes squamatus</i> ..	1870, 553
<i>jukesii</i>	1865, 233	<i>Pictorius striatus</i>	1864, 547
<i>Phytotoma rara</i>	1861, 144	<i>Picumnus buffoni</i>	1866, 196
<i>rutila</i>	1867, 327	<i>castelnaudi</i>	1866, 196
<i>Piaya brachyptera</i>	1867, 338	<i>cinnamomeus</i>	1866, 196
<i>cayana</i>	1869, 162	<i>granadensis</i>	1864, 367
<i>gracilis</i>	1867, 758	<i>olivaceus</i>	1870, 212
<i>mehleri</i>	1867, 585	<i>rufiventris</i>	1870, 212
<i>melacorypha</i>	1870, 587	<i>squamulatus</i>	1866, 196
<i>melanogastra</i>	1864, 366	<i>Picus albifrons</i>	1868, 629
<i>mexicana</i>	1867, 156	<i>badius</i>	1869, 364
<i>minuta</i>	1867, 280	<i>bairdii</i>	1863, 267
<i>nigricrissa</i>	1867, 752	<i>brachyurus</i>	1864, 177
<i>pluvialis</i>	1867, 758	<i>cabanisi</i>	1863, 87
<i>rutila</i>	1867, 979	<i>canicapillus</i>	1863, 88
<i>Pica caudata</i>	1870, 211	<i>canus</i>	1863, 268
<i>fuliginosa</i>	1870, 587	<i>chloris</i>	1866, 539
<i>japonica</i>	1870, 782	<i>cinnamomeus</i>	1867, 449
<i>mauritanica</i>	1864, 366	<i>chloris</i>	1870, 443
<i>media</i>	1866, 195	<i>concretus</i>	1863, 267
<i>melanocephalos</i>	1867, 585	<i>cruentatus</i>	1863, 211
<i>morio</i>	1870, 587	<i>flaviscapus</i>	1864, 432
<i>numidica</i>	1870, 782	<i>gouldii</i>	1865, 96
<i>sericea</i>	1864, 366	<i>himalayanus</i>	1863, 87
<i>varia</i>	1866, 195	<i>hyperythrus</i>	1863, 88
<i>Picolaptes affinis</i>	1867, 156	<i>insularis</i>	1862, 319
<i>albo-lineatus</i>	1867, 758	<i>jardinii</i>	1863, 268
<i>angustirostris</i>	1861, 79	<i>jumana</i>	1862, 283
<i>bivittatus</i>	1864, 366	<i>kaleënsis</i>	1863, 333
<i>compressus</i>	1867, 979	<i>kisuki</i>	1864, 177
<i>lacrymiger</i>	1862, 324	<i>leuconotus</i>	1870, 212
<i>lafresnayi</i>	1863, 304	<i>lignarius</i>	1867, 586
<i>lineaticeps</i>	1863, 337	<i>luciani</i>	1863, 268
	1869, 363	<i>major</i>	1863, 333
	1863, 303		1867, 328
	1864, 431		1867, 338
	1863, 303		1868, 634
	1863, 337		1870, 586
	1863, 304		1862, 319
	1869, 363		1863, 87
	1863, 304		1863, 88
	1863, 303		1863, 268
	1867, 163		1861, 365
	1864, 175		1862, 319
	1870, 193		1863, 87
	1868, 167		1863, 88
	1869, 161		1863, 268
	1869, 161		1870, 586
	1870, 193		1862, 319
	1870, 837		1863, 87
	1870, 781		1863, 88
	1868, 627		1863, 160
	1870, 193		1863, 267

	Page		Page
<i>Picus major</i>	1863,	<i>Pieris hierte</i>	1865,
	1863,	<i>hippo</i>	1865,
	1867,		1866,
<i>majoroides</i>	1863,		1866,
<i>malaccensis</i>	1863,	<i>hira</i>	1865,
<i>mandarinus</i>	1863,		1865,
	1863,		1865,
	1863,	<i>indra</i>	1865,
	1870,	<i>kalora</i>	1865,
<i>martius</i>	1870,		1865,
<i>medius</i>	1867,	<i>lalage</i>	1865,
<i>melanoleucus</i>	1870,	<i>libythea</i>	1865,
<i>miniatus</i>	1863,	<i>mesentina</i>	1863,
<i>minor</i>	1862,		1865,
	1863,		1865,
	1866,	<i>monuste</i>	1863,
	1867,	<i>mysis</i>	1865,
<i>mixtus</i>	1868,	<i>nama</i>	1865,
	1870,	<i>neombo</i>	1865,
<i>moluccensis</i>	1863,	<i>nerissa</i>	1865,
<i>polliopsis</i>	1870,	<i>nipalensis</i>	1865,
<i>rubiginosus</i>	1870,	<i>pactolicus</i>	1865,
<i>scintilliceps</i>	1863,	<i>pasithoë</i>	1865,
	1870,	<i>phileris</i>	1863,
<i>senilis</i>	1862,	<i>rouxi</i>	1865,
<i>syriacus</i>	1864,	<i>sanaca</i>	1865,
<i>viridanus</i>	1866,	<i>seta</i>	1865,
<i>viridis</i>	1863,		1867,
	1867,	<i>thestyli</i>	1865,
	1867,	<i>thisbe</i>	1865,
	1867,	<i>vecticlusa</i>	1865,
	1867,	<i>zelmira</i>	1865,
<i>Pida apicalis</i>	1867,	<i>Piezorhynchus nitidus</i> ..	1868,
<i>Pidorus glaucopsis</i>	1865,	<i>Pileopsis militaris</i>	1861,
<i>Pieris agostina</i>	1865,	<i>mitrula</i>	1867,
<i>ajaka</i>	1865,	<i>Pilherodias pileata</i>	1864,
	1865,	<i>Pilidium</i>	1862,
<i>avivolans</i>	1865,	<i>commodum</i>	1867,
	1866,	<i>Pimelepterus cinerascens</i>	1870,
<i>belisama</i>	1865,	<i>Pimelia</i> — ?	1864,
<i>belladonna</i>	1865,	<i>Pimelodes nibriundus</i> ..	1869,
<i>brassicæ</i>	1870,	<i>Pimelodus bagarius</i>	1861,
<i>calidice</i>	1865,	<i>cavasius</i>	1867,
<i>clemathe</i>	1865,	<i>cenia</i>	1861,
<i>colimba</i>	1865,		1869,
<i>coronis</i>	1865,	<i>conta</i>	1869,
<i>cruentata</i>	1865,	<i>gogra</i>	1867,
	1865,		1867,
<i>daplidice</i>	1865,	<i>managuensis</i>	1866,
<i>descombesi</i>	1865,	<i>seengtee</i>	1867,
<i>durvasa</i>	1865,	<i>silundia</i>	1861,
	1865,	<i>sona</i>	1869,
<i>eleonora</i>	1866,	<i>vacha</i>	1867,
<i>eucharis</i>	1865,	<i>Pinacia fulvidorsalis</i>	1867,
<i>formosana</i>	1866,	<i>Pinna incurva</i>	1862,
<i>glauce</i>	1865,	<i>maura</i>	1863,
<i>gliciria</i>	1865,	<i>rudis</i>	1861,
	1865,	<i>trigonalis</i>	1861,
	1865,		242

	Page		Page
<i>Pinna tuberculosa</i>	1863,	<i>Pipilo fusca</i>	1869,
<i>zeylanica</i>	1865,	<i>macronyx</i>	1869,
	1867,	<i>maculatus</i>	1869,
	1867,	<i>megalonyx</i>	1869,
<i>Pione northumbrica</i>	1867,	<i>mesoleucus</i>	1869,
<i>Pionias heteroclitus</i>	1869,		1869,
	1869,		1869,
<i>menstruus</i>	1870,	<i>oregonus</i>	1869,
<i>Pionus coccineicollis</i>	1864,	<i>virescens</i>	1869,
<i>corallinus</i>	1870,	<i>Pipra</i> — ?	1867,
<i>cyaniceps</i>	1869,	<i>aureola</i>	1867,
	1869,		1867,
<i>fuscicapillus</i>	1864,		1867,
	1864,	<i>auricapilla</i>	1866,
<i>hæmatotis</i>	1862,		1867,
<i>heteroclitus</i>	1864,		1867,
	1869,		1867,
	1869,		1868,
<i>menstruus</i>	1864,		1870,
	1867,	<i>chloromeros</i>	1869,
	1867,	<i>cinnamomea</i>	1869,
	1867,	<i>coracina</i>	1867,
	1867,	<i>cornuta</i>	1867,
	1870,	<i>cyaneocapilla</i>	1864,
<i>robustus</i>	1866,		1866,
<i>senilis</i>	1862,		1867,
	1870,		1867,
<i>sordidus</i>	1862,		1867,
	1868,		1867,
<i>vinaceicollis</i>	1861,		1867,
<i>violaceus</i>	1867,		1870,
<i>Pipa buffonia</i>	1864,	<i>erythrocephala</i>	1867,
<i>Pipile argyrotis</i>	1870,		1870,
	1870,	<i>fasciata</i>	1867,
<i>cujubi</i>	1870,		1867,
	1870,	<i>filicauda</i>	1866,
	1870,		1867,
	1870,		1867,
<i>cumanensis</i>	1870,		1868,
	1870,	<i>flavicollis</i>	1867,
	1870,		1867,
	1870,		1867,
	1870,	<i>gutturalis</i>	1863,
	1870,		1867,
<i>jacupeba</i>	1870,		1870,
	1870,	<i>isidori</i>	1864,
<i>jacutinga</i>	1870,	<i>leucocilla</i>	1866,
	1870,		1867,
	1870,		1867,
	1870,		1867,
<i>leucolophus</i>	1870,		1870,
<i>nattereri</i>	1870,	<i>leucorrhœa</i>	1863,
<i>nigrifrons</i>	1870,		1867,
<i>pileata</i>	1870,		1870,
<i>satyra</i>	1870,	<i>melanocephala</i>	1870,
<i>vociferans</i>	1870,	<i>mentalis</i>	1864,
<i>Pipilo arcticus</i>	1869,		1870,
<i>crissalis</i>	1869,		1870,
<i>fusca</i>	1869,	<i>nattereri</i>	1864,

	Page		Page
Pipra pareola	1870,	Pithex pelops	1868,
serena	1864,	Pithys albifrons	1867,
vitellina	1864,		1867,
Pipreola formosa	1868,	bicolor	1864,
	1868,		1867,
	1868,		1868,
	1869,		1870,
melanolæma	1868,	leucaspis	1864,
	1870,		1867,
Pipridea venezuelensis..	1870,		1867,
Piprites chlorion	1864,		1867,
	1866,	ruficeps	1864,
griseiceps	1864,	Pitta celebensis.....	1862,
Pirena spinosa	1863,	concinna	1862,
Pisania d'orbignii.....	1863,		1863,
gemmata	1863,	crassirostris	1862,
insignis	1863,		1862,
pagodus	1863,		1862,
ringens	1863,	cyanoptera.....	1863,
sanguinolenta	1863,		1866,
strigata	1862,		1866,
turbinella	1861,	cyanura	1866,
Pisidium	1862,	irena	1862,
novæ zelandiæ	1862,		1863,
Pisola zennara	1865,	leucoptera	1863,
	1865,	mackloti	1861,
Pisoodonophis boro	1865,		1867,
Pissodes notatus	1867,	malaccensis	1866,
	1867,	mülleri	1863,
Pitalia frondiculata	1867,	novæ-guineæ.....	1861,
Pitangus bellicosus	1868,	nympha	1863,
caudifasciatus	1861,	oreas	1865,
derbianus	1864,	philippensis	1863,
	1870,	rubrinucha.....	1862,
licitor	1864,		1863,
	1867,		1863,
rufipennis	1868,	schwaneri	1863,
	1870,	simillima	1868,
sulphuratus	1866,		1868,
	1867,	strepitans	1867,
	1867,		1868,
	1867,	vigorsi	1862,
	1870,	Pittasoma michleri	1864,
Pithecica	1864,		1867,
hirsuta	1862,		1868,
irrorata	1862,		1870,
leucocephala	1866,	Pitylus albociliaris	1867,
monachus	1862,	brasiliensis.....	1867,
	1862,		1867,
	1865,	celæno	1864,
satanas	1864,	erythromelas	1867,
	1864,		1867,
	1865,	grossus	1864,
	1866,		1867,
	1866,	poliogaster.....	1864,
Pithecops hylax	1865,		1867,
Pithelemur	1864,		1870,
Pithex oinops	1868,	torridus	1870,

	Page		Page
<i>Pitylus viridis</i>	1867, 572	<i>Planorbis wyldi</i>	1861, 232
	1867, 594	<i>Platacanthomys lasiurus</i>	1865, 397
<i>Pityriasis gymnocephalus</i>	1863, 206		1865, 398
<i>Placellodomus frontalis</i> .	1868, 627		1865, 399
<i>Placosoma cordylinum</i> .	1863, 153	<i>Platacanthus agrensii</i> ..	1865, 296
<i>Placospongia melobesoides</i>	1867, 128		1867, 287
	1867, 549		1867, 288
<i>Placunanomia</i>	1863, 359		1868, 278
<i>ione</i>	1867, 933	<i>maculatus</i>	1867, 944
<i>macrochisma</i>	1867, 933		1870, 700
<i>Plagiodon isocardioides</i> .	1866, 444	<i>madraspatisensis</i>	1868, 286
<i>Plagusia bilineata</i>	1865, 287	<i>Platalea ajaja</i>	1861, 46
<i>marmorata</i>	1867, 867		1866, 200
<i>potodus</i>	1867, 561		1867, 339
<i>Planaria latiuscula</i>	1862, 289		1868, 145
	1862, 291	<i>chlororhyncha</i>	1870, 670
<i>Planaxis abbreviata</i>	1865, 515	<i>leucorodia</i>	1869, 527
<i>buccinoides</i>	1865, 516		1863, 517
<i>mollis</i>	1867, 210		1864, 451
<i>planicostata</i>	1863, 342	<i>major</i>	1863, 319
<i>plumbea</i>	1861, 244	<i>minor</i>	1863, 319
<i>semisulcata</i>	1861, 404	<i>regia</i>	1869, 280
<i>sulcata</i>	1865, 197	<i>telfairi</i>	1866, 425
<i>Planema macaria</i>	1868, 221	<i>tenuirostris</i>	1865, 89
<i>macarina</i>	1868, 221	<i>Platanista</i>	1863, 199
	1868, 224	<i>Platax orbicularis</i>	1867, 861
<i>Planispira aspasia</i>	1865, 409	<i>teira</i>	1865, 26
	1865, 415		1867, 861
<i>atacta</i>	1865, 409		1870, 690
<i>atro-fusca</i>	1865, 409	<i>vespertilio</i>	1867, 861
<i>coluber</i>	1865, 409		1870, 690
<i>corniculum</i>	1865, 409	<i>Platemys planiceps</i>	1864, 131
<i>expansa</i>	1865, 409	<i>Platycara australis</i>	1867, 348
<i>kurri</i>	1865, 408	<i>bracei</i>	1867, 348
<i>latizona</i>	1865, 409	<i>notata</i>	1869, 554
<i>loxotropis</i>	1865, 409	<i>Platycarcinus recurvidens</i>	1864, 663
<i>margaritis</i>	1865, 409	<i>Platycephalus insidiator</i>	1865, 18
<i>martensi</i>	1865, 409		1870, 686
<i>moluccensis</i>	1865, 409	<i>malabaricus</i>	1865, 18
<i>phryne</i>	1865, 409	<i>neglectus</i>	1870, 686
<i>scheepmakeri</i>	1865, 410	<i>tasmanius</i>	1864, 182
<i>tortilabia</i>	1865, 409	<i>Platycercus amboinensis</i>	1862, 337
<i>zebra</i>	1865, 409		1864, 282
<i>zonalis</i>	1865, 409		1864, 293
<i>Planorbis</i> —?	1864, 107	<i>baueri</i>	1862, 322
<i>anatinus</i>	1870, 375	<i>brownii</i>	1863, 232
<i>caldwellii</i>	1863, 61	<i>dorsalis</i>	1861, 436
<i>corpulentus</i>	1861, 231		1862, 335
<i>cristatus</i>	1863, 73		1862, 337
<i>duenasianus</i>	1861, 232		1864, 282
<i>hebraicus</i>	1865, 540		1864, 293
<i>lautus</i>	1861, 145	<i>erythropterus</i>	1870, 788
<i>peregrinus</i>	1870, 375	<i>eximius</i>	1862, 22
<i>piscinarum</i>	1865, 540		1869, 279
<i>septemvolvis</i>	1869, 275	<i>flaveolus</i>	1867, 687
<i>tenagophilus</i>	1870, 375	<i>hypophcnius</i>	1862, 337
<i>tumidus</i>	1861, 232		1864, 282
			1864, 293

	Page		Page
<i>Platycercus pallidus</i> ..	1862,	<i>Plectotropis fulvicans</i> ..	1866,
<i>pennantii</i>	1861,		1866,
	1861,	<i>gabata</i>	1865,
	1869,	<i>Plectrophanes lapponicus</i>	1862,
<i>splendens</i>	1866,	<i>melanomus</i>	1864,
<i>tabuensis</i>	1869,	<i>nivalis</i>	1861,
<i>vulneratus</i>	1864,		1863,
	1864,		1863,
<i>Platydactylus japonicus</i> ..	1870,	<i>Plectropoma dentex</i>	1861,
<i>PlatyGLOSSUS annularis</i> ..	1861,	<i>maculatum</i>	1867,
<i>dispilus</i>	1864,	<i>monacanthus</i>	1866,
<i>dussumieri</i>	1865,	<i>multiguttatum</i>	1866,
<i>leporensis</i>	1870,	<i>richardsonii</i>	1861,
<i>notopsis</i>	1870,	<i>susuki</i>	1867,
<i>scapularis</i>	1870,	<i>Plectropterus</i>	1863,
<i>Platymantis platydactyla</i>	1868,	<i>gambensis</i>	1863,
<i>Platypeltis ferox</i>	1864,		1868,
	1869,	<i>rueppelli</i>	1868,
	1869,	<i>rüppellii</i>	1864,
<i>Platyplectrum marmora-</i>	1868,	<i>Plectrurus guentheri</i> ..	1863,
<i>tum</i>	1868,	<i>perrotteti</i>	1863,
<i>Platypleura capensis</i> ..	1863,		1863,
<i>Platypsaris nigra</i>	1861,	<i>pulneyensis</i>	1863,
<i>Platypus anatinus</i>	1865,	<i>wynandensis</i>	1863,
<i>Platyrhynchus albogula-</i>	1869,	<i>Pleiocercus æqualis</i>	1861,
<i>ris</i>	1870,	<i>elapoides</i>	1861,
	1870,	<i>Plesioneura alysos</i>	1865,
<i>capensis</i>	1864,	<i>ambareesa</i>	1865,
<i>flavigularis</i>	1861,	<i>chamunda</i>	1865,
<i>paganus</i>	1861,	<i>dan</i>	1865,
<i>platurus</i>	1861,	<i>dhanada</i>	1865,
<i>superciliaris</i>	1864,	<i>indrani</i>	1865,
	1867,	<i>praba</i>	1865,
	1870,	<i>pulomaya</i>	1865,
<i>Platysaurus capensis</i>	1865,	<i>putra</i>	1865,
<i>guttatus</i>	1865,	<i>sumitra</i>	1865,
<i>Platyschista</i> — ?	1864,	<i>Plesiops corallicola</i>	1870,
<i>pallasii</i>	1864,	<i>Plestiodon auratus</i>	1864,
<i>Platystacus chaca</i>	1861,	<i>Plethodon glutinosus</i> ..	1867,
<i>Platysteira melanoptera</i> ..	1869,		1867,
<i>senegalensis</i>	1865,		1867,
<i>Platysternon megacepha-</i>	1870,	<i>persimilis</i>	1867,
<i>lum</i>	1870,		1867,
<i>Platysternum megace-</i>	1870,		1867,
<i>phalum</i>	1867,	<i>Pleurobranchus delicatus</i>	1861,
<i>Platystethus spinosus</i> ..	1867,	<i>reticulatus</i>	1863,
	1867,	<i>tessellatus</i>	1863,
<i>Platyurus schneiderianus</i>	1861,	<i>violaceus</i>	1863,
<i>Plaxiphora ciliata</i>	1865,	<i>Pleurocorallium secun-</i>	1867,
<i>petholata</i>	1865,	<i>dum</i>	1867,
	1867,	<i>Pleurodeles walti</i>	1869,
<i>Plecostomus barbatus</i> ..	1868,	<i>waltii</i>	1870,
	1868,		1870,
<i>emarginatus</i>	1868,	<i>Pleurodema bibronii</i>	1868,
<i>guttatus</i>	1868,	<i>Pleurostrichus bifasciatus</i>	1865,
<i>Plectotrema exigua</i>	1867,	<i>subtessellatus</i>	1865,
	1867,	<i>Pleurotoma albicarinata</i> ..	1870,
<i>striata</i>	1869,		1870,
<i>Plectotus auritus</i>	1866,		1870,

	Page		Page
<i>Pleurotoma angasi</i>	1867, 203	<i>Plotosus anguillar</i> s	1865, 288
<i>aterrima</i>	1863, 347		1867, 867
<i>atrior</i>	1863, 347		1870, 699
<i>beraudiana</i>	1867, 203	<i>canius</i>	1870, 699
<i>bicanalifera</i>	1863, 347	<i>Plotus aninga</i>	1870, 219
<i>collaris</i>	1863, 347	<i>levaillantii</i>	1865, 89
<i>concinna</i>	1863, 347	<i>melanogaster</i>	1866, 426
<i>corrugata</i>	1863, 347	<i>surinamensis</i>	1868, 469
<i>crebriplicata</i>	1867, 203	<i>Plusia agramma</i>	1867, 62
<i>discolor</i>	1863, 347	<i>aurifera</i>	1867, 62
<i>duplicata</i>	1863, 347	<i>furcifera</i>	1866, 363
<i>excentrica</i>	1863, 348		1867, 62
<i>exigua</i>	1863, 348	<i>gemmifera</i>	1867, 63
<i>funiculata</i>	1863, 348	<i>inchoata</i>	1867, 62
<i>gemmulosa</i>	1863, 348	<i>ornatissima</i>	1867, 62
<i>grandimaculata</i>	1863, 348	<i>semivitta</i>	1867, 63
<i>harpula</i>	1865, 159		1867, 97
<i>incrassata</i>	1863, 348	<i>signata</i>	1867, 62
<i>lallemantiana</i>	1865, 160	<i>verticillata</i>	1866, 363
<i>laterculata</i>	1870, 253		1867, 62
<i>latifasciata</i>	1870, 253	<i>Plusiodonta chalsytoides</i>	1867, 63
<i>letourneuxiana</i>	1867, 204	<i>Plutonesthes crocata</i> . .	1866, 227
<i>lymnæformis</i>	1867, 203		1866, 514
<i>nigerrima</i>	1863, 348		1866, 536
<i>obeliscus</i>	1863, 348	<i>rufipennis</i>	1866, 514
<i>olivacea</i>	1863, 348	<i>Pluvialis</i>	1864, 71
<i>oweni</i>	1867, 202	<i>fulvus americanus</i> . .	1870, 587
<i>oxytropis</i>	1870, 253	<i>Pluvianus ægyptiacus</i> . .	1864, 450
<i>pallida</i>	1863, 348	<i>spinus</i>	1863, 514
<i>radula</i>	1867, 202	<i>Plyctolophus æquatori-</i>	
<i>rigida</i>	1863, 348	<i>alis</i>	1864, 280
<i>rudis</i>	1863, 348	<i>citrino-cristatus</i> . .	1864, 280
<i>rustica</i>	1863, 348		1864, 293
<i>striosa</i>	1863, 348	<i>macrolophus</i>	1864, 280
<i>vexillum</i>	1867, 203	<i>rosaceus</i>	1864, 279
<i>vincentina</i>	1865, 160	<i>triton</i>	1864, 280
<i>zonulata</i>	1863, 348	<i>Poaphila hamata</i>	1867, 75
<i>Plicatula penicillata</i>	1863, 363	<i>Poculina aurita</i>	1867, 742
<i>Plicifer nevilli</i>	1868, 293	<i>poculum</i>	1867, 742
	1868, 294	<i>unguis</i>	1867, 742
<i>Plictolophus ducorpsi</i>	1869, 127	<i>Podabrus albipes</i>	1866, 433
<i>goffini</i>	1869, 122	<i>crassicaudatus</i>	1866, 433
	1869, 124	<i>fuliginosus</i>	1866, 433
<i>Plocamophorus imperialis</i>	1867, 229	<i>leucopus</i>	1866, 433
<i>Ploceus algondæ</i>	1866, 423	<i>macrourus</i>	1866, 433
<i>baya</i>	1865, 693	<i>mitchelli</i>	1866, 433
	1869, 243	<i>murinus</i>	1866, 433
<i>collaris</i>	1869, 564	<i>Podager gouldi</i>	1866, 132
<i>erythrocephalus</i>	1866, 424	<i>nacunda</i>	1866, 132
<i>flavicans</i>	1866, 424		1866, 145
<i>grandis</i>	1869, 564		1866, 193
<i>madagascariensis</i>	1866, 423		1867, 583
<i>mariquensis</i>	1864, 3		1867, 595
	1864, 6		1867, 978
<i>pensilis</i>	1866, 423		1868, 142
	1870, 395	<i>Podargus cuvieri</i>	1862, 140
<i>sakalava</i>	1866, 423		1866, 125
	1867, 823		1866, 582

	Page		Page
Podargus humeralis	1863, 516	Podilymbus brevirostris .	1867, 337
	1867, 445		1868, 178
javensis	1863, 211	podiceps	1861, 82
marmoratus	1861, 433		1869, 252
ocellata	1861, 433		1870, 219
papuensis	1861, 433	Podoa surinamensis	1868, 409
	1868, 383	Podoces panderi	1870, 334
plumiferus	1866, 124	Podocnemis dumeriliana	1864, 134
	1866, 126	expansa	1864, 133
stellatus	1863, 212		1864, 134
superciliaris	1861, 428		1864, 135
	1861, 433		1870, 718
Podiceps — ?	1865, 618		1870, 719
antarcticus	1867, 337		1870, 720
	1868, 177		1870, 721
auritus	1863, 322	lewyana	1864, 135
	1864, 179	Pœcilocampa undulosa . .	1867, 685
	1864, 454	Pœcilodryas superciliosa	1868, 384
australis	1869, 280	Pœcilonetta bahamensis .	1861, 59
bicornis	1868, 146		1869, 629
californicus	1864, 179	erythrorhyncha . .	1869, 629
calipareus	1867, 340	Pœcilophis variegata . .	1867, 869
	1869, 158	Pœcilstolus	1863, 16
chilensis	1867, 340	Pœcilothraupis lacrymosa	1870, 780
cornutus	1863, 322	Pœocephalus fuscicapil-	
cristatus	1863, 322	lus	1864, 112
	1864, 454	Poëphila cincta	1861, 198
dominicus	1861, 82		1861, 234
	1864, 373		1861, 365
	1870, 219	Pogonias leucomelas . .	1865, 95
	1870, 783	vieilloti	1866, 331
gularis	1869, 280	Pogonoperca ocellata . .	1867, 848
leucopterus	1867, 340	Pogonorhynchus torqua-	
major	1863, 322	tus	1864, 112
micropterus	1868, 220	Pogonostoma	1863, 474
minor	1863, 322	Pohlia palmipes	1868, 479
	1864, 454	Poiana	1864, 503
	1865, 52	richardsoni	1864, 520
	1865, 90		1864, 521
	1867, 828	Polemistria verreauxi . .	1867, 752
nigricollis	1864, 179		1867, 979
	1870, 147	Polinices salangonensis . .	1863, 357
pelzelni	1863, 165	uber	1863, 357
philippensis	1863, 322	Polioaëtus ichthyaëtus . .	1868, 397
rollandi	1867, 340	leucogaster	1867, 393
	1868, 146	Polihierax semitorqua-	
	1869, 158	tus	1864, 4
rubricollis	1863, 322	Poliopsitta cana	1865, 46
	1863, 517		1865, 834
	1868, 220	Polioptila albiloris	1864, 344
subcristatus	1863, 322	bilineata	1864, 344
tricolor	1863, 36	buffoni	1866, 177
	1863, 487		1868, 166
Podilymbus antarcticus .	1867, 337		1868, 626
	1867, 340	buffonii	1861, 127
	1868, 177	cærulea	1862, 19
	1868, 178	dumicola	1868, 139
	1868, 570	leucogastra	1866, 177

	Page		Page
<i>Polioptila mexicana</i>	1862, 18	<i>Polynemus approximans</i> 1864,	23
<i>superciliaris</i>	1864, 344	<i>heptadactylus</i>	1865, 19
	1870, 182	<i>indicus</i>	1865, 19
<i>Poliornis poliogenys</i>	1863, 260		1869, 301
	1870, 600	<i>melanopoma</i>	1864, 148
<i>pyrrhogenys</i>	1862, 315	<i>paradiseus</i>	1809, 301
<i>Poliospiza gularis</i>	1866, 23	<i>sexfilis</i>	1867, 856
<i>Pollicipes mitella</i>	1865, 196	<i>sextarius</i>	1865, 19
<i>Polotus nitidus</i>	1869, 613		1869, 301
<i>Polyacanthus cupanus</i>	1865, 32	<i>tetradactylus</i>	1865, 3
	1865, 294		1865, 20
	1868, 275		1870, 684
<i>Polyboroides capensis</i>	1863, 162	<i>Polyommatus ariana</i>	1865, 504
<i>madagascariensis</i>	1863, 162		1865, 509
<i>radiatus</i>	1863, 161	<i>chandala</i>	1865, 504
	1863, 162		1865, 509
<i>typicus</i>	1863, 162	<i>kandura</i>	1865, 772
<i>Polyborus brasiliensis</i>	1867, 589		1865, 822
<i>tharus</i>	1867, 329	<i>karsandra</i>	1865, 505
	1867, 338		1865, 509
	1869, 252		1865, 771
	1869, 634	<i>kasmira</i>	1865, 503
	1870, 838		1865, 509
<i>vulgaris</i>	1869, 634		1865, 771
<i>Polybothris auropicta</i>	1863, 166	<i>laius</i>	1867, 674
	1863, 479	<i>nazira</i>	1865, 504
<i>colliciata</i>	1863, 479		1865, 509
<i>Polycephalus echinococ-</i>		<i>nycula</i>	1865, 503
<i>cus</i>	1862, 310		1865, 509
<i>granulosus</i>	1862, 310	<i>puspa</i>	1865, 771
<i>hominis</i>	1862, 310	<i>sangra</i>	1865, 772
<i>humanus</i>	1862, 310		1865, 822
<i>Polycera cooki</i>	1867, 229	<i>tamu</i>	1865, 508
<i>Polychrus marmoratus</i>	1861, 13	<i>varunana</i>	1865, 772
	1867, 776		1865, 822
<i>Polyctenes molossus</i>	1870, 620	<i>vicrama</i>	1865, 505
<i>Polydesma boarmoides</i>	1867, 65		1865, 509
<i>otiosa</i>	1867, 65	<i>Polypedates cavirostris</i>	1868, 480
<i>scriptilis</i>	1867, 65		1868, 486
<i>Polydonta dentarium</i>	1865, 196		1868, 490
<i>maculata</i>	1865, 196	<i>eques</i>	1868, 486
<i>Polydora testudinum</i>	1869, 312	<i>lividus</i>	1868, 479
<i>Polyhierax semitorquatus</i> 1864,	107	<i>maculatus</i>	1861, 189
<i>Polyhirma polioluma</i>	1864, 118		1861, 220
<i>Polymastia bulbosa</i>	1867, 27		1868, 485
	1868, 124		1869, 502
<i>mammillaris</i>	1867, 27	<i>nanus</i>	1868, 480
	1867, 359		1868, 485
<i>radiosa</i>	1868, 124		1868, 490
<i>robusta</i>	1868, 124	<i>nasutus</i>	1868, 480
<i>spinula</i>	1867, 27		1868, 486
<i>Polymastica brevis</i>	1867, 527		1868, 490
<i>bulbosa</i>	1867, 527	<i>pleurostictus</i>	1868, 480
<i>mammillaris</i>	1867, 527	<i>reticulatus</i>	1868, 480
<i>ornata</i>	1867, 527		1868, 486
<i>radiosa</i>	1867, 527	<i>rufescens</i>	1868, 480
<i>robusta</i>	1867, 527		1868, 486
<i>Polymixia nobilis</i>	1869, 238	<i>Polyphasia nigra</i>	1863, 266

	Page		Page
Polyphasia tenuirostris.	1863, 266	Pomus columbiensis.	1870, 375
	1865, 693	columellaris	1870, 375
	1866, 540	giganteus	1863, 414
	1870, 427	hæmastomus	1864, 441
Polyplectron	1862, 253	lymnæiformis	1866, 441
bicalcaratum	1863, 124	nobilis	1866, 440
chalcurum	1863, 124	nubilus	1866, 441
chinquis	1863, 104	papyratus	1866, 441
	1863, 124	spixii	1870, 375
	1863, 127	yatesi	1866, 440
	1863, 307	Ponera pestilens	1864, 118
	1864, 373	Pontaëtus ichthyaëtus.	1863, 207
	1867, 819	Pontia nina	1865, 488
	1869, 628		1865, 759
emphanes	1863, 124		1866, 357
hardwickii.	1863, 124	niobe	1866, 357
iris	1863, 124	Pontius melanampyx	1867, 347
napoleonis	1863, 124	Pontobdella afra	1869, 312
Polystoma pinguicola	1862, 293	planodiscus	1869, 312
sanguicola	1862, 294	rayneri	1869, 313
venarum.	1862, 294	variegata	1869, 313
Polytela gloriosæ	1867, 50	Pontoporia.	1863, 200
Polyteles alexandræ	1863, 232	blainvillii	1866, 426
barabandi	1863, 232		1867, 484
melanurus	1863, 232		1867, 485
Polytmus cephalater	1861, 79		1867, 488
dominicus	1870, 562	Poospiza albifrons.	1869, 161
erythronotus	1870, 562		1870, 113
hirsutus	1870, 562	bonapartii	1867, 341
leucorrhous	1867, 584	cæsar	1869, 151
	1867, 752		1869, 152
	1867, 758	cinerea	1864, 608
mango	1870, 562	dominicensis	1867, 341
viridissimus	1867, 584	nigro-rufa	1864, 608
Polytropa textiliosa	1865, 163		1868, 140
Polyzosteria — ?	1864, 118		1870, 113
Pomacanthus paru	1864, 27	oxyrhyncha	1864, 608
Pomacentrus bankanensis	1867, 864		1869, 161
	1870, 696	thoracica	1864, 608
bifasciatus	1870, 695		1869, 152
leucostictus	1868, 226	torquata.	1867, 341
punctatus	1870, 696	Popa spurca	1863, 480
trilineatus	1870, 696	undata	1863, 480
trimaculatus	1870, 695	Porcula papuensis	1868, 33
Pomatomus telescopium	1866, 336	salvania	1869, 470
	1868, 225	salvania.	1868, 33
Pomatorhinus erythro-		sylvana	1862, 360
cnemis	1862, 281	taivana	1862, 360
	1863, 335		1864, 381
isidori.	1861, 434		1868, 26
musicus	1863, 335		1870, 641
rubecula.	1863, 233	Porcus babirusa	1868, 43
stridulus.	1863, 278	guineensis	1868, 36
Pomaulax undosus	1863, 356		1869, 56
Pompholyx effusa	1863, 434	Porichthys	1864, 158
leana	1863, 434	Porifera calcarea	1867, 553
Pomus amazonicus	1866, 440	chalinida	1867, 502
columbiensis	1863, 414	keratosa	1867, 502

	Page		Page
Porifera leuconida	1867, 553	Porzana albicollis	1868, 451
silicea	1867, 502		1868, 470
Periodogaster grayi	1863, 154	albigularis	1867, 278
Poritia hewitsonii	1865, 775		1867, 280
	1865, 822		1868, 453
Poronia australis	1867, 927		1868, 454
scalaris	1867, 927		1868, 470
Porphyrio antiquorum	1868, 459	bailloni	1862, 320
chloronotus	1868, 459	carolina	1861, 81
cœlestis	1870, 428		1864, 179
hyacinthinus	1864, 453		1864, 372
madagascariensis	1863, 165		1865, 196
	1865, 836		1867, 343
martinicus	1861, 81		1868, 450
	1861, 367		1868, 470
	1862, 321		1869, 252
	1864, 372		1870, 219
	1867, 592	castanea	1867, 981
	1868, 459	castaneiceps	1868, 453
	1868, 460		1868, 470
	1868, 470	cayennensis	1867, 592
	1870, 589		1867, 754
melanotus	1862, 141		1868, 450
	1862, 322		1868, 451
	1862, 376		1868, 452
	1868, 4		1868, 470
	1868, 8	cinerea	1868, 455
	1868, 117		1868, 456
	1868, 118		1868, 470
	1869, 280	concolor	1868, 452
minor	1870, 428		1868, 453
parvus	1867, 592		1868, 470
	1868, 459	erythrops	1867, 343
	1868, 460		1868, 457
	1868, 470		1868, 458
smaragdinus	1863, 487		1868, 470
smaragnotus	1864, 139	erythrothorax	1869, 148
tavoua	1868, 459		1863, 321
Porphyriops crassirostris	1868, 461		1870, 603
	1868, 470	exilis	1866, 567
leucopterus	1868, 175		1868, 456
	1868, 461	fasciata	1865, 481
melanops	1868, 175		1867, 977
	1868, 461		1867, 979
	1868, 470		1867, 981
	1869, 634		1868, 453
Porphyrobaphe labeo	1866, 443	flaviventris	1868, 450
yatesi	1866, 443		1868, 455
Porphyryla martinica	1868, 459		1868, 470
	1868, 460	fusca	1863, 321
Porpita glandifera	1863, 379	hauxwelli	1868, 453
Porsica ingens	1867, 669		1868, 470
Portax picta	1863, 230	jamaicensis	1861, 81
	1864, 67		1867, 333
	1865, 721		1867, 339
	1868, 625		1867, 343
pictus	1862, 137		1868, 450
Porzana albicollis	1868, 450		1868, 455

	Page		Page
Porzana jamaicensis	1868,	470	
leucopyrrha	1868,	453	
	1868,	454	
	1868,	470	
levraudi	1868,	452	
	1868,	470	
mandarina	1870,	427	
maruetta	1868,	450	
melanophæa	1868,	450	
	1868,	453	
	1868,	454	
	1868,	455	
	1868,	470	
minuta	1863,	321	
moluccana	1865,	480	
notata	1868,	455	
	1868,	456	
	1868,	470	
noveboracensis	1868,	450	
	1868,	457	
	1868,	458	
	1868,	470	
phoenicura	1863,	223	
pygmæa	1863,	321	
quadristrigata	1863,	487	
rufigenis	1865,	480	
rubiginosa	1865,	481	
rubra	1868,	452	
	1868,	470	
schomburgki	1868,	457	
sylonota	1868,	455	
	1868,	456	
	1868,	470	
	1870,	323	
tabuensis	1868,	456	
Potamides ebeninum	1867,	208	
monachus	1865,	171	
Potamocheilus frenatus	1864,	87	
	1869,	220	
javanicus	1864,	85	
microcephalus	1864,	87	
	1869,	222	
perocellatus	1864,	86	
stellatus	1864,	80	
	1864,	83	
	1864,	85	
	1864,	86	
	1864,	87	
	1869,	213	
tuberculatus	1864,	87	
Potamocheilus africanus	1862,	136	
	1864,	656	
	1868,	35	
	1868,	36	
albifrons	1861,	277	
	1868,	36	
larvatus	1868,	35	
	1868,	37	
Potamocheilus penicil-			
latus	1861,	62	
	1861,	96	
	1861,	277	
	1862,	116	
	1862,	212	
	1866,	373	
	1868,	36	
	1868,	37	
	1868,	625	
porcus	1868,	37	
	1869,	56	
Potamogale	1861,	274	
velox	1865,	402	
	1867,	256	
	1867,	258	
Potamomya æqualis	1863,	368	
inflata	1863,	368	
trigonalis	1863,	368	
Potamophilus barbatus	1864,	522	
Potamophora manlia	1867,	69	
Potos caudivolvulus	1864,	706	
Potto bosmani	1863,	150	
Pradiota ennomocoides	1867,	81	
sejunctaria	1867,	81	
Praonetha bigibbera	1866,	351	
binodosa	1866,	350	
consularis	1866,	225	
	1866,	240	
fractilinea	1866,	241	
illicita	1866,	225	
	1866,	240	
kaleea	1866,	351	
obducta	1866,	225	
	1866,	240	
scopulifera	1866,	241	
villosa	1866,	225	
	1866,	241	
Praopus 7-cinctus	1865,	372	
hirsutus	1865,	373	
longicaudatus	1865,	372	
Pratincola albofasciata	1870,	394	
atrata	1866,	570	
borbonica	1866,	422	
	1870,	394	
caprata	1863,	485	
ferrea	1863,	291	
hemprichi	1870,	394	
indica	1862,	317	
	1863,	335	
	1866,	422	
	1870,	394	
melanura	1864,	442	
pastor	1870,	394	
rubetra	1864,	442	
rubicola	1861,	234	
	1863,	291	
	1864,	442	

	Page		Page
<i>Pratincola rubicola</i>	1870,	<i>Primnoa verticillaris</i> ..	1863,
	1870,	<i>Prinia</i> — ?	1863,
<i>sibylla</i>	1863,	<i>adamsi</i>	1869,
	1865,	<i>beavani</i>	1866,
	1866,	<i>cinereocapilla</i>	1866,
	1870,	<i>gularis</i>	1866,
	1870,	<i>pileata</i>	1866,
<i>sybilla</i>	1870,	<i>socialis</i>	1866,
<i>Precis hara</i>	1865,	<i>sonitans</i>	1870,
	1865,		1863,
<i>iphita</i>	1865,		1863,
	1865,	<i>Priodonta gigas</i>	1865,
<i>Premnas biaculeatus</i> ..	1869,	<i>Priodontes giganteus</i> ..	1865,
<i>Premnocopus undulatus</i> .	1868,	<i>gigas</i>	1865,
<i>Prepona amphitoë</i>	1863,	<i>Prion caribbæum</i>	1866,
<i>Presbytes albigena</i>	1865,	<i>magnirostris</i>	1862,
	1865,	<i>turtur</i>	1864,
	1865,	<i>Prionirhynchus platy-</i>	
	1865,	<i>rhynchus</i>	1864,
	1865,		1867,
	1865,		1867,
	1868,		1867,
<i>entellus</i>	1861,	<i>Prionites bahamensis</i> ..	1870,
<i>maurus</i>	1870,	<i>swainsonii</i>	1870,
	1870,	<i>Prioniturus</i>	1864,
	1865,	— ?	1864,
	1865,	<i>discurus</i>	1864,
	1865,		1864,
	1865,	<i>flavicans</i>	1864,
	1865,		1864,
<i>obscurus</i>	1865,	<i>platurus</i>	1864,
	1865,	<i>setarius</i>	1864,
	1865,		1864,
<i>Priacanthichthys made-</i>		<i>Prionochilus aureolimba-</i>	
<i>raspatensis</i>	1868,	<i>tus</i>	1865,
<i>Priacanthus boops</i>	1868,	<i>Prionodon</i>	1864,
<i>fax</i>	1867,	<i>gracilis</i>	1864,
<i>insularum</i>	1862,		1864,
<i>macrophthalmus</i> ..	1862,	<i>pardicolor</i>	1864,
	1862,		1864,
<i>speculum</i>	1867,	<i>Prionodos gigas</i>	1865,
<i>Prianos amorphus</i>	1867,		1865,
<i>Priapula caudata</i>	1868,	<i>Prionops concinnatus</i> ..	1864,
<i>Priapulius brevicaudatus</i>	1868,	<i>plumatus</i>	1864,
<i>caudatus</i>	1868,	<i>poliocephalus</i>	1863,
	1868,		1864,
	1868,		1864,
	1868,	<i>retzii</i>	1864,
<i>glandifer</i>	1868,		1864,
<i>hibernicus</i>	1868,		1864,
	1868,	<i>talacoma</i>	1864,
	1868,		1864,
<i>tuberculato-spinosus</i>	1868,		1870,
	1868,	<i>tricolor</i>	1864,
	1868,	<i>Pristigaster argenteus</i> ..	1866,
<i>Priapus humanus</i>	1868,	<i>macrops</i>	1866,
	1868,	<i>tartoor</i>	1865,
<i>Primnoa antarctica</i>	1866,		311
<i>imbricata</i>	1862,		
<i>lepadifera</i>	1862,		

	Page		Page
Pristipoma — ?	1864,	Procyon cancrivora	1864,
argyreum	1870,	gularis	1864,
chalceum	1864,	hernandesii	1864,
dovii	1864,	lotor	1861,
hasta	1865,		1864,
	1869,		1864,
	1870,		1864,
leuciscus	1864,	nivea	1869,
leucurum	1867,		1864,
macracanthum	1864,	obscurus	1864,
maculatum	1865,		1864,
	1870,	psora	1864,
melanopterum	1864,	Prodenia ciligera	1867,
	1864,	glaucistriga	1867,
neilli	1867,	infecta	1867,
Pristipomoides aurolinea-	1867,	insignata	1867,
tus	1867,	lectula	1867,
Pristis antiquorum	1865,	retina	1866,
cuspidatus	1870,		1867,
perroteti	1864,	Progne chalybea	1864,
Pristonychus complana-	1867,	domestica	1869,
tus	1867,	dominicensis	1864,
	1867,		1867,
Pristoptera typica	1870,	elegans	1869,
Procrapra gutturosa	1867,	furcata	1867,
	1867,		1867,
	1870,		1868,
picticauda	1867,	fusca	1868,
	1867,	leucogastra	1867,
Procellaria æquinoctialis	1863,		1867,
	1863,		1867,
desolata	1863,		1867,
gigantea	1863,		1869,
	1867,		1870,
	1867,	purpurea	1866,
glacialis	1863,		1869,
	1863,	tapera	1866,
	1864,		1867,
melanogastra	1867,		1867,
	1867,		1867,
oceanica	1867,		1868,
Prochilodus nigricans ..	1868,		1868,
Prochilus labiatus	1861,	Prometheus atlanticus ..	1865,
	1864,		1865,
malayanus	1864,		1865,
ursinus	1864,	prometheoides	1865,
Procnias nivea	1870,	solandri	1865,
occidentalis	1866,	Pronax lobata	1867,
	1867,	plumosa	1867,
	1867,	Ponophila phytanis	1867,
	1868,	Propachys fascialis	1867,
	1869,	linealis	1867,
variegatus	1870,		1867,
Procodeca angulifera ..	1865,	nigrivena	1867,
Proctotretus toelsneri ..	1861,	Propithecus	1864,
Procyon	1864,	damanus	1870,
brachyurus	1864,	diadema	1863,
	1864,		1866,

	Page		Page
<i>Propithecus diadema</i> ..	1867, 247	<i>Psalidoprocne cypselina</i> .	1870, 288
<i>verreauxi</i>	1867, 975	<i>holomela</i>	1870, 288
<i>Prosimia</i>	1863, 150	<i>holomelæna</i>	1864, 108
<i>albifrons</i>	1863, 137		1870, 289
<i>albimana</i>	1863, 139		1870, 291
<i>anjuanensis</i>	1863, 139	<i>nitens</i>	1870, 291
<i>catta</i>	1863, 136		1870, 320
<i>collaris</i>	1863, 139	<i>obscura</i>	1870, 289
<i>coronata</i>	1863, 138		1870, 290
<i>flavifrons</i>	1863, 139		1870, 291
<i>macaco</i>	1867, 596	<i>pristoptera</i>	1864, 109
<i>melanocephala</i>	1863, 136		1870, 290
<i>mongoz</i>	1863, 137		1870, 291
<i>nigrifrons</i>	1863, 137		1870, 320
<i>rufifrons</i>	1863, 138	<i>Psalis securis</i>	1865, 803
<i>xanthomystax</i>	1863, 139	<i>Psaltriparus melanotis</i> .	1864, 172
	1863, 139	<i>Psalurus macropterus</i> ..	1866, 142
<i>Prosopodasys dracæna</i> ..	1865, 18	<i>Psamathia annæ</i>	1868, 5
<i>leucogaster</i>	1869, 240		1868, 116
<i>Prostheacanthus specta-</i>			1868, 118
<i>bilis</i>	1869, 549	<i>Psammobia casta</i>	1863, 366
<i>Proteles</i>	1864, 507	<i>florida</i>	1867, 918
<i>cristatus</i>	1864, 511	<i>malaccana</i>	1867, 917
	1868, 525	<i>menkeana</i>	1867, 918
	1869, 474	<i>tellinella</i>	1867, 918
	1870, 9	<i>togata</i>	1867, 917
<i>hyænoides</i>	1864, 511	<i>zonalis</i>	1867, 917
<i>lalandii</i>	1864, 511	<i>Psammodus cæsus</i>	1867, 375
	1868, 525	<i>plicicollis</i>	1867, 363
	1868, 530		1867, 374
	1869, 28	<i>porcicollis</i>	1867, 364
	1869, 407		1867, 374
	1869, 475	<i>sabulosus</i>	1867, 364
<i>typicus</i>	1864, 511		1867, 374
<i>Proteus</i>	1862, 98	<i>Psammomys myosurus</i> .	1866, 89
<i>anguinus</i>	1861, 365	<i>obesus</i>	1866, 89
	1862, 103	<i>tamaracinus</i>	1866, 89
<i>Prothoë caledonia</i>	1867, 873	<i>Psammoperca waigiensis</i>	1870, 824
<i>francki</i>	1867, 873	<i>Psammophis</i> — ?	1864, 115
<i>Proto cathedralis</i>	1870, 60	<i>collaris</i>	1861, 216
<i>maraschirii</i>	1870, 61	<i>condanarus</i>	1869, 502
<i>Protoma knockeri</i>	1870, 59	<i>leithii</i>	1869, 502
	1870, 60		1869, 505
<i>Protonotaria citrea</i>	1870, 780	<i>oxyrhynchus</i>	1864, 580
<i>Prototroctes maræna</i> ..	1870, 152	<i>sibilans</i>	1861, 209
<i>oxyrhynchus</i>	1870, 152		1861, 265
<i>Psalidoprocne albiceps</i> .	1864, 107		1864, 307
	1864, 108	<i>Psamnotæa violacea</i> . . .	1865, 196
	1870, 290	<i>Psaris fraseri</i>	1867, 757
	1870, 291	<i>mexicana</i>	1867, 149
	1870, 320	<i>Psarocolius leucopteryx</i> .	1861, 74
<i>cypselina</i>	1864, 109	<i>Psaropholus ardens</i>	1863, 334
		<i>Psephotus hæmatogaster</i>	1862, 185
		<i>hæmatonotus</i>	1862, 186
			1869, 627
		<i>hæmatorrhous</i>	1861, 224

	Page		Page
<i>Psephotus multicolor</i> ..	1861,	<i>Pseudoëlaps superciliosus</i>	1863,
	1862,	<i>Pseudojulis girardi</i>	1861,
	1863,	<i>notospilus</i>	1864,
<i>pulcherrimus</i>	1866,	<i>Pseudolabrus rubiginosus</i>	1861,
<i>Psetta kultetee</i>	1867,	<i>notospilus</i>	1864,
<i>Pættus argenteus</i>	1864,	<i>Pseudoleistes melanict-</i>	
	1865,	<i>rus</i>	1870,
	1870,		553
<i>falciiformis</i>	1865,	<i>virescens</i>	1870,
<i>Pseudachatina elongata</i> ..	1865,		575
<i>Pseudalopex antarcticus</i>	1868,	<i>viridis</i>	1868,
<i>azaræ</i>	1868,		140
<i>gracilis</i>	1868,	<i>Pseudoliva commoda</i> ..	1870,
<i>griseus</i>	1868,	<i>lævis</i>	549
<i>magellanicus</i>	1868,	<i>Pseudomeles leucurus</i> ..	1868,
<i>Pseudaspidosiphon clava-</i>			207
<i>tum</i>	1868,	<i>Pseudomesa quadripla-</i>	
<i>gracile</i>	1868,	<i>giata</i>	1867,
	1868,	<i>Pseudomuræna maderen-</i>	
<i>spratti</i>	1868,	<i>sis</i>	1862,
<i>Pseudechis</i>	1863,	<i>Pseudonaia nuchalis</i> ...	1862,
<i>australis</i>	1868,		226
<i>porphyriaca</i>	1861,		17
<i>porphyriacus</i>	1862,		18
<i>Pseudemys</i>	1863,	<i>textilis</i>	1862,
<i>decussata</i>	1869,	<i>Pseudonympha</i>	1863,
<i>serrata</i>	1869,	<i>Pseudophryne australis</i> ..	1863,
	1869,	<i>bibronii</i>	1863,
<i>Pseudeutropius acutiros-</i>		<i>Pseudoplesiops typus</i> ..	1870,
<i>tris</i>	1869,	<i>Pseudoprocne cayennen-</i>	
<i>atherinoides</i>	1869,	<i>sis</i>	1865,
<i>gachua</i>	1869,	<i>Pseudopus pallasii</i>	1864,
<i>goongwaree</i>	1869,	<i>Pseudorca crassidens</i> ..	1864,
<i>longimanus</i>	1869,		420
<i>mitchelli</i>	1865,		425
<i>murius</i>	1869,		471
<i>sykesii</i>	1865,	<i>meridionalis</i>	1864,
<i>taakree</i>	1869,		425
<i>Pseudobagrus chryseus</i> ..	1865,	<i>Pseudorhombus arsius</i> ..	1869,
<i>Pseudobufo subasper</i> ..	1868,		523
<i>Pseudocheilinus hexatæ-</i>		<i>russellii</i>	1870,
<i>nia</i>	1861,		698
<i>Pseudochromis perspicil-</i>		<i>Pseudoscarus cyanogna-</i>	
<i>latus</i>	1862,	<i>thus</i>	1867,
<i>xanthochir</i>	1870,	<i>dussumieri</i>	1867,
<i>Pseudocolaptes boisso-</i>		<i>falciipinnis</i>	1867,
<i>neauti</i>	1870,	<i>harid</i>	1867,
	1870,	<i>janthochir</i>	1867,
<i>Pseudocoris heteropte-</i>		<i>maculosus</i>	1867,
<i>rus</i>	1861,	<i>nuchipunctatus</i> ...	1867,
<i>Pseudodax moluccanus</i> ..	1861,	<i>riyulatus</i>	1870,
<i>Pseudoëlaps kuingii</i> ..	1862,	<i>russellii</i>	1868,
	1863,	<i>troschelli</i>	1870,
	1863,	<i>Pseudoscolopax semipal-</i>	
<i>sordellii</i>	1863,	<i>matus</i>	1863,
	1863,		181
<i>superciliosus</i>	1863,		313
	1863,	<i>Pseudoscops grammicus</i> .	1861,
	1863,	<i>Pseudosilurus macroph-</i>	80
	1863,	<i>thalmus</i>	1869,
	1863,		613

	Page		Page
<i>Psilodactylus caudicinctus</i>	1864, 61	<i>Psittacus cryptoxanthus</i> .	1864, 112
<i>Psilorhinus mexicanus</i> ..	1869, 363	<i>culacissi</i>	1864, 288
	1870, 837	<i>cyaniceps</i>	1864, 283
	1870, 839	<i>cyanicollis</i>	1864, 283
<i>morio</i>	1869, 363	<i>dorsalis</i>	1862, 337
<i>Psittacara nana</i>	1861, 79		1864, 282
<i>Psittacodis aruensis</i>	1861, 436	<i>erithacus</i>	1864, 160
<i>intermedia</i>	1864, 287	<i>erythacus</i>	1863, 516
<i>polychloris</i>	1861, 436		1865, 238
<i>sumatranus</i>	1862, 336		1866, 325
<i>tarabe</i>	1861, 436		1866, 329
<i>westermanni</i>	1864, 287	<i>erythropterus</i>	1864, 282
<i>Psittacula batavica</i>	1870, 586	<i>euteles</i>	1864, 292
<i>cana</i>	1866, 424	<i>fuscicapillus</i>	1864, 283
<i>cingulata</i>	1870, 553		1867, 826
	1870, 586		1867, 828
<i>cyanoptera</i>	1870, 554	<i>galgulus</i>	1864, 287
<i>desmaresti</i>	1864, 284	<i>garrulus</i>	1864, 289
<i>desmarestii</i>	1861, 437	<i>geoffroyanus</i>	1864, 283
<i>diophthalma</i>	1861, 437	<i>goliath</i>	1864, 281
<i>guianensis</i>	1868, 169	<i>grandis</i>	1863, 19
<i>hueti</i>	1870, 586		1864, 286
<i>lineola</i>	1864, 177	<i>griseus</i>	1864, 281
<i>loxia</i>	1864, 285	<i>guebiensis</i>	1864, 290
<i>passerina</i>	1867, 749	<i>hæmatodus</i>	1864, 291
	1870, 554	<i>hueti</i>	1867, 759
	1870, 586	<i>incertus</i>	1864, 283
<i>pullaria</i>	1866, 329	<i>indicus</i>	1864, 290
<i>roseicollis</i>	1865, 94	<i>iris</i>	1864, 292
	1870, 146	<i>japonicus</i>	1864, 292
<i>rubrifrons</i>	1864, 288	<i>javanicus</i>	1864, 282
<i>sclateri</i>	1866, 197	<i>jukesii</i>	1864, 283
	1869, 598	<i>leucocephalus</i>	1861, 79
<i>Psittacus amboinensis</i> ..	1864, 282	<i>leucophthalma</i>	1864, 285
<i>aruensis</i>	1861, 437	<i>longicaudus</i>	1864, 282
	1863, 19	<i>lory</i>	1864, 288
	1864, 283		1864, 294
<i>ater</i>	1864, 289	<i>loxia</i>	1864, 285
<i>aterrimus</i>	1864, 281	<i>lucionensis</i>	1864, 285
<i>augustus</i>	1862, 102	<i>lunulatus</i>	1864, 285
	1865, 437	<i>macao</i>	1869, 128
<i>bataviensis</i>	1863, 19	<i>macrorhynchus</i>	1864, 285
	1864, 283	<i>magnus</i>	1863, 19
<i>bontii</i>	1864, 292		1864, 286
<i>borneus</i>	1863, 21	<i>malaccensis</i>	1864, 282
	1864, 282	<i>marginatus</i>	1864, 285
<i>cæruleatus</i>	1864, 290	<i>megalorhynchus</i> ..	1864, 285
<i>capistratus</i>	1861, 437	<i>melanopterus</i>	1864, 288
	1863, 19	<i>minor</i>	1864, 288
	1864, 283	<i>moluccensis</i>	1864, 279
	1864, 291		1864, 283
<i>cardinalis</i>	1864, 286		1864, 290
<i>ceylonensis</i>	1864, 286	<i>nasutus</i>	1864, 285
<i>coccineus</i>	1864, 290	<i>niger</i>	1866, 424
<i>cochinchinensis</i>	1864, 290	<i>novæ-guineæ</i>	1864, 289
<i>collarius</i>	1861, 79	<i>obscurus</i>	1866, 424
<i>cristatus</i>	1864, 279	<i>ornatus</i>	1864, 291
		<i>osbeckii</i>	1864, 282

	Page		Page
<i>Psittacus papuensis</i>	1864, 292	<i>Psyche</i> — ?	1865, 807
<i>pequetii</i>	1864, 287	<i>Psylliodes chrysocephala</i>	1867, 363
<i>personatus</i>	1861, 436	<i>vehemens</i>	1867, 379
.	1863, 19	1867, 364
.	1864, 283	<i>Psyra angulifera</i>	1867, 659
<i>philippensis</i>	1864, 288	<i>cuneata</i>	1867, 659
<i>philippinarum</i>	1864, 279	1867, 660
<i>placentis</i>	1864, 292	<i>similaria</i>	1867, 659
<i>polychlorus</i>	1864, 286	1867, 686
<i>pucherani</i>	1861, 436	<i>Ptenidium apicale</i>	1867, 362
<i>pulverulentus</i>	1864, 368	1867, 371
<i>puniceus</i>	1863, 19	<i>Ptenoedus rufescens</i>	1866, 440
.	1864, 286	<i>Ptenopus maculatus</i>	1865, 640
<i>pygmæus</i>	1864, 281	<i>Pteragogus</i>	1861, 416
<i>rhodops</i>	1861, 436	<i>Pterapon trivittatus</i>	1861, 221
<i>riciniatus</i>	1864, 290	<i>Pteris aquilina</i>	1865, 619
.	1864, 295	1866, 574
<i>ruber</i>	1863, 21	<i>Pternistes cranchii</i>	1864, 113
.	1864, 290	<i>sclateri</i>	1869, 437
<i>rueppelli</i>	1865, 94	<i>Pterobalæna</i>	1864, 395
<i>scintillatus</i>	1864, 289	<i>communis</i>	1864, 204
<i>setarius</i>	1864, 284	1864, 216
<i>simplex</i>	1864, 285	1864, 391
<i>spadiceocephalus</i>	1864, 283	1865, 700
<i>spatuliger</i>	1864, 284	1868, 188
.	1864, 294	<i>gigas</i>	1864, 204
<i>squamatus</i>	1864, 290	1864, 225
<i>stavorini</i>	1864, 286	1864, 391
<i>stigmatus</i>	1864, 287	1864, 400
<i>sulphurea</i>	1864, 280	1864, 408
<i>sumatranus</i>	1862, 336	1864, 408
.	1864, 286	<i>minor</i>	1864, 204
.	1864, 285	1864, 391
<i>torquata</i>	1864, 285	1864, 394
<i>timneh</i>	1861, 101	1865, 209
<i>unicolor</i>	1864, 291	<i>pentadactyla</i>	1864, 394
.	1869, 128	<i>Pterocles</i>	1862, 253
.	1864, 290	— ?	1864, 113
<i>variegatus</i>	1864, 290	<i>alchata</i>	1861, 368
<i>vernalis</i>	1864, 288	1864, 449
.	1866, 538	1866, 78
<i>Psitteuteles euteles</i>	1864, 292	1869, 628
<i>Psittinus incertus</i>	1864, 283	<i>arenarius</i>	1862, 257
.	1864, 293	1864, 449
<i>malaccensis</i>	1863, 208	<i>exustus</i>	1864, 448
<i>Psittovius subcæruleus</i>	1864, 367	<i>gutturalis</i>	1862, 258
<i>tovi</i>	1864, 367	<i>lichtensteini</i>	1865, 675
<i>Psophia</i>	1864, 71	<i>namaquus</i>	1865, 90
<i>crepitans</i>	1861, 366	<i>paradoxus</i>	1863, 47
.	1862, 325	<i>senegalensis</i>	1864, 449
.	1863, 517	<i>setarius</i>	1862, 258
.	1867, 592	<i>Pterocyclos batchianensis</i>	1865, 413
.	1867, 594	<i>hainanensis</i>	1870, 8
<i>leucoptera</i>	1867, 592	1870, 9
<i>obscura</i>	1867, 592	<i>labuanensis</i>	1863, 525
.	1867, 594	<i>lowianus</i>	1863, 526
<i>ochroptera</i>	1867, 592	<i>wilsoni</i>	1865, 831
.	1867, 593	<i>Pterodroma atlantica</i>	1866, 94
<i>viridis</i>	1864, 138		
.	1867, 592		

	Page		Page
<i>Pterodroma caribbæa</i> ..	1866, 93	<i>Pterophrynus tasmanien-</i>	
<i>fuliginosa</i>	1866, 94	<i>sis</i>	1864, 48
<i>macroptera</i>	1866, 94	<i>verrucosus</i>	1864, 47
<i>Pteroglossus araçari</i>	1867, 586	<i>Pteroptochos albicollis</i> .	1864, 609
	1867, 594		1867, 325
	1870, 553		1867, 338
	1870, 584	<i>albifrons</i>	1867, 319
<i>hitorquatus</i>	1867, 586		1867, 325
	1867, 595	<i>castaneus</i>	1867, 320
<i>castanotis</i>	1866, 195		1867, 325
<i>erythropygius</i>	1864, 366	<i>megapodius</i>	1867, 452
	1867, 157		1867, 472
	1870, 211	<i>niger</i>	1868, 571
<i>flavirostris</i>	1867, 753	<i>rubecula</i>	1864, 609
<i>formosus</i>	1870, 584		1867, 325
<i>frantzii</i>	1870, 211		1867, 338
<i>humboldti</i>	1866, 195	<i>thoracicus</i>	1864, 609
	1867, 753	<i>Pteropus</i> — ?	1863, 438
<i>inscriptus</i>	1867, 586	<i>amplexicaudatus</i> ..	1866, 64
<i>pluricinctus</i>	1867, 753	<i>argentatus</i>	1868, 531
<i>torquatus</i>	1864, 366	<i>dupréanus</i>	1866, 419
	1867, 157	<i>edulis</i>	1861, 12
	1870, 837		1863, 439
<i>wiedi</i>	1867, 594	<i>edwardsii</i>	1861, 101
	1867, 595		1861, 136
<i>wiedii</i>	1870, 584		1861, 268
<i>Pterois miles</i>	1865, 17		1864, 650
<i>volitans</i>	1865, 17		1865, 833
	1870, 686		1866, 67
<i>Pteromys albiventris</i> ..	1862, 358		1866, 419
<i>grandis</i>	1862, 358	<i>elseyi</i>	1866, 67
	1870, 634	<i>hypomelanus</i>	1868, 531
	1870, 635	<i>livingstonii</i>	1866, 66
<i>leucogenys</i>	1862, 359	<i>medius</i>	1861, 268
<i>melanotis</i>	1862, 358		1862, 140
<i>momoga</i>	1861, 137		1862, 321
	1862, 359		1866, 63
<i>pectoralis</i>	1870, 634		1868, 404
<i>setosus</i>	1862, 359		1870, 128
<i>volucella</i>	1861, 281	<i>personatus</i>	1866, 66
<i>Pteronotus brachypteron</i>	1862, 371	<i>poliocephalus</i>	1868, 526
<i>davyi</i>	1863, 83		1870, 128
<i>eurypteron</i>	1862, 371	<i>stramineus</i>	1866, 419
<i>gouldi</i>	1862, 371	<i>wallacei</i>	1866, 65
<i>stimpsoni</i>	1862, 371		1866, 66
<i>talienwhanensis</i> ..	1863, 371	<i>Pterorhinus davidi</i>	1870, 436
<i>triformis</i>	1865, 157	<i>Pterosaura cristata</i>	1864, 467
<i>Pteronura sanbachii</i>	1865, 135		1864, 473
<i>sandbachii</i>	1868, 61	<i>Pterostichus aterrimus</i> ..	1867, 368
	1868, 62	<i>nigerrimus</i>	1867, 364
	1868, 63		1867, 368
	1868, 64	<i>vernalis</i>	1867, 363
	1869, 57		1867, 368
	1869, 58	<i>Pterothysanus laticilla</i> ..	1865, 803
<i>Pterophrynus affinis</i>	1864, 47	<i>Pterura sanbachii</i>	1865, 135
<i>lævis</i>	1864, 47	<i>Pterygospidea folus</i>	1865, 778
	1864, 48		1866, 361
<i>tasmaniensis</i>	1864, 47	<i>gana</i>	1865, 780

	Page		Page
<i>Pterygospidea menaka</i> ..	1865, 778	<i>Ptilopus madagascariensis</i> ..	1866, 424
<i>pralaya</i>	1865, 779	<i>sganzini</i>	1870, 399
<i>ravi</i>	1865, 779	<i>sganzini</i>	1866, 424
<i>inopus fasciatus</i>	1869, 547	<i>Ptilorhynchus buccoides</i>	1862, 165
<i>pelewensis</i>	1869, 548	<i>Ptiloris paradisea</i>	1866, 439
<i>perousii</i>	1868, 7	<i>Ptilotis assimilis</i>	1861, 434
<i>porphyraceus</i>	1868, 118	<i>auricomis</i>	1865, 462
<i>roseicapillus</i>	1869, 545	<i>auriculata</i>	1865, 463
<i>Ptilinus pectinicornis</i> ..	1869, 545	<i>carunculata</i>	1869, 360
<i>roseicapillus</i>	1869, 547	<i>cassidix</i>	1861, 434
<i>roseicapillus</i>	1869, 548	<i>chrysops</i>	1869, 545
<i>roseicapillus</i>	1868, 7	<i>chrysotis</i>	1866, 558
<i>Ptilonops pectinicornis</i> ..	1867, 363	<i>flaviventris</i>	1865, 463
<i>pectinicornis</i>	1867, 376	<i>fumata</i>	1866, 217
<i>Ptilogonys armillata</i> ..	1861, 73	<i>fuscata</i>	1861, 428
<i>cinereus</i>	1861, 73	<i>fusca</i>	1861, 434
<i>caudatus</i>	1864, 173	<i>gracilis</i>	1861, 434
<i>Philoleptis guira</i>	1870, 185	<i>limbata</i>	1861, 434
<i>Philoleptis guira</i>	1868, 142	<i>maculata</i>	1863, 486
<i>Ptilonopus albocinctus</i> ..	1863, 486	<i>maculata</i>	1861, 428
<i>aurantiifrons</i>	1863, 496	<i>megarhynchus</i>	1861, 434
<i>chrysogaster</i>	1861, 437	<i>penicillata</i>	1861, 434
<i>cinctus</i>	1864, 9	<i>polygramma</i>	1869, 279
<i>coralensis</i>	1864, 11	<i>reticulata</i>	1861, 429
<i>coronulatus</i>	1863, 486	<i>rostrata</i>	1861, 434
<i>cyanovirens</i>	1862, 166	<i>similis</i>	1863, 486
<i>eugeniæ</i>	1862, 166	<i>sonoroides</i>	1865, 478
<i>fasciatus</i>	1861, 437	<i>striolata</i>	1861, 428
<i>flavicollis</i>	1862, 166	<i>versicolor</i>	1861, 434
<i>humeralis</i>	1862, 166	<i>virescens</i>	1868, 386
<i>iozonus</i>	1861, 437	<i>virescens</i>	1863, 486
<i>jambu</i>	1862, 166	<i>Ptinus testaceus</i>	1863, 494
<i>melanocephalus</i>	1862, 166	<i>testaceus</i>	1867, 361
<i>nanus</i>	1862, 221	<i>Ptyas mucosa</i>	1867, 376
<i>perlatus</i>	1862, 335	<i>Ptychemys berrardi</i> ...	1869, 501
<i>prasinorrhous</i>	1862, 344	<i>Ptychochærus plicifrons</i>	1864, 126
<i>pulchellus</i>	1863, 486	<i>Ptychochærus plicifrons</i>	1868, 41
<i>rivoli</i>	1861, 437	<i>Ptyodactylus gecko</i> ...	1864, 489
<i>roseipectus</i>	1861, 437	<i>Ptyonura albifrons</i> ...	1867, 986
<i>strophium</i>	1861, 437	<i>Pucrasia castanea</i>	1863, 116
<i>superbus</i>	1861, 437	<i>macrolopha</i>	1863, 104
<i>virens</i>	1861, 437	<i>nipalensis</i>	1863, 115
<i>viridis</i>	1861, 437	<i>xanthospila</i>	1863, 126
<i>wallacei</i>	1863, 34	<i>nipalensis</i>	1863, 116
<i>Ptilonorhynchus buccoides</i>	1861, 437	<i>xanthospila</i>	1864, 259
<i>melanotis</i>	1861, 436	<i>maculata</i>	1866, 437
<i>Ptilopachys fuscus</i>	1861, 436	<i>maculata</i>	1868, 210
<i>Ptilopus fasciatus</i>	1862, 140	<i>Pudu humilis</i>	1870, 90
<i>fasciatus</i>	1862, 325	<i>Puffinus anglorum</i> ...	1864, 454
<i>wallacei</i>	1863, 1	<i>brevicauda</i>	1863, 517
		<i>carneipes</i>	1867, 336

	Page		Page
<i>Puffinus carneipes</i>	1867,	<i>Pupina mouhoti</i>	1862,
<i>leucomelas</i>	1863,	<i>ottonis</i>	1862,
<i>opisthomelas</i>	1867,	<i>pfeifferi</i>	1862,
	1868,		1865,
	1868,		1865,
<i>tenuirostris</i>	1863,	<i>pfeifferiana</i>	1869,
<i>Pugetta lordii</i>	1864,	<i>pineticola</i>	1866,
<i>Pullastra flammiculata</i>	1865,	<i>planilabris</i>	1863,
<i>philippii</i>	1865,	<i>strangei</i>	1862,
<i>Pulsatrix torquata</i>	1870,	<i>ventrosa</i>	1862,
<i>Pumex adriaticus</i>	1867,	<i>Pupinella borneensis</i>	1861,
<i>Puntius amphibius</i>	1865,	<i>humilis</i>	1866,
<i>arulius</i>	1867,	<i>mindorensis</i>	1866,
<i>carnaticus</i>	1867,	<i>swinhoei</i>	1866,
	1867,		1866,
<i>chrysopoma</i>	1865,	<i>Pupinopsis mindorensis</i>	1867,
<i>dubius</i>	1867,	<i>rufa</i>	1867,
<i>filamentosus</i>	1865,	<i>swinhoei</i>	1866,
	1867,		1866,
	1868,	<i>Purisiphonia clarkei</i>	1869,
	1868,		1869,
<i>gracilis</i>	1867,		1869,
<i>grayi</i>	1867,	<i>Purpura adelaidensis</i>	1865,
	1867,	<i>amygdala</i>	1867,
	1867,	<i>bicostalis</i>	1861,
	1868,	<i>biserialis</i>	1863,
	1868,	<i>bitubercularis</i>	1865,
<i>hamiltonii</i>	1865,	<i>cancellata</i>	1865,
<i>lepidus</i>	1868,		1865,
<i>melanampyx</i>	1868,	<i>carolensis</i>	1863,
<i>modestus</i>	1869,	<i>chaidea</i>	1867,
<i>parrah</i>	1865,	<i>costata</i>	1863,
<i>puckelli</i>	1868,	<i>deltoidea</i>	1861,
<i>punctatus</i>	1865,	<i>elongata</i>	1865,
<i>stigma</i>	1868,		1865,
	1868,		1865,
<i>vittatus</i>	1865,	<i>fenestrata</i>	1865,
<i>Pupa chondriformis</i>	1865,		1865,
<i>delesserti</i>	1865,	<i>fiindersi</i>	1863,
<i>exigua</i>	1868,		1863,
	1868,		1865,
<i>granum</i>	1865,	<i>foveolata</i>	1863,
<i>hebraica</i>	1865,	<i>granulata</i>	1867,
<i>libanotica</i>	1865,	<i>hippocastanum</i>	1865,
<i>lincolnensis</i>	1867,	<i>humilis</i>	1865,
<i>michonii</i>	1865,	<i>kiosquiformis</i>	1863,
<i>rhodia</i>	1865,	<i>lapillus</i>	1868,
<i>sauleyi</i>	1865,	<i>mancinella</i>	1865,
<i>scyphus</i>	1865,	<i>marginalba</i>	1867,
<i>sericina</i>	1861,	<i>marmorata</i>	1865,
<i>soluta</i>	1863,	<i>melo</i>	1863,
<i>ventricosa</i>	1867,	<i>nassoides</i>	1867,
	1867,	<i>neglecta</i>	1867,
	1867,		1867,
<i>weinlandi</i>	1861,	<i>osculans</i>	1863,
<i>Pupina bicanaliculata</i>	1864,	<i>purpuroides</i>	1863,
<i>bilinguis</i>	1862,	<i>rugosa</i>	1867,
<i>difficilis</i>	1864,	<i>succincta</i>	1867,
<i>keraudreni</i>	1864,		1867,
<i>meriodinalis</i>	1863,		1867,
<i>mouhoti</i>	1861,		1867,

	Page		Page
<i>Purpura tecta</i>	1863,	<i>Pycnonotus aurigaster</i> ..	1861,
<i>textiliosa</i>	1865,		1861,
<i>triangularis</i>	1863,	<i>capensis</i>	1861,
<i>tuberculata</i>	1867,	<i>finlaysonii</i>	1866,
<i>undata</i>	1861,	<i>goiavier</i>	1863,
	1863,	<i>hæmorrhous</i>	1866,
	1863,		1866,
<i>Purpurea</i> — ?	1865,	<i>nigricans</i>	1864,
<i>Purpuricenus</i> — ?.....	1864,	<i>nigropileus</i>	1866,
<i>sanguinolentus</i>	1866,	<i>pygæus</i>	1864,
	1866,		1866,
<i>Puteolus clathratulus</i> ..	1862,	<i>Pygarrichus albigularis</i> .	1867,
<i>Putilla lucida</i>	1867,		1867,
	1867,	<i>Pygmornis amaura</i>	1867,
<i>Putorius agilis</i>	1865,	<i>nigricinctus</i>	1867,
<i>alpinus</i>	1865,	<i>Pygoderma leucomum</i> ..	1866,
<i>cicognani</i>	1865,	<i>Pygoptila maculipennis</i> .	1866,
	1865,		1867,
<i>communis</i>	1865,	<i>margaritata</i>	1867,
<i>erminius</i>	1865,	<i>Pygosceles wagleri</i>	1861,
	1865,		1868,
<i>eversmannii</i>	1865,	<i>Pygospila tyresalis</i>	1867,
<i>foetidus</i>	1862,	<i>Pyralis lucillalis</i>	1867,
	1865,	<i>Pyramea</i>	1862,
	1865,	<i>Pyrameis callirhoë</i>	1865,
<i>frenatus</i>	1865,		1865,
<i>fuscus</i>	1865,	<i>cardui</i>	1865,
<i>kaneii</i>	1865,		1865,
	1865,		1870,
<i>kathiah</i>	1865,	<i>Pyramidella conica</i>	1863,
<i>longicauda</i>	1865,	<i>gracilis</i>	1862,
<i>nigripes</i>	1865,	<i>subulata</i>	1862,
<i>nigrescens</i>	1865,	<i>Pyramis</i>	1862,
<i>noveboracensis</i>	1865,	<i>tetragona</i>	1863,
	1865,	<i>Pyranga æstiva</i>	1864,
<i>nudipes</i>	1865,		1867,
<i>pusillus</i>	1865,		1867,
<i>richardsonii</i>	1865,		1870,
<i>sarmaticus</i>	1865,		1870,
<i>subhemachalana</i> ..	1865,	<i>albicollis</i>	1867,
<i>typus</i>	1865,	<i>ardens</i>	1868,
<i>vison</i>	1865,	<i>bidentata</i>	1868,
<i>vulgaris</i>	1865,		1870,
	1865,	<i>erythrocephala</i>	1864,
<i>xanthogenys</i>	1865,	<i>erythromelæna</i>	1864,
<i>zorilla</i>	1865,	<i>hepatica</i>	1864,
<i>Pycnarmon abraxalis</i> ..	1867,		1867,
<i>aurolinealis</i>	1867,		1868,
<i>bistrigalis</i>	1867,		1868,
<i>discerptalis</i>	1867,		1868,
<i>jaguaralis</i>	1867,	<i>ludoviciana</i>	1862,
<i>plutusalis</i>	1867,	<i>rubra</i>	1861,
<i>virgatalis</i>	1867,		1862,
	1867,		1863,
<i>zebralis</i>	1867,		1864,
	1867,		1870,
	1867,	<i>testacea</i>	1868,
<i>Pycnonotus</i> — ?	1863,		1868,
<i>analis</i>	1863,		1870,
	1863,		176

	Page		Page
<i>Pyrauga testacea</i>	1870, 187	<i>Pyrocephalus rubineus</i> ..	1867, 751
<i>Pyrausta silhetalis</i>	1867, 89		1867, 978
<i>Pyrazus palustris</i>	1869, 66		1867, 987
<i>semistriatus</i>	1866, 146		1868, 142
<i>Pyrene discors</i>	1865, 197		1868, 175
<i>Pyrestes cardinalis</i>	1866, 517		1868, 569
<i>eximius</i>	1866, 516		1869, 252
	1866, 517		1870, 333
<i>hæmaticus</i>	1866, 517		1870, 549
<i>miniatus</i>	1866, 517		1870, 553
<i>nigricollis</i>	1866, 227	<i>Pyroderus orenocensis</i> ..	1869, 252
	1866, 517	<i>Pyrope kittlitzii</i>	1867, 326
	1866, 227	<i>Pyrrhococyx brachypte-</i>	
<i>politus</i>	1866, 227	<i>rus</i>	1867, 758
	1866, 516	<i>circe</i>	1870, 587
	1866, 536	<i>mehleri</i>	1870, 587
<i>scapularis</i>	1866, 227	<i>rutilus</i>	1870, 587
	1866, 516	<i>Pyrrhocorax alpinus</i>	1864, 445
	1866, 536	<i>Pyrrhogyra tipha</i>	1863, 248
<i>virgatus</i>	1866, 227	<i>Pyrrhophæna riefferi</i> ..	1870, 803
	1866, 517	<i>Pyrrhorhynchus formosus</i>	1868, 172
	1866, 536	<i>Pyrrhula bouvronides</i> ..	1870, 582
<i>Pyrgisoma biarcuatum</i> ..	1868, 324	<i>eythrina</i>	1870, 53
	1868, 325	<i>orientalis</i>	1863, 337
<i>cabanisi</i>	1868, 324	<i>pileata</i>	1864, 607
	1868, 326	<i>violacea</i>	1861, 74
<i>kieneri</i>	1868, 324	<i>vulgaris</i>	1862, 324
	1868, 325		1863, 160
	1868, 326		1863, 516
<i>leucote</i>	1868, 326	<i>Pyrrhulopsis anna</i>	1864, 158
<i>rubricatum</i>	1868, 325	<i>atrigularis</i>	1864, 158
	1868, 326	<i>personata</i>	1862, 141
<i>xanthusi</i>	1868, 326		1862, 185
<i>Pyrgita biarcuata</i>	1868, 324		1864, 158
	1868, 325	<i>splendens</i>	1864, 158
<i>spadicea</i>	1867, 826		1864, 375
<i>Pyrgus dama</i>	1865, 508		1866, 203
<i>superna</i>	1865, 792	<i>tabuensis</i>	1864, 158
<i>Pyriglena atra</i>	1867, 576	<i>Pyrus domestica</i>	1863, 530
<i>ellisiana</i>	1868, 74	<i>Pytelia elegans</i>	1865, 95
<i>maculicaudis</i>	1864, 356	<i>Pythia wallacii</i>	1861, 28
	1870, 553	<i>Pythina deshayesi</i>	1865, 652
<i>serva</i>	1864, 356	<i>striatissima</i>	1865, 517
	1866, 186		1865, 519
<i>Pyrocephalus atropurpu-</i>		<i>Python</i>	1862, 95
<i>reus</i>	1868, 175		1862, 108
<i>coronatus</i>	1866, 2	<i>bivittatus</i>	1861, 215
<i>mexicanus</i>	1864, 176	<i>molurus</i>	1861, 215
	1866, 99		1861, 234
	1868, 142		1862, 134
<i>nanus</i>	1866, 99		1862, 138
	1867, 987		1862, 185
	1870, 323		1862, 211
<i>obscurus</i>	1864, 176		1862, 323
	1866, 99		1870, 241
	1868, 175	<i>regius</i>	1862, 186
<i>parvirostris</i>	1868, 142	<i>reticulatus</i>	1861, 189
<i>rubineus</i>	1866, 99		1862, 210
	1866, 189		

	Page		Page
<i>Python reticulatus</i>	1862, 211	<i>Querula cruenta</i>	1867, 595
<i>sebæ</i>	1862, 2	<i>fuscocinerea</i>	1861, 210
	1862, 324	<i>Quiscalus æquatorialis</i>	1866, 182
	1862, 365	<i>barita</i>	1870, 577
	1864, 115	<i>lugubris</i>	1870, 577
<i>tigris</i>	1861, 215	<i>macrurus</i>	1864, 175
	1862, 103		1870, 191
<i>Pyxicephalus delalandii</i>	1864, 479		1870, 837
<i>edulis</i>	1868, 478	<i>sumichrasti</i>	1864, 175
<i>rugosus</i>	1864, 479		
	1868, 479	<i>Racoma labiatus</i>	1869, 558
<i>Pyxiclemmys</i>	1863, 176	<i>Raconda russelliana</i>	1869, 386
<i>Pyxidea mouhotii</i>	1863, 175	<i>Radius variabilis</i>	1868, 340
	1869, 177	<i>Radula angulata</i>	1865, 656
<i>Pyxipoma möbii</i>	1865, 98	<i>bullata</i>	1865, 656
<i>Pyxis arachnoidea</i>	1869, 173		1867, 933
		<i>lima</i>	1865, 656
<i>Querquedula angustirostris</i>	1867, 320		1867, 933
	1867, 335	<i>pusilla</i>	1870, 793
	1867, 990		1870, 795
<i>bernieri</i>	1866, 426	<i>tenuis</i>	1870, 793
<i>brasiliensis</i>	1869, 635		1870, 795
<i>circia</i>	1869, 629	<i>Raëta canaliculata</i>	1863, 368
<i>crecca</i>	1861, 393	<i>Rafetus euphraticus</i>	1864, 80
	1862, 84		1864, 81
	1867, 436		1869, 213
	1869, 629	<i>Raia batis</i>	1862, 83
<i>creccoides</i>	1867, 335	<i>djeddensis</i>	1867, 871
	1867, 340	<i>microcellata</i>	1870, 847
	1867, 991	<i>Raja asperrima</i>	1867, 871
<i>cyanoptera</i>	1867, 335	<i>Rallina castanea</i>	1868, 452
	1867, 340		1868, 453
	1869, 160	<i>fasciata</i>	1867, 831
<i>discors</i>	1861, 82		1868, 4
	1869, 252		1868, 7
	1870, 219		1868, 118
<i>flavirostris</i>	1867, 335	<i>kioloides</i>	1866, 425
	1867, 990	<i>minahasa</i>	1862, 335
	1867, 991		1862, 346
	1868, 146	<i>oculea</i>	1861, 438
<i>formosa</i>	1867, 818	<i>philippensis</i>	1863, 36
<i>ipecutiri</i>	1864, 138		1863, 487
<i>oxyptera</i>	1867, 990	<i>phœnicura</i>	1863, 487
	1868, 146	<i>tricolor</i>	1861, 438
	1868, 570		1862, 346
	1869, 157		1866, 218
<i>puna</i>	1869, 157	<i>Rallus albicollis</i>	1868, 451
<i>torquata</i>	1867, 335	<i>antarcticus</i>	1867, 333
	1867, 340		1867, 339
	1869, 635		1868, 445
<i>versicolor</i>	1867, 335		1868, 470
	1867, 340	<i>aquaticus</i>	1863, 322
	1868, 146		1864, 3
	1869, 157		1864, 452
<i>Querula cruenta</i>	1864, 362		1868, 443
	1866, 191	<i>bernieri</i>	1866, 425
	1867, 580		1870, 400
		<i>bicolor</i>	1867, 333

	Page		Page
<i>Rallus bicolor</i>	1867, 990	<i>Rallus pectoralis</i>	1862, 325
	1868, 446		1868, 4
<i>cæsius</i>	1867, 333		1868, 8
	1867, 990		1868, 117
	1868, 446		1868, 118
<i>carolinus</i>	1868, 450		1869, 280
<i>castaneus</i>	1868, 452		1869, 544
	1868, 453		1869, 548
<i>cayanensis</i>	1868, 451	<i>philippensis</i>	1867, 831
<i>celebensis</i>	1862, 345	<i>plumbeiventris</i>	1861, 432
	1862, 346		1861, 438
<i>chiricote</i>	1868, 447		1869, 123
<i>cinereus</i>	1868, 456	<i>poliotis</i>	1868, 452
<i>concolor</i>	1868, 452	<i>rhytirhynchus</i>	1868, 145
	1868, 453	<i>ricordi</i>	1867, 333
<i>crepitans</i>	1861, 81	<i>ruficollis</i>	1868, 457
	1868, 444	<i>rufipennis</i>	1867, 333
<i>crex</i>	1868, 457		1868, 445
<i>elegans</i>	1868, 414	<i>rythirhynchus</i>	1867, 990
	1868, 470		1868, 446
<i>exilis</i>	1866, 567		1868, 470
	1868, 456		1868, 570
<i>flaviventer</i>	1868, 455	<i>salinasi</i>	1867, 319
<i>forsteri</i>	1869, 544		1868, 456
	1869, 548	<i>sanguinolentus</i>	1867, 333
<i>gularis</i>	1863, 223		1867, 339
	1866, 425		1867, 990
	1870, 400		1868, 145
<i>hypoleucus</i>	1869, 545		1868, 446
<i>immaculatus</i>	1868, 446	<i>semiplumbeus</i>	1868, 445
<i>indicus</i>	1862, 320		1868, 470
<i>intactus</i>	1869, 123	<i>setosus</i>	1868, 446
	1869, 124	<i>stolidus</i>	1868, 450
<i>jamaicensis</i>	1868, 455	<i>striatus</i>	1863, 321
<i>kiolo</i>	1868, 451	<i>sulcirostris</i>	1862, 335
<i>leucopyrrhus</i>	1868, 454		1863, 345
<i>limicola</i>	1868, 445	<i>superciliaris</i>	1868, 455
<i>longirostris</i>	1861, 81	<i>uliginosus</i>	1867, 320
	1864, 179		1867, 333
	1868, 444		1868, 445
	1868, 470	<i>variegatus</i>	1868, 444
<i>maculatus</i>	1868, 443	<i>virginianus</i>	1868, 445
	1868, 444		1868, 470
	1868, 470	<i>ypecaha</i>	1868, 144
<i>maculosus</i>	1868, 443		1868, 145
<i>madagascariensis</i> ..	1870, 400		1868, 448
<i>maximus</i>	1868, 447	<i>Ramila marginella</i>	1867, 667
<i>melanophaius</i>	1868, 453		1867, 686
<i>melanops</i>	1867, 333	<i>Ramphalcyon amauro-</i>	
	1868, 461	<i>ptera</i>	1870, 63
<i>melanurus</i>	1868, 449	<i>capensis</i>	1870, 67
<i>minutus</i>	1868, 455	<i>gural</i>	1870, 66
<i>nigricans</i>	1867, 333		1870, 67
	1867, 990	<i>javana</i>	1870, 65
	1868, 446	<i>melanorhyncha</i>	1870, 62
	1868, 449	<i>Ramphastos</i>	1864, 340
	1868, 470	<i>abbreviatus</i>	1870, 55
<i>olivaceus</i>	1868, 451	<i>albobularis</i>	1870, 585

	Page		Page
Ramphastos ambiguus ..	1869, 252	Ramphocelus dimidiatus	1870, 780
	1870, 585	icteronotus	1867, 139
approximans	1870, 585	jacapa	1866, 180
ariel	1861, 59		1867, 571
brevicarinatus	1870, 585		1867, 749
carinatus	1864, 366		1867, 977
	1867, 156		1869, 597
	1870, 211	nigrigularis	1866, 180
	1870, 585		1867, 571
culminatus	1866, 195		1867, 593
cuvieri	1866, 195		1867, 977
	1869, 598	passerinii	1867, 138
erythrorhynchus ..	1870, 553		1867, 278
	1870, 584		1870, 185
piscivorus	1870, 585		1870, 836
tocard	1864, 366	sanguinolentus	1867, 278
	1870, 211		1870, 836
toco	1861, 366	venezuelensis	1868, 167
	1863, 516	Ramphopsis jacapa	1870, 581
	1865, 238	Remigia archesia	1866, 364
	1870, 585	gregalis	1866, 364
vitellinus	1870, 584	Remphan hopei	1866, 228
Ramphastus ambiguus..	1867, 752		1866, 535
approximans	1867, 156	Rana anchietæ	1867, 843
ariel	1867, 585	bibroni	1867, 844
	1867, 594	cyanophlyctis	1869, 502
brevicarinatus	1867, 156	esculenta	1863, 250
culminatus	1867, 752		1864, 489
cuvieri	1867, 752		1870, 241
erythrorhynchus ..	1867, 585	fusca	1868, 478
inca	1867, 752	gracilis	1870, 241
osculans	1867, 585		1870, 412
piscivorus	1867, 280	kuhlii	1868, 482
toco	1867, 585	liebighi	1861, 220
vitellinus	1867, 586		1868, 480
	1867, 594	montezumæ	1868, 478
Ramphocænus cinerei-		mugiens	1861, 366
ventris	1867, 145	oxyrhyncha	1864, 480
melanurus	1867, 576	silvatica	1870, 412
	1867, 595	supraciliaris	1867, 844
	1867, 750	sylvatica	1861, 366
	1868, 628	temporaria	1868, 361
rufiventris	1861, 380		1868, 487
	1867, 145	tigrina	1861, 189
	1870, 195		1861, 220
sanctæ marthæ	1861, 380	Ranella cælata	1863, 346
semitorquatus	1867, 145	caudata	1861, 404
	1870, 195	leucostoma	1867, 189
Ramphocelus brasilius..	1864, 159	nitida	1863, 346
dimidiatus	1864, 350	rosea	1862, 240
	1864, 352	Rangifer grœnlandicus..	1868, 352
ephippialis	1861, 130	tarandus	1864, 495
icteronotus	1864, 350		1868, 335
luciani	1864, 352		1868, 339
magnirostris	1870, 581		1868, 340
Ramphocelus dimidiatus	1867, 138		1868, 352
	1868, 627		1868, 625
	1870, 187		1870, 80

	Page		Page
<i>Rapa bulbiformis</i>	1870,	<i>Recurvirostra andina</i> ..	1867, 320
<i>Rapana nodosa</i>	1867,	<i>avocetta</i>	1863, 311
<i>Raphiophora patera</i>	1867,		1864, 451
<i>Raphyrus celatus</i>	1867,	<i>Redoa argentea</i>	1865, 803
<i>griffithsii</i>	1867,	<i>clara</i>	1865, 803
<i>Rappia argus</i>	1868,	<i>sordida</i>	1865, 803
<i>citrina</i>	1868,	<i>Regenia albogularis</i>	1861, 113
<i>flavomaculata</i>	1868,		1861, 234
<i>fornasinii</i>	1868,	<i>ocellata</i>	1861, 113
<i>fulvo-vittata</i>	1868,		1861, 113
<i>fuscigula</i>	1868,	<i>Registoma ambiguum</i> ..	1864, 251
<i>insignis</i>	1868,	<i>Reguloides proregulus</i> ..	1863, 297
<i>lagoensis</i>	1868,		1870, 447
	1868,	<i>superciliosus</i>	1863, 297
	1868,		1863, 336
<i>marginata</i>	1868,		1864, 439
<i>marmorata</i>	1868,		1870, 439
<i>microps</i>	1868,		1870, 446
<i>nasuta</i>	1868,	<i>trochiloides</i>	1863, 297
<i>reticulata</i>	1868,	<i>viridipennis</i>	1861, 200
<i>salinæ</i>	1868,	<i>Regulus calendula</i>	1864, 172
<i>steindachneri</i>	1868,	<i>cristatus</i>	1863, 336
<i>tæniata</i>	1868,		1870, 451
<i>Rasalia viminalis</i>	1867,	<i>japonicus</i>	1863, 336
<i>Rasbora anjana</i>	1865,		1870, 451
<i>daniconius</i>	1869,		1870, 602
<i>neilgherriensis</i>	1867,	<i>modestus</i>	1863, 297
	1867,		1864, 439
<i>woolaree</i>	1867,	<i>vulgaris</i>	1863, 159
	1867,	<i>Reithrodon longicauda</i> ..	1861, 284
	1867,	<i>mexicana</i>	1861, 284
<i>Raspailia stelligera</i>	1867,	<i>Remigia archesia</i>	1866, 364
<i>Raspailia freyerii</i>	1867,		1867, 77
<i>typica</i>	1867,	<i>bifasciata</i>	1867, 77
<i>viminalis</i>	1867,	<i>caliginosa</i>	1867, 82
<i>Ratelus capensis</i>	1862,	<i>colligens</i>	1867, 73
	1865,	<i>frugalis</i>	1867, 77
<i>indicus</i>	1862,	<i>gregalis</i>	1866, 364
	1862,	<i>optatura</i>	1867, 65
	1865,	<i>perfidiosa</i>	1867, 75
<i>mellivorus</i>	1865,	<i>tetraspila</i>	1867, 65
<i>typicus</i>	1865,	<i>triangulata</i>	1867, 65
<i>Realia abbreviata</i>	1864,	<i>Remphan hopei</i>	1866, 228
<i>huaheinensis</i>	1864,		1866, 535
<i>producta</i>	1864,	<i>Reniera alba</i>	1867, 518
<i>scitula</i>	1864,	<i>ambigua</i>	1867, 520
<i>taheitensis</i>	1864,	<i>amorpha</i>	1867, 520
<i>Recluzia hargravesi</i>	1870,	<i>aqueductus</i>	1867, 518
<i>Rectes cerviniventris</i> ..	1861,	<i>calix</i>	1867, 520
	1861,	<i>cratera</i>	1867, 518
<i>cirrocephalus</i>	1861,	<i>digitata</i>	1867, 520
<i>dichrous</i>	1861,	<i>dura</i>	1867, 521
<i>leucorhynchus</i>	1861,	<i>fibulata</i>	1867, 539
	1861,	<i>frondiculata</i>	1867, 524
<i>streptitans</i>	1861,	<i>luxurians</i>	1867, 519
<i>tenebrosus</i>	1868,	<i>nigrescens</i>	1867, 518
	1868,	<i>palmata</i>	1867, 518
<i>uropygialis</i>	1861,	<i>semitubulosa</i>	1867, 519
	1861,		

	Page		Page
<i>Reniera thomasi</i>	1867,	<i>Rhinoceros etruscus</i>	1869, 416
<i>Retina rubrivitta</i>	1867,	<i>floweri</i>	1867, 1008
<i>Rhabdogale multivittata</i>	1865,		1867, 1015
<i>mustelina</i>	1864,		1867, 1016
	1865,		1867, 1017
<i>Rhacophorus maximus</i> ..	1861,		1867, 1032
<i>Rhagada solorensis</i>	1865,		1869, 413
<i>Rhamnophis</i>	1864,	<i>gordoni</i>	1867, 1027
<i>Rhamphastus carinatus</i> .	1870,	<i>incisivus</i>	1867, 1021
<i>Rhamphocænus rufiven-</i>		<i>indicus</i>	1862, 102
<i>tris</i>	1864,		1863, 157
<i>semitorquatus</i>	1864,		1864, 373
<i>Rhax melana</i>	1870,		1867, 1008
<i>Rhea</i>	1863,		1867, 1010
<i>americana</i>	1861,		1867, 1011
	1862,		1869, 112
	1863,		1870, 609
	1867,		1870, 610
	1869,	<i>inermis</i>	1867, 1010
<i>darwinii</i>	1863,	<i>javanensis</i>	1867, 1022
<i>macrorhyncha</i>	1863,	<i>javanicus</i>	1863, 157
<i>Rhimamphus æstivus</i> ..	1867,		1867, 1003
<i>Rhinaster bicornis</i>	1867,		1867, 1004
	1867,		1867, 1007
<i>keitloa</i>	1867,		1867, 1008
	1867,		1867, 1009
	1869,		1867, 1012
<i>Rhinemys gibba</i>	1864,		1867, 1018
<i>Rhinobates leucorhyn-</i>			1867, 1032
<i>chus</i>	1866,	<i>javanus</i>	1867, 1009
<i>Rhinobatus djeddensis</i> ..	1867,	<i>keitloa</i>	1867, 1003
<i>granulatus</i>	1870,		1867, 1005
<i>lævis</i>	1867,		1867, 1023
<i>Rhinoceros africanus</i> ..	1864,		1867, 1024
	1867,		1867, 1026
<i>antiquitatis</i>	1867,		1867, 1032
<i>asiaticus</i>	1867,		1869, 432
<i>bicornis</i>	1863,	<i>leptorhinus</i>	1867, 1021
	1864,	<i>megarhinus</i>	1867, 1023
	1867,	<i>monspellianus</i>	1867, 1023
	1867,	<i>nasalis</i>	1867, 1007
	1867,		1867, 1008
	1867,		1867, 1012
	1867,		1867, 1013
	1867,		1867, 1014
	1867,		1867, 1032
	1868,		1868, 441
	1869,		1868, 442
	1870,		1869, 413
<i>brucei</i>	1867,	<i>niger</i>	1867, 1024
<i>burchelli</i>	1867,	<i>oswellii</i>	1867, 1005
<i>camperi</i>	1867,		1867, 1023
<i>crossii</i>	1861,		1867, 1030
	1862,		1868, 492
	1863,	<i>pallasi</i>	1867, 1031
	1867,	<i>simus</i>	1864, 106
<i>cucullatus</i>	1867,		1867, 1003
<i>etruscus</i>	1869,		1867, 1005
	1869,		

	Page		Page
Rhinoceros simus	1867, 1023	Rhinochetus jubatus ..	1862, 84
	1867, 1026		1862, 107
	1867, 1027		1862, 141
	1867, 1030		1862, 184
	1867, 1032		1862, 185
	1869, 412		1862, 218
	1870, 80		1863, 385
sondaicus	1863, 157		1863, 439
	1867, 1008		1864, 70
	1867, 1009		1866, 78
	1867, 1010		1867, 179
	1867, 1011		1867, 475
	1867, 1015		1868, 2
	1868, 442		1868, 115
	1869, 409		1868, 116
	1869, 412	Rhinochœrus me	1867, 885
	1869, 413	sumatranus	1867, 884
	1869, 414	Rhinoclavis gemmatus..	1863, 349
	1869, 415	Rhinoclemmys	1863, 202
	1869, 416	annulata	1869, 189
stenocephalus	1867, 1007		1870, 706
	1867, 1008		1870, 723
	1867, 1018		1870, 724
	1867, 1019	melanosterna	1870, 722
	1867, 1020	mexicana	1870, 659
	1867, 1032		1870, 723
stenorhynchus	1869, 413	scabra	1869, 189
sumatranus	1861, 307		1870, 722
	1862, 1		1870, 723
	1863, 156	Rhinogale	1864, 573
	1863, 157	melleri	1864, 574
	1867, 1003		1864, 575
	1867, 1007	Rhinolophus clivosus ..	1866, 93
	1867, 1009	coelophyllus	1866, 426
	1867, 1021	ferrum-equinum ..	1866, 93
	1867, 1023		1866, 427
	1869, 412	hastatus	1866, 81
	1869, 413	lobatus	1864, 650
	1869, 414	macrotis	1866, 427
	1869, 415	subbadius	1866, 427
sumatrensis	1867, 1015	Rhinomus soricoides ..	1864, 57
	1867, 1021	Rhinomya rugata	1867, 914
	1867, 1022	Rhinonycteris aurantius .	1866, 81
	1867, 1032	Rhinophis microlepis ..	1863, 227
tichorhinus	1867, 1023	sanguineus	1863, 227
	1867, 1031	Rhinophylla labuanensis	1866, 82
unicornis	1867, 1003	pumilio	1866, 115
	1867, 1005	Rhinopoma carolinensis.	1861, 68
	1867, 1007	microphyllum	1866, 82
	1867, 1008		1866, 93
	1867, 1009	Rhinops minor	1866, 115
	1867, 1010	Rhinoptilus bicinctus ..	1866, 61
	1867, 1011	chalcopterus	1866, 62
	1867, 1012	Rhinortha chlorophæa..	1863, 208
	1867, 1015	Rhion pallidum	1870, 741
	1867, 1018		1870, 747
	1867, 1032	Rhiostoma hainesi	1862, 115
Rhinochetus jubatus ..	1861, 30		1862, 117

	Page		Page
<i>Rhiostoma housei</i>	1862, 117	<i>Rhombus lævis</i>	1869, 474
<i>simplicilabre</i>	1862, 115	<i>maximus</i>	1869, 474
	1862, 117	<i>Rhopophilus pekinensis</i> .	1870, 436
<i>Rhipidura albiscapa</i>	1868, 383		1870, 443
	1869, 279	<i>Rhyacophilus solitarius</i> .	1861, 80
<i>assimilis</i>	1861, 434		1864, 178
	1863, 492		1864, 372
	1865, 477		1866, 199
<i>atripennis</i>	1861, 435		1867, 592
	1869, 119		1869, 598
<i>bouruensis</i>	1863, 19		1870, 219
	1863, 20		1870, 838
<i>cinerea</i>	1865, 477	<i>Rhynchæa australis</i>	1869, 280
<i>diluta</i>	1863, 485	<i>bengalensis</i>	1865, 694
	1863, 491	<i>capensis</i>	1866, 425
<i>gularis</i>	1861, 434		1870, 399
<i>hyperythra</i>	1861, 434	<i>semicollaris</i>	1867, 339
<i>javanica</i>	1863, 217		1868, 144
	1865, 476	<i>variegata</i>	1870, 400
<i>lepida</i>	1868, 6	<i>Rhynchaspis clypeata</i> . .	1864, 453
	1868, 117	<i>maculata</i>	1867, 335
	1868, 118	<i>Rhynchea bengalensis</i> . .	1863, 314
<i>longicauda</i>	1865, 476	<i>orientalis</i>	1863, 314
<i>maculipectus</i>	1861, 434	<i>sinensis</i>	1863, 314
<i>melanoleuca</i>	1869, 119	<i>Rhynchichthys ornatus</i> .	1868, 149
<i>motacilloides</i>	1869, 279	<i>Rhynchobatus djeddensis</i>	1865, 317
<i>ochrogastra</i>	1863, 485		1870, 704
<i>rufifrons</i>	1869, 279	<i>lævis</i>	1867, 871
<i>rufiventris</i>	1861, 434	<i>Rhynchobdella aculeata</i> .	1869, 297
<i>semicollaris</i>	1863, 485		1869, 305
	1865, 477	<i>Rhynchocalamus mela-</i>	
<i>threnothorax</i>	1861, 434	<i>nocephalus</i>	1864, 489
<i>torrida</i>	1865, 477		1864, 491
	1868, 6	<i>Rhynchocyclus</i> — ? . .	1867, 978
<i>tricolor</i>	1863, 29	<i>æquinoctialis</i>	1864, 359
<i>Rhizobius litura</i>	1867, 364	<i>brévirostris</i>	1867, 148
	1867, 380		1870, 197
<i>Rhizocheilus californicus</i>	1863, 344	<i>cerviniventris</i>	1868, 175
<i>distans</i>	1863, 344	<i>cinereiceps</i>	1864, 359
<i>nux</i>	1863, 344		1870, 837
<i>Rhizomys chinensis</i>	1870, 637	<i>flavo-olivaceus</i>	1864, 359
<i>Rhizotragus</i> — ?	1864, 118		1867, 148
<i>Rhodaria concatenalis</i> . .	1867, 90		1870, 198
<i>Rhodinocichla rosea</i>	1864, 345	<i>griseimentalis</i>	1870, 197
	1867, 133	<i>megacephalus</i>	1866, 189
	1868, 166		1867, 751
	1868, 626		1867, 978
	1870, 180	<i>mesorhynchus</i>	1870, 197
<i>Rhodocera wallichii</i>	1866, 452	<i>ruficauda</i>	1867, 578
<i>Rhodona punctata</i>	1864, 296	<i>sulphurescens</i>	1866, 359
<i>Rhodophyton couchii</i> . .	1865, 706		1867, 578
	1865, 707		1867, 751
<i>Rhodopis vesper</i>	1867, 987		1868, 168
	1868, 569		1870, 197
<i>vespera</i>	1869, 148	<i>Rhynchops albicollis</i> . .	1863, 328
<i>Rhomboidichthys</i> — ?	1868, 226	<i>melanura</i>	1866, 201
<i>leopardinus</i>	1870, 699		1867, 593
<i>pantherinus</i>	1867, 867	<i>melanurus</i>	1867, 754

	Page		Page
Rhynchops nigra	1864, 179	Rissoa infrequens	1863, 353
	1867, 340	janus	1863, 353
	1869, 634	monodonta	1868, 289
Rhynchotis rufescens ..	1867, 687	notabilis	1863, 353
	1868, 114		1863, 354
	1868, 116	pupiformis	1862, 235
Rhynchotus cinerascens.	1867, 339	scalariformis	1863, 353
perdicarius	1867, 331	woodwardii	1863, 353
	1867, 339	Rissoina cincta	1867, 114
punctulatus	1867, 339		1867, 117
	1868, 532		1867, 210
rufescens	1869, 628	clandestina	1863, 353
Rhyparia ductaria	1867, 651	d'orbignyi	1865, 174
maculata	1867, 651	semiplicata	1862, 242
transectata	1867, 651	smithi	1867, 114
Rhypticus maculatus ..	1864, 23		1867, 117
saponaceus	1868, 225		1867, 210
Rhytidodera cristata ..	1866, 228	turricula	1867, 114
	1866, 531		1867, 117
	1866, 536		1867, 210
simulans	1866, 228	variegata	1867, 113
	1866, 531		1867, 117
Rhytina gigas	1864, 500		1867, 210
	1868, 342	Rita buchamani	1869, 308
	1868, 357	kuturnee	1869, 308
Rhytiodus microlepis ..	1869, 423	Rohita dussumieri	1865, 300
Rhyzæna zenik	1869, 20	microlepidota	1861, 225
Ricine suffusa	1865, 803	Rohtee alfrediana	1869, 380
Ricinula adelaidensis ..	1865, 163	cotio	1869, 379
carbonaria	1863, 345	vigorsii	1869, 379
jugosa	1863, 345	Rollulus superciliosus ..	1867, 474
reeviana	1863, 345	Romaleosoma agnes	1865, 672
tuberculata	1867, 191	ceres	1865, 671
Rigema falcata	1865, 803		1865, 672
falcata	1865, 803	cyparissa	1865, 671
Rilia lanceolata	1867, 681	eupalus	1868, 222
Rimella cancellata	1863, 428	gausape	1865, 670
speciosa	1863, 428		1865, 671
tyleri	1863, 428	losinga	1868, 223
Rimula fenestrata	1865, 516	medon	1865, 672
Rinaca zuleilea	1867, 684		1865, 673
Ringicula australis	1865, 167	phaethusa	1865, 670
Risella aurata	1865, 173	Ropica formosana	1866, 351
bruni	1865, 173	vinacea	1866, 225
lutea	1865, 173		1866, 241
	1867, 209	Rorqualus boops	1864, 212
melanostoma	1865, 172	minor	1864, 228
nana	1867, 209	musculus	1868, 547
plana	1865, 173	sibbaldii	1864, 222
	1867, 209	Rostrhamus hamatus ..	1869, 160
Rissa brachyrhyncha ..	1863, 325	sociabilis	1869, 160
tridactyla	1863, 325	Rougetius bernieri	1863, 165
	1864, 495		1865, 836
Rissoa clandestina	1863, 353		1870, 400
formata	1863, 353	Rubecula familiaris	1864, 440
fortis	1863, 353	Rubigula flaviventris ..	1866, 3
inconspicua	1863, 353	Rucervus duvaucelli	1863, 155
	1863, 354		1867, 835

	Page		Page
Rucervus duvaucelli ..	1867, 836	Ryssota regalis	1865, 407
	1867, 837	Ryzæna capensis	1864, 579
schomburgki	1867, 835	suricata	1864, 576
	1867, 837		1864, 579
	1867, 838	tetradactyla	1864, 579
	1867, 839	typica	1864, 579
schomburgkii	1863, 155	zenik	1863, 47
Rufirallus boeckii	1868, 453		
Ruma rhodocheila	1863, 423	Sabella marsupialis	1867, 235
sebæ	1866, 146		1867, 236
umbilicata	1865, 167	Sabellaria saxicava	1863, 109
	1867, 199	Sacalius indicus	1868, 493
Rumina cuencana	1870, 375		1868, 504
micra	1870, 375	Saccanthus maderensis ..	1861, 305
octona	1866, 441	Saccobranthus fossilis ..	1861, 223
pusilla	1866, 441		1869, 612
	1866, 451		1869, 613
riparia	1866, 441	singio	1865, 35
teres	1870, 8		1865, 288
	1870, 9		1865, 294
Rupela degenerella	1867, 666		1865, 295
Rupellaria crenata	1865, 650		1867, 16
	1867, 924		1867, 347
cumingi	1865, 650		1869, 306
mitis	1867, 924		1869, 612
obesa	1865, 650		1869, 613
Rupicapra tragus	1862, 376	Saccolarynx flagellum ..	1861, 235
	1868, 623	Sacomys anthophilus ..	1868, 206
	1868, 625	Saccophorus borealis ..	1870, 80
Rupicola crocea	1866, 418	Sagartia affinis	1861, 299
	1867, 380	parasitica	1861, 299
	1867, 593	Saiga tatarica	1864, 587
peruviana	1867, 751		1867, 240
	1869, 598	tartarica	1870, 80
Rupornis gularis	1869, 134		1870, 451
magnirostris	1869, 131		1870, 457
Rusa hippelaphus	1863, 370		1870, 469
japonica	1861, 236		1870, 475
	1861, 365		1870, 487
	1862, 150		1870, 497
	1862, 151		1870, 498
peronii	1861, 138		1870, 499
Ruticilla aureora	1863, 291		1870, 501
	1863, 335		1870, 502
	1870, 438	Saimaris sciurea	1862, 333
	1870, 450	Saimia albidorsalis	1866, 225
	1870, 601		1866, 234
cairii	1864, 440	bituberosa	1866, 225
fuliginosa	1863, 291		1866, 235
	1863, 335	Salamandra maculata ..	1861, 365
leucoptera	1863, 291		1870, 272
phœnicura	1864, 440	maculosa	1868, 255
semirufa	1864, 440		1868, 256
tithys	1864, 440	Salamandrina perspicil-	
Ruvettus pretiosus	1865, 437	lata	1868, 254
Ryssota brookei	1865, 407		1868, 255
janus	1865, 407	Salarias andamensis	1869, 611
nasuta	1865, 507	atlanticus	1861, 369

	Page		Page
<i>Salarias atlanticus</i>	1864,	<i>Salmo fario</i>	1862,
	24		185
	1868,		1864,
	225		166
<i>bellus</i>	1870,		1865,
	695		198
<i>dussumieri</i>	1869,		1870,
	518		19
	1870,		23
	695		25
<i>fasciatus</i>	1865,		25
	29		1870,
	1867,		26
	863		27
	1870,		27
	694		29
<i>fuscus</i>	1870,		37
	695		39
<i>leopardus</i>	1869,		44
	518		752
<i>lineatus</i>	1869,	<i>ferox</i>	1865,
	512		198
	1869,	<i>gaimardi</i>	1865,
	518		198
<i>olivaceus</i>	1869,	<i>grayi</i>	1862,
	512		43
	1869,		51
	518		7
<i>vermiculatus</i>	1867,		12
	863		13
<i>Salassa loba</i>	1865,		15
	817		16
<i>Salicaria aëdon</i>	1862,		198
	316		698
<i>cantillans</i>	1862,	<i>grayii</i>	1861,
	316		391
	1863,	<i>killinensis</i>	1865,
	294		699
	1870,	<i>lacustris</i>	1870,
	440		37
<i>turdina orientalis</i>	1863,		50
	293	<i>lemanii lacus</i>	1862,
<i>Salmo</i> —?	1870,		39
<i>alpinus</i>	37	<i>lemanus</i>	1870,
	1862,		37
	39	<i>levenensis</i>	1865,
	1862,		198
	40	<i>nigripinnis</i>	1865,
	1862,		198
	41		43
	1862,		44
	42		45
	1862,	<i>nivalis</i>	1863,
	43		7
	1862,		12
	44		15
	1862,		15
	49		698
	1863,	<i>orcadensis</i>	1865,
	7		198
	1863,	<i>perisii</i>	1865,
	8		198
	1863,	<i>rapii</i>	1870,
	9		37
	1863,	<i>salar</i>	1865,
	11		51
	1863,		198
	12		213
	1863,		214
	14		1868,
	1863,		247
	15		1868,
	1865,		253
	198	<i>perisii</i>	1870,
<i>brachypoma</i>	1865,		14
	198	<i>rapii</i>	1870,
<i>cambricus</i>	1862,		19
	46		30
	1862,		31
	49		32
	1863,		33
	8		34
	1863,		36
	9		37
	1863,		37
	15		38
	1863,		1870,
	16		38
	1865,		38
	199		38
	1870,		38
	37		38
	1870,		38
	39		38
	1870,		38
	44		38
<i>carpio</i>	1862,		38
	40		38
	1870,		38
	37		38
<i>colii</i>	1863,		38
	7		38
	1863,		38
	12		38
	1863,		38
	13		38
	1863,		38
	15		38
	1863,		38
	16		38
	1865,		38
	198		38

	Page		Page
Salmo salar	1870, 43	Saltator atriceps	1870, 836
	1870, 44	aurantiirostris	1869, 151
	1870, 46	azaræ	1866, 181
	1870, 47		1867, 977
	1870, 48		1869, 597
	1870, 52	grandis	1864, 174
salmarinus	1862, 42		1870, 836
salvelinus	1862, 38	intermedius	1864, 351
	1862, 39		1867, 140
	1862, 40		1867, 141
	1862, 41	isthmicus	1861, 130
	1862, 42		1864, 351
	1862, 43		1867, 141
	1862, 44		1870, 189
	1862, 46	laticlavus	1869, 151
	1863, 7	maculipectus	1864, 351
	1863, 9		1868, 167
	1863, 15	magnoides	1864, 174
stomachicus	1865, 198		1864, 351
trutta	1865, 198		1867, 140
	1869, 473		1867, 141
	1870, 23		1870, 189
	1870, 29		1870, 836
	1870, 30	magnus	1867, 572
	1870, 37		1867, 750
	1870, 750		1867, 977
	1870, 751	mutus	1867, 572
umbla	1862, 38		1867, 595
	1862, 39	olivascens	1868, 167
	1862, 42	striatipectus	1864, 351
	1862, 43		1866, 97
	1862, 44		1867, 141
	1862, 46	Salticus adansonii	1869, 531
	1862, 49		1869, 543
	1863, 15	illigeri	1869, 531
	1862, 43		1869, 543
	1862, 46	nigro-limbatus	1869, 542
willoughbii	1863, 7		1869, 543
	1863, 8		1869, 544
	1863, 9	scenicus	1865, 674
	1863, 11	vaillantii	1870, 820
	1863, 12	Samea gratiosalis	1867, 90
	1863, 15	Samus anonyma	1867, 526
	1863, 16		1867, 546
	1865, 198	Sanguinolaria rugosa	1861, 405
Salpinx eleusina	1866, 273	vitrea	1865, 646
	1866, 289	Saperda biloba	1866, 253
gamelia	1866, 279	elegans	1866, 258
nemertes	1866, 287	Sapline grantii	1867, 526
Salpiza cristata	1870, 525	Sapphironia cæruleigu-	
jacucaca	1870, 523	laris	1864, 365
marail	1870, 522		1867, 129
pileata	1870, 527		1867, 156
purpurascens	1870, 522		1870, 211
Salpornis spilonota	1867, 832	Saprinus apicarius	1867, 364
Saltator albicollis	1864, 352		1867, 374
atriceps	1864, 174	cærulescens	1867, 363
	1864, 351		1867, 374

	Page		Page
<i>Saprinus dimidiatus</i>	1867, 364	<i>Satyrus areolatus</i>	1866, 499
	1867, 374	<i>argenteus</i>	1866, 495
<i>lobatus</i>	1867, 374		1866, 497
<i>nitidulus</i>	1867, 374	<i>argulus</i>	1866, 472
<i>rugifrons</i>	1867, 363	<i>avatara</i>	1865, 500
	1867, 374		1865, 770
<i>semipunctatus</i>	1867, 374	<i>bernardus</i>	1865, 636
<i>semistriatus</i>	1867, 363	<i>buxius</i>	1866, 483
	1867, 374	<i>byses</i>	1866, 490
<i>Sarbanissa insocia</i>	1867, 60	<i>cantheus</i>	1866, 503
<i>Sarberia frenata</i>	1869, 212	<i>canthus</i>	1866, 503
	1869, 220	<i>celmis</i>	1866, 468
<i>Sarcidiornis africana</i>	1864, 114	<i>clueria</i>	1866, 489
	1866, 426	<i>crantor</i>	1866, 467
	1870, 401	<i>doxes</i>	1866, 496
<i>regia</i>	1867, 339	<i>eurythris</i>	1866, 465
	1868, 532	<i>florimel</i>	1866, 502
<i>Sarcobelemnon</i>	1862, 31	<i>galesus</i>	1866, 473
<i>australasiae</i>	1862, 32	<i>gemma</i>	1866, 500
<i>Sarcorhamphus gryphus</i>	1865, 675	<i>grimon</i>	1866, 472
	1867, 328	<i>halyma</i>	1866, 503
	1867, 338	<i>hermes</i>	1866, 475
	1867, 463		1866, 486
	1870, 665	<i>herseis</i>	1866, 490
<i>papa</i>	1862, 114	<i>isana</i>	1865, 498
	1862, 115	<i>lea</i>	1866, 485
	1864, 369	<i>lydius</i>	1866, 460
	1867, 463	<i>mæpius</i>	1866, 465
<i>Sarcotragus foetidus</i>	1867, 510	<i>myncea</i>	1866, 461
<i>spinulosus</i>	1867, 510	<i>necys</i>	1866, 471
<i>Sardinella neohowii</i>	1865, 309	<i>ocypete</i>	1866, 460
	1865, 311	<i>ocyrhoë</i>	1866, 459
<i>Sardis fabricii</i>	1868, 186	<i>pacarus</i>	1866, 501
<i>Sarea cæca</i>	1865, 444	<i>pæon</i>	1866, 471
	1865, 449	<i>pagyris</i>	1866, 497
<i>Sargus capensis</i>	1868, 225	<i>parysatis</i>	1865, 500
<i>Sarkidiornis africana</i> ..	1870, 401	<i>peribæa</i>	1866, 502
<i>Sasia abnormis</i>	1863, 211	<i>periphæa</i>	1866, 465
<i>Satarupa bhagava</i>	1865, 781	<i>phares</i>	1866, 477
<i>gopala</i>	1865, 780	<i>phocion</i>	1866, 499
	1865, 823	<i>phronius</i>	1866, 470
<i>sambara</i>	1865, 781	<i>quantius</i>	1866, 488
<i>Sataspes infernalis</i>	1865, 794	<i>saraswati</i>	1865, 500
<i>Saturnia anna</i>	1865, 818	<i>schakra</i>	1865, 499
<i>arrundi</i>	1865, 819	<i>sosybius</i>	1866, 474
<i>cidosa</i>	1867, 684	<i>swaha</i>	1865, 500
<i>grotei</i>	1865, 818	<i>tamatavæ</i>	1863, 65
<i>lindia</i>	1867, 684	<i>tolumnia</i>	1866, 490
<i>lucina</i>	1866, 121		1866, 492
<i>pyretorum</i>	1867, 684	<i>verma</i>	1865, 498
<i>undulata</i>	1866, 458	<i>Saucerotia atala</i>	1867, 156
<i>zuleika</i>	1865, 817	<i>edvardi</i>	1864, 365
<i>Satyra macrolopha</i>	1863, 115	<i>erythronota</i>	1870, 562
<i>melanocephala</i>	1863, 122	<i>niveiventris</i>	1864, 365
<i>temminckii</i>	1863, 123	<i>Saulea vitrea</i>	1867, 1000
	1863, 307		1867, 1001
<i>Satyrus aranea</i>	1866, 490	<i>Sauloprocta melaleuca</i> ..	1869, 119
<i>archebates</i>	1866, 502		1869, 124

	Page		Page
<i>Sauloprocta melanoleuca</i>	1869, 119	<i>Saxicola pyrrhonota</i>	1863, 490
<i>Sauria decussata</i>	1867, 655	<i>rostrata</i>	1864, 441
	1867, 686	<i>rubicola</i>	1866, 422
<i>Saurida tombil</i>	1870, 699	<i>saltatrix</i>	1863, 335
<i>tombil</i>	1865, 294		1864, 441
<i>Sauris remodesaria</i>	1866, 365	<i>spectabilis</i>	1865, 428
<i>Sauroceras rhinoceratum</i>	1864, 467		1865, 619
	1864, 478		1866, 21
<i>Saurophagus bellicosus</i> ..	1870, 571		1866, 22
<i>maximiliani</i>	1870, 571	<i>stapazina</i>	1864, 442
<i>pitanga</i>	1870, 571	<i>torquata</i>	1870, 394
<i>rufipennis</i>	1870, 570		1870, 395
	1870, 571	<i>xanthomelæna</i>	1864, 442
<i>sulphuratus</i>	1866, 2	<i>Saxidomus brevisiphona-</i>	
	1868, 142	<i>tus</i>	1865, 203
	1870, 570	<i>Sayornis cineracea</i>	1868, 168
	1870, 571		1868, 628
<i>Saurus atlanticus</i>	1863, 41	<i>nigricans</i>	1864, 175
	1863, 42	<i>Scala aculeata</i>	1865, 168
	1869, 238	<i>australis</i>	1867, 199
<i>griseus</i>	1863, 42	<i>clathratulus</i>	1867, 200
<i>lacerta</i>	1863, 41	<i>consors</i>	1865, 168
	1863, 42	<i>delicatula</i>	1865, 168
<i>myops</i>	1869, 238		1869, 274
<i>trivirgatus</i>	1863, 42	<i>granulosa</i>	1865, 168
<i>Saxicava angasi</i>	1865, 643	<i>jukesiana</i>	1867, 200
<i>australis</i>	1865, 643	<i>lineolata</i>	1867, 199
	1867, 913	<i>philippinarum</i>	1867, 199
<i>fragilis</i>	1865, 269	<i>scalaris</i>	1862, 65
<i>tenuis</i>	1863, 367		1867, 199
<i>Saxicola albigularis</i>	1864, 441	<i>Scalaria aculeata</i>	1865, 168
<i>amphileuca</i>	1864, 442	<i>australis</i>	1867, 200
<i>arborea</i>	1870, 392	<i>clathrus</i>	1861, 405
<i>bifasciata</i>	1866, 22	<i>consors</i>	1865, 168
<i>castor</i>	1865, 747	<i>delicatula</i>	1865, 168
<i>deserti</i>	1864, 442	<i>fragilis</i>	1861, 405
<i>dumetoria</i>	1863, 485	<i>granulosa</i>	1865, 168
	1863, 490	<i>hexagona</i>	1863, 356
<i>eurymelæna</i>	1864, 442	<i>jukesiana</i>	1867, 200
<i>halophila</i>	1864, 442	<i>lineolata</i>	1867, 199
<i>hemprichii</i>	1866, 422	<i>obtusa</i>	1863, 356
<i>infuscata</i>	1865, 94	<i>philippinarum</i>	1867, 199
<i>isabellina</i>	1864, 441	<i>pretiosa</i>	1867, 199
<i>leucomela</i>	1864, 442	<i>tenuis</i>	1861, 405
<i>libanotica</i>	1864, 442	<i>Scapha deshayesii</i>	1864, 51
<i>luctuosa</i>	1863, 485	<i>fusiformis</i>	1864, 50
<i>lugens</i>	1864, 442	<i>gracilis</i>	1864, 52
<i>melanoleuca</i>	1863, 485	<i>magnifica</i>	1864, 50
<i>œnanthe</i>	1861, 265	<i>mamilla</i>	1864, 51
	1862, 140	<i>maria-emma</i>	1864, 51
	1863, 159	<i>nivosa</i>	1864, 51
	1864, 441	<i>norrisii</i>	1864, 51
	1868, 430	<i>pacifica</i>	1864, 51
<i>pastor</i>	1866, 422	<i>piperita</i>	1864, 51
<i>philothamna</i>	1864, 441	<i>pulchra</i>	1864, 51
<i>pileata</i>	1865, 620	<i>rutila</i>	1864, 50
<i>pollux</i>	1865, 747	<i>sophia</i>	1864, 52
<i>pyrrhonota</i>	1863, 485	<i>Scapharca disparilis</i>	1866, 146

	Page		Page
<i>Scapharca emarginata</i> ..	1863,	<i>Schœniocera sex-notata</i>	1866,
<i>Scaphella ellioti</i>	1869,	<i>Schœnobia minutellus</i> ..	1867,
<i>reticulata</i>	1869,	<i>punctellus</i>	1867,
<i>volva</i>	1869,	<i>Schreberus bremseri</i>	1868,
<i>Scaphiodon capoëta</i>	1864,	<i>Sciaena argyrea</i>	1867,
<i>Scaphiopus</i>	1863,	<i>diacanthus</i>	1865,
<i>Scaphorhynchus mexica-</i>		1865,
<i>nus</i>	1864,	<i>dussumieri</i>	1865,
<i>Scaptosyle tricolor</i>	1865,	<i>grandoculis</i>	1867,
<i>Scaptochirus davidianus</i>	1870,	<i>heptacanthus</i>	1867,
<i>moschatus</i>	1870,	<i>hypostoma</i>	1865,
<i>Scardafella inca</i>	1864,	<i>maculata</i>	1865,
<i>Scarichthys auritus</i>	1867,	<i>Sciaenoides asper</i>	1869,
<i>cæruleopunctatus</i> ..	1867,	<i>hardwicki</i>	1869,
<i>Scarites procerus</i>	1864,	<i>Scintilla anomala</i>	1867,
<i>Scartes rufus</i>	1863,	<i>borneensis</i>	1865,
<i>Scarus strigatus</i>	1868,	<i>crocea</i>	1865,
<i>Scatophagus argus</i>	1861,	<i>lactea</i>	1865,
.....	1865,	1865,
.....	1869,	<i>layardi</i>	1865,
<i>tetracanthus</i>	1870,	<i>oblonga</i>	1865,
<i>Scelostrix capensis</i>	1870,	1865,
<i>Scelotes bipes</i>	1864,	<i>pubica</i>	1865,
<i>Schasicheila alata</i>	1863,	<i>rosea</i>	1865,
<i>Schedophilus berthelotii</i>	1862,	1865,
.....	1862,	<i>semiclausa</i>	1865,
<i>elongatus</i>	1862,	1865,
<i>Schiffornis major</i>	1866,	<i>strangei</i>	1867,
.....	1869,	<i>succinea</i>	1865,
.....	1867,	<i>Scirpearia mirabilis</i>	1863,
<i>Schilbe garua</i>	1865,	<i>Scirpophaga auriflua</i>	1867,
<i>sykesii</i>	1865,	<i>gilviberbis</i>	1867,
<i>Schilbichthys garua</i>	1867,	<i>Scissurella rimuloides</i> ..	1865,
<i>Schistosoma hæmatobium</i>	1862,	<i>Sciuropterus albo-niger</i> .	1862,
<i>Schistura dario</i>	1867,	<i>horstfieldii</i>	1862,
<i>scaturigina</i>	1861,	<i>kaleensis</i>	1862,
<i>Schizorhina ebenina</i>	1865,	1870,
.....	1865,	<i>volucella</i>	1862,
.....	1865,	1868,
<i>nortoni</i>	1865,	<i>Sciurus æstuans</i>	1870,
<i>Schizorhis concolor</i>	1865,	<i>atrodorsalis</i>	1866,
.....	1865,	1866,
.....	1864,	<i>aureogaster</i>	1870,
<i>Schizostoma</i>	1861,	<i>carolinensis</i>	1862,
.....	1866,	<i>castaneiventris</i>	1870,
.....	1861,	1870,
.....	1866,	<i>cepapi</i>	1864,
<i>Schizothorax labiatus</i> ..	1869,	<i>chinensis</i>	1870,
<i>Schmidtia clavata</i>	1867,	1870,
.....	1867,	<i>chrysonotus</i>	1866,
.....	1867,	<i>cinereus</i>	1861,
<i>Schœniclus australis</i>	1863,	1862,
.....	1869,	1862,
.....	1863,	<i>cinnamomeiventris</i> .	1862,
.....	1867,	1862,
.....	1869,	<i>davidianus</i>	1870,
.....	1863,	<i>dorsalis</i>	1862,
.....	1863,	1862,
.....	1863,	1862,

	Page		Page
<i>Sciurus dorsalis</i>	1870,	<i>Sciurus vulgaris</i>	1864,
<i>eborivorus</i>	1861,	<i>wilsonii</i>	1861,
<i>erythraeus</i>	1862,	<i>Sclerostoma armatum</i> ..	1861,
	1862,	<i>equinum</i>	1861,
	1865,	<i>clathratum</i>	1868,
	1870,		1868,
	1870,	<i>duodenale</i>	1862,
	1870,		1862,
<i>erythrogaster</i>	1866,	<i>mucronatum</i>	1862,
	1870,	<i>sipunculiforme</i>	1868,
	1864,		1868,
<i>flavivittis</i>	1861,		1868,
<i>gerrardi</i>	1867,	<i>syngamus</i>	1862,
<i>getulus</i>	1870,	<i>Sclerurus albigularis</i> ..	1867,
<i>griseipectus</i>	1866,		1868,
<i>hippurus</i>	1866,		1868,
<i>hyperythrus</i>	1862,	<i>brunneus</i>	1864,
<i>isabella</i>	1861,		1867,
<i>javensis</i>	1870,	<i>caudacutus</i>	1864,
<i>lokriah</i>	1870,		1867,
<i>lokrioides</i>	1861,		1867,
<i>ludovicianus</i>	1870,	<i>guatemalensis</i>	1864,
<i>lysteri</i>	1861,		1867,
<i>macclellandii</i>	1862,	<i>mexicanus</i>	1864,
<i>maclellandi</i>	1861,		1864,
<i>macroura</i>	1863,		1867,
<i>madagascariensis</i> ..	1861,		1867,
<i>magnicaudatus</i>	1862,		1867,
<i>maximus</i>	1870,		1870,
<i>m'clellandi</i>	1861,	<i>ruficollis</i>	1867,
	1870,	<i>umbretta</i>	1867,
<i>minutus</i>	1861,		1868,
<i>mouhotii</i>	1861,	<i>Scolex</i>	1862,
<i>mutabilis</i>	1861,	<i>Scoliostoma dannenburgi</i>	1866,
	1864,	<i>Scolopax</i> —?	1861,
<i>nordhoffii</i>	1861,	<i>australis</i>	1869,
<i>ornatus</i>	1864,	<i>biclava</i>	1863,
	1864,	<i>capensis</i>	1863,
<i>palliatus</i>	1861,	<i>cinerea</i>	1863,
<i>palmarum</i>	1862,	<i>frenata</i>	1868,
	1862,		1869,
	1869,	<i>gallinago</i>	1863,
<i>phayrei</i>	1866,		1864,
<i>piceus</i>	1866,	<i>gallinula</i>	1863,
<i>plantani</i>	1862,		1864,
<i>purpureus</i>	1862,	<i>horsfieldii</i>	1863,
<i>pyrrhopus</i>	1861,	<i>hyemalis</i>	1863,
<i>rubripes</i>	1861,	<i>magellanica</i>	1867,
<i>rufiventer</i>	1861,	<i>palustris</i>	1863,
<i>rufobrachium</i>	1861,	<i>rusticola</i>	1863,
<i>rufogularis</i>	1870,		1863,
<i>siamensis</i>	1861,	<i>rusticula</i>	1864,
<i>splendens</i>	1861,		1869,
<i>stangeri</i>	1861,	<i>sabini</i>	1862,
<i>subalbidus</i>	1861,	<i>saturata</i>	1869,
<i>subauratus</i>	1861,	<i>spectabilis</i>	1867,
<i>syriacus</i>	1866,		
<i>vulgaris</i>	1862,		
	1864,		

	Page		Page
<i>Scolopax sumatrana</i>	1869, 436	<i>Scops nudipes</i>	1870, 216
<i>Scolopsides phæops</i>	1867, 851	<i>portoricensis</i>	1868, 58
<i>Scolopsis bilineatus</i>	1870, 683	<i>rutilus</i>	1866, 421
<i>cancellatus</i>	1870, 683	<i>senegalensis</i>	1870, 399
<i>ciliatus</i>	1870, 683	<i>semitorques</i>	1865, 91
<i>frenatus</i>	1867, 851	<i>sylvicola</i>	1863, 262
<i>japonicus</i>	1865, 14	<i>trichopsis</i>	1863, 332
<i>phæops</i>	1867, 851	<i>usta</i>	1863, 484
<i>Scomber colias</i>	1868, 225	<i>ustus</i>	1863, 487
<i>crumenophthalmus</i>	1867, 858	<i>watsoni</i>	1868, 57
<i>gladius</i>	1867, 856	<i>zorca</i>	1866, 198
<i>kanagurta</i>	1865, 21	<i>Scopus umbretta</i>	1668, 58
<i>microlepidotus</i>	1869, 301	<i>Scorpaena mellissi</i>	1868, 58
<i>reani</i>	1870, 691	<i>polyprion</i>	1864, 430
<i>sansun</i>	1870, 704	<i>rosea</i>	1863, 164
<i>Scopalina lophyropoda</i>	1867, 861	<i>scrofina</i>	1863, 517
<i>Scopelodes unicolor</i>	1867, 860	<i>venosa</i>	1864, 114
<i>venosa</i>	1867, 860	<i>Scotinus</i>	1866, 23
<i>Scopelus caudispinosus</i>	1867, 535	<i>Scotophilus</i> — ?	1868, 225
<i>crocodilus</i>	1865, 819	<i>capensis</i>	1868, 228
<i>macrolepidotus</i>	1867, 684	<i>heathii</i>	1867, 854
<i>Scopophorus montanus</i>	1863, 42	<i>kuhlii</i>	1867, 703
<i>microlepidotus</i>	1866, 37	<i>marginatus</i>	1868, 225
<i>Scops asio</i>	1864, 99	<i>morio</i>	1867, 704
<i>atricapillus</i>	1864, 101	<i>minutus</i>	1864, 118
<i>bakkamcena</i>	1868, 57	<i>pumiloides</i>	1864, 99
<i>barbarus</i>	1868, 58	<i>rusticus</i>	1861, 36
<i>brasilianus</i>	1868, 57	<i>temminckii</i>	1870, 619
<i>brasilensis</i>	1868, 58	<i>ursinus</i>	1861, 35
<i>choliba</i>	1868, 629	<i>variegatus</i>	1861, 35
<i>decussata</i>	1870, 216	<i>welwitschii</i>	1867, 318
<i>flammeola</i>	1870, 782	<i>Scotosia angulifera</i>	1861, 33
<i>japonicus</i>	1862, 316	<i>atrostipata</i>	1870, 619
<i>kennicotti</i>	1863, 262	<i>lativittaria</i>	1861, 35
<i>lempiiji</i>	1863, 332	<i>miniosata</i>	1870, 619
<i>lettia</i>	1868, 57	<i>obliquisignata</i>	1861, 35
<i>leucospilus</i>	1868, 57	<i>plagifera</i>	1867, 619
<i>lophotes</i>	1863, 316	<i>quadrifera</i>	1867, 657
<i>menadensis</i>	1863, 332	<i>ramosa</i>	1867, 629
<i>nudipes</i>	1868, 57	<i>venimaculata</i>	1867, 658
		<i>vitreata</i>	1867, 657
		<i>Scrobicularia dombeyi</i>	1867, 656
		<i>producta</i>	1865, 279
		<i>rostrata</i>	1865, 279
		<i>Scrofa domestica</i>	1868, 294
		<i>Scutellina crenulata</i>	1868, 38
		<i>navicelloides</i>	1865, 197
		<i>Scutus angustatus</i>	1863, 361
		<i>elongatus</i>	1867, 219
			1865, 185
			1867, 219

	Page		Page
<i>Scutus unguis</i>	1865,	<i>Sebastes nigropunctatus</i> .	1868,
	185	<i>norvegicus</i>	1863,
<i>Scydra halesidotalis</i>	1865,	<i>ocellatus</i>	1863,
<i>Scymnodon ringens</i>	1864,		1863,
<i>Scymnus borealis</i>	1864,		1863,
	1868,	<i>paucispinis</i>	1863,
<i>durantæ</i>	1867,		1863,
	1867,		1863,
<i>minimus</i>	1867,		1863,
	1867,		1863,
<i>Scypha botryoides</i>	1867,	<i>rosaceus</i>	1863,
<i>confervicola</i>	1867,		1863,
<i>coronata</i>	1867,		1863,
<i>ovata</i>	1867,		1863,
<i>Scytale coronatum</i>	1861,		1863,
	1862,	<i>ruber</i>	1863,
	1863,		1863,
<i>Scytalopus fuscoides</i> ..	1867,		1863,
	1867,		1863,
<i>fuscus</i>	1867,		1863,
<i>magellanicus</i>	1861,		1863,
	1867,		1863,
	1867,		1863,
<i>obscurus</i>	1867,		1863,
<i>scnilis</i>	1867,	<i>variabilis</i>	1863,
<i>Scythrops novæ-hollan-</i>			1863,
<i>diæ</i>	1863,		1863,
<i>Sebæthe balyi</i>	1866,	<i>viviparus</i>	1863,
<i>Sebastes auriculatus</i>	1863,	<i>Sebastichthys</i>	1863,
	1863,	<i>auriculatus</i>	1863,
	1863,		1863,
	1863,	<i>nebulosus</i>	1863,
<i>dactylopterus</i>	1862,		1863,
	1862,	<i>nigrocinctus</i>	1863,
	1862,		1863,
<i>elongatus</i>	1863,		1863,
	1863,	<i>ocellatus</i>	1863,
	1863,	<i>Sebastodes flavidus</i>	1863,
	1863,		1863,
<i>fasciatus</i>	1863,		1863,
	1863,		1863,
	1863,	<i>melanops</i>	1863,
<i>filifer</i>	1862,		1863,
<i>helvomaculatus</i>	1863,		1863,
	1863,	<i>ovalis</i>	1863,
	1863,		1863,
	1863,		1863,
<i>kuhlii</i>	1862,		1863,
	1862,	<i>paucispinis</i>	1863,
	1862,	<i>rosaceus</i>	1863,
<i>madærensis</i>	1862,		1863,
<i>melanops</i>	1863,		1863,
	1863,		1863,
	1863,		1863,
	1863,	<i>Segestria cellaria</i>	1869,
<i>nebulosus</i>	1863,	<i>florentina</i>	1869,
	1863,	<i>perfida</i>	1869,
	1863,		1869,
	1863,		1869,
	1863,		1870,
<i>nigrocinctus</i>	1863,	<i>Segmentina donbilli</i>	1861,
	1863,	<i>swinhoei</i>	1866,
	1863,	<i>Seissura inquieta</i>	1869,
<i>nigropunctatus</i>	1868,		279
	225		

	Page		Page
<i>Seiurus gossii</i>	1861, 70	<i>Semele rupium</i>	1863, 426
<i>ludovicianus</i>	1861, 70	<i>striosa</i>	1863, 367
<i>noveboracensis</i>	1861, 70	<i>subtruncata</i>	1861, 405
	1864, 346	<i>tortuosa</i>	1863, 367
<i>Selache maxima</i>	1862, 138	<i>ventricosa</i>	1863, 367
<i>Selasphorus ardens</i>	1870, 176	<i>venusta</i>	1863, 367
	1870, 209	<i>Semicassis areola</i>	1866, 146
<i>flammula</i>	1864, 586	<i>decussata</i>	1866, 146
	1870, 208	<i>paucirugis</i>	1865, 168
	1870, 209	<i>semigranosa</i>	1865, 168
<i>heloisæ</i>	1864, 177	<i>Semicornu biomphalum</i> .	1865, 410
<i>platycercus</i>	1864, 177	<i>ceramense</i>	1865, 410
	1864, 586	<i>circumdatum</i>	1865, 410
	1867, 100	<i>concisum</i>	1865, 410
	1870, 208	<i>gruneri</i>	1865, 410
	1870, 209	<i>mamilla</i>	1865, 410
<i>rufus</i>	1864, 177	<i>mollisetum</i>	1865, 410
<i>scintilla</i>	1867, 129	<i>quoyi</i>	1865, 410
	1867, 155	<i>rubrum</i>	1865, 410
	1870, 203	<i>sulcosum</i>	1865, 410
	1870, 209	<i>unguicula</i>	1865, 410
<i>torridus</i>	1870, 176	<i>ungulinum</i>	1865, 410
	1870, 208	<i>zonarium</i>	1865, 410
	1870, 209	<i>Semicossyphus</i>	1861, 415
<i>Selenia decorata</i>	1867, 621	<i>Semioplera</i>	1862, 161
	1867, 686	<i>Semiplotus modestus</i> ..	1870, 101
<i>Selenidera gouldi</i>	1867, 586	<i>Semnocebus avahi</i>	1866, 151
<i>langsdorfi</i>	1866, 195	<i>laniger</i>	1866, 151
<i>nattereri</i>	1867, 586	<i>Semnopithecus barbei</i> ..	1867, 949
<i>reinwardtii</i>	1867, 753		1867, 950
<i>spectabilis</i>	1864, 366		1867, 951
	1867, 157	<i>cephalopterus</i>	1864, 709
	1870, 211		1867, 949
<i>Selenis abrupta</i>	1867, 78	<i>chrysogaster</i>	1866, 429
<i>irrecta</i>	1867, 78	<i>cinereus</i>	1864, 626
<i>niviapex</i>	1867, 78	<i>entellus</i>	1862, 322
<i>Seleucides alba</i>	1862, 155		1864, 709
	1862, 158		1865, 741
	1862, 160		1865, 743
<i>Selidosema semiclavata</i> .	1867, 629		1865, 744
<i>Sellana</i>	1862, 228		1867, 821
<i>Semeiophorus spekii</i>	1864, 111		1867, 944
<i>vexillarius</i>	1864, 111	<i>johnii</i>	1865, 743
	1866, 421	<i>leucoprymnus</i>	1862, 322
	1867, 821		1862, 323
	1867, 822	<i>maurus</i>	1865, 743
<i>Semele ada</i>	1863, 426		1865, 744
	1865, 647	<i>melalophus</i>	1865, 743
<i>crenata</i>	1863, 426	<i>mitratus</i>	1864, 626
<i>elliptica</i>	1863, 367	<i>nasalis</i>	1865, 559
<i>exigua</i>	1861, 385		1865, 582
	1865, 647	<i>nigrimanus</i>	1864, 626
<i>flavescens</i>	1863, 367	<i>pileatus</i>	1867, 946
<i>macandreae</i>	1870, 6		1867, 949
	1870, 9		1867, 950
<i>obliqua</i>	1861, 405		1867, 951
<i>proxima</i>	1863, 367	<i>potenziani</i>	1866, 429
<i>pulchra</i>	1863, 367	<i>priamus</i>	1867, 949

	Page		Page
Semnopithecus schista-		Serpophaga cinerea	1866, 99
ceus	1867, 948		1867, 147
	1867, 949		1870, 781
thersites	1867, 949	hypoleuca	1866, 177
ursinus	1867, 949		1866, 188
Senectus circularis	1865, 177	nigricans	1866, 2
depressa	1863, 356		1868, 142
radiata	1866, 146		1870, 671
Sepia loligo	1868, 552	parvirostris	1867, 327
Seps monodactylus	1864, 489		1867, 338
	1864, 491	subcristata	1866, 2
tridactylus	1864, 491		1866, 118
Septaria borbonica	1867, 993		1868, 142
navicula	1867, 993		1868, 175
	1867, 998	Serpula afra	1861, 156
Septifer excisus	1865, 196	annulata	1861, 156
Seriatula seriata	1867, 515		1861, 334
Sericia parvipennis	1867, 72	archimedis	1862, 83
Sericoderus lateralis ...	1867, 362	arcuaria	1862, 66
	1867, 371	arenaria	1862, 63
Sericornis citreogularis .	1866, 440		1862, 66
osculans	1869, 279		1862, 67
Sericulus anais	1861, 434		1862, 68
aureus	1861, 434		1862, 71
	1862, 1	bicarinata	1861, 162
	1862, 154	cochlearia	1865, 98
	1862, 157	colubrina	1862, 71
	1862, 159	concamerata	1862, 65
	1862, 160	contorta	1862, 83
chrysocephalus	1868, 404	costalis	1862, 61
melinus	1868, 622		1862, 62
Serinus aurifrons	1864, 447		1865, 99
icterus	1866, 424	decussata	1861, 342
meridionalis	1864, 447		1862, 67
pusillus	1864, 447		1862, 74
Seriola lalandii	1868, 225	dentifera	1861, 163
Seriolichthys bipinnula-			1862, 67
tus	1867, 560		1862, 68
	1867, 861	fuscata	1862, 72
lineolatus	1867, 559	gigantea	1861, 167
Serisomus cristatus	1865, 834	glomerata	1861, 355
	1870, 399	goreensis	1862, 64
Serixia basalis	1866, 226	grandis	1862, 67
	1866, 256	granifera	1861, 364
cephalotes	1866, 256	intestinalis	1862, 66
longicornis	1866, 226	intorta	1861, 353
	1866, 256	lumbricalis	1861, 173
prasinata	1866, 226		1861, 354
	1866, 257	maxima	1861, 166
	1866, 267	nebulosa	1861, 162
prolata	1866, 226	ochrea	1862, 72
	1866, 256	parvula	1861, 357
varians	1866, 256	polythalamia	1862, 67
Serolis fabricii	1863, 379	proboscidea	1862, 75
Serpentaria berryi	1866, 101	protensa	1862, 77
fragilis	1866, 101		1862, 78
	1866, 102	regularis	1861, 177
Serpentarius reptilivorus	1861, 364	reversa	1862, 83

	Page		Page
<i>Serpula rupestris</i>	1862,	<i>Serranus horridus</i>	1869,
<i>scalata</i>	1861,	1869,
<i>sipho</i>	1861,	<i>impetiginosus</i>	1868,
.....	1862,	<i>lanceolatus</i>	1865,
.....	1862,	1869,
<i>spinosa</i>	1862,	1869,
<i>spirorbis</i>	1861,	<i>longispinis</i>	1867,
.....	1861,	<i>louti</i>	1867,
.....	1862,	<i>marginalis</i>	1867,
.....	1865,	<i>miniatus</i>	1867,
<i>tortrix</i>	1861,	<i>myriaster</i>	1867,
<i>tortuosa</i>	1861,	<i>orientalis</i>	1869,
<i>turbinata</i>	1861,	<i>radiatus</i>	1867,
<i>turboides</i>	1861,	<i>sellicauda</i>	1864,
<i>vermetus</i>	1861,	<i>serillus</i>	1869,
<i>vermicella</i>	1861,	1869,
<i>Serpularia circumcarinata</i>	1861,	1869,
<i>Serpulites muricinus</i> ..	1861,	1869,
<i>Serpuloides arenaria</i>	1862,	<i>sexfasciatus</i>	1861,
.....	1862,	1865,
<i>dentifera</i>	1862,	<i>sonnerati</i>	1867,
<i>inoperculata</i>	1862,	1869,
<i>varians</i>	1861,	<i>suillus</i>	1867,
<i>Serpulorbis</i>	1862,	1870,
<i>dentiferus</i>	1862,	<i>summana</i>	1870,
<i>gigas</i>	1862,	<i>Serrasalmo humeralis</i> ..	1868,
<i>inoperculata</i>	1862,	<i>Serrodes campana</i>	1867,
<i>operculatus</i>	1862,	<i>Sesapa decurrens</i>	1867,
<i>polyphragma</i>	1862,	<i>excurrans</i>	1867,
<i>sipho</i>	1862,	<i>Sesia hylas</i>	1865,
<i>varians</i>	1861,	<i>Sesiosa subfasciata</i>	1866,
<i>Serranus areolatus</i>	1867,	1866,
<i>argus</i>	1870,	<i>Sestya cephalotes</i>	1866,
<i>bontoo</i>	1865,	1866,
.....	1870,	1866,
<i>bontor</i>	1869,	<i>Setarches güntheri</i>	1862,
.....	1869,	<i>Setophaga albifrons</i>	1870,
<i>coides</i>	1869,	1870,
.....	1869,	1870,
<i>chlorostigma</i>	1867,	<i>aurantiaca</i>	1870,
<i>cyanostigmatoides</i> ..	1867,	<i>budytoides</i>	1866,
.....	1869,	<i>chrysogaster</i>	1865,
.....	1870,	<i>miniata</i>	1864,
.....	1870,	<i>rubra</i>	1865,
<i>cylindricus</i>	1867,	<i>ruficoronata</i>	1870,
<i>diacanthus</i>	1865,	<i>ruffrons</i>	1865,
<i>dispar</i>	1867,	<i>ruticilla</i>	1861,
.....	1870,	1864,
.....	1870,	1864,
<i>erythræus</i>	1867,	1867,
<i>flavo-cæruleus</i>	1867,	1868,
<i>gaimardi</i>	1867,	1870,
<i>glaucus</i>	1870,	1870,
<i>grammicus</i>	1867,	1870,
<i>guttatus</i>	1867,	1870,
<i>hexagonotus</i>	1867,	1870,
.....	1869,	<i>torquata</i>	1867,
.....	1870,	<i>verticalis</i>	1868,
.....	1870,	1870,
<i>homfrayi</i>	1870,	<i>Sialia wilsoni</i>	1861,
<i>horridus</i>	1865,	<i>Sibbaldius</i>	1864,
.....	1865,	1864,

	Page		Page
Sibbaldius	1864, 397	Silundia gangetica	1869, 307
	1864, 399	Silurana tropicalis	1864, 461
	1864, 404		1864, 464
antarcticus.....	1865, 713	Silurichthys berdmorei .	1869, 523
	1865, 715	Silurus cochinchinensis .	1869, 523
borealis	1868, 336	fossilis	1861, 223
	1868, 548	garua	1867, 16
laticeps	1864, 393	punctatus	1868, 155
	1864, 395	singio	1861, 223
	1864, 400		1867, 16
	1864, 408	Silvanus advena	1867, 361
	1864, 417		1867, 372
	1864, 419	Silybura beddomi.....	1863, 227
	1865, 731	brevis.....	1863, 225
schlegelii	1864, 390		1863, 226
	1864, 393	elliotti.....	1863, 227
	1864, 408		1869, 501
	1864, 419	macrolepis	1869, 501
Sibbaldus	1864, 222	nilgherriensis.....	1863, 226
borealis	1864, 193		1863, 227
	1864, 223	ocellata	1863, 226
	1864, 224		1863, 227
laticeps	1864, 196	shortii.....	1863, 225
	1864, 223		1863, 227
	1864, 224	Simenia sinensis	1868, 505
Sidisia barleei	1867, 237		1868, 506
Sieboldia maxima.....	1862, 103	Simia argentata	1865, 735
Sigaretus costatus.....	1863, 110		1868, 262
zonalis	1865, 167		1869, 593
	1867, 199	lagotricha	1863, 374
Sigeum humerale	1866, 228	melanocephala	1870, 2
	1866, 523	satyrus	1864, 587
	1866, 536		1864, 709
Sigmodon berlandieri ..	1861, 281		1865, 48
Sigmodus caniceps	1864, 45	troglodytes	1862, 102
rufiventris	1864, 45	Simotes albocincta	1861, 216
scopifrons	1864, 45	australis.....	1864, 180
Silaria proteus	1867, 364	octolineatus	1861, 216
Silenus veter.....	1863, 47	oligodon.....	1870, 240
	1864, 710	purpurascens	1861, 216
	1870, 615	russellii	1861, 216
Silesis absimilis.....	1866, 349		1869, 501
mutabilis	1866, 349	tæniatus.....	1861, 189
Siliquaria australis	1865, 174	Simpulum quoyi	1865, 161
carpenteri	1861, 426	Simpulopsis ænea.....	1861, 27
florina	1865, 98	cumingi	1861, 27
millepeda	1865, 98	Singara diversalis.....	1867, 78
nitidissima.....	1861, 426	Siphia erithacus	1861, 201
peruana	1861, 426	Siphlopis fitzingeri	1867, 687
rosea	1861, 150	Siphonalia fuscozonata .	1865, 159
Sillago acuta.....	1864, 308	Siphonaria atra.....	1867, 233
domina	1869, 299	baconi	1865, 189
sihama	1861, 221	bifurcata	1867, 232
	1865, 18	brunnea	1861, 405
	1867, 861	cancer.....	1865, 197
	1869, 299	characteristica	1863, 361
	1870, 686	cochleariformis	1867, 232
Silundia gangetica	1861, 223	denticulata	1863, 232

	Page		Page
<i>Siphonaria depressa</i>	1862,	<i>Sipunculus ambiguus</i> ..	1868,
<i>diemenensis</i>	1865,	<i>angasii</i>	1868,
<i>funiculata</i>	1867,		1868,
<i>gigas</i>	1863,		1868,
<i>lecanium</i>	1865,	<i>antillarum</i>	1868,
<i>luzonica</i>	1865,	<i>australis</i>	1868,
<i>pica</i>	1863,	<i>balanophorus</i>	1868,
<i>picta</i>	1861,	<i>bernhardus</i>	1868,
<i>scabra</i>	1865,	<i>borealis</i>	1868,
	1867,	<i>cæmentarius</i>	1868,
<i>Siphonella fusco-zonata</i> .	1865,	<i>capitatus</i>	1868,
<i>Siphonia typum</i>	1867,	<i>carneus</i>	1868,
<i>Siphonium</i>	1861,	<i>clavatus</i>	1868,
<i>afrum</i>	1861,	<i>cochlearius</i>	1868,
<i>ater</i>	1862,	<i>concharum</i>	1868,
<i>carinatum</i>	1861,	<i>constellatus</i>	1868,
	1862,	<i>corallicolus</i>	1868,
<i>cariniferum</i>	1861,	<i>coriaceus</i>	1868,
<i>costale</i>	1861,	<i>cylindratus</i>	1868,
<i>dacostæ</i>	1861,	<i>deformis</i>	1868,
<i>effusum</i>	1861,		1868,
<i>fascia</i>	1862,	<i>dentalii</i>	1868,
<i>fasciatum</i>	1861,	<i>echinorhynchus</i> . . .	1868,
<i>gæderopi</i>	1861,	<i>edulis</i>	1868,
<i>giganteum</i>	1862,		1868,
<i>gigas</i>	1861,	<i>elegans</i>	1868,
<i>leucozonias</i>	1861,	<i>elongatus</i>	1868,
<i>lituella</i>	1861,	<i>eximio-clathratus</i> . .	1868,
<i>luridum</i>	1861,	<i>fasciolatus</i>	1868,
<i>margaritarum</i>	1861,	<i>flavus</i>	1868,
	1862,	<i>forbesii</i>	1868,
<i>maximum</i>	1861,	<i>genuensis</i>	1868,
	1862,	<i>gigas</i>	1868,
<i>megamastum</i>	1861,	<i>glans</i>	1868,
<i>nebulosum</i>	1861,	<i>gouldii</i>	1868,
	1861,	<i>granulatus</i>	1868,
	1862,	<i>granulosus</i>	1868,
	1862,	<i>guttatus</i>	1868,
	1862,	<i>harveyi</i>	1868,
	1862,	<i>immodestus</i>	1868,
<i>pictum</i>	1861,	<i>indicus</i>	1868,
	1862,	<i>javanensis</i>	1868,
<i>platypus</i>	1861,	<i>johnstoni</i>	1868,
<i>politum</i>	1861,	<i>lævis</i>	1868,
<i>scaphitella</i>	1861,		1868,
	1862,	<i>leachii</i>	1868,
<i>subrenatum</i>	1861,	<i>longicollis</i>	1868,
	1862,	<i>loricatus</i>	1868,
<i>subgranosum</i>	1861,	<i>lumbriciformis</i> . . .	1868,
<i>teredula</i>	1861,	<i>multitorquatus</i> . . .	1868,
<i>textum</i>	1861,	<i>nigrescens</i>	1868,
	1862,	<i>noduliferus</i>	1868,
<i>Siphonorhis americana</i> . .	1866,	<i>nodulosus</i>	1868,
	1866,	<i>nordfolcensis</i>	1868,
<i>americanus</i>	1861,	<i>nudus</i>	1868,
<i>Sipunculus dentalii</i> ..	1868,		1868,
<i>tuberculatus</i>	1868,		1868,
<i>Sipunculus æneus</i>	1868,	<i>obscurus</i>	1868,

	Page		Page
<i>Sipunculus oerstedii</i>	1868, 84	<i>Sitta chinensis</i>	1863, 277
<i>orbiniensis</i>	1868, 93	<i>europæa</i>	1863, 333
<i>oxyurus</i>	1868, 83		1863, 516
<i>papillifer</i>	1868, 86		1864, 433
<i>papillosus</i>	1868, 95	<i>krueperi</i>	1864, 433
<i>pellucidus</i>	1868, 86	<i>roseilia</i>	1863, 333
<i>phalloides</i>	1868, 78	<i>syriaca</i>	1864, 433
<i>plicatus</i>	1868, 93	<i>uralensis</i>	1864, 433
<i>punctatissimus</i>	1868, 84	<i>villosa</i>	1870, 436
<i>puntarenæ</i>	1868, 95		1870, 438
<i>pygmæus</i>	1868, 86		1870, 443
<i>radiatus</i>	1868, 102	<i>Sittace hahni</i>	1870, 586
<i>rapa</i>	1868, 84	<i>lepida</i>	1867, 588
	1868, 86	<i>macavuana</i>	1870, 586
<i>reticulatus</i>	1868, 78	<i>Sittasomus amazonus</i> ..	1866, 184
<i>robustus</i>	1868, 80		1868, 630
<i>rubens</i>	1868, 85	<i>erythacus</i>	1868, 630
<i>rufofimbriatus</i>	1868, 79	<i>griseus</i>	1868, 630
<i>saccatus</i>	1868, 77	<i>olivaceus</i>	1868, 627
	1868, 78		1868, 630
<i>scutatus</i>	1868, 101		1869, 363
<i>spinicauda</i>	1868, 93		1870, 192
<i>strombi</i>	1868, 87	<i>stictolæmus</i>	1868, 630
<i>strombus</i>	1868, 86	<i>sylvioides</i>	1864, 175
<i>tenuicinctus</i>	1868, 83		1868, 630
<i>tesselatus</i>	1868, 78		1869, 363
<i>tigrinus</i>	1868, 97		1870, 192
<i>tuberculatus</i>	1868, 87	<i>Sittella chrysoptera</i>	1869, 279
	1868, 88	<i>leucoptera</i>	1868, 387
<i>varians</i>	1868, 94	<i>Sivatherium giganteum</i> .	1870, 497
<i>vermiculus</i>	1868, 85	<i>Skenea cornuella</i>	1863, 74
<i>verrucosus</i>	1868, 88	<i>Smerinthus dentatus</i> ..	1865, 793
<i>violaceus</i>	1868, 85	<i>dryas</i>	1865, 793
<i>vulgaris</i>	1868, 84	<i>Smicrornis brevirostris</i> ..	1869, 360
<i>Siredon humboldtii</i>	1864, 159	<i>flavescens</i>	1866, 573
<i>mexicanum</i>	1868, 319	<i>Smithornis capensis</i> . . .	1864, 143
<i>mexicanus</i>	1870, 160	<i>rufolateralis</i>	1864, 143
	1870, 161	<i>Smutsia temminckii</i> . . .	1865, 369
<i>pisciformis</i>	1864, 159	<i>Sodus ursulus</i>	1866, 225
<i>Siren lacertina</i>	1862, 103		1866, 237
<i>Sisopygis ieterophrys</i> ..	1868, 141		1866, 267
<i>Sistrum</i>	1862, 370	<i>verticalis</i>	1866, 238
<i>adelaidense</i>	1865, 163	<i>Solariella undata</i>	1870, 251
<i>affine</i>	1862, 244	<i>Solarium cumingii</i>	1862, 204
<i>cancellatum</i>	1865, 52	<i>dunkeri</i>	1862, 204
<i>elatum</i>	1865, 517	<i>granulatum</i>	1863, 355
<i>seminodosum</i>	1865, 517	<i>lævigatum</i>	1862, 205
<i>tuberculatum</i>	1862, 244	<i>luteum</i>	1867, 201
<i>Sisyrophora pfeifferæ</i> ..	1867, 94		1867, 202
<i>Sitala infula</i>	1865, 408	<i>maximum</i>	1862, 205
<i>Sitones flavescens</i>	1867, 363	<i>nystii</i>	1861, 148
	1867, 378	<i>purpuratum</i>	1862, 205
<i>gressorius</i>	1867, 363	<i>quadriceps</i>	1862, 205
	1867, 378		1863, 355
<i>lineatus</i>	1867, 363	<i>reevei</i>	1862, 204
	1867, 378		1867, 201
<i>Sitta cæsia</i>	1864, 433	<i>regium</i>	1862, 205
<i>canadensis</i>	1870, 438	<i>soverbii</i>	1862, 206

	Page		Page
<i>Solarium taylori</i>	1862,	<i>Sorex swinhoei</i>	1870,
<i>Solaropsis castelnaui</i> ..	1870,	<i>tetragonurus</i>	1862,
<i>Solecirtus affinis</i>	1863,		1865,
<i>caribbaeus</i>	1863,	<i>Soritia leptalina</i>	1867,
<i>dombeyi</i>	1861,	<i>Sorubim lima</i>	1869,
<i>Solemya australis</i>	1865,	<i>Sospita echeria</i>	1867,
	1865,	<i>echerius</i>	1865,
<i>Solen aspersus</i>	1861,	<i>fylla</i>	1865,
<i>biradiatus</i>	1865,		1867,
	1867,	<i>kausambi</i>	1867,
<i>clibaniformis</i>	1862,	<i>lydda</i>	1867,
<i>exiguus</i>	1861,	<i>neophron</i>	1865,
<i>foresii</i>	1861,		1867,
<i>grandis</i>	1861,	<i>segecia</i>	1867,
<i>leanus</i>	1861,	<i>statira</i>	1867,
<i>malaccensis</i>	1861,	<i>susa</i>	1867,
<i>pfeifferi</i>	1861,	<i>tantalus</i>	1867,
<i>philippianus</i>	1867,	<i>wallacei</i>	1867,
<i>regularis</i>	1861,	<i>Spalax typhlus</i>	1866,
<i>rostriformis</i>	1861,	<i>Sparassus linnæi</i>	1870,
<i>rostrum-anatis</i>	1861,	<i>Sparus galilæus</i>	1864,
<i>rudis</i>	1863,	<i>hasta</i>	1868,
<i>sloanii</i>	1867,	<i>lineatus</i>	1867,
<i>vaginoides</i>	1865,	<i>pagellus</i>	1866,
	1867,	<i>Sparvius cirrhocephalus</i> ..	1867,
<i>vitreus</i>	1861,	<i>gilvicollis</i>	1869,
<i>woodwardi</i>	1861,	<i>guttatus</i>	1866,
<i>Solena obliqua</i>	1863,	<i>madagascariensis</i> ..	1863,
<i>Solenella cumingii</i>	1870,	<i>melanoleucus</i>	1869,
<i>norrissii</i>	1870,	<i>niveus</i>	1867,
<i>subæqualis</i>	1870,	<i>ruficollis</i>	1869,
	1870,	<i>semitorquatus</i>	1869,
<i>Solenocaulon tortuosum</i> ..	1862,	<i>Spatalura carteri</i>	1863,
<i>Solenophorus arcuatus</i> ..	1865,		1864,
<i>Soletellina donacioides</i> ..	1867,	<i>Spatangus variegatus</i> ..	1866,
<i>epidermia</i>	1865,	<i>Spatha baikii</i>	1866,
<i>nymphalis</i>	1865,	<i>dubia</i>	1864,
<i>Solina elegans</i>	1867,	<i>petersii</i>	1864,
<i>Solpuga melana</i>	1870,		1864,
<i>Somateria mollissima</i> ..	1864,	<i>rubens</i>	1864,
	1868,		1866,
	1869,	<i>wahlbergi</i>	1864,
<i>stelleri</i>	1861,		1864,
<i>Somatina pictaria</i>	1867,	<i>Spathura melanantha</i> ..	1870,
<i>plurilinearia</i>	1867,	<i>peruana</i>	1870,
<i>Somera viridifusca</i>	1865,	<i>underwoodi</i>	1868,
<i>Sophax fallax</i>	1867,	<i>Spatula clypeata</i>	1861,
<i>Sorex</i> — ?	1864,		1862,
<i>albinus</i>	1870,		1865,
<i>araneus</i>	1866,		1869,
<i>crassicaudata</i>	1866,	<i>platalea</i>	1867,
<i>micrurus</i>	1861,		1867,
<i>murinus</i>	1870,		1868,
<i>myosurus</i>	1864,	<i>Spectrellum macrourum</i> ..	1861,
	1864,	<i>Speiredonia feducia</i>	1867,
	1870,	<i>helicina</i>	1867,
	1870,	<i>retrahens</i>	1867,
<i>pygmæus</i>	1866,	<i>zamis</i>	1867,

	Page		Page
<i>Speirops lugubris</i>	1869,	<i>Spermophila lineola</i>	1870,
<i>Spelerpes adspersus</i>	1867,	<i>luctuosa</i>	1867,
<i>cephalicus</i>	1867,		1869,
<i>lineolus</i>	1867,	<i>lugubris</i>	1870,
<i>osculus</i>	1837,	<i>minuta</i>	1864,
<i>rubra</i>	1870,		1864,
	1870,		1868,
	1870,		1868,
	1870,		1870,
	1870,	<i>moreleti</i>	1870,
	1870,	<i>mysia</i>	1864,
	1870,	<i>nigricollis</i>	1866,
<i>Speorifera vulgaris</i>	1862,	<i>nigro-rufa</i>	1864,
<i>Spermestes cucullata</i> ..	1863,	<i>ocellata</i>	1866,
	1864,		1866,
	1867,		1869,
	1867,		1869,
<i>fringilloides</i>	1867,	<i>ophthalmica</i>	1864,
<i>fuscans</i>	1863,	<i>ornata</i>	1869,
<i>nana</i>	1863,	<i>pileata</i>	1864,
	1865,		1864,
	1866,	<i>schistacea</i>	1864,
<i>scutata</i>	1867,	<i>semicollaris</i>	1864,
<i>Spermolegus mongolicus</i>	1870,		1866,
<i>Spermophila anoxantha</i> .	1861,		1867,
<i>aurantia</i>	1864,		1870,
<i>aurita</i>	1864,		1870,
<i>bouvronides</i>	1866,	<i>splendens</i>	1870,
	1867,	<i>telasco</i>	1867,
<i>cærulescens</i>	1866,		1868,
<i>castaneiventris</i>	1864,		1868,
	1866,		1869,
	1867,	<i>Spermophilus citillus</i> ..	1864,
	1869,	<i>Sphæridium bipustula-</i>	160
<i>cinerea</i>	1864,	<i>tum</i>	1867,
<i>cinnamomea</i>	1864,		1867,
<i>collaris</i>	1867,	<i>Sphærium spokani</i>	1863,
	1867,	<i>tumidum</i>	1863,
	1870,	<i>Sphærodon grandoculis</i> .	1867,
	1870,	<i>Sphærgis coriacea</i>	1864,
<i>corvina</i>	1867,	<i>mercurialis</i>	1869,
	1870,	<i>Sphasus alexandrinus</i> ..	1870,
<i>fortipes</i>	1870,	<i>idiops</i>	1870,
	1870,	<i>Sphecodes</i>	1862,
<i>gutturalis</i>	1864,	<i>subquadratus</i>	1862,
	1867,	<i>Sphecothera viridis</i>	1863,
<i>hicksi</i>	1870,	<i>Sphecotheres flaviventris</i>	1868,
	1870,	<i>Sphecozone rubescens</i> ..	1870,
<i>intermedia</i>	1870,		1870,
	1870,	<i>Spheniscus demersus</i> ..	1863,
<i>lessoni</i>	1870,		1867,
	1870,	<i>humboldtii</i>	1867,
<i>lineata</i>	1864,		1867,
	1867,	<i>magellanicus</i>	1861,
<i>lineola</i>	1866,		1868,
	1867,	<i>Sphenocercus formosæ</i> ..	1865,
	1867,	<i>Sphenodon punctatum</i> ..	1869,
	1869,		1869,
	252		1869,

	Page		Page
<i>Sphenodon punctatum</i> ..	1869, 397	<i>Spilotes variabilis</i>	1869, 603
	1870, 383	<i>Spindalis nigricephala</i> ..	1861, 74
<i>Sphenceacus gramineus</i> .	1869, 279	<i>Spinularia tetheoides</i> ..	1867, 524
<i>Sphenops ignobilis</i>	1870, 784	<i>Spiraculum andersoni</i> ..	1869, 447
<i>Sphenopsis ignobilis</i>	1861, 379	<i>avanum</i>	1869, 447
	1870, 784	<i>Spiralis bulimoides</i>	1868, 617
<i>Sphenopus marsupialis</i> .	1867, 235		1868, 619
	1867, 236	<i>rostralis</i>	1868, 617
<i>Sphenura poliocephala</i> ..	1861, 378		1868, 619
<i>superciliaris</i>	1861, 378	<i>trochiformis</i>	1868, 617
<i>Sphingomorpha chlorea</i>	1867, 73		1868, 619
<i>sipyla</i>	1867, 73	<i>ventricosa</i>	1868, 617
<i>Sphinx convolvuli</i>	1865, 793		1868, 619
	1866, 305	<i>Spirama cohærens</i>	1867, 72
<i>Sphyræna commersoni</i> ..	1867, 863	<i>helicina</i>	1867, 72
<i>jello</i>	1865, 20	<i>retorta</i>	1867, 72
	1867, 863	<i>triloba</i>	1867, 72
	1870, 695	<i>Spiraxis boucardi</i>	1861, 24
<i>picuda</i>	1864, 27	<i>cabanensis</i>	1861, 231
<i>vulgaris</i>	1862, 173	<i>lattrei</i>	1861, 230
<i>Sphyrna zygaena</i>	1865, 317	<i>nigricans</i>	1863, 412
<i>Sphyrocephalus labrosus</i>	1862, 8	<i>shuttleworthii</i>	1861, 230
	1864, 55	<i>Spirobolus pulvillatus</i> ..	1864, 118
<i>Sphyropicus varius</i>	1864, 177	<i>Spiroglyphus</i>	1861, 326
<i>Spilogale interrupta</i>	1865, 150	<i>albidus</i>	1861, 332
<i>Spilomela jaguaralis</i>	1867, 91	<i>ammonitiformis</i>	1861, 329
<i>Spilornis bido</i>	1863, 207	<i>annulatus</i>	1861, 330
<i>rufipectus</i>	1862, 335	<i>contrarius</i>	1861, 329
	1862, 338	<i>corrodens</i>	1861, 331
<i>Spilosoma discinigra</i>	1865, 810	<i>da-costæ</i>	1861, 157
<i>flavalis</i>	1865, 809	<i>glomeratus</i>	1861, 146
<i>gopara</i>	1867, 682		1861, 333
<i>lativitta</i>	1865, 809		1862, 56
<i>multivittata</i>	1865, 808	<i>marginatus</i>	1861, 334
<i>nigrifrons</i>	1865, 809	<i>planorbis</i>	1861, 329
<i>rhodophila</i>	1865, 808	<i>politus</i>	1861, 156
<i>rubidorsa</i>	1865, 808	<i>schröteri</i>	1861, 330
<i>rubilinea</i>	1865, 810	<i>spirorbis</i>	1861, 330
<i>sanguinalis</i>	1865, 810	<i>spiruliformis</i>	1861, 155
<i>sordida</i>	1865, 808		1861, 327
<i>stigmata</i>	1865, 809	<i>stramonitæ</i>	1861, 330
<i>suffusa</i>	1867, 682	<i>Spiroptera crassicauda</i> ..	1861, 122
<i>transiens</i>	1865, 808	<i>gigas pullus</i>	1862, 303
<i>rubitincta</i>	1865, 809	<i>hominis</i>	1862, 289
<i>Spilotes corais</i>	1861, 14		1862, 303
	1861, 228	<i>obtusa</i>	1861, 121
	1861, 324	<i>rudolphii</i>	1862, 303
<i>hodgsoni</i>	1861, 218	<i>Spirorbis striatulus</i>	1862, 83
<i>melanurus</i>	1861, 218	<i>Spirostreptus gigas</i>	1864, 118
<i>peccilostoma</i>	1861, 14	<i>Spirula fragilis</i>	1861, 404
	1861, 324	<i>lævis</i>	1867, 186
	1863, 54	<i>peroni</i>	1865, 157
<i>reticularis</i>	1861, 218	<i>Spisula adelaidæ</i>	1865, 645
<i>samarensis</i>	1863, 60		1865, 697
<i>variabilis</i>	1861, 13	<i>corbuloides</i>	1867, 916
	1861, 14	<i>cretacea</i>	1867, 909
	1861, 324		1867, 911
	1863, 54		1867, 916

	Page		Page
<i>Spisula producta</i>	1867, 909	<i>Spongia botryoides</i>	1867, 495
	1867, 911		1867, 555
	1867, 916	<i>calcareo</i>	1867, 493
<i>subtruncata</i>	1867, 916	<i>calyciformis</i>	1867, 513
<i>Spiza leclancheri</i>	1870, 551	<i>canabrina</i>	1867, 553
<i>Spizaëtus bellicosus</i>]....	1865, 677	<i>cavernosa</i>	1867, 494
<i>braccatus</i>	1870, 556	<i>ciliata</i>	1867, 554
<i>isidori</i>	1865, 677	<i>clathrus</i>	1867, 513
<i>melanoleucus</i>	1864, 369	<i>complicata</i>	1867, 555
<i>nipalensis</i>	1869, 1	<i>compressa</i>	1867, 495
<i>occipitalis</i>	1861, 234	<i>coralloides</i>	1867, 552
	1864, 374	<i>coriacea</i>	1867, 556
<i>orientalis</i>	1863, 332	<i>coronata</i>	1867, 554
	1869, 1	<i>crateriformis</i>	1867, 513
<i>ornatus</i>	1864, 369	<i>equina</i>	1867, 508
	1867, 158	<i>fasciculata</i>	1867, 510
	1867, 753	<i>flabelliformis</i>	1869, 49
	1868, 629		1869, 50
	1869, 469		1869, 51
	1870, 215	<i>foliacea</i>	1867, 555
	1870, 555	<i>foliaceus</i>	1867, 517
	1870, 556	<i>fragilis</i>	1867, 511
<i>tyrannus</i>	1864, 368	<i>hispidata</i>	1867, 519
	1867, 590	<i>inflata</i>	1867, 554
	1870, 215	<i>infundibuliformis</i> ..	1867, 513
	1870, 556	<i>keratosa</i>	1867, 493
	1870, 838		1867, 508
<i>zonurus</i>	1862, 322	<i>lacustris</i>	1863, 440
	1862, 323		1863, 441
<i>Spizella pinetorum</i>	1863, 189	<i>lævigata</i>	1867, 512
<i>pusilla</i>	1863, 189	<i>mammillaris</i>	1867, 527
<i>socialis</i>	1864, 174	<i>mollissima</i>	1867, 508
<i>Spizixos semitorques</i> ..	1863, 278	<i>nivea</i>	1867, 556
	1863, 334	<i>octancyra</i>	1867, 124
<i>Spodiornis jardinii</i>	1866, 322		1867, 540
	1866, 323	<i>officinalis</i>	1867, 508
<i>Spodoptera cilium</i>	1867, 51	<i>palmata</i>	1867, 495
<i>Spoggoidea celosia</i>	1862, 27		1867, 518
<i>Spoggoidea celosia</i>	1862, 27	<i>panicea</i>	1867, 554
<i>divaricata</i>	1862, 29	<i>patera</i>	1867, 524
<i>florida</i>	1862, 27	<i>pencillus</i>	1867, 527
<i>ramulosa</i>	1862, 29	<i>penicillus</i>	1868, 129
<i>spinosa</i>	1862, 27	<i>perlevis</i>	1867, 518
<i>unicolor</i>	1862, 29	<i>pilosa</i>	1867, 495
<i>Spondylus calcifer</i>	1863, 363		1867, 543
	1865, 269	<i>plumosa</i>	1867, 536
	1865, 270	<i>pocillum</i>	1867, 513
<i>digitalis</i>	1861, 405	<i>pulchella</i>	1867, 495
<i>lamarckii</i>	1863, 363		1867, 508
<i>longitudinalis</i>	1861, 405	<i>quarnerensis</i>	1867, 508
<i>microlepis</i>	1861, 158	<i>rigida</i>	1867, 545
<i>tenellus</i>	1865, 657	<i>sanguinea</i>	1867, 518
<i>Spongelia avara</i>	1867, 511	<i>scypha</i>	1867, 517
<i>elegans</i>	1867, 511	<i>semitubulosa</i>	1867, 519
<i>incrustans</i>	1867, 511	<i>seriata</i>	1867, 515
<i>pallescens</i>	1867, 511	<i>silicea</i>	1867, 493
<i>Spongia aurea</i>	1867, 518	<i>spinicrucis</i>	1867, 124
<i>basta</i>	1869, 51		1867, 540

	1867,	Page		1867,	Page
<i>Spongia stuposa</i>	1867,	545	<i>Spongilla dawsoni</i>	1867,	553
<i>suberea</i>	1867,	237	<i>dawsonii</i>	1863,	467
	1867,	511		1863,	471
	1867,	523	<i>fluviatilis</i>	1863,	441
<i>terebrans</i>	1867,	525		1863,	442
<i>tormentosa</i>	1867,	495		1863,	445
<i>ventilabriformis</i>	1867,	516		1863,	447
<i>ventilabrum</i>	1867,	516		1863,	448
<i>verrucosa</i>	1867,	238		1863,	449
	1867,	495		1863,	450
	1867,	414		1863,	451
	1867,	541		1863,	462
<i>xerampelina</i>	1867,	516		1863,	463
<i>zetlandica</i>	1867,	516		1863,	466
<i>zimocca</i>	1867,	508		1863,	470
<i>Spongilla</i>	1863,	441		1863,	471
<i>alba</i>	1863,	452		1867,	495
	1863,	463	<i>fragilis</i>	1863,	446
	1863,	466	<i>friabilis</i>	1863,	446
	1863,	471		1863,	470
	1867,	553	<i>friatilis</i>	1867,	552
<i>baileyi</i>	1863,	444	<i>gregaria</i>	1863,	452
	1863,	451		1863,	471
	1863,	452		1867,	551
	1863,	471	<i>lacustris</i>	1863,	422
	1867,	551		1863,	444
<i>batesi</i>	1863,	443		1863,	445
	1863,	458		1863,	462
	1863,	459		1863,	463
	1863,	461		1863,	466
	1863,	471		1863,	467
<i>batesii</i>	1867,	552		1863,	469
<i>brownii</i>	1863,	443		1863,	470
	1863,	457		1863,	471
	1863,	458		1867,	552
	1863,	461	<i>leidii</i>	1863,	445
	1863,	471		1863,	471
	1863,	552	<i>leidyi</i>	1867,	550
<i>capewelli</i>	1863,	444	<i>lordii</i>	1863,	466
	1863,	445		1863,	471
	1863,	447		1863,	553
	1863,	471	<i>meyeni</i>	1863,	442
	1867,	550		1863,	441
<i>carteri</i>	1863,	469		1863,	448
	1863,	470		1863,	450
	1863,	471		1863,	471
	1867,	552	<i>paulata</i>	1867,	551
<i>cerebellata</i>	1863,	465	<i>paulula</i>	1863,	443
	1863,	471		1863,	453
	1867,	553		1863,	471
<i>cinerea</i>	1863,	443	<i>paupercula</i>	1863,	443
	1863,	468		1863,	444
	1863,	469		1863,	470
	1863,	471		1863,	471
	1867,	553		1867,	552
<i>corallioides</i>	1863,	460	<i>plumosa</i>	1863,	442
	1863,	471		1863,	449
	1867,	552		1863,	450

	Page		Page
Spongilla plumosa	1863, 451	Steganura sphenura	1864, 110
	1863, 471	verreauxi	1864, 110
	1867, 551	Stegenus dactylon	1866, 246
recurvata	1863, 443	Stegnolema montagnii..	1870, 509
	1863, 456		1870, 521
	1863, 471		1870, 527
	1867, 552		1870, 542
reticulata	1863, 443		1870, 543
	1863, 452	Stegophilus nemurus ..	1869, 429
	1863, 453	Steiria inordinata	1867, 67
	1863, 454	quadristrigata	1867, 67
	1863, 455	subfasciata	1867, 67
	1863, 456	Stelgidopteryx fulvigula	1870, 184
	1863, 471	fulvipennis	1870, 184
	1867, 551	ruficollis	1866, 178
Spongionella pulchella..	1867, 508		1867, 749
Sporophila mœsta	1870, 583	serripennis	1866, 178
torrida	1870, 583	uropygialis	1866, 178
Sporopipes lepidoptera..	1865, 95		1870, 184
Spratella fimbriata	1865, 309	Stella columellaris	1865, 196
	1865, 311	Stelletta boglicii	1867, 542
Squalus acanthias	1862, 103	discophora	1867, 549
acutus	1865, 317		1868, 132
melanopterus	1865, 317	dorsigera	1867, 542
obesus	1867, 870	grubii	1867, 542
Squatarola helvetica	1861, 398	helleri	1867, 542
	1863, 309	mammillaris	1867, 549
	1864, 178	pumex	1867, 544
	1867, 827	vagleri	1867, 542
	1870, 587	Stelligera furcata	1867, 545
Squilla mantis	1870, 3	Stellio cordylina	1864, 489
stylifera	1869, 3	Stellognatha maculata..	1863, 479
Stactolema anchietæ ..	1870, 118	Stematumenia bahamen-	
	1870, 119	sis	1867, 511
Standella ovalina	1867, 917	Stemmatopus cristatus..	1868, 435
velata	1863, 368	mitratus	1868, 435
Staphylinus hesperus ..	1867, 365	Steno	1863, 200
	1867, 383	attenuatus	1865, 522
	1867, 391		1866, 213
Starnoenas cyanocephala	1865, 239	capensis	1865, 522
Stauremys salvinii	1864, 127		1866, 213
	1864, 128	compressus	1866, 213
Stauropus sikkimensis ..	1865, 811	frontatus	1864, 236
	1865, 823		1865, 522
Staurotypus salvinii	1864, 127		1866, 213
	1869, 179	lentiginosus	1866, 213
	1869, 180	roseiventris	1866, 213
triporcatus	1864, 127	rostratus	1864, 196
	1864, 128		1864, 197
Steatornis caripensis	1866, 125		1864, 235
	1866, 130		1864, 236
	1866, 145		1866, 213
	1868, 73	tucuxi	1866, 213
	1868, 165	Stenochilus hobsonii ..	1870, 728
	1869, 467		1870, 729
	1870, 779		1870, 746
Steganopus tricolor	1867, 332	Stenochiton juloides ..	1864, 193
Steganura paradisea	1866, 23		1865, 58

	Page		Page
<i>Stenochiton juloides</i>	1865, 188	<i>Stephanophorus leucocephalus</i>	1869, 632
<i>Stenochorus simplex</i>	1866, 532		1870, 114
<i>Stenocorus pictus</i>	1866, 258	<i>Stephopoma</i>	1861, 148
<i>Stenodactylus caudicinctus</i>	1864, 60	<i>archimedis</i>	1862, 83
<i>guttatus</i>	1864, 489	<i>bispinosum</i>	1861, 152
<i>Stenolophus brunnipes</i>	1867, 363	<i>pennatum</i>	1861, 151
	1867, 368	<i>roseum</i>	1861, 150
<i>dorsalis</i>	1867, 368	<i>senticosum</i>	1861, 150
<i>luridus</i>	1867, 363		1862, 83
	1867, 369	<i>tricuspe</i>	1861, 150
<i>teutonus</i>	1867, 364	<i>Sterna affinis</i>	1866, 426
	1867, 368	<i>anglica</i>	1864, 455
<i>Stenopoma lineatum</i>	1867, 998	<i>antarctica</i>	1867, 336
<i>Stenops gracilis</i>	1864, 329	<i>arctica</i>	1869, 531
<i>javanicus</i>	1861, 265	<i>atro-fasciata</i>	1867, 320
	1863, 103		1867, 337
<i>potto</i>	1864, 316		1867, 340
<i>tardigradus</i>	1863, 149	<i>caspia</i>	1863, 328
	1864, 315		1864, 455
<i>Stenopsis bifasciata</i>	1866, 58	<i>cassini</i>	1867, 336
	1866, 139		1867, 340
	1866, 140	<i>comata</i>	1867, 320
	1866, 145	<i>cristata</i>	1863, 329
	1867, 328	<i>douglasii</i>	1866, 426
	1867, 339	<i>exilis</i>	1867, 336
	1868, 142		1867, 340
<i>candicans</i>	1866, 588		1867, 344
	1866, 589	<i>fissipes</i>	1863, 328
<i>cayanensis</i>	1866, 139	<i>fluviatilis</i>	1863, 329
	1866, 140	<i>frobenii</i>	1867, 320
	1866, 145	<i>fuliginosa</i>	1863, 329
	1866, 588		1870, 603
	1866, 589	<i>galericulata</i>	1866, 426
	1870, 176	<i>gracilis</i>	1861, 438
	1870, 204	<i>hirundo</i>	1863, 329
<i>langsdorfi</i>	1866, 589		1867, 336
<i>longirostris</i>	1866, 140	<i>hybrida</i>	1863, 328
<i>maculicaudus</i>	1866, 587		1864, 455
<i>nigrescens</i>	1866, 138	<i>inca</i>	1867, 337
<i>parvulus</i>	1867, 342	<i>leucopareia</i>	1863, 328
<i>platula</i>	1866, 589	<i>leucoptera</i>	1863, 328
<i>ruficervix</i>	1866, 139	<i>longipennis</i>	1863, 329
	1866, 140	<i>lorata</i>	1867, 320
	1866, 145	<i>luctuosa</i>	1867, 320
	1866, 581		1867, 337
	1866, 590		1867, 340
	1870, 782	<i>lunata</i>	1867, 831
<i>Stenorhina ventralis</i>	1861, 228		1868, 4
<i>Stenorhynchus leptonyx</i>	1868, 192		1868, 9
	1868, 527		1868, 118
			1869, 124
<i>Stenostoma macrorhynchum</i>	1869, 501		1869, 125
<i>Stenus guttula</i>	1867, 364	<i>macrura</i>	1863, 329
	1867, 384		1867, 336
<i>Stephanoconus rutilus</i>	1865, 169	<i>magnirostris</i>	1867, 593
<i>Stephanophorus leucocephalus</i>	1869, 161		1867, 979
		<i>melanauchen</i>	1861, 438

	Page		Page
<i>Sterna melanauchen</i>	1866,	<i>Sternula sinensis</i>	1863,
<i>melanopectera</i>	1866,	<i>Sterrha sacraia</i>	1867,
<i>meridionalis</i>	1867,	<i>Stethojulis</i>	1861,
<i>minuta</i>	1866,	<i>strigiventer</i>	1867,
<i>nigra</i>	1863,		1870,
<i>panayana</i>	1870,	<i>Stibara algebraica</i>	1866,
<i>panayensis</i>	1866,	<i>anticepunctata</i>	1866,
<i>paynana</i>	1861,	<i>funerula</i>	1866,
<i>pelecanoides</i>	1863,	<i>oudetera</i>	1866,
<i>poliocerca</i>	1861,	<i>Stibochiona coresia</i>	1868,
	1864,	<i>nicea</i>	1868,
	9	<i>Stictonetta nevosa</i>	1864,
<i>regia</i>	1861,	<i>Stictoptera grisea</i>	1867,
<i>stolidia</i>	1863,	<i>illucida</i>	1867,
	1866,	<i>Stigmatura budytoides</i>	1866,
<i>sumatrana</i>	1863,	<i>Stilicus affinis</i>	1867,
<i>superciliaris</i>	1866,		1867,
	1867,	<i>Stilpnotis sordida</i>	1865,
	1867,	<i>Stipiturus malacurus</i>	1869,
<i>torresii</i>	1861,		1869,
<i>velox</i>	1863,	<i>Stoa ammonitifformis</i>	1861,
	1864,		1861,
	1866,	<i>bifunicularis</i>	1861,
<i>Sternaspis affinis</i>	1868,	<i>cristata</i>	1861,
<i>assimilis</i>	1868,	<i>da-costae</i>	1861,
<i>elegans</i>	1868,	<i>perforans</i>	1861,
<i>fossor</i>	1868,	<i>platypus</i>	1861,
<i>islandica</i>	1868,	<i>polita</i>	1861,
<i>scutata</i>	1868,	<i>scaphitella</i>	1861,
	1868,	<i>scaphitoides</i>	1861,
<i>thalassemoides</i>	1868,	<i>spinosa</i>	1861,
<i>Sternoclyta cyanopectus</i>	1868,	<i>spirulæformis</i>	1861,
<i>Sternopygus virescens</i>	1868,	<i>squamulosa</i>	1861,
<i>Sternorhynchus leptonyx</i>	1864,	<i>subcrenata</i>	1861,
<i>natalensis</i>	1864,	<i>subdecussata</i>	1861,
<i>Sternotherus adansonii</i>	1863,	<i>texta</i>	1861,
	1864,	<i>unguiculata</i>	1861,
	1864,	<i>Stoasodon marinaria</i>	1867,
<i>castaneus</i>	1863,	<i>Stoletellina epidemia</i>	1867,
	1863,	<i>Stomatella caliginosa</i>	1863,
	1864,	<i>delicata</i>	1863,
<i>derbianus</i>	1863,	<i>elata</i>	1863,
	1863,	<i>imbricata</i>	1865,
	1864,		1867,
	1864,	<i>inflata</i>	1863,
<i>niger</i>	1863,	<i>modesta</i>	1863,
	1864,	<i>Stomatia auricula</i>	1865,
<i>sinuatus</i>	1863,	<i>variegata</i>	1863,
	1864,		1868,
	1864,	<i>Stoparola melanops</i>	1863,
<i>subniger</i>	1863,	<i>Stramonita humilis</i>	1865,
	1864,	<i>Strebla molossa</i>	1870,
	1864,	<i>Strepera anaphonensis</i>	1869,
	1867,		1870,
<i>Sternula minuta</i>	1863,	<i>fuliginosa</i>	1870,
	1863,	<i>graculina</i>	1869,
	1864,		1869,
<i>nereis</i>	1869,		1870,

	Page		Page
<i>Strepsiceros imberbis</i> ..	1869, 54	<i>Strix nudipes</i>	1868, 327
	1869, 55		1863, 328
	1869, 58	<i>otus</i>	1863, 262
<i>kudu</i>	1861, 208	<i>perlata</i>	1867, 339
	1861, 264		1867, 753
	1864, 99		1867, 988
	1864, 105		1868, 570
	1864, 659		1869, 155
	1868, 526	<i>pratinctola</i>	1861, 79
	1869, 54	<i>punctatissima</i>	1870, 323
	1869, 55	<i>rufipes</i>	1868, 59
	1869, 113	<i>tenebricosus</i>	1869, 279
	1869, 527	<i>Stromateus argenteus</i> ..	1865, 22
<i>Strepsilas interpres</i>	1863, 315	<i>atous</i>	1869, 301
	1866, 425	<i>cinereus</i>	1865, 22
	1867, 339		1869, 301
	1867, 831	<i>niger</i>	1865, 22
	1868, 8		1869, 302
	1868, 118	<i>Stromatium asperulum</i> .	1866, 691
	1870, 323		1866, 228
<i>Streptaxis deformis</i>	1866, 443		1866, 534
<i>eburnea</i>	1861, 23	<i>Strombina bicanalifera</i> ..	1863, 344
<i>kirkii</i>	1865, 232	<i>dorsata</i>	1863, 344
<i>mouhoti</i>	1862, 273	<i>gibberula</i>	1863, 344
<i>pellucens</i>	1862, 273	<i>turrita</i>	1863, 345
	1862, 278	<i>Strombus aculeatus</i>	1867, 208
<i>porrecta</i>	1862, 273	<i>floridus</i>	1867, 207
<i>sinuosa</i>	1861, 23	<i>gigas</i>	1862, 227
<i>souleyetiana</i>	1868, 260	<i>luhuanus</i>	1867, 207
	1869, 63	<i>mirabilis</i>	1870, 257
<i>Streptophorus sebæ</i>	1861, 227		1870, 258
<i>Strigatella fuscescens</i> ..	1865, 517		1870, 259
<i>tristis</i>	1863, 341	<i>mutabilis</i>	1867, 207
<i>Strigilla sincera</i>	1863, 367	<i>pugilus</i>	1861, 404
<i>Strigops</i>	1863, 27	<i>vittatus</i>	1870, 258
<i>habroptilus</i>	1865, 235	<i>Strongylus acuticaudatus</i>	1861, 123
	1870, 798	<i>bronchialis</i>	1862, 289
<i>Stringonyx anderssoni</i> ..	1865, 618		1862, 302
	1866, 324	<i>gigas</i>	1862, 302
<i>Strix brachyotus</i>	1863, 262	<i>longevaginatus</i>	1862, 302
<i>bubo</i>	1863, 262	<i>nodularis</i>	1861, 122
<i>candida</i>	1868, 400	<i>paradoxus</i>	1861, 121
<i>choliba</i>	1868, 57	<i>quadridentatus</i>	1862, 303
<i>crucigera</i>	1868, 57	<i>renalis</i>	1862, 302
<i>delicatula</i>	1869, 545	<i>spiculatus</i>	1861, 123
<i>flammea</i>	1863, 159	<i>tubifex</i>	1861, 122
	1863, 162	<i>Struthidea cinerea</i>	1863, 232
	1863, 332	<i>Struthio</i>	1864, 340
	1863, 516	<i>camelus</i>	1861, 307
	1864, 430		1861, 439
	1865, 91		1862, 22
	1866, 19		1862, 102
	1866, 380		1862, 137
	1866, 421		1863, 233
	1867, 823		1863, 517
<i>hirsuta japonica</i> ..	1862, 316		1864, 449
	1863, 262		1867, 420
<i>javanica</i>	1863, 484		

	Page		Page
<i>Struthiolaria oblita</i>	1867, 208	<i>Styiodonta rufozonata</i> ..	1869, 275
<i>Strymon titus</i>	1869, 44	<i>setiliris</i>	1867, 304
<i>Sturnella bellicosa</i>	1867, 985	<i>studeriana</i>	1869, 63
	1868, 569		1869, 65
	1869, 147	<i>suffulta</i>	1867, 304
<i>deflippii</i>	1869, 161	<i>unidentata</i>	1869, 62
<i>hippocrepis</i>	1870, 553		1869, 65
	1870, 575	<i>Styloptygma aurantiaca</i> .	1867, 112
<i>Judoviciana</i>	1861, 30		1867, 117
	1867, 142		1867, 201
	1870, 191	<i>cereum</i>	1862, 236
<i>magna</i>	1870, 575	<i>gibbum</i>	1862, 236
<i>meridionalis</i>	1868, 167	<i>larvula</i>	1862, 236
	1870, 553	<i>lendix</i>	1862, 236
	1870, 575	<i>pupiforme</i>	1862, 235
<i>mexicana</i>	1864, 175	<i>subuliforme</i>	1862, 236
	1867, 142	<i>tæniatum</i>	1862, 235
	1870, 575	<i>Suana ampla</i>	1865, 822
<i>militaris</i>	1867, 323	<i>bimaculata</i>	1865, 822
	1867, 338	<i>Suberites carnosa</i>	1867, 523
	1868, 529	<i>clavigera</i>	1867, 523
	1869, 161	<i>gelatinosa</i>	1867, 523
<i>neglecta</i>	1870, 575	<i>suberia</i>	1867, 523
<i>Sturnia cana</i>	1863, 302	<i>sulphurea</i>	1867, 523
<i>Sturnira</i> — ?	1861, 278	<i>Sublegatus glaber</i>	1868, 166
<i>lilium</i>	1866, 117		1868, 168
	1866, 430		1868, 172
<i>Sturnopastor contra</i>	1864, 376	<i>Subula varicosa</i>	1863, 341
	1865, 693	<i>Subulina clavulina</i>	1869, 64
<i>Sturnus cineraceus</i>	1862, 319	<i>clavulus</i>	1869, 62
	1863, 301		1869, 64
	1863, 337	<i>gracilis</i>	1869, 64
<i>dauricus</i>	1862, 319	<i>layardi</i>	1865, 54
	1863, 302	<i>mauritiana</i>	1869, 64
<i>indicus</i>	1868, 219	<i>octona</i>	1866, 441
<i>purpurascens</i>	1868, 219	<i>Succinea</i> — ?	1861, 405
<i>sericeus</i>	1863, 301	<i>acuminata</i>	1869, 449
<i>temporalis</i>	1863, 303	<i>arborea</i>	1863, 519
<i>unicolor</i>	1864, 445		1863, 523
<i>vulgaris</i>	1863, 160	<i>cochinchinensis</i>	1863, 525
	1863, 301	<i>costulosa</i>	1864, 677
	1864, 445	<i>elongata</i>	1870, 375
	1867, 163	<i>eucalypti</i>	1864, 486
	1868, 219	<i>globosa</i>	1865, 531
<i>Stylaster</i>	1862, 197	<i>gouldiana</i>	1864, 676
<i>Stylifer acicula</i>	1867, 201	<i>hawkinsii</i>	1863, 68
<i>iota</i>	1863, 356	<i>humerosa</i>	1864, 676
<i>pyramidalis</i>	1865, 515	<i>indica</i>	1869, 449
<i>solitaria</i>	1863, 357	<i>infundibuliformis</i>	1864, 676
<i>speciosus</i>	1868, 289	<i>labiata</i>	1864, 675
	1868, 294	<i>modesta</i>	1864, 676
<i>Styliola subulata</i>	1867, 186	<i>ovata</i>	1864, 675
<i>Stylodon caldwelli</i>	1868, 258	<i>pallida</i>	1864, 676
<i>Styiodonta cepoides</i>	1869, 62	<i>papillata</i>	1864, 675
<i>nevilli</i>	1867, 304		1864, 676
<i>rufocincta</i>	1867, 303	<i>pfeifferi</i>	1865, 531
	1867, 315	<i>procera</i>	1864, 676
	1869, 275	<i>pudorina</i>	1864, 676

	Page		Page
<i>Succinea putris</i>	1861, 230	<i>Sus baberoussa</i>	1868, 42
	1863, 411	<i>bibirusa</i>	1868, 27
<i>rutella</i>	1864, 675	<i>babirusa</i>	1868, 43
<i>salleana</i>	1863, 411	<i>babyrussa</i>	1868, 42
<i>scalarina</i>	1861, 28	<i>barbatus</i>	1868, 24
<i>semiserica</i>	1864, 675		1868, 32
<i>striata</i>	1869, 62	<i>bengalensis</i>	1868, 27
	1869, 64		1868, 28
<i>strigata</i>	1863, 522	<i>capensis</i>	1868, 35
	1863, 523	<i>celebensis</i>	1868, 25
	1864, 38	<i>ceylonensis</i>	1868, 24
<i>strigillata</i>	1864, 38	<i>choiropotamus</i>	1868, 35
<i>tahitensis</i>	1864, 676	<i>cristatus</i>	1868, 27
<i>Sudis gigas</i>	1866, 34	<i>domesticus</i>	1868, 38
<i>Sula cyanops</i>	1867, 336	<i>fasciatus</i>	1868, 31
<i>fiber</i>	1861, 438	<i>gambianus</i>	1868, 40
	1866, 331	<i>guineensis</i>	1868, 36
<i>fusca</i>	1863, 325	<i>indicus</i>	1861, 63
	1870, 503		1862, 15
<i>variegata</i>	1867, 336		1862, 17
	1867, 340		1862, 136
<i>Sulculus parvus</i>	1865, 184		1868, 27
<i>Sunetta adelinae</i>	1867, 909		1868, 29
	1867, 911		1868, 40
	1867, 922		1868, 625
<i>aliciae</i>	1863, 425		1870, 640
	1863, 428		1870, 641
	1865, 156	<i>japonensis</i>	1867, 692
	1865, 649	<i>koiropotamus</i>	1868, 18
<i>cumingii</i>	1865, 196		1868, 34
<i>excavata</i>	1863, 424	<i>labiatus</i>	1868, 45
<i>Sunius angustatus</i>	1867, 384	<i>larvatus</i>	1861, 263
<i>gracilis</i>	1867, 364		1867, 240
	1867, 384		1868, 18
<i>Suricata capensis</i>	1864, 579		1868, 24
	1865, 619		1868, 32
<i>viverrina</i>	1864, 579		1868, 34
<i>zenic</i>	1861, 59		1868, 35
<i>zenick</i>	1864, 578	<i>leucomystax</i>	1862, 361
	1864, 579		1864, 383
<i>Surnia dumeticola</i>	1863, 371		1865, 466
<i>nyctea</i>	1862, 102		1867, 240
<i>Surniculus lugubris</i>	1863, 209		1868, 26
<i>Sus</i> — ?	1861, 139		1870, 236
	1863, 370		1870, 639
	1864, 168		1870, 640
<i>aethiopicus</i>	1868, 46		1870, 641
	1868, 48	<i>libycus</i>	1868, 31
<i>affinis</i>	1868, 27	<i>papuensis</i>	1868, 33
	1868, 28	<i>penicillatus</i>	1868, 36
<i>africanus</i>	1868, 34	<i>pictus</i>	1868, 36
	1868, 36	<i>pliciceps</i>	1862, 13
<i>albirostris</i>	1868, 45		1862, 15
<i>andamanensis</i>	1868, 29		1862, 16
	1868, 30		1862, 17
	1868, 625		1864, 160
<i>aper</i>	1868, 27		1864, 383
	1868, 30		1868, 41

	Page		Page
Sus porcus.....	1868,	Suthora webbiana	1863,
	1868,		1870,
scrofa	1861,	Suya striata	1863,
	1862,	Swanka fasciata	1869,
	1862,	maculata	1869,
	1862,	scorpoides	1869,
	1862,	Sybra baculina	1866,
	1862,	punctatostriata	1866,
	1862,	umbratica	1866,
	1862,		1866,
	1862,	Sybrida inordinata	1867,
	1864,	Sycalis arvensis	1867,
	1866,		1867,
	1867,		1867,
	1868,	aureiventris	1867,
	1868,		1867,
	1868,		1867,
	1868,		1867,
	1868,		1868,
	1868,	brasiliensis.....	1861,
	1868,		1862,
	1868,		1867,
	1868,		1869,
	1868,		1870,
	1868,		1870,
	1868,	chloris	1868,
	1868,		1868,
	1868,		1869,
	1868,	chloropsis	1869,
	1870,		1869,
	1870,	chrysops.....	1861,
sennaarensis	1868,	columbiana	1870,
setosus aper	1868,	hilarii.....	1867,
taivanus.....	1864,	luteiventris	1867,
	1866,		1868,
	1867,		1869,
	1868,	luteocephala	1867,
	1868,		1868,
	1870,	Sycon asperum	1867,
	1870,	ciliata.....	1867,
tajassu	1868,	humboldtii	1867,
timorensis	1868,	papillosum.....	1867,
	1868,	raphanus	1867,
torquatus	1868,	setosus	1867,
	1868,	Sycotypus ficus.....	1866,
verres	1868,	Sylochelidon caspia	1863,
verrucosus	1868,	strenuus	1863,
	1868,	Sylvia aquatica	1866,
	1868,	atricapilla	1862,
	1868,		1863,
vittatus	1862,		1863,
	1862,		1864,
	1862,		1869,
	1868,	bonelli	1866,
	1868,	cetti	1866,
	1868,	chivi	1869,
	1868,	cinerea	1862,
zeylanensis	1868,		1863,

	Page		Page
<i>Sylvia cinerea</i>	1863, 516	<i>Sympis rufibasis</i>	1867, 77
	1864, 439	<i>subunita</i>	1867, 74
	1866, 327	<i>Symplectes princeps</i>	1866, 328
	1870, 430	<i>Synagris grammicus</i>	1865, 14
<i>cingalensis</i>	1866, 543	<i>Synallaxis ægithaloides</i> .	1867, 985
<i>concolor</i>	1868, 173		1868, 569
<i>conspicillata</i>	1864, 439		1869, 632
<i>curruca</i>	1864, 439		1869, 636
	1870, 430		1869, 637
<i>flavescens</i>	1863, 485		1870, 113
<i>garrula</i>	1863, 159	<i>albescens</i>	1867, 143
<i>helenæ</i>	1864, 439		1868, 140
<i>hortensis</i>	1863, 159		1868, 141
	1864, 439		1868, 636
<i>javanica</i>	1863, 296		1869, 632
<i>leucoblephara</i>	1865, 285		1870, 113
<i>locustella</i>	1863, 293		1870, 553
<i>lutea</i>	1863, 298	<i>albigularis</i>	1866, 183
<i>magellanica</i>	1867, 325		1868, 167
<i>melanocephala</i>	1864, 439		1869, 252
<i>nisoria</i>	1864, 440		1869, 598
	1864, 441	<i>anthoides</i>	1867, 324
<i>orphaea</i>	1864, 439		1867, 338
	1864, 441		1868, 138
<i>pitiayumi</i>	1869, 631		1868, 141
<i>platensis</i>	1869, 158		1869, 637
<i>rüppellii</i>	1864, 439		1870, 841
<i>trochiloides</i>	1866, 329	<i>arequipæ</i>	1869, 417
<i>vermivora</i>	1865, 282		1869, 632
	1865, 283	<i>brunneicaudalis</i>	1864, 354
<i>Sylvicola æstiva</i>	1861, 71	<i>castanea</i>	1868, 627
	1870, 564		1870, 781
	1870, 565	<i>crassirostris</i>	1867, 986
<i>aureola</i>	1870, 564	<i>curtata</i>	1869, 636
<i>decurtata</i>	1867, 137	<i>erythropros</i>	1869, 636
<i>eo</i>	1861, 71		1870, 191
<i>pannosa</i>	1861, 71	<i>erythrothorax</i>	1867, 143
<i>petachia</i>	1870, 564		1870, 837
<i>pharetra</i>	1861, 71	<i>flammulata</i>	1869, 636
<i>venusta</i>	1869, 631	<i>fuliginiceps</i>	1861, 377
<i>Sylviorthorhynchus des-</i>			1869, 636
<i>mursi</i>	1867, 324	<i>gularis</i>	1870, 781
	1867, 338	<i>humicola</i>	1867, 324
<i>Syma torotoro</i>	1861, 433		1867, 338
<i>Symbranchus bengalensis</i>	1865, 308		1867, 986
<i>cuchia</i>	1868, 281		1869, 417
	1869, 387		1869, 632
<i>Symphædra action</i>	1868, 613		1869, 637
<i>aretes</i>	1868, 612	<i>inornata</i>	1868, 167
<i>canescens</i>	1868, 612	<i>maluroides</i>	1868, 138
	1868, 615		1868, 141
<i>cyanipardus</i>	1868, 614	<i>masafueræ</i>	1867, 320
<i>dirtea</i>	1868, 613	<i>melanops</i>	1868, 140
<i>imperator</i>	1868, 613	<i>modesta</i>	1867, 324
<i>ninus</i>	1868, 613	<i>multostriata</i>	1869, 636
<i>panopus</i>	1868, 613	<i>nigrifumosa</i>	1867, 143
<i>thyella</i>	1865, 767	<i>orbignii</i>	1867, 986
<i>Sympis rufibasis</i>	1867, 74		1868, 569

	Page		Page
<i>Synallaxis orbignii</i>	1869, 417	<i>Syntomis atereus</i>	1866, 362
	1869, 632	<i>creusa</i>	1865, 802
	1869, 637	<i>diaphana</i>	1865, 802
<i>pudica</i>	1864, 354	<i>divisa</i>	1867, 679
	1867, 143	<i>hübneri</i>	1865, 802
<i>rufa</i>	1867, 324	<i>imaon</i>	1867, 679
<i>ruficapilla</i>	1861, 377	<i>melas</i>	1865, 802
	1868, 141		1867, 679
	1868, 636	<i>multigutta</i>	1865, 802
	1869, 632	<i>ochsenheimeri</i>	1867, 678
	1869, 636	<i>schoenherri</i>	1865, 802
<i>rufigenis</i>	1870, 191	<i>subcordata</i>	1865, 802
<i>rutilans</i>	1867, 574	<i>vitrea</i>	1867, 679
	1867, 750	<i>Syphonota keraudreni</i>	1867, 228
<i>sordida</i>	1867, 324	<i>Sypna albilinea</i>	1867, 69
	1867, 338	<i>cælisparsa</i>	1867, 69
<i>spixi</i>	1869, 632	<i>curvilinea</i>	1867, 69
<i>spixii</i>	1868, 636		1867, 97
<i>striata</i>	1867, 320	<i>cyanivitta</i>	1867, 70
<i>striaticeps</i>	1868, 636	<i>rectilinea</i>	1867, 70
<i>sulphurifera</i>	1868, 636	<i>Syrinx forbesii</i>	1868, 83
	1869, 632	<i>granulosus</i>	1868, 95
<i>terricolor</i>	1866, 177	<i>harveii</i>	1868, 82
	1866, 183	<i>nudus</i>	1868, 78
<i>terrestris</i>	1868, 167	<i>papillosus</i>	1868, 95
<i>vulpecula</i>	1866, 177	<i>tenuicinctus</i>	1868, 83
	1866, 184	<i>tesselatus</i>	1868, 78
<i>vulpina</i>	1866, 184	<i>Symnium</i> — ?	1867, 753
<i>wyatti</i>	1870, 840	<i>aluco</i>	1861, 366
<i>Synancea verrucosa</i>	1868, 10		1863, 47
<i>Synaphobranchus kaupii</i>	1862, 169		1863, 332
<i>Synapta</i>	1861, 58		1864, 430
<i>Synaptura foliacea</i>	1865, 287		1868, 400
<i>jerreus</i>	1867, 562	<i>cinereum</i>	1868, 59
<i>Synchloë gliciria</i>	1870, 726	<i>fulvescens</i>	1868, 58
<i>nepalensis</i>	1870, 726		1868, 59
<i>Synclera retinalis</i>	1867, 93	<i>hylophilum</i>	1867, 339
<i>traducalis</i>	1867, 93		1868, 58
<i>Sycrossus berdmorei</i>	1869, 549		1868, 59
<i>Syngamia octavialis</i>	1867, 90		1870, 782
<i>Syngamus trachealis</i>	1862, 303	<i>lineatum</i>	1864, 370
<i>Syngnathus</i>	1861, 239	<i>nebulosum</i>	1868, 58
<i>argyrostictus</i>	1865, 316		1868, 59
<i>biaculeatus</i>	1867, 869	<i>nivicolum</i>	1868, 400
<i>fasciatus</i>	1867, 869		1870, 438
<i>foliatus</i>	1865, 327		1870, 443
<i>schlegeli</i>	1865, 316	<i>nudipes</i>	1868, 328
<i>spicifer</i>	1870, 702	<i>occidentale</i>	1868, 59
<i>tæniopterus</i>	1865, 327	<i>perspicillatum</i>	1864, 370
<i>Synodontis schal</i>	1864, 308		1867, 280
<i>Synœcus australis</i>	1861, 101		1867, 590
	1869, 280	<i>rufipes</i>	1868, 59
	1869, 628	<i>sinense</i>	1863, 263
<i>diemenensis</i>	1869, 280	<i>torquatum</i>	1870, 557
<i>sinensis</i>	1863, 221	<i>virgatum</i>	1864, 370
<i>Synthliboramphus anti-</i>		<i>zonocercum</i>	1867, 590
<i>quus</i>	1863, 330	<i>Syrnola aciculata</i>	1862, 233
<i>temminckii</i>	1863, 330	<i>bizonalis</i>	1862, 233

	Page		Page
<i>Syrnola brunnea</i>	1862,	<i>Tachypetes palmerstonii</i>	1864,
<i>buxea</i>	1862,		1864,
<i>cinctella</i>	1862,	<i>Tachyphonus albispecu-</i>	1870,
	1862,	<i>laris</i>	1868,
	1862,	<i>albitempora</i>	1870,
<i>columnella</i>	1862,	<i>beaupertuyi</i>	1864,
<i>cylindrella</i>	1862,	<i>cassinii</i>	1867,
	1862,	<i>chrysomelas</i>	1869,
<i>dædala</i>	1862,		1870,
<i>elegans</i>	1862,		1870,
<i>gracillima</i>	1862,	<i>crystalellus</i>	1867,
<i>lactea</i>	1862,		1867,
<i>mera</i>	1862,	<i>crystalatus</i>	1867,
<i>minuta</i>	1869,	<i>delatitrii</i>	1864,
<i>nitidula</i>	1862,		1867,
<i>pistillum</i>	1862,		1870,
<i>pupina</i>	1862,	<i>erythrolæma</i>	1870,
<i>pyramidalis</i>	1862,	<i>luctuosus</i>	1864,
<i>serotina</i>	1862,		1868,
<i>striatula</i>	1862,		1869,
<i>subulina</i>	1862,		1870,
<i>teretiuscula</i>	1862,		1870,
<i>vitrea</i>	1862,	<i>melaleucus</i>	1864,
<i>Syrnhaptes paradoxus</i> ..	1861,		1867,
	1861,		1867,
	1861,		1868,
	1861,		1870,
	1861,	<i>napensis</i>	1867,
	1862,		1867,
	1862,	<i>nitidissimus</i>	1870,
	1863,		1870,
	1863,	<i>phoeniceus</i>	1867,
<i>Systemus carnaticus</i> ...	1870,		1867,
<i>macularius</i>	1869,	<i>ruber</i>	1870,
<i>sophore</i>	1868,	<i>rufiventris</i>	1866,
	1869,		1867,
<i>unimaculatus</i>	1869,	<i>surinamus</i>	1867,
<i>Synton thymbræus</i>	1865,		1867,
	1865,		1867,
	1866,		1869,
<i>Tabanus</i> — ?	1864,	<i>xanthopygius</i>	1864,
<i>Taccocua leschenaultii</i> ..	1866,	<i>Tachys curvimanus</i> ...	1867,
<i>Tachornis phœnicobia</i> ..	1865,	<i>signatus</i>	1867,
	1865,		1867,
<i>Tachydromus burchelli</i> .	1866,	<i>Tachyspiza soloënsis</i> ..	1867,
<i>chalcopterus</i>	1866,		1867,
<i>collaris</i>	1866,	<i>Tadorna cana</i>	1864,
<i>orientalis</i>	1866,		1864,
<i>septentrionalis</i> ..	1870,	<i>nævosa</i>	1869,
<i>temminckii</i>	1866,	<i>radjah</i>	1861,
<i>Tachyglossus aculéatus</i> .	1865,		1863,
<i>hystrix</i>	1865,		1864,
<i>setosus</i>	1865,	<i>rutila</i>	1864,
<i>Tachymenis vivax</i>	1864,		1864,
<i>Tachynotus bailloni</i>	1865,		1864,
<i>ovatus</i>	1865,		1864,
<i>Tachypetes aquila</i>	1864,		1864,
<i>minor</i>	1867,		1864,

	Page		Page
<i>Tadorna rutila</i>	1866, 150	<i>Tænia flavopuncta</i>	1862, 289
	1869, 629		1862, 307
<i>tadornoides</i>	1864, 189	<i>globosa</i>	1862, 308
	1864, 191	<i>granulosa</i>	1862, 309
<i>variegata</i>	1864, 189	<i>grisea</i>	1862, 314
	1864, 191	<i>humana armata</i>	1862, 304
	1866, 78	— <i>inermis</i>	1862, 314
	1866, 149	<i>hydatigena</i>	1862, 304
	1869, 629		1862, 308
<i>vulpanser</i>	1863, 324	<i>hydatula</i>	1862, 308
	1864, 189	<i>inermis</i>	1862, 306
	1869, 629	<i>infundibuliformis</i> ..	1861, 120
<i>Tænia acanthotrias</i>	1862, 288	<i>lævis</i>	1861, 120
	1862, 289	<i>lanceolata</i>	1861, 120
	1862, 307	<i>lata</i>	1862, 313
<i>ægyptiaca</i>	1862, 312	<i>lupina</i>	1862, 308
<i>albopuncta hominis</i> ..	1862, 304	<i>magna</i>	1870, 610
<i>ammonitiformis</i>	1862, 20	<i>marginata</i>	1862, 289
	1862, 21		1862, 308
<i>apri</i>	1862, 308		1862, 309
<i>bovina</i>	1862, 308	<i>mediocanellata</i>	1862, 289
<i>canina</i>	1862, 312		1862, 306
	1862, 313		1862, 307
<i>capensis</i>	1862, 306	<i>megastoma</i>	1864, 16
<i>caprina</i>	1862, 308	<i>membranacea</i>	1862, 314
<i>cateniformis</i>	1862, 312	<i>multiformis</i>	1861, 119
	1862, 313	<i>nana</i>	1862, 289
— <i>lupi</i>	1862, 308		1862, 309
<i>cellulosa</i>	1862, 304		1862, 312
<i>cœnurus</i>	1862, 305		1862, 326
	1862, 326	<i>osculis marginalibus</i>	
<i>communis</i>	1862, 304	<i>oppositis</i>	1862, 312
<i>crassicollis</i>	1862, 306	<i>ovilla</i>	1862, 308
<i>cucumerina</i>	1862, 312	<i>paradoxa</i>	1861, 119
	1862, 313	<i>pectinata</i>	1862, 315
<i>cucurbitina</i>	1862, 304	<i>pusilla</i>	1861, 119
	1862, 306	<i>rugosa</i>	1864, 16
	1862, 308	<i>semiteres</i>	1862, 21
<i>cuniceps</i>	1862, 312	<i>serrata</i>	1862, 305
<i>dentata</i>	1862, 304		1862, 309
	1862, 306		1862, 313
	1862, 313	<i>simiæ</i>	1862, 308
<i>echinococcus</i>	1862, 289	<i>solitarius</i>	1862, 304
	1862, 309	<i>solium</i>	1862, 289
	1862, 310		1862, 304
	1862, 311		1862, 305
	1862, 312		1862, 306
	1862, 326		1862, 309
<i>elliptica</i>	1862, 289	<i>tenella</i>	1862, 314
	1862, 312	<i>tenuicollis</i>	1862, 308
	1862, 313	<i>tropica</i>	1862, 306
<i>ex cysticercu tenui-</i>		<i>vervicina</i>	1862, 308
<i>colli</i>	1862, 308	<i>visceralis socialis</i> ..	1862, 309
	1862, 309	<i>vulgaris</i>	1862, 304
<i>fenestrata</i>	1862, 304		1862, 313
<i>ferrarum</i>	1862, 308		1862, 315
<i>finna</i>	1862, 304	<i>Tæniarhynchus medio-</i>	
<i>flavomaculata</i>	1862, 307	<i>canellata</i>	1862, 306

	Page		Page
<i>Tæniogale</i>	1864,	<i>Tamandua tetradactyla</i> .	1865, 384
<i>vitticollis</i>	1864,	<i>Tamias striatus</i>	1870, 444
<i>Tænioptera albogrisea</i> ..	1869,	<i>Tanaëcia apasarasa</i>	1868, 611
<i>alpina</i>	1867,	<i>aruna</i>	1868, 611
<i>coronata</i>	1868,	<i>calliphorus</i>	1868, 610
	1870,	<i>lutala</i>	1868, 611
	1870,	<i>pelea</i>	1868, 611
<i>dominicana</i>	1869,	<i>pulasara</i>	1868, 610
	1870,		1868, 611
	1870,	<i>supercilia</i>	1868, 610
<i>icterophrys</i>	1868,		1868, 615
<i>irupero</i>	1868,	<i>trigerta</i>	1868, 611
	1870,	<i>valmikiis</i>	1868, 610
	1870,	<i>varuna</i>	1868, 610
	1870,		1868, 611
<i>mœsta</i>	1868,	<i>vikrama</i>	1868, 612
<i>nengeta</i>	1870,	<i>violaria</i>	1868, 612
<i>pyrope</i>	1867,		1868, 615
	1867,	<i>Tanagra abbas</i>	1864, 173
<i>suiriri</i>	1869,		1867, 138
<i>variegata</i>	1868,		1870, 836
	1870,	<i>auricrissa</i>	1870, 780
	1870,	<i>cana</i>	1870, 580
<i>velata</i>	1867,	<i>cœlestis</i>	1866, 180
<i>Tæniotes scalaris</i>	1867,		1867, 749
	1867,		1869, 597
<i>Tagora glaucescens</i>	1865,	<i>cyanoptera</i>	1867, 452
<i>pandya</i>	1865,		1867, 594
<i>patula</i>	1865,		1868, 139
	1867,		1870, 114
	1867,	<i>darwinii</i>	1866, 97
<i>Taheitia clathrata</i>	1865,		1867, 341
<i>scalaris</i>	1864,		1867, 984
<i>wallacei</i>	1865,		1869, 161
	1865,	<i>darwinii</i>	1868, 569
	1865,	<i>diaconus</i>	1864, 173
<i>Talapa caliginosalis</i>	1867,		1864, 350
	1867,		1867, 138
	1867,		1870, 187
<i>Talegalla</i>	1862,		1870, 836
— ?	1864,	<i>episcopus</i>	1867, 571
<i>cuvieri</i>	1862,		1867, 594
	1862,	<i>frugilegus</i>	1866, 97
	1864,	<i>glauca</i>	1870, 580
<i>lathami</i>	1862,	<i>glaucocolpa</i>	1870, 553
	1863,		1870, 580
	1864,	<i>leucocephalus</i>	1869, 161
	1869,	<i>melanoptera</i>	1864, 350
<i>Talegallus cuvieri</i>	1861,		1861, 180
	1861,		1867, 138
<i>lathami</i>	1861,		1867, 749
<i>Talpa europæa</i>	1865,		1868, 627
<i>insularis</i>	1862,	<i>olivina</i>	1864, 607
	1870,	<i>olivicyanea</i>	1868, 167
	1861,	<i>palmarum</i>	1864, 350
<i>leucura</i>	1861,		1867, 571
	1861,	<i>rubricata</i>	1868, 326
	1862,	<i>sayaca</i>	1868, 139
	1869,		
<i>micrura</i>	1861,		
<i>vulgaris</i>	1863,		
<i>Tamandua bivittata</i>	1865,		
<i>longicaudata</i>	1865,		
<i>tetradactyla</i>	1861,		

	Page		Page
Tanagra sinensis	1863, 298	Tanysiptera isis.....	1863, 24
striata	1864, 607	margarethæ	1869, 631
	1866, 97	nais.....	1863, 24
	1868, 139		1869, 631
	1869, 597	nympha	1862, 165
subcinerea	1861, 129		1863, 24
superciliaris	1867, 572		1867, 185
zena	1861, 74		1869, 631
Tanagrella ruficollis....	1861, 73	riedeli.....	1869, 631
	1865, 70	sabrina	1863, 24
Tanaïs loricatus	1864, 668		1863, 25
Tanoa sinuata	1864, 132		1869, 631
Tantalus ibis.....	1863, 225	sylvia.....	1861, 433
leucocephalus	1864, 373		1863, 24
loculator.....	1864, 372		1868, 383
	1866, 199		1869, 631
Tanygnathus.....	1864, 275	Tapes faba	1865, 649
	1864, 276	galactites	1865, 650
affinis.....	1863, 19	gratus.....	1863, 365
	1863, 20	histrionicus.....	1863, 365
	1864, 286	indicus	1865, 196
	1864, 294	inflata	1867, 923
albirostris	1862, 335	rimosa	1867, 923
	1862, 336	sulcosa	1867, 923
	1864, 286	turgida	1867, 924
	1864, 294	turgidula	1867, 924
	1868, 262	undulata	1867, 923
lucionensis.....	1864, 285	Taphozous australis ...	1866, 430
	1864, 294	flaviventris	1866, 430
macrorhynchos	1862, 336	nudiventris	1866, 93
macrorhynchus	1861, 436	Taphroderes distortus ..	1869, 429
	1863, 20	Taphrometopon lineola-	
marginatus.....	1861, 436	tum.....	1861, 48
megalorhynchus ..	1864, 285	Tapirus americanus	1861, 59
	1864, 294		1862, 136
mülleri	1862, 336		1867, 240
	1864, 286		1867, 241
	1864, 294		1867, 473
Tanylecta lambii	1866, 227		1867, 692
	1866, 263		1867, 695
	1866, 267		1867, 878
Tanysiptera	1864, 274		1867, 879
acis.....	1863, 19		1867, 880
	1863, 23		1867, 881
	1863, 24		1867, 885
	1869, 631	anta	1867, 880
dea	1863, 24	bairdi.....	1867, 241
	1867, 185		1867, 473
doris	1863, 24		1867, 891
	1869, 631	bicolor	1867, 884
elliotti.....	1869, 630	indicus	1862, 102
	1869, 631		1865, 677
galatea	1861, 433		1867, 878
	1863, 24		1867, 879
	1869, 631		1867, 884
hydrocharis	1861, 433		1869, 527
	1863, 24	laurillardi	1867, 881
	1869, 631		1867, 882

	Page		Page
<i>Tapirus laurillardi</i>	1867, 883	<i>Tavia catocaloides</i>	1867, 98
<i>laurillardii</i>	1868, 441	<i>dubitaria</i>	1867, 70
<i>malayanus</i>	1867, 884	<i>punctosa</i>	1867, 70
<i>malayensis</i>	1867, 240	<i>submarginata</i>	1867, 71
<i>pinchacus</i>	1867, 879	<i>substruens</i>	1867, 70
	1867, 882	<i>Taxidea americana</i>	1865, 141
	1867, 884		1869, 149
<i>roulini</i>	1867, 884	<i>berlandieri</i>	1865, 141
	1870, 51	<i>labradoria</i>	1865, 141
<i>suillus</i>	1867, 880	<i>leucura</i>	1868, 206
<i>sumatranus</i>	1867, 884		1868, 207
<i>terrestris</i>	1867, 879	<i>leucurus</i>	1865, 139
	1867, 880	<i>Taxila decorata</i>	1867, 38
	1867, 881	<i>drupadi</i>	1867, 37
	1867, 883	<i>durga</i>	1867, 37
<i>villosus</i>	1867, 884	<i>egeon</i>	1867, 37
<i>Taragama ganesa</i>	1865, 822	<i>erato</i>	1865, 771
<i>Tarandus rangifer</i>	1864, 139	<i>orphna</i>	1867, 37
	1870, 345	<i>pulchra</i>	1867, 38
	1870, 475	<i>teneta</i>	1867, 37
	1870, 493	<i>thiusta</i>	1867, 37
<i>Tarentola bibronii</i>	1865, 642	<i>Taxus gulo</i>	1865, 121
<i>Tarphius oblongus</i>	1867, 386	<i>labradorius</i>	1865, 141
<i>wollastoni</i>	1867, 372	<i>mellivorus</i>	1865, 144
	1867, 386	<i>vulgaris</i>	1865, 139
	1867, 391	<i>Tchitrea</i> — ?	1864, 109
<i>Tarsius</i>	1864, 328		1865, 428
	1864, 331	<i>affinis</i>	1862, 317
	1864, 624		1863, 217
	1864, 637		1863, 289
<i>bancanus</i>	1863, 151	<i>corvina</i>	1867, 345
<i>daubentonii</i>	1863, 151	<i>holosericea</i>	1865, 835
<i>pallasii</i>	1863, 151		1870, 389
<i>spectrum</i>	1863, 151	<i>incei</i>	1862, 317
<i>Tarsopterus trachysto-</i>			1863, 289
<i>mus</i>	1868, 478		1870, 439
<i>Tatare otaitiensis</i>	1864, 9	<i>major</i>	1867, 345
	1864, 11	<i>mutata</i>	1863, 163
<i>Tatusia affinis</i>	1865, 372		1865, 835
<i>apar</i>	1865, 380		1870, 389
<i>gymnura</i>	1865, 378	<i>paradisi</i>	1863, 289
<i>hirsuta</i>	1865, 373	<i>pretiosa</i>	1865, 835
<i>hybrida</i>	1865, 373		1870, 389
<i>kappleri</i>	1865, 373	<i>principalis</i>	1863, 289
<i>minuta</i>	1865, 377		1863, 335
<i>peba</i>	1865, 371		1870, 439
	1865, 372		1870, 601
	1865, 373	<i>spekii</i>	1865, 428
	1868, 378	<i>Tectarius pyramidalis</i> ..	1867, 209
<i>septemcincta</i>	1865, 371	<i>Tectura jacksoniensis</i> ..	1867, 220
<i>tatouay</i>	1865, 378	<i>scabrilirata</i>	1867, 220
<i>tricincta</i>	1865, 380	<i>septiformis</i>	1867, 220
<i>villosa</i>	1865, 376	<i>stellaris</i>	1867, 220
<i>Tautoga</i>	1861, 417	<i>Tedania ambigua</i>	1867, 520
<i>Tavia albilinea</i>	1867, 71	<i>digitata</i>	1867, 520
<i>biocularis</i>	1867, 71	<i>Tegenaria atrica</i>	1869, 531
<i>caliginosa</i>	1867, 70		1869, 533
<i>catocaloides</i>	1867, 71		1869, 543

	Page		Page
<i>Tegna hyblæella</i>	1867, 63	<i>Tellina prora</i>	1863, 366
<i>Tegula pellis-serpentis</i> ..	1863, 356	<i>puella</i>	1863, 366
<i>Teinopalpus imperialis</i> ..	1865, 758	<i>pumicea</i>	1863, 366
<i>Teinotis elegans</i>	1865, 184	<i>pura</i>	1870, 789
<i>Teira ornata</i>	1864, 58	<i>radiata</i>	1870, 795
	1864, 307	<i>robusta</i>	1861, 405
<i>Telchinia violæ</i>	1865, 760	<i>rubescens</i>	1870, 791
<i>Telephonus cucullatus</i> ..	1870, 307	<i>savignyi</i>	1863, 366
<i>senegalensis</i>	1864, 5	<i>scitula</i>	1870, 790
<i>trivirgatus</i>	1864, 3	<i>semifossilis</i>	1870, 795
	1864, 5	<i>sempiiana</i>	1867, 919
	1865, 88	<i>semitorta</i>	1867, 919
	1865, 93	<i>sexradiata</i>	1861, 405
	1869, 437	<i>siliqua</i>	1863, 366
<i>Telescopium fuscum</i>	1866, 146	<i>simplex</i>	1870, 789
<i>Tellidora burneti</i>	1864, 597	<i>simulans</i>	1870, 795
	1870, 6	<i>sincera</i>	1863, 366
<i>crystallina</i>	1863, 366	<i>subelliptica</i>	1863, 367
	1870, 6	<i>tenuilirata</i>	1867, 918
<i>pusilla</i>	1870, 6	<i>tensa</i>	1867, 919
	1870, 9	<i>ticaonica</i>	1865, 279
<i>Tellina albinella</i>	1865, 156	<i>triradiata</i>	1867, 919
	1865, 646	<i>umbonella</i>	1870, 790
<i>aurora</i>	1865, 366	<i>unifasciata</i>	1870, 795
<i>balaustina</i>	1870, 790	<i>versicolor</i>	1865, 647
<i>bimaculata</i>	1861, 405	<i>vicina</i>	1867, 919
<i>clausa</i>	1861, 405	<i>virgatula</i>	1870, 790
<i>cognata</i>	1863, 366		1870, 795
<i>columbiensis</i>	1863, 366		1865, 647
<i>concinna</i>	1863, 366		1867, 919
<i>crystallina</i>	1863, 366		1863, 367
<i>cumingii</i>	1863, 366		1863, 367
<i>decumbens</i>	1865, 278		1863, 367
<i>decussata</i>	1865, 647		1870, 6
<i>deltoidalis</i>	1865, 646		1870, 9
	1867, 918		1870, 793
<i>dombeyi</i>	1863, 366	<i>Tellinella deltoidalis</i> ..	1865, 646
	1865, 279	<i>Temenuchus malabaricus</i>	1865, 692
<i>elliptica</i>	1867, 918	<i>Tenagodus australis</i>	1865, 98
<i>erythræensis</i>	1870, 790	<i>möbii</i>	1865, 174
	1870, 793	<i>reentzii</i>	1865, 98
	1870, 795	<i>squamatus</i>	1865, 99
<i>felix</i>	1863, 366	<i>tahitensis</i>	1865, 174
	1863, 367	<i>Tenebrio obscurus</i>	1867, 361
<i>inæqualis</i>	1864, 601		1867, 381
<i>interrupta</i>	1861, 405	<i>Teniogale vitticollis</i>	1864, 568
<i>isseli</i>	1870, 790	<i>Tentyria</i> — P.	1864, 118
	1870, 795	<i>Tentacularia subcom-</i>	
<i>laceridens</i>	1863, 366	<i>pressa</i>	1862, 302
<i>lactea</i>	1865, 646	<i>Tephras finschii</i>	1868, 6
	1867, 918		1868, 117
	1870, 790		1868, 118
<i>lacustris</i>	1862, 228	<i>Tephrodornis grisola</i> ..	1863, 217
<i>lævigata</i>	1861, 405	<i>hirundinacea</i>	1865, 326
<i>lilium</i>	1867, 919	<i>Tephrosia comparataria</i> ..	1863, 217
<i>magna</i>	1861, 405	<i>dentilineata</i>	1867, 631
<i>mera</i>	1861, 405	<i>mucidaria</i>	1867, 631
<i>nymphalis</i>	1865, 279	<i>scriptaria</i>	1867, 631

	Page		Page
<i>Teracolus etrida</i>	1870, 726	<i>Terinos teuthras</i>	1862, 89
<i>Teraspiza minulla</i>	1867, 170		1862, 90
	1867, 171		1862, 91
	1867, 173	<i>Terpsichrois alea</i>	1866, 268
<i>rhodogaster</i>	1867, 171	<i>eleusina</i>	1866, 289
<i>tinus</i>	1867, 171	<i>thoösa</i>	1866, 297
<i>virgata</i>	1867, 171	<i>Terpsiphone mutata</i>	1870, 389
	1867, 178	<i>Testacella saulcyi</i>	1865, 531
<i>Terastia diversalis</i>	1867, 90	<i>Testudinella horsfieldii</i> ..	1870, 658
<i>Teratolepis fasciata</i>	1869, 501	<i>Testudo angulata</i>	1869, 174
	1869, 505		1870, 280
<i>Terebra elata</i>	1863, 341	<i>boiei</i>	1869, 168
<i>hastata</i>	1861, 404	<i>californica</i>	1870, 708
<i>larvæformis</i>	1863, 341	<i>chilensis</i>	1870, 665
<i>tenuisculpta</i>	1870, 252		1870, 667
<i>tuberculosa</i>	1863, 341		1870, 706
<i>varicosa</i>	1863, 341		1870, 707
<i>Terebratulina angustata</i> ..	1865, 202	<i>chitra</i>	1864, 91
<i>australis</i>	1865, 657	<i>daudini</i>	1869, 171
	1867, 935	<i>denticulata</i>	1866, 305
	1867, 935		1869, 168
<i>cumingi</i>	1867, 935	<i>elegans</i>	1869, 501
<i>davidseni</i>	1867, 314		1870, 654
	1867, 315		1870, 655
<i>dentata</i>	1865, 657	<i>elephantina</i>	1869, 171
<i>flavescens</i>	1865, 657	<i>elephantopus</i>	1869, 168
	1867, 935		1869, 171
<i>recurva</i>	1865, 657		1870, 665
<i>unguicula</i>	1865, 202		1870, 667
<i>uva</i>	1867, 314		1870, 706
<i>Terebratulina caput-ser-</i>			1870, 707
<i>pentis</i>	1866, 102		1870, 708
<i>Teredo furcelloides</i>	1861, 314	<i>elongata</i>	1861, 139
<i>Terekia cinerea</i>	1863, 312		1869, 171
	1864, 3		1870, 656
	1869, 436		1870, 675
<i>javanica</i>	1862, 319	<i>euphraticus</i>	1864, 82
<i>Tereus fimbriatus</i>	1867, 537	<i>falconeri</i>	1869, 167
<i>Terias blanda</i>	1870, 727		1869, 169
<i>charmione</i>	1869, 45		1869, 170
<i>desjardinsii</i>	1863, 476		1869, 171
<i>drona</i>	1865, 760		1870, 674
	1866, 357		1870, 675
<i>harina</i>	1865, 760	<i>geographica</i>	1869, 173
<i>hecabe</i>	1865, 492	<i>geometrica</i>	1870, 654
	1865, 760		1870, 655
	1866, 357	<i>nigriventris</i>	1870, 656
	1870, 727	<i>græca</i>	1862, 324
<i>læta</i>	1865, 493		1864, 488
	1865, 760		1870, 657
<i>sari</i>	1865, 493		1870, 658
<i>vagans</i>	1866, 357	<i>horsfieldii</i>	1861, 214
<i>venata</i>	1866, 358		1870, 658
<i>Terinos clarissa</i>	1863, 90	<i>indica</i>	1864, 374
<i>taxiles</i>	1862, 89		1869, 167
	1862, 91		1869, 168
<i>terpander</i>	1862, 90		1869, 170
<i>tethys</i>	1862, 88		1869, 171
	1862, 91		

	Page		Page
Testudo indica	1869, 173	Tethea robusta	1868, 131
	1870, 674	schmidtii	1867, 541
	1870, 675	spinularia	1867, 524
	1870, 706	Tetheum pulvinatum ..	1867, 541
	1870, 707	Tetheya lacunosa	1867, 541
	1870, 708	Tethia cavernosa	1867, 541
javanica	1861, 214	globosa	1867, 541
kachuga	1861, 214	Tethya aspestella	1867, 541
leithii	1869, 501	cranium	1867, 543
	1869, 502	hispida	1867, 541
	1869, 503	morum	1867, 542
	1870, 657	pumex	1867, 544
marginata	1870, 657	simillima	1867, 543
marginatus	1870, 658	sphaerica	1867, 541
mauritanica	1870, 707	verrucosa	1867, 541
megalopus	1870, 654	Tetraceros quadricornis ..	1864, 67
	1870, 675	Tetracerus quadricornis..	1870, 475
nigra	1870, 708	Tetraglenes insignis	1866, 226
nigrita	1869, 171		1866, 255
ocellatus	1861, 214	Tetragnatha digna	1869, 535
peltastes	1869, 171		1869, 537
perraultii	1869, 171		1869, 544
phayrei	1870, 675	extensa	1865, 674
planiceps	1869, 167	indigna	1869, 536
	1869, 168		1869, 543
	1869, 171		1869, 544
	1870, 708	Tetragonopterus melanu-	
platynotus	1870, 655	rus	1868, 247
	1870, 675	orbicularis	1868, 229
radiata	1869, 167	ovalis	1868, 245
	1869, 169	Tetranemys longifilis ..	1862, 79
rafeht	1864, 82	Tetrao australis	1861, 291
semiserrata	1870, 656	bonasia	1863, 338
stellata	1869, 174	chinensis	1863, 308
	1870, 654	coturnix	1863, 308
	1870, 655	cupido	1862, 153
	1870, 667		1868, 299
	1870, 675	falklandicus	1861, 46
sulcata	1869, 173	franklinii	1863, 338
	1870, 658	luzoniensis	1863, 308
	1870, 706	madagascariensis ..	1863, 307
	1870, 707	medius	1870, 40
tabulata	1866, 306	novæ guineæ	1864, 42
	1869, 167	perlatus	1863, 307
	1869, 168	pintadeus	1863, 307
tentoria	1870, 656	reinhardti	1868, 346
triunguis	1864, 88	sinensis	1863, 307
verroxii	1870, 656	tatrix	1862, 84
Tethea collingsii	1867, 541		1863, 338
cranium	1867, 26	umbellus	1862, 22
	1868, 130	urogalloides	1863, 338
ingalli	1867, 549	urogallus	1863, 338
	1868, 131		1863, 529
lyneurium	1863, 450		1865, 717
	1867, 541		1867, 432
	1868, 130		1868, 301
muricata	1868, 131		1868, 309
robusta	1867, 548		1869, 628

	Page		Page
<i>Tetraogallus himalayensis</i>	1870, 403	<i>Thalassema gigas</i>	1868, 112
<i>Tetraonyx baska</i>	1869, 199	<i>grohmanni</i>	1868, 112
<i>junior</i>	1869, 200	<i>lessonii</i>	1868, 112
<i>lessoni</i>	1869, 203	<i>mutatorium</i>	1868, 112
<i>Tetrapteryx paradisea</i> ..	1870, 676	<i>neptuni</i>	1868, 110
<i>virgo</i>	1861, 209	<i>pelzelinii</i>	1868, 111
<i>Tetrarhynchus brevis</i> ..	1861, 265	<i>peronii</i>	1868, 112
<i>minuto-striatus</i> ...	1868, 567	<i>rupium</i>	1868, 110
<i>quadripapillosus</i> ..	1864, 160	<i>scutatum</i>	1868, 108
<i>Tetrastoma renale</i>	1862, 114	<i>vulgaris</i>	1868, 110
<i>renale</i>	1862, 114	<i>Thalasseus cayanus</i> ...	1861, 82
<i>Tetrathyra baikii</i>	1862, 288	<i>cristatus</i>	1863, 329
<i>Tetrax campestris</i>	1862, 293	<i>magnirostris</i>	1866, 200
<i>campestris</i>	1865, 324	<i>Thalassidroma gracilis</i> ..	1867, 336
<i>Tetrodon argenteus</i> ...	1861, 398	<i>leachii</i>	1863, 330
<i>argenteus</i>	1868, 475	<i>pelagica</i>	1863, 379
<i>gularis</i>	1867, 869	<i>segethi</i>	1867, 320
<i>immaculatus</i>	1869, 387	<i>wilsonii</i>	1867, 336
<i>laterna</i>	1867, 869	<i>Thalassina mutatoria</i> ..	1863, 379
<i>lunaris</i>	1870, 703	<i>Thalassodes bifasciata</i> ..	1868, 112
<i>potoca</i>	1867, 869	<i>cælataria</i>	1867, 637
<i>reticularis</i>	1870, 703	<i>dissimulata</i>	1867, 637
<i>simulans</i>	1869, 387	<i>dissita</i>	1867, 637
<i>stellatus</i>	1870, 703	<i>distinctaria</i>	1867, 637
<i>testudineus</i>	1867, 869	<i>inaptaria</i> ..	1867, 637
<i>Teuthis albopunctata</i> ..	1870, 703	<i>macariata</i>	1867, 637
<i>albopunctata</i>	1870, 688	<i>macruraria</i>	1867, 637
<i>corallina</i>	1870, 688	<i>ophthalmicata</i> ...	1867, 637
<i>java</i>	1867, 854	<i>sinuata</i>	1867, 637
<i>labyrinthoides</i> ...	1865, 29	<i>urapteraria</i>	1867, 637
<i>margaritifera</i>	1870, 688	<i>Thalassoica glacialioides</i>	1867, 336
<i>marmorata</i>	1865, 29	<i>glacialioides</i>	1867, 340
<i>osseus</i>	1870, 688	<i>Thalassophryne maculosa</i>	1864, 150
<i>rostrata</i>	1867, 854	<i>maculosa</i>	1864, 156
<i>tutor</i>	1867, 854	<i>reticulata</i>	1864, 150
<i>vermiculata</i>	1865, 29	<i>reticulata</i>	1864, 156
<i>virgata</i>	1870, 687	<i>Thalera argutaria</i>	1867, 638
<i>Textor alecto</i>	1870, 688	<i>argutaria</i>	1867, 637
<i>Thalarctos polaris</i>	1867, 854	<i>bifasciata</i>	1867, 637
<i>Thalassarctos</i>	1867, 854	<i>glaucaria</i>	1867, 638
<i>marinus</i>	1865, 29	<i>Thalotia abnormis</i> ...	1865, 179
<i>maritimus</i>	1870, 688	<i>abnormis</i>	1865, 179
<i>Thalassema aquatica</i> ..	1867, 854	<i>conica</i>	1865, 179
<i>aquatica</i>	1868, 624	<i>mundula</i>	1864, 37
<i>brevipalpis</i>	1868, 73	<i>picta</i>	1865, 179
<i>echiurus</i>	1868, 624	<i>pulcherrima</i>	1865, 179
<i>erythrogrammon</i> ..	1868, 113	<i>ramburi</i>	1865, 179
		<i>zebrides</i>	1867, 215
		<i>Thalurania columbica</i> ..	1864, 365
		<i>columbica</i>	1867, 153
		<i>furcata</i>	1867, 584
		<i>furcata</i>	1867, 594
		<i>furcatoides</i>	1867, 584
		<i>furcatoides</i>	1867, 594
		<i>gramineus</i>	1867, 595
		<i>hypochlora</i>	1867, 584
		<i>hypochlora</i>	1870, 803

	Page		Page
<i>Thalurania hypochlora</i> ..	1870, 804	<i>Thamnophilus fuliginosus</i>	1867, 756
<i>nigrofasciata</i>	1866, 194	<i>guianensis</i>	1870, 566
	1867, 979	<i>hollandi</i>	1868, 574
<i>tschudii</i>	1867, 752	<i>hyperythrus</i>	1866, 185
<i>venusta</i>	1864, 365		1867, 981
	1867, 129	<i>immaculatus</i>	1870, 176
	1867, 153		1870, 194
	1870, 207	<i>leucauchen</i>	1870, 568
<i>verticeps</i>	1870, 804	<i>luctuosus</i>	1867, 575
<i>Thamnistes æquatorialis</i>	1861, 380		1867, 595
<i>anabatinus</i>	1861, 380	<i>major</i>	1867, 575
	1870, 194		1868, 168
<i>affinis</i>	1868, 175		1870, 567
<i>Thamnobia cambayensis</i>	1864, 376	<i>melanocephalus</i>	1866, 185
<i>Thamnodynastes nattereri</i>	1861, 14	<i>melanoceps</i>	1866, 185
	1863, 56	<i>melanocrissus</i>	1870, 837
<i>punctatissimus</i>	1861, 15	<i>melanurus</i>	1866, 185
	1863, 56		1867, 144
<i>Thamnomanes glaucus</i> ..	1867, 750		1867, 750
	1868, 175		1867, 978
<i>Thamnophilus</i> — ? ..	1867, 575		1868, 574
<i>affinis</i>	1864, 355	<i>murinus</i>	1867, 750
	1870, 194		1867, 756
	1870, 837		1868, 574
<i>albicans</i>	1868, 574	<i>nævius</i>	1864, 355
<i>amazonicus</i>	1864, 355		1866, 185
	1866, 185		1867, 144
	1867, 575	<i>nigriceps</i>	1868, 571
	1867, 595		1868, 574
	1867, 756	<i>nigrocinereus</i>	1867, 575
<i>argentinus</i>	1868, 141		1867, 595
	1868, 574	<i>palliatu</i> s	1867, 576
	1870, 113	<i>punctatus</i>	1870, 194
<i>atricapillus</i>	1866, 185	<i>radiatus</i>	1864, 355
	1868, 168		1866, 185
	1868, 628		1867, 576
	1870, 568		1867, 978
<i>berbæ</i>	1868, 574		1870, 194
	1870, 567	<i>stagurus</i>	1870, 567
<i>bridgesi</i>	1867, 130	<i>tenuipunctatus</i>	1868, 574
	1867, 144	<i>torquatus</i>	1868, 141
	1870, 194	<i>transandeanus</i>	1864, 355
<i>cærulescens</i>	1867, 756		1867, 144
<i>caudacutus</i>	1867, 573	<i>tschudii</i>	1868, 574
	1867, 574	<i>haumalea amherstæ</i> ..	1863, 117
<i>cinereoniger</i>	1868, 574		1863, 307
<i>corvinus</i>	1866, 185		1869, 111
<i>doliatus</i>	1864, 355		1869, 278
	1867, 144		1869, 468
	1867, 575		1870, 111
	1868, 168		1870, 128
	1868, 571		1870, 670
	1868, 627	<i>picta</i>	1863, 117
	1870, 194		1863, 127
	1870, 568		1863, 307
<i>fuliginosus</i>	1867, 750		1863, 331
	1867, 755		1863, 338

	Page		Page
<i>Thaumalea picta</i>	1868, 210	<i>Therapon servus</i>	1870, 683
	1869, 149	<i>theraps</i>	1865, 13
	1869, 468		1870, 683
	1869, 628	<i>trivittatus</i>	1865, 13
<i>Thaumantias bartletti</i> ..	1866, 177		1869, 299
	1866, 194	<i>unicolor</i>	1864, 184
<i>chionurus</i>	1867, 129	<i>Theridion fulvo-lunula-</i>	
	1867, 131	<i>tum</i>	1869, 531
	1867, 156		1869, 535
	1868, 390		1869, 543
	1870, 210	<i>lineatum</i>	1865, 674
<i>cupreiceps</i>	1867, 131	<i>punicum</i>	1869, 531
<i>fluviatilis</i>	1866, 194		1869, 535
	1867, 752		1869, 543
	1867, 979	<i>quadripunctatum</i> ..	1865, 674
<i>viridiceps</i>	1870, 803	<i>nervosum</i>	1865, 674
<i>Thaumantis camadeva</i> ..	1865, 767	<i>Thermesia arenacea</i> ...	1867, 77
<i>dioces</i>	1865, 767	<i>consocia</i>	1867, 77
<i>nourmahal</i>	1867, 673	<i>creberrima</i>	1867, 77
<i>Thaumastura cora</i>	1868, 568	<i>præcipua</i>	1867, 77
	1868, 569	<i>reticulata</i>	1867, 77
	1869, 148	<i>transducta</i>	1867, 78
<i>coræ</i>	1867, 987	<i>vaga</i>	1867, 80
<i>francescæ</i>	1869, 148	<i>Thestias ænippe</i>	1865, 491
<i>Thecalia concamerata</i> ..	1864, 39		1865, 759
<i>macrotheca</i>	1864, 39	<i>marianne</i>	1865, 491
	1865, 652		1865, 759
<i>Thecidium barretti</i>	1866, 104	<i>pyrene</i>	1865, 759
<i>mediterraneum</i>	1866, 104	<i>Thestus oncideroides</i> ..	1866, 226
<i>moorei</i>	1866, 104		1866, 248
<i>triangularis</i>	1866, 104		1866, 267
<i>Thecla deria</i>	1865, 507	<i>Thiacidas postica</i>	1865, 811
	1865, 509	<i>Thinocorus ingæ</i>	1867, 331
<i>rama</i>	1867, 675		1867, 339
<i>sorya</i>	1865, 774		1867, 990
<i>syla</i>	1865, 508		1868, 532
<i>Thecosoma hæmatobium</i>	1862, 292	<i>orbignianus</i>	1867, 331
<i>Thela onyx</i>	1867, 675		1867, 339
<i>Theliostyla atrata</i>	1865, 175		1867, 989
<i>Themiste alutacea</i>	1868, 98		1867, 990
<i>hennahi</i>	1868, 98		1868, 570
<i>lageniformis</i>	1868, 98	<i>rumicivorus</i>	1862, 257
	1868, 114		1867, 331
<i>pinnifolia</i>	1868, 98		1867, 339
<i>ramosa</i>	1868, 98		1867, 989
<i>Thenea muricata</i>	1867, 541		1868, 143
	1868, 131		1868, 176
	1868, 480		1868, 570
<i>Theoclytes undata</i>	1863, 480		1869, 148
<i>Theonella swinhoei</i>	1868, 566		1870, 333
<i>Theophila bengalensis</i> ..	1867, 683	<i>swainsoni</i>	1867, 331
<i>sherwillii</i>	1867, 683	<i>Thinornis frontalis</i>	1869, 435
<i>Theora nitida</i>	1867, 914	<i>novæ zealandiæ</i> ..	1869, 360
<i>Therapon</i> — ?	1864, 182	<i>rossii</i>	1869, 360
<i>servus</i>	1861, 221	<i>Thiosmus amazonicus</i> ..	1865, 146
	1864, 307	<i>chilensis</i>	1865, 146
	1865, 13	<i>leuconotus</i>	1865, 146
	1867, 850	<i>marputio</i>	1865, 146
	1868, 10		

	Page		Page
<i>Thiosmus mesoleucus</i> ..	1865,	<i>Thryothorus maculipecc-</i>	
<i>molinae</i>	1865,	<i>tus</i>	1870, 836
<i>quitensis</i>	1865,	<i>martinicensis</i>	1866, 321
<i>Thous cancrivorus</i>	1868,	<i>modestus</i>	1863, 187
<i>fulvipes</i>	1868,		1864, 346
<i>Thracia anatinoides</i>	1867,		1870, 181
<i>australia</i>	1867,		1870, 836
<i>modesta</i>	1867,	<i>nigricapillus</i>	1864, 346
	1867,		1870, 181
	1867,	<i>nisorius</i>	1869, 592
<i>phaseolina</i>	1863,	<i>petenicus</i>	1863, 187
<i>speciosa</i>	1869,	<i>pleurostictus</i>	1864, 580
<i>Thrasaëtus harpyia</i>	1864,		1870, 551
<i>Thraupis coelestis</i>	1870,	<i>polyglottus</i>	1869, 158
<i>cana</i>	1870,	<i>prosthaleucus</i>	1867, 134
<i>cyanoptera</i>	1870,	<i>rufalbus</i>	1864, 345
<i>episcopus</i>	1870,		1867, 134
<i>glaucocolpa</i>	1870,		1870, 181
<i>melanoptera</i>	1870,		1870, 553
	1870,	<i>rufiventris</i>	1870, 328
<i>olivascens</i>	1870,	<i>rutilus</i>	1864, 346
<i>palmarum</i>	1870,		1867, 134
	1870,		1868, 166
<i>serioptera</i>	1870,		1868, 626
<i>Threnetes cervinicauda</i> ..	1867,		1870, 181
<i>Threskiornis aethiopicus</i>	1863,		1870, 563
<i>melanocephalus</i>	1863,	<i>semibadius</i>	1870, 176
	1863,		1870, 181
<i>strictipennis</i>	1867,	<i>thoracicus</i>	1864, 580
<i>Thripophaga guttuligera</i>	1864,		1867, 134
<i>striolata</i>	1864,	<i>Thyatira albicosta</i>	1867, 45
<i>Thryophilus castaneus</i> ..	1867,	<i>batis</i>	1867, 45
<i>leucotis</i>	1867,	<i>Thyella pulchra</i>	1865, 755
<i>Thryothorus albipectus</i> .	1864,	<i>Thylacinus</i>	1862, 135
	1864,	<i>cynocephalus</i>	1863, 103
	1866,	<i>Thylacodes adamsii</i>	1865, 99
	1867,	<i>annulus</i>	1862, 69
	1870,	<i>brasiliensis</i>	1862, 71
<i>atrogularis</i>	1864,	<i>colubrinus</i>	1862, 71
<i>castaneus</i>	1864,		1862, 72
	1867,		1862, 73
	1870,		1862, 82
<i>coraya</i>	1864,	<i>cuvieri</i>	1862, 80
	1866,	<i>decussatus</i>	1862, 66
	1867,		1862, 74
<i>fasciatoventris</i>	1864,		1862, 75
	1870,		1862, 76
<i>galbraithi</i>	1864,		1862, 77
	1867,	<i>dentiferus</i>	1867, 211
	1870,		1862, 67
<i>leucosticus</i>	1867,		1862, 68
<i>leucotis</i>	1864,	<i>elegans</i>	1862, 82
	1867,	<i>eruciformis</i>	1862, 70
	1868,	<i>grandis</i>	1862, 81
	1870,	<i>imbricatus</i>	1862, 73
<i>longirostris</i>	1864,		1865, 99
	1870,	<i>inopertus</i>	1862, 79
<i>maculipectus</i>	1864,	<i>intiotiosa</i>	1862, 58

	Page		Page
<i>Thylacodes longifilis</i> ..	1862, 79	<i>Tigrisoma</i>	1864, 71
	1862, 81	<i>brasiliense</i>	1864, 371
<i>masier</i>	1862, 71		1866, 199
	1862, 78		1867, 979
<i>melanostomus</i>	1865, 99	<i>cabanisi</i>	1866, 199
<i>melitensis</i>	1862, 58		1867, 280
	1862, 67		1870, 218
	1862, 79	<i>leucolophum</i>	1863, 517
<i>michaudii</i>	1862, 77	<i>tigrinum</i>	1864, 371
<i>natalensis</i>	1862, 70	<i>Tiliqua</i> — ?	1864, 115
<i>oryzata</i>	1862, 78	<i>fernandesi</i>	1866, 562
<i>polyphragma</i>	1862, 64	<i>rufescens</i>	1861, 215
	1862, 66		1863, 58
	1862, 67	<i>zeelandica</i>	1869, 227
	1862, 80	<i>Timalia erythroptera</i> ..	1863, 215
<i>porites</i>	1862, 77	<i>flavicollis</i>	1866, 548
<i>protensus</i>	1862, 77	<i>gularis</i>	1866, 547
<i>riisei</i>	1862, 69		1866, 548
<i>rumphii</i>	1862, 77	<i>maculata</i>	1863, 215
<i>scaber</i>	1862, 73	<i>nigricollis</i>	1863, 215
<i>squamigerus</i>	1862, 76	<i>Timandra aventiaria</i> ...	1866, 365
<i>sulcatus</i>	1862, 68		1867, 644
	1865, 174	<i>convectaria</i>	1867, 644
<i>turonius</i>	1862, 69	<i>subobliquaria</i>	1867, 644
<i>zelandicus</i>	1862, 82	<i>Timea stellata</i>	1867, 544
<i>Thylacodus</i>	1861, 336	<i>Timoclea australis</i> ...	1865, 648
<i>Thylactus angularis</i> ...	1866, 226	<i>Tinactor guatemalensis</i> ..	1864, 354
	1866, 242	<i>Tinamotis pentlandi</i> ...	1867, 989
	1866, 267		1868, 570
<i>Thymallus vulgaris</i>	1862, 103	<i>Tinamus meserythrus</i> ..	1864, 371
<i>Thymele benjaminii</i>	1865, 783	<i>parvirostris</i>	1867, 754
<i>Thynnus pelamys</i>	1863, 378	<i>pileatus</i>	1864, 371
<i>thunnina</i>	1867, 861	<i>robustus</i>	1861, 234
<i>vulgaris</i>	1862, 134		1862, 257
<i>Thyreopsis coralliophila</i> ..	1868, 14		1863, 517
	1868, 17		1864, 371
<i>Thyreus elegantulus</i>	1867, 675		1867, 159
<i>Thyridospila sphaeriphora</i>	1867, 79		1867, 425
<i>Thyrorrhina schomburgki</i>	1868, 458		1870, 218
	1868, 470	<i>strigulosus</i>	1869, 254
<i>Thyrsites atun</i>	1865, 437	<i>variegatus</i>	1861, 234
<i>lepidopoides</i>	1865, 437	<i>Tinca vulgaris</i>	1862, 139
<i>prometheus</i>	1862, 173		1869, 250
	1865, 435	<i>Tinea longicornis</i>	1867, 669
	1865, 436	<i>Tinnunculus alaudarius</i> ..	1861, 367
	1865, 437		1863, 159
	1868, 225		1863, 261
<i>Thyrsodea atlantica</i>	1862, 168		1863, 332
<i>unicolor</i>	1862, 168		1864, 429
<i>Thysanochilus ornatus</i> ..	1869, 241		1865, 694
<i>Tiaris jacarina</i>	1870, 582		1866, 568
<i>Tichodroma muraria</i> ..	1863, 270		1868, 394
	1864, 433	<i>cenchris</i>	1864, 2
<i>Tickellia hodgsoni</i>	1861, 199		1864, 429
<i>Tiga tridactyla</i>	1863, 210	<i>gracilis</i>	1867, 344
<i>Tigridia zingha</i>	1865, 637	<i>japonicus</i>	1863, 261
<i>Tigris regalis</i>	1867, 263		1863, 332
	1870, 626	<i>moluccensis</i>	1863, 484

	Page		Page
<i>Tinnunculus newtoni</i> ..	1865,	<i>Toccus monteiri</i>	1870,
<i>newtonii</i>	1863,	<i>Todirhamphus chloris</i> ..	1869,
<i>punctatus</i>	1863,		1869,
	1865,	<i>collaris</i>	1862,
<i>rupicola</i>	1866,		1862,
	1869,		1863,
<i>rupicoloides</i>	1864,		1866,
<i>sparverius</i>	1864,	<i>leucopygius</i>	1869,
	1867,	<i>sanctus</i>	1862,
	1867,		1862,
	1867,		1863,
	1867,	<i>sordidus</i>	1869,
	1868,	<i>tutus</i>	1864,
	1868,		1864,
	1868,	<i>Todirostrum chrysocrota-</i>	
	1869,	<i>phum</i>	1866,
	1869,	<i>cinereum</i>	1864,
	1869,		1867,
	1870,		1868,
	1870,		1870,
	1870,		1870,
	1870,	<i>ecaudatum</i>	1868,
	1870,	<i>maculatum</i>	1866,
<i>Tinoleus eburneigutta</i> ..	1865,		1867,
<i>Tisiphone sufta</i>	1865,	<i>megacephalum</i>	1864,
<i>Titanotherium proutii</i> ..	1870,	<i>nigriceps</i>	1864,
<i>Tithorea tarricina</i>	1863,	<i>olivaceum</i>	1864,
<i>Tityra albitorques</i>	1864,	<i>schistaceiceps</i>	1864,
	1867,	<i>spiciferum</i>	1866,
	1867,	<i>Todopsis bonapartei</i>	1861,
<i>cayana</i>	1867,	<i>cyanocephala</i>	1861,
	1868,	<i>grayi</i>	1862,
<i>fraseri</i>	1867,	<i>wallacii</i>	1861,
	1870,		1861,
	1870,	<i>Todus viridis</i>	1861,
<i>leuconotus</i>	1867,	<i>Tolypeutes conurus</i>	1865,
<i>mexicana</i>	1867,		1865,
<i>niger</i>	1870,	<i>tricinctus</i>	1865,
<i>personata</i>	1864,		1865,
	1864,		1865,
	1867,	<i>Tomicus saxeseni</i>	1867,
	1867,		1867,
	1870,	<i>Tomopterna labrosa</i>	1870,
	1870,	<i>natalensis</i>	1870,
<i>Tivela tripla</i>	1862,	<i>Tonicia carpenteri</i>	1867,
<i>undulosa</i>	1867,		1867,
<i>vulgaris</i>	1862,		1867,
<i>Toccolosida rubriceps</i> ..	1867,		1867,
<i>Toccus elegans</i>	1865,	<i>Topaza pyra</i>	1867,
	1865,		1867,
<i>erythrorhynchus</i> ..	1865,	<i>Torcula clathrata</i>	1865,
	1867,	<i>Torinia</i> — ?	1865,
	1867,	<i>conica</i>	1865,
	1868,	<i>corrugata</i>	1865,
<i>melanoleucus</i>	1864,	<i>variegata</i>	1865,
	1868,	<i>Tornatellina antillarum</i> .	1870,
	1870,	<i>aperta</i>	1864,
<i>monteiri</i>	1865,	<i>hierosolymarum</i> ..	1865,
	1865,	<i>lamellata</i>	1866,
	91		443

	Page		Page
<i>Tornatellina oblonga</i> ..	1864,	<i>Toxotes jaculator</i>	1870,
<i>simplex</i>	1864,	<i>Trabala laeta</i>	1867,
<i>Tornatina carinata</i>	1863,	<i>mahananda</i>	1865,
<i>fusiformis</i>	1867,	<i>vishnu</i>	1865,
<i>infrequens</i>	1863,	<i>Trachemys holbrookii</i> ..	1869,
<i>Totanus acuminatus</i>	1863,	<i>Trachichthys australis</i> ..	1866,
<i>affinis</i>	1863,	<i>darwinii</i>	1866,
<i>breviceps</i>	1863,	<i>elongatus</i>	1866,
<i>calidris</i>	1870,	<i>Trachinus draco</i>	1864,
<i>chilensis</i>	1862,	<i>vipera</i>	1864,
<i>crassirostris</i>	1863,	<i>Trachischium fuscum</i> ..	1861,
<i>damacensis</i>	1863,	<i>rugosum</i>	1861,
<i>empusa</i>	1863,	<i>Trachops fuliginosus</i> ..	1861,
<i>flavipes</i>	1867,	<i>1867,</i>	1861,
<i>fuliginosus</i>	1863,	<i>Trachycardium cygnorum</i>	1865,
<i>fuscus</i>	1862,	<i>Trachycyclus marmoratus</i>	1863,
<i>1863,</i>	311	<i>superciliaris</i>	1861,
<i>1863,</i>	517	<i>Trachydosaurus rugosus</i> .	1862,
<i>1870,</i>	221	<i>Trachynotus baillonii</i> ..	1867,
<i>1870,</i>	427	<i>fasciatus</i>	1864,
<i>1863,</i>	311	<i>glaucoides</i>	1864,
<i>1863,</i>	312	<i>glaucus</i>	1864,
<i>1863,</i>	487	<i>ovatus</i>	1861,
<i>1863,</i>	530	<i>1867,</i>	861
<i>1864,</i>	452	<i>Trachyops cirrhosus</i> ...	1870,
<i>1865,</i>	618	<i>Trachyphonus cafer</i>	1870,
<i>1863,</i>	311	<i>margaritatus</i>	1870,
<i>1866,</i>	331	<i>purpuratus</i>	1870,
<i>1863,</i>	311	<i>1870,</i>	119
<i>1863,</i>	312	<i>1870,</i>	119
<i>1863,</i>	222	<i>1870,</i>	120
<i>1863,</i>	312	<i>Trachyscelis aphodioides</i>	1867,
<i>1863,</i>	487	<i>1867,</i>	381
<i>1864,</i>	9	<i>Trachystola granulosa</i> ..	1866,
<i>1864,</i>	10	<i>1866,</i>	247
<i>1864,</i>	9	<i>Tragelaphus albovittatus</i>	1861,
<i>1863,</i>	311	<i>angasii</i>	1864,
<i>1863,</i>	312	<i>euryceros</i>	1861,
<i>1863,</i>	530	<i>1864,</i>	104
<i>1863,</i>	532	<i>spekii</i>	1864,
<i>1864,</i>	452	<i>1864,</i>	103
<i>1864,</i>	312	<i>1864,</i>	104
<i>1864,</i>	312	<i>1864,</i>	649
<i>1864,</i>	452	<i>1864,</i>	659
<i>1863,</i>	312	<i>1864,</i>	99
<i>1870,</i>	588	<i>1864,</i>	105
<i>1867,</i>	979	<i>1864,</i>	658
<i>1868,</i>	169	<i>Tragopan hastingsii</i>	1863,
<i>1863,</i>	311	<i>satyrus</i>	1863,
<i>1864,</i>	452	<i>Tragosa dissimilis</i>	1867,
<i>1867,</i>	332	<i>infundibuliformis</i> ..	1867,
<i>1863,</i>	315	<i>Tragulus affinis</i>	1861,
<i>Toxocampa costumacula</i> ..	1867,	<i>1864,</i>	483
<i>metaspila</i>	1866,	<i>1864,</i>	484
<i>tetraspila</i>	1867,	<i>1867,</i>	955
	65		
	363		
	65		

	Page		Page
Tragulus javanicus	1867, 957	Tribonyx mortieri	1867, 817
	1867, 959	ventralis	1865, 196
	1870, 93	Tribura luteiventris	1863, 292
	1870, 94	squameiceps	1863, 292
kranchil	1864, 483	Triceras	1864, 468
	1864, 484	owenii	1864, 467
	1867, 959		1864, 477
	1869, 226	Trichas æquinoctialis	1870, 565
meminna	1864, 483	bivittatus	1870, 565
	1869, 660	leucoblephara	1865, 285
	1870, 94	stragulata	1865, 285
	1870, 644	superciliosa	1865, 285
napu	1864, 483	velatus	1870, 565
	1864, 484	Trichechus	1862, 135
	1869, 226	divergens	1868, 427
stanleyanus	1864, 483	hydropithecus	1868, 360
	1864, 484	manatus	1864, 247
	1870, 94		1868, 331
Trapelus savignii	1864, 61		1868, 342
sinaita	1864, 489		1868, 357
Trechichus fimicola	1867, 364		1868, 358
	1867, 369	obesus	1868, 427
Trelania radiata	1867, 744	rosmarus	1864, 33
Treron aromatica	1863, 18		1864, 500
	1863, 33		1867, 818
australis	1866, 424		1868, 67
bicincta	1863, 371		1868, 335
calva	1866, 329		1868, 338
	1869, 570		1868, 339
	1870, 147		1868, 340
capellii	1863, 221		1868, 427
delalandii	1862, 12		1870, 545
	1864, 113	Trichina spiralis	1862, 288
	1867, 827		1862, 298
	1867, 828		1862, 299
floris	1863, 486		1862, 326
	1863, 496	Trichiurus haumela	1870, 695
formosa	1863, 338	malabaricus	1865, 20
fulvicollis	1863, 220	savala	1869, 301
griseicauda	1862, 335		1870, 695
	1862, 344	Trichocephalus affinis	1861, 121
	1863, 496		1862, 298
nipalensis	1863, 220	dispar	1862, 288
nudirostris	1863, 106		1862, 297
olax	1863, 220		1862, 298
phœnicoptera	1863, 371		1864, 16
psittacea	1863, 486	hominis	1862, 297
sphenura	1867, 821	lemuris	1862, 297
vernans	1863, 220	palæformis	1862, 297
Triacanthus biaculeatus	1865, 313	simiæ patas	1862, 297
	1870, 703	Trichocorytes macmur-	
Triænodon obesus	1867, 870	trii	1866, 118
Triate discophora	1867, 549	Trichogaster cærulescens	1869, 520
Tribolium ferrugineum	1867, 361	chuna	1869, 520
	1867, 381	cotra	1869, 520
Tribonyx gouldi	1867, 817	fasciatus	1867, 15
mortieri	1862, 255		1869, 305
	1867, 816		1869, 520

	Page		Page
Trichogaster fuscus	1869, 520	Trichosoma brevicolle . .	1861, 122
lalius	1869, 520	longicolle	1861, 122
ruber	1869, 520	Trichostoma abbottii . .	1863, 215
sota	1869, 520	umbratile	1863, 215
vittatus	1869, 520	Trichotropis gouldii . . .	1861, 272
Trichoglossus	1864, 275	Trichuris	1862, 297
capistratus	1861, 436	Triga philippinensis . . .	1867, 239
coccineifrons	1861, 436	Trigona	1862, 228
	1864, 291	radiata	1863, 365
	1864, 295		1863, 368
cyanogrammus	1861, 436	Trigonella amygdala . .	1865, 645
	1863, 20	contraria	1867, 916
	1864, 291	luzonica	1866, 146
	1864, 295		1867, 916
euteles	1863, 484	polita	1865, 645
	1864, 292	pura	1865, 645
	1864, 295	pusilla	1867, 916
flavoviridis	1862, 335	rufescens	1865, 644
	1862, 337	Trigonia lamarcki	1867, 915
	1864, 292		1867, 931
	1864, 295	margaritacea	1867, 931
forsteni	1863, 481	pectinata	1867, 931
	1863, 484	strangei	1867, 931
	1864, 291	Trigonocephalus lands-	
	1864, 295	bergii	1863, 54
hæmatodus	1863, 484	mucrosquamatus . .	1870, 411
	1864, 291	neuwiedii	1863, 54
	1864, 295	Trigonodes gammoides .	1867, 75
immarginatus	1861, 436	hippasia	1863, 167
	1864, 291	hyppasia	1866, 364
iris	1863, 484		1867, 77
	1864, 292	Trilocha varians	1865, 815
	1864, 295	Trimeresurus erythrurus	1870, 412
massena	1864, 292	gramineus	1869, 502
	1864, 295	mucrosquamatus . .	1870, 411
massenæ	1867, 828	viridis	1861, 220
	1869, 119	Tringa acuminata	1863, 316
	1869, 123		1868, 4
	1869, 124		1868, 8
multicolor	1867, 393		1868, 118
nigrogularis	1861, 436	albescens	1861, 438
	1863, 20		1863, 316
	1864, 291		1868, 8
ochrocephalus	1861, 436	bairdi	1867, 332
	1864, 292		1867, 339
ornatus	1862, 337		1868, 138
	1864, 291		1868, 144
	1864, 295		1868, 176
pusillus	1869, 279		1868, 570
rubritorques	1863, 232	bonapartii	1861, 80
	1869, 279		1867, 332
Trichopodus beje	1869, 520		1867, 339
bejeus	1867, 15		1867, 591
colisa	1867, 15		1868, 138
	1869, 520		1868, 144
cotra	1867, 15	campestris	1868, 144
lalius	1867, 15	canutus	1863, 315
Trichosoma aërophilum .	1861, 121	chinensis	1863, 316

	Page		Page
Tringa cinclus	1863, 316	Tringoides macularius ..	1864, 372
	1864, 452		1867, 592
damacensis	1863, 316	Trionyx	1864, 97
dorsalis	1868, 144	ægyptiacus	1864, 78
fuscicollis	1868, 144		1864, 88
maculata	1866, 199		1864, 91
	1867, 754	argus	1864, 89
	1869, 598	bibroni	1864, 89
maritima	1863, 315		1864, 90
mauri	1870, 588	cariniferus	1864, 83
melanota	1868, 144		1864, 85
minuta	1863, 316	coromandelica	1864, 98
	1864, 452	euphraticus	1864, 82
	1867, 165	ferus	1869, 222
	1868, 8	formosus	1869, 217
	1868, 118		1869, 225
minutilla	1867, 165	frenatus	1864, 87
	1867, 591		1869, 220
	1870, 323	gangeticus	1861, 41
pectoralis	1863, 316		1861, 214
	1867, 332		1864, 79
platyrhyncha	1863, 316		1864, 80
	1864, 272		1864, 81
pusilla	1863, 316		1864, 89
	1870, 588		1869, 212
rufescens	1863, 316		1869, 217
schinzii	1863, 316		1869, 219
	1867, 332		1869, 220
semipalmata	1870, 588		1869, 221
subarcuata	1862, 319	hurum	1861, 214
	1863, 316		1869, 219
	1863, 317	indicus	1864, 78
subarquata	1864, 452		1864, 91
	1866, 331	javanicus	1861, 214
	1866, 425		1864, 78
subminuta	1863, 316		1864, 85
	1863, 317		1864, 87
temmincki	1867, 165	jeudi	1869, 217
temminckii	1863, 317		1869, 218
tenuirostris	1863, 315	labiatus	1864, 78
tridactyla	1863, 315	labrosus	1864, 88
wilsoni	1861, 80	maackii	1864, 87
	1864, 178	muticus	1864, 78
	1864, 372	niloticus	1864, 82
Tringites rufescens	1867, 754		1864, 88
	1867, 979	ocellatus	1869, 219
Tringoides empusa	1861, 438	ornatus	1861, 41
hypoleuca	1863, 222		1864, 85
	1863, 277		1869, 219
	1863, 312	perocellatus	1864, 86
hypoleucos	1864, 452		1869, 216
hypoleucus	1869, 124	peroculatus	1869, 216
	1870, 603	phayrei	1869, 219
macularia	1868, 629	rafeht	1864, 81
	1870, 588	schlegelii	1864, 87
	1870, 783	spiciferus	1869, 222
macularius	1861, 80	spiniferus	1864, 89
	1864, 178	stellatus	1864, 85

	Page		Page
<i>Trionyx stellatus</i>	1864,	<i>Triton cingulatum</i>	1863,
<i>subplanus</i>	1864,	<i>constrictus</i>	1863,
<i>tuberculatus</i>	1861,	<i>crenulatus</i>	1865,
	1864,	<i>cristatus</i>	1862,
	87		1863,
<i>Triopa yatesi</i>	1867,		1870,
<i>Triphaena semiherbida</i>	1867,	<i>cutaceum</i>	1867,
<i>Triphoris alternatus</i>	1863,	<i>doliarius</i>	1867,
<i>angasi</i>	1865,	<i>exaratus</i>	1867,
<i>bicolor</i>	1870,	<i>femorale</i>	1861,
<i>brunneus</i>	1870,	<i>fusiformis</i>	1867,
<i>cinguliferus</i>	1870,	<i>fusoides</i>	1863,
<i>costatus</i>	1870,	<i>lanceolatus</i>	1861,
<i>cylindricus</i>	1870,	<i>leucostoma</i>	1867,
	1870,	<i>lotorium</i>	1861,
<i>festivus</i>	1865,	<i>lyratum</i>	1867,
<i>gracilis</i>	1870,	<i>marmoratus</i>	1863,
	1870,	<i>olearium</i>	1867,
	777	<i>pagodus</i>	1863,
<i>granosus</i>	1870,	<i>palrnatus</i>	1870,
<i>inconspicuus</i>	1863,		1870,
<i>infrequens</i>	1863,	<i>pilearis</i>	1865,
<i>labiatus</i>	1867,	<i>punctatus</i>	1862,
<i>maculatus</i>	1870,	<i>quoyi</i>	1865,
<i>minimus</i>	1870,	<i>spengleri</i>	1864,
<i>mirabilis</i>	1870,		1865,
	1870,		1867,
<i>mirificus</i>	1870,	<i>strangei</i>	1864,
	1870,	<i>subdistortus</i>	1865,
	775	<i>succinctus</i>	1867,
<i>nigrofuscus</i>	1867,	<i>tessellatus</i>	1861,
<i>oryza</i>	1870,	<i>waterhousei</i>	1864,
<i>pallidus</i>	1870,		1865,
<i>perfectus</i>	1870,		1867,
	1870,		188
	775		188
<i>pfeifferi</i>	1865,	<i>Tritonidea lincolnensis</i>	1865,
<i>punctatus</i>	1870,	<i>unicolor</i>	1867,
<i>pustulosus</i>	1870,	<i>Tritonium australe</i>	1867,
<i>robustus</i>	1870,	<i>bamfi</i>	1862,
<i>similis</i>	1870,	<i>boltenianum</i>	1867,
<i>sulcosus</i>	1870,	<i>doliarium</i>	1867,
<i>tuberculosis</i>	1870,	<i>exaratum</i>	1867,
<i>Triptorhinus paradoxus</i>	1867,	<i>fusiforme</i>	1867,
	1867,	<i>greenlandicum</i>	1865,
	325	<i>olearium</i>	1867,
	338	<i>spengleri</i>	1867,
<i>Tripura prasena</i>	1865,	<i>undatum</i>	1865,
<i>Triquetra corrugata</i>	1866,	<i>undulatum</i>	1865,
<i>lanceolata</i>	1867,	<i>Trivia australis</i>	1867,
<i>obliqua</i>	1866,	<i>candida</i>	1865,
<i>Trisula pustulifera</i>	1865,	<i>pedicula</i>	1861,
<i>variegata</i>	1865,	<i>pustulata</i>	1863,
<i>Tritomum clathratum</i>	1862,	<i>quadripunctata</i>	1861,
<i>Triton africana</i>	1867,	<i>radians</i>	1863,
<i>alpestris</i>	1863,	<i>sanguinea</i>	1863,
<i>australis</i>	1867,	<i>Trochalopteron fairbanki</i>	1869,
<i>barthelemyi</i>	1865,	<i>jerdoni</i>	1867,
	1867,	<i>Trochatella mouhoti</i>	1862,
	188		277
<i>bassi</i>	1869,		
<i>brazieri</i>	1869,		
<i>chemnitzii</i>	1863,		
<i>chlorostoma</i>	1861,		

	Page		Page
Trochatella mouhoti	1862, 278	Trochus badius	1865, 180
Trochella calyptræformis	1867, 736		1867, 215
maculata	1867, 736	bellulus	1865, 181
Trocheta subviridis	1865, 659	blandianus	1865, 180
	1865, 660	calyptræformis	1867, 211
	1865, 661		1867, 736
Trochilina adspersa	1867, 741	catenulatus	1863, 355
conica	1867, 741	chlorostomus	1865, 180
fastigiata	1867, 741	cicatrosus	1867, 209
lichen	1867, 742	clanguloides	1867, 214
manillaris	1867, 741	contrarius	1861, 148
solida	1867, 742	coronulatus	1863, 355
Trochilus — ?	1862, 102	ferrugineus	1865, 148
alexandri	1864, 177	fimbriatus	1865, 177
angelæ	1865, 466	irisodontes	1865, 181
	1865, 467	leanus	1863, 355
bicolor	1865, 467	leucostigma	1865, 181
castaneiventris	1870, 206		1867, 216
castaneovertris	1867, 129	ligulatus	1863, 356
	1867, 153	lima	1863, 355
chionogaster	1866, 194		1865, 279
colubris	1862, 208	lividus	1863, 356
	1863, 516	luteus	1867, 209
	1864, 176	maugeri	1867, 214
	1870, 208	melanostomus	1865, 172
gayi	1870, 787	modulus	1861, 405
moschatus	1862, 210	multicarinatus	1867, 216
phaëthon	1865, 467	nanus	1867, 209
polytmus	1861, 79	nobilis	1865, 180
saulæ	1870, 787	odontis	1865, 182
Trochita calyptræformis	1867, 211	panamensis	1863, 356
clypeolum	1867, 735	pellis-serpentis	1863, 356
corrugata	1867, 735	pictus	1865, 179
pellucida	1867, 211	planus	1865, 173
radians	1867, 735		1867, 209
spinulosa	1867, 741	preissii	1865, 182
spirata	1867, 735	pulcherrimus	1865, 179
Trochocochlea concame-		radians	1867, 735
rata	1867, 217	ramburi	1865, 179
constricta	1865, 182	reticulatus	1863, 356
excavata	1864, 37	squamiferus	1865, 177
multicarinata	1867, 216	striolatus	1865, 182
porcata	1867, 216	tæniatus	1865, 182
striolata	1865, 182		1867, 216
tæniata	1865, 182	tentoriiformis	1867, 214
	1867, 216	tiberianus	1867, 215
Trochocopus	1861, 416	undatus	1865, 178
Trochomorpha batchia-		urvillei	1865, 177
nensis	1865, 407		1867, 214
conicoides	1865, 407	virgulatus	1865, 181
lychnia	1865, 407	vitiligineus	1865, 182
	1865, 408		1867, 217
partunda	1867, 890	ziziphinus	1862, 204
planorbis	1865, 408	Troglodytes	1864, 338
tropicophora	1865, 408	— ?	1865, 618
Trochus abnormis	1865, 179	aëdon	1862, 18
armillatus	1865, 180		1864, 346
auratus	1865, 173	brunneicollis	1862, 18

	Page		Page
Troglodytes calvus	1861, 273	Trogon aurantiiventris..	1870, 202
europæus	1864, 433	bairdi	1870, 202
	1868, 219	caligatus	1864, 176
	1870, 430		1864, 364
fumigatus	1870, 430		1867, 151
	1870, 602		1870, 202
furvus	1866, 96	chionurus	1870, 843
	1866, 178	chrysochlorus	1870, 560
	1866, 321	clathratus	1866, 75
	1867, 340		1867, 151
	1867, 568		1870, 202
	1869, 158	collaris	1866, 193
gorilla	1861, 198		1870, 559
	1861, 212	concinus	1864, 364
	1861, 277	curucui	1870, 559
	1863, 171	cyanurus	1870, 559
	1865, 567		1870, 844
	1865, 581	erythrocephalus . .	1863, 371
hornensis	1867, 321	heliiothrix	1869, 598
hypoædon	1861, 128	macrurus	1864, 364
	1862, 18	massena	1864, 364
	1864, 346		1866, 75
inquietus	1867, 135		1866, 76
intermedius	1864, 346		1867, 151
koolookamba	1861, 273		1870, 202
magellanicus	1867, 321	melanocephalus . . .	1870, 837
	1867, 337	melanopterus	1866, 192
niger	1861, 273	melanurus	1866, 193
	1864, 587		1867, 583
	1864, 709		1867, 752
	1865, 48		1867, 978
	1865, 550		1869, 598
	1865, 559		1870, 559
	1865, 562	meridionalis	1870, 558
	1865, 567	narina	1865, 92
	1865, 581	oreskios	1866, 538
	1865, 675	pavoninus	1867, 583
nisorius	1869, 592	personatus	1870, 782
parvulus	1861, 366	puella	1864, 176
	1863, 160		1866, 76
parvus	1868, 166		1870, 202
platensis	1869, 158	ramonianus	1866, 193
pleurostictus	1869, 592	reinwardti	1867, 444
rutilus	1870, 563	sulphureus	1870, 558
tessellatus	1867, 135	tenellus	1864, 364
	1867, 749		1867, 151
	1867, 754	variegatus	1866, 193
	1867, 984	venustus	1870, 843
	1868, 569		1870, 844
vellerosus	1862, 181	viridis	1864, 364
vulgaris	1864, 375		1866, 192
Trogon atricollis	1864, 364		1867, 583
	1867, 151		1867, 752
	1870, 202		1868, 168
	1870, 560		1870, 559
aurantiiventris	1864, 364		1870, 843
	1867, 130		1870, 844
	1867, 151	Trogonophis wiegmanni	1865, 443

	Page		Page
<i>Trogonophis wiegmanni</i>	1865, 444	<i>Tropidorhynchus bouru-</i>	
	1865, 445	<i>ensis</i>	1869, 120
<i>Trogophlœus corticinus</i>	1867, 364	<i>cineraceus</i>	1863, 486
	1867, 384		1869, 279
<i>riparius</i>	1867, 364	<i>corniculatus</i>	1869, 279
	1867, 384	<i>diemenensis</i>	1869, 120
<i>subtilis</i>	1867, 363	<i>marginatus</i>	1861, 429
	1867, 385		1861, 434
<i>Trophon candelabrum</i> ..	1862, 375	<i>mitratus</i>	1861, 434
<i>clathratum</i>	1862, 374	<i>novæ-guineæ</i>	1861, 434
<i>concinnum</i>	1862, 375	<i>plumigenis</i>	1861, 434
<i>coronatum</i>	1863, 429	<i>subcornutus</i>	1863, 27
<i>crassum</i>	1862, 374	<i>timoriensis</i>	1863, 486
<i>crispum</i>	1862, 375	<i>vulturinus</i>	1869, 120
<i>fimbriatulum</i>	1862, 375	<i>Tropidosaurus montanus</i>	1861, 189
<i>hanleyi</i>	1867, 110	<i>Trox</i> — ?	1864, 118
	1867, 117	<i>scaber</i>	1867, 362
	1867, 187		1867, 375
<i>incomptum</i>	1862, 375	<i>Trugon terrestris</i>	1861, 437
<i>liratum</i>	1862, 375	<i>Truncaria modesta</i> ...	1863, 344
<i>orpheus</i>	1862, 375	<i>Truncatella bairdiana</i> ..	1863, 358
<i>paivæ</i>	1865, 158	<i>clathrata</i>	1865, 54
	1867, 187	<i>eylindrica</i>	1864, 676
<i>spiratum</i>	1863, 429	<i>dubiosa</i>	1863, 358
<i>tantillum</i>	1862, 375	<i>marginata</i>	1867, 40
<i>Tropidolepisma majus</i> ..	1862, 185	<i>scalarina</i>	1867, 40
	1862, 186	<i>wallacei</i>	1865, 416
<i>Tropidonotus cerasogaster</i>	1861, 218	<i>Trupialis guianensis</i> ...	1868, 140
<i>chrysargus</i>	1861, 217	<i>militaris</i>	1869, 161
<i>fasciatus</i>	1861, 366	<i>Truxalis</i> — ?	1864, 118
<i>ferox</i>	1863, 378	<i>Trygodes divisaria</i> ...	1867, 642
<i>hydrus</i>	1864, 489	<i>vagata</i>	1867, 642
<i>natrix</i>	1861, 390	<i>Trygon forskalii</i>	1867, 872
	1863, 47	<i>sephen</i>	1867, 872
<i>ordinatus</i>	1861, 228	<i>uarnak</i>	1865, 316
	1861, 367		1865, 317
<i>orientalis</i>	1861, 391		1867, 872
<i>picturatus</i>	1862, 225		1869, 387
<i>platyceps</i>	1861, 217		1870, 704
<i>plumbicolor</i>	1869, 502	<i>Tryngites rufescens</i>	1866, 199
<i>quincunciatus</i>	1861, 189		1867, 165
	1861, 217	<i>Tschitræa borbonica</i> ...	1866, 423
	1869, 501	<i>mutata</i>	1866, 423
	1870, 411	<i>Tubiola nivea</i>	1863, 74
<i>stolatus</i>	1861, 217	<i>cornuella</i>	1863, 74
	1869, 502	<i>Tubulus anguinus</i>	1861, 173
	1870, 241	<i>marinus</i>	1862, 74
	1870, 411	<i>vermicularis</i>	1862, 59
<i>umbratus</i>	1861, 217	<i>vermium</i>	1862, 78
<i>Tropidophorus cochinchinensis</i>	1861, 188	<i>Tudicla armigera</i>	1863, 429
<i>grayi</i>	1861, 189	<i>spinosa</i>	1863, 429
<i>microlepis</i>	1861, 188	<i>Tugalia cicatricosa</i> ...	1865, 185
<i>Tropidorhynchus</i>	1863, 28	<i>ossea</i>	1867, 219
<i>argenteiceps</i>	1863, 233	<i>parmophoridea</i> ...	1865, 185
<i>bouruensis</i>	1863, 19	<i>Tupaia ferruginea</i> ...	1865, 322
	1863, 26	<i>speciosa</i>	1865, 322
	1863, 31	<i>splendidula</i>	1865, 322
		<i>tana</i>	1865, 322

	Page		Page
Tupinambis	1861,	Turdus assimilis	1870,
Turacœna crassirostris ..	1869,		1870,
menadensis	1862,	atrigularis	1870,
modesta	1862,	atrogularis	1869,
Turacus albocristatus ..	1863,	atrosericeus	1867,
livingstonii	1864,		1870,
porphyreolophus ..	1864,	aurantiistrostris	1868,
Turbinella cœstus	1863,	aurantius	1861,
castanea	1863,	cardis	1863,
cerata	1863,		1863,
rudis	1863,	casius	1864,
spadicea	1863,	chiguanco	1866,
Turbo buschii	1863,		1866,
cidaris	1861,		1867,
circularis	1865,	chrysolaus	1863,
helicinus	1861,		1863,
japonicus	1865,		1865,
lamellosus	1865,	crotopezus	1867,
	1867,		1868,
lugubris	1862,	daulias	1863,
marmoratus	1866,		1863,
niveus	1863,	dominicanus	1863,
phasianella	1863,	ephippialis	1862,
pica	1861,		1867,
rutilus	1863,	falklandicus	1867,
saxosus	1863,		1867,
scalaris	1867,	flavistrostris	1870,
torquatus	1865,	fumigatus	1866,
	1867,		1867,
undulatus	1865,		1868,
	1867,		1868,
Turbonilla nitida	1867,		1870,
	1867,	furfus	1867,
	1867,	fuscater	1867,
speciosa	1869,	fuscatus	1862,
	1870,		1863,
Turcica concinna	1863,		1863,
imperialis	1863,		1870,
instricta	1863,	fuscescens	1864,
monilifera	1863,	goudoti	1870,
stellata	1863,	grayi	1864,
Turdus	1864,		1864,
aëdon	1862,		1864,
	1863,		1867,
albiventris	1862,		1870,
	1867,		1870,
	1870,	hortulorum	1863,
	1870,	ignobilis	1862,
amaurochalinus	1862,		1866,
	1866,	iliacus	1863,
	1867,		1865,
	1867,	jamaicensis	1861,
	1868,		1867,
amœnus	1861,	leschenaultii	1863,
armillaris	1863,	leucauchen	1867,
assimilis	1864,		1867,
	1867,		1870,

	Page		Page
<i>Turdus leucauchen</i>	1870, 838	<i>Turdus sibiricus</i>	1863, 334
<i>leucocillus</i>	1863, 279	<i>simensis</i>	1869, 437
<i>leucomelas</i>	1868, 138	<i>subcinereus</i>	1866, 320
	1870, 798		1867, 321
<i>luridus</i>	1867, 132	<i>swainsonii</i>	1864, 344
<i>luzoniensis</i>	1861, 186	<i>torquatus</i>	1862, 322
<i>macrurus</i>	1861, 187		1863, 159
<i>mandarinus</i>	1863, 281		1865, 51
<i>merula</i>	1862, 324	<i>tristis</i>	1870, 180
	1863, 159		1870, 836
	1863, 516		1870, 838
	1864, 436	<i>viscivorus</i>	1862, 324
	1865, 51		1863, 159
	1869, 627		1863, 281
<i>migratorius</i>	1862, 324		1865, 51
	1864, 172		1865, 325
<i>mindanensis</i>	1861, 186	<i>whitei</i>	1863, 278
<i>minimus</i>	1864, 344		1865, 51
<i>musicus</i>	1862, 281	<i>Turnix andalusica</i>	1863, 308
	1863, 159	<i>blanfordi</i>	1863, 308
	1863, 531	<i>dussumieri</i>	1863, 308
	1864, 436	<i>fasciata</i>	1865, 480
	1865, 51	<i>maculosa</i>	1863, 308
	1869, 627		1870, 442
<i>naumannii</i>	1863, 280	<i>nigricollis</i>	1865, 836
	1863, 334		1866, 425
<i>nigerrimus</i>	1866, 422	<i>ocellata</i>	1863, 308
<i>nigrescens</i>	1870, 180		1863, 338
<i>obsoletus</i>	1864, 344		1865, 694
	1867, 133	<i>pugnax</i>	1867, 821
	1870, 180	<i>rufescens</i>	1863, 497
<i>obscurus</i>	1863, 280	<i>rufilatus</i>	1865, 480
<i>ourovang</i>	1866, 422	<i>sykesii</i>	1863, 308
<i>pacificus</i>	1869, 546	<i>sylvatica</i>	1866, 210
<i>pallens</i>	1862, 317	<i>varius</i>	1869, 628
	1863, 280	<i>Turricula putillus</i>	1865, 514
	1863, 334	<i>Turritella banksii</i>	1863, 350
<i>pallidus</i>	1863, 280	<i>cathedralis</i>	1870, 60
	1870, 442	<i>clathrata</i>	1865, 174
<i>phæopygus</i>	1867, 133	<i>excavata</i>	1870, 252
	1867, 568		1870, 259
	1867, 749	<i>exoleta</i>	1870, 253
	1867, 754	<i>goniostoma</i>	1863, 350
<i>pilaris</i>	1863, 159	<i>granulosa</i>	1865, 168
	1864, 436	<i>puncticulata</i>	1870, 253
	1865, 51	<i>sinuata</i>	1867, 210
<i>pinicola</i>	1864, 172	<i>spina</i>	1865, 169
<i>platensis</i>	1867, 321	<i>ungulina</i>	1861, 147
<i>rex</i>	1861, 381	<i>Tursio catalania</i>	1866, 215
<i>ruficollis</i>	1863, 281	<i>cymodoce</i>	1866, 215
<i>rufiventris</i>	1867, 321	<i>dorcides</i>	1866, 214
	1868, 138	<i>eurynome</i>	1866, 215
	1870, 89	<i>eutropia</i>	1866, 215
<i>schlegelii</i>	1863, 485	<i>heavisidii</i>	1866, 215
<i>serranus</i>	1870, 780	<i>metis</i>	1866, 215
	1870, 783		1868, 562
<i>sibiricus</i>	1862, 317	<i>microps</i>	1864, 234
	1863, 279	<i>obscurus</i>	1866, 215

	Page		Page
<i>Tursio truncatus</i>	1864, 237	<i>Tyana superba</i>	1867, 686
	1866, 215	<i>Tylas eduardi</i>	1862, 152
	1868, 336		1870, 385
	1868, 555		1870, 386
	1868, 560	<i>Tylopeutes conurus</i>	1865, 256
	1868, 561	<i>Tylostoma</i>	1861, 106
	1868, 562	<i>bidens</i>	1861, 107
<i>Turtur</i> — ?	1862, 322	<i>childrenii</i>	1866, 114
	1862, 325	<i>Tympanistes pallida</i>	1867, 49
<i>albiventris</i>	1867, 827		1867, 97
	1867, 828	<i>testacea</i>	1867, 49
<i>auritus</i>	1864, 448		1867, 97
<i>bitorquata</i>	1863, 486	<i>Tympanotonos</i>	1862, 228
<i>cambayensis</i>	1864, 376	<i>Tyntlastes</i>	1862, 194
<i>chinensis</i>	1863, 306	<i>Typhæa fumata</i>	1867, 362
	1863, 338		1867, 373
<i>delalandii</i>	1862, 12	<i>Typhis angasi</i>	1867, 186
<i>erythrophrys</i>	1865, 94	<i>arcuatus</i>	1870, 251
	1867, 827	<i>duplicatus</i>	1870, 251
	1867, 828		1870, 259
	1870, 150	<i>japonica</i>	1862, 374
<i>gelastes</i>	1864, 139	<i>montfortii</i>	1862, 374
	1870, 446	<i>yatesi</i>	1865, 158
	1870, 602	<i>Typhlops braminus</i>	1869, 501
<i>humilis</i>	1863, 306	<i>exiguus</i>	1869, 501
	1863, 338	<i>nigro-albus</i>	1870, 668
	1864, 139	<i>Tyranniscus</i> — ?	1869, 252
	1869, 627	<i>chrysops</i>	1870, 842
<i>picturatus</i>	1863, 164		1870, 843
	1866, 424	<i>cinereiceps</i>	1870, 841
<i>risoria</i>	1863, 338		1870, 842
	1866, 571	<i>flavifrons</i>	1870, 843
<i>risorius</i>	1861, 367	<i>gracilipes</i>	1867, 977
	1862, 184		1867, 978
	1864, 376		1867, 981
	1864, 448		1870, 843
	1869, 627	<i>griseiceps</i>	1870, 841
	1870, 446		1870, 843
<i>rostratus</i>	1867, 344	<i>improbus</i>	1870, 781
<i>rupicola</i>	1863, 306		1870, 841
	1863, 338		1870, 842
<i>semitorquatus</i>	1864, 113		1870, 843
	1864, 487	<i>leucogonys</i>	1870, 841
	1866, 23		1870, 843
	1867, 827	<i>nigricapillus</i>	1870, 781
<i>senegalensis</i>	1863, 47		1870, 842
	1864, 448	<i>parvus</i>	1864, 359
	1869, 627		1867, 147
<i>suratensis</i>	1861, 365		1867, 981
	1865, 691		1870, 197
	1868, 398		1870, 842
<i>tigrina</i>	1863, 221		1870, 843
	1863, 486	<i>vilissimus</i>	1870, 841
	1869, 627		1870, 842
<i>vinaceus</i>	1869, 627		1870, 843
<i>Tyana callichlora</i>	1867, 668		1870, 843
	1867, 686	<i>Tyrannula caniceps</i>	1861, 407
<i>chloroleuca</i>	1867, 668	<i>gossii</i>	1861, 76
<i>superba</i>	1867, 668	<i>griseocapilla</i>	1861, 382

	Page		Page
Tyrannula setophagoides	1867, 986	Tyrse nilotica	1864, 80
	1868, 170		1864, 88
Tyrannulus brunneicapillus	1864, 359		1864, 89
chrysops	1870, 842		1864, 97
cinereiceps	1870, 842		1869, 214
elata	1869, 439		1869, 220
elatus	1866, 188	rafeht	1864, 81
	1867, 147	Ubromitrus filifera	1870, 312
	1867, 751	Ulocyathus arcticus	1862, 201
	1867, 978	Ulula aluco	1863, 516
flavidifrons	1870, 843	fasciata	1868, 59
nigricapillus	1870, 842	rufescens	1863, 332
semiflavus	1864, 359	uralensis	1863, 332
Tyrannus albigularis	1870, 572	Umbonium —?	1865, 197
albogriseus	1869, 633	Umbrella indica	1867, 228
aurantio-atrocristatus	1866, 2	Umbretta	1864, 72
	1866, 190	Umbrina dussumieri	1865, 18
	1867, 751	elongata	1864, 148
	1867, 757	Uncia irbis	1867, 262
	1870, 113	Unio acuminatus	1866, 376
crassirostris	1862, 19	ægyptiacus	1864, 117
crinitus	1861, 76		1866, 376
	1868, 631	aferula	1866, 376
inca	1861, 383	bakeri	1866, 376
	1866, 190	burmanus	1869, 449
intrepidus	1864, 361		1869, 450
irritabilis	1868, 631	caillaudi	1864, 117
melancholicus	1864, 360		1866, 376
	1866, 189	delesserti	1865, 543
	1867, 148	dignatus	1865, 543
	1867, 342	douglasiae	1867, 490
	1867, 578	episcopalis	1865, 544
	1867, 751	evansii	1864, 39
	1867, 978	jordanicus	1865, 543
	1868, 142	lampreyanus	1867, 491
	1868, 168		1867, 492
	1869, 598	litoralis	1865, 545
	1870, 113	marginalis	1865, 544
	1870, 199	michonii	1865, 544
	1870, 572	mosalensis	1865, 544
	1870, 837	mossambicensis	1864, 117
pipiri	1866, 189		1864, 118
	1866, 190	murchisonianus	1867, 490
	1870, 837	nodosus	1867, 491
rostratus	1864, 361	pellis lacerti	1869, 450
satrapa	1864, 360	requieni	1865, 545
	1867, 279	sauleyi	1865, 544
	1870, 572	shanghaiensis	1867, 490
verticalis	1870, 572	simonis	1865, 544
violentus	1866, 2	stuarti	1863, 417
	1868, 142	swinhoei	1866, 319
vociferans	1864, 176	swinhoii	1865, 196
Tyrse	1864, 87	subtortus	1867, 491
argus	1864, 89		1867, 492
	1869, 222	tenuis	1867, 490
nilotica	1864, 79	terminalis	1865, 543
		tientsinensis	1867, 491

	Page		Page
<i>Unio tripolitanus</i>	1865,	<i>Uraspiza torquata</i>	1867,
<i>veræ-pacis</i>	1863,	<i>Urax tomentosa</i>	1870,
<i>Unionium</i>	1862,	<i>tuberosa</i>	1870,
<i>Upeneoides bivittatus</i> ..	1867,	<i>Uria antiqua</i>	1863,
<i>cæruleus</i>	1870,	<i>arra</i>	1864,
<i>fasciolatus</i>	1868,	<i>carbo</i>	1863,
<i>guttatus</i>	1867,	<i>columba</i>	1863,
<i>tragula</i>	1870,	<i>grylle</i>	1862,
<i>vittatus</i>	1865,	<i>lomvia</i>	1863,
	1867,	<i>senicula</i>	1863,
	702	<i>troile</i>	1862,
<i>Upeneus barberinus</i>	1870,		1863,
<i>cyclostomus</i>	1867,	<i>umizusume</i>	1863,
<i>flavolineatus</i>	1867,		1870,
<i>indicus</i>	1870,	<i>Urobrachya axillaris</i> ..	1869,
<i>spilurus</i>	1870,	<i>Urochroa bougieri</i>	1870,
<i>tetraspilus</i>	1864,	<i>Urochroma dilectissima</i> .	1870,
<i>Uperoleia marmorata</i> ..	1863,		1870,
<i>Upucerthia albiventris</i> ..	1867,		1870,
<i>atacamensis</i>	1867,	<i>hueti</i>	1867,
	1867,		1867,
<i>dumetoria</i>	1867,		1870,
	1867,	<i>melanoptera</i>	1868,
<i>Upupa capensis</i>	1865,	<i>purpurata</i>	1867,
<i>decorata</i>	1865,		1867,
	1865,	<i>stictoptera</i>	1862,
<i>epops</i>	1861,	<i>Urocissa cærulea</i>	1862,
	1861,		1863,
	1862,		1863,
	1863,	<i>sinensis</i>	1861,
	1863,		1862,
	1863,		1863,
	1864,		1866,
<i>marginata</i>	1866,		1870,
<i>nigripennis</i>	1866,	<i>Urocyclus</i>	1864,
<i>Uragus sanguinolentus</i> ..	1863,	<i>kirkii</i>	1864,
<i>sibiricus</i>	1863,	<i>Urocyon littoralis</i>	1868,
<i>Urania ripheus</i>	1863,	<i>virginianus</i>	1868,
<i>Uranops angulatus</i>	1861,		1868,
<i>Uranoscopus marmoratus</i> ..	1867,	<i>Uroderma personatum</i> ..	1866,
<i>Urapteryx crocopterata</i> .	1867,	<i>Urogalba amazonum</i>	1867,
<i>ebuleata</i>	1867,		1867,
<i>falcata</i>	1867,	<i>paradisea</i>	1867,
<i>margaritata</i>	1867,		1867,
<i>multistrigaria</i>	1867,	<i>Urogymnus africanus</i> ..	1864,
<i>podaliriata</i>	1867,	<i>asperrimus</i>	1867,
<i>quadripunctata</i>	1867,	<i>Urolabes palustris</i>	1862,
<i>rufivinctata</i>	1867,		1870,
<i>sciticaudaria</i>	1867,	<i>Urolectes cissoides</i>	1869,
<i>triangularia</i>	1867,	<i>Uroleuca pileata</i>	1864,
<i>Uraspiza approximans</i> ..	1867,	<i>Uromastix spinipes</i>	1863,
<i>cirrhocephala</i>	1867,	<i>Uromys macropus</i>	1867,
<i>cruenta</i>	1867,	<i>Uropeltis grandis</i>	1862,
	1867,	<i>Urotrichus gibbsii</i>	1864,
<i>erythrauchen</i>	1867,	<i>talpoides</i>	1866,
	1867,	<i>Urrua bengalensis</i>	1868,
<i>sulaësis</i>	1867,	<i>Ursitaxus inauritus</i>	1865,
	1867,		143

	Page		Page
Ursus albus	1864, 680	Ursus ferox	1869, 7
	1864, 686		1869, 8
amblyceps	1864, 694	foetidus	1865, 142
americanus	1861, 366	formicarius	1864, 694
	1861, 368	formosanus	1864, 380
	1862, 187		1864, 689
	1862, 261		1866, 418
	1864, 679		1867, 818
	1864, 680		1868, 73
	1864, 692		1870, 621
	1864, 693	frugilegus	1868, 72
	1864, 694	fuscus	1864, 682
	1868, 71	grandis	1864, 680
	1868, 72	griseus	1864, 690
	1868, 73	gulo	1862, 134
	1868, 345		1865, 120
	1868, 624	hindaiicus arboreus .	1864, 688
arboreus	1864, 680	horriaceus	1864, 691
arctos	1861, 365	horribilis	1864, 690
	1864, 374	indicus	1865, 143
	1864, 680	inornatus	1864, 690
	1864, 681	isabellinus	1861, 367
	1864, 682		1864, 680
	1864, 683		1864, 686
	1864, 684		1864, 687
	1864, 685		1869, 58
	1864, 686	japonicus	1862, 187
	1864, 691		1862, 261
	1864, 692		1864, 160
	1864, 693		1864, 374
	1864, 695		1864, 689
	1864, 696		1868, 73
	1864, 698	labiatus	1862, 102
	1864, 699		1864, 699
	1867, 818		1864, 700
	1868, 73		1865, 578
	1868, 624		1868, 400
brasiliensis	1865, 122		1869, 58
cadaverinus	1864, 682	labradorius	1865, 141
	1864, 694	lasiotus	1867, 818
cancrivorus	1864, 705	longirostris	1864, 694
candescens	1864, 690		1864, 700
caudivolvulus	1862, 134	lotor	1862, 134
	1864, 706		1864, 704
cinereus	1864, 680	luscus	1865, 120
	1864, 690		1868, 342
cinnamomeus	1864, 693		1868, 347
collaris	1864, 685		1868, 359
crowtheri	1864, 698	luteolus	1864, 693
euryrhinus	1864, 698	malayanus	1863, 370
ferox	1864, 374		1864, 697
	1864, 680		1868, 73
	1864, 685		1870, 230
	1864, 686	marinus	1864, 680
	1864, 688	maritimus	1862, 134
	1864, 690		1862, 135
	1868, 345		1864, 502
	1869, 6		1864, 680

	Page		Page
<i>Ursus maritimus</i>	1868, 334	<i>Urubitinga meridionalis</i>	1869, 252
	1868, 339		1869, 634
	1868, 340	<i>nigricollis</i>	1867, 589
	1868, 343	<i>schistacea</i>	1866, 198
	1868, 344		1867, 979
<i>meles</i>	1865, 139		1870, 557
<i>meles alba</i>	1864, 704	<i>unicincta</i>	1867, 329
<i>mellivorus</i>	1862, 134		1867, 338
	1865, 144		1868, 143
<i>narica</i>	1864, 702		1868, 175
<i>nasua</i>	1862, 134		1868, 570
	1864, 701	<i>zonura</i>	1864, 369
<i>nasutus</i>	1868, 72		1867, 280
	1868, 73		1867, 589
<i>niger</i>	1864, 683		1867, 753
	1864, 684	<i>Urubitornis solitaria</i> ..	1870, 176
	1864, 692		1870, 214
<i>norvegicus</i>	1864, 695	<i>Urva</i>	1864, 509
<i>ornatus</i>	1864, 698	<i>cancrivora</i>	1864, 568
	1868, 72		1870, 630
<i>piscator</i>	1867, 817	<i>Ute capillosa</i>	1867, 554
	1867, 818	<i>chrysalis</i>	1867, 555
	1868, 73	<i>ensata</i>	1867, 555
	1870, 622		1868, 133
	1870, 771	<i>glabra</i>	1867, 554
<i>polaris</i>	1864, 680	<i>Utethesia pulchella</i>	1865, 799
<i>pyrenaicus</i>	1864, 683		1866, 362
<i>sibiricus</i>	1865, 121	<i>Utriculus eumicra</i>	1865, 188
<i>syriacus</i>	1864, 687	<i>Uvanilla inermis</i>	1863, 356
	1866, 90	<i>olivacea</i>	1863, 356
	1868, 73	<i>squamifera</i>	1865, 177
	1869, 58	<i>tentoriiformis</i>	1867, 214
<i>taxus</i>	1865, 139	<i>unguis</i>	1865, 269
	1865, 141	<i>Vampyrops vittatus</i>	1866, 116
<i>tibetanus</i>	1862, 187	<i>Vampyrus</i>	1863, 84
	1862, 261	<i>auritus</i>	1861, 103
	1862, 351		1861, 104
	1864, 374		1861, 108
	1864, 688	<i>bidens</i>	1861, 104
	1864, 689		1861, 107
	1866, 418	<i>cirrhosus</i>	1861, 107
	1867, 818	<i>elongatus</i>	1861, 105
	1868, 73	<i>soricinus</i>	1861, 104
	1870, 230	<i>spectrum</i>	1861, 104
	1870, 621		1861, 108
<i>torquatus</i>	1862, 187		1865, 387
	1862, 261		1866, 113
	1864, 679	<i>Vanellus cayanensis</i>	1867, 331
	1864, 680		1867, 339
	1864, 688		1867, 591
	1864, 689		1869, 162
<i>Urubitinga anthracina</i> ..	1864, 369	<i>cayennensis</i>	1868, 144
	1867, 280		1869, 252
	1868, 629		1870, 665
	1870, 215	<i>cristatus</i>	1863, 309
	1870, 557		1863, 517
	1870, 838		1864, 450
<i>meridionalis</i>	1867, 589		

	Page		Page
<i>Vanellus modestus</i>	1868,	<i>Venus gnidia</i>	1863,
<i>resplendens</i>	1869,	<i>isabellina</i>	1867,
<i>Vanessa cardui</i>	1863,	<i>lævigata</i>	1865,
<i>cashmirensis</i>	1865,	1867,
<i>charonia</i>	1865,	<i>lamellata</i>	1865,
.	1865,	1867,
<i>kaschmirensis</i>	1865,	<i>laqueata</i>	1867,
<i>xanthomelas</i>	1865,	<i>multicostata</i>	1863,
<i>Vanga corbicula</i>	1862,	<i>ovata</i>	1867,
<i>curvirostris</i>	1863,	<i>pectunculoides</i>	1863,
.	1865,	<i>peroni</i>	1865,
.	1866,	<i>roborata</i>	1867,
<i>damii</i>	1866,	<i>scalarina</i>	1865,
<i>destructor</i>	1862,	<i>squamosa</i>	1865,
<i>edentula</i>	1862,	<i>striatissima</i>	1867,
<i>polleni</i>	1870,	<i>strigosa</i>	1865,
<i>xenopirostris</i>	1870,	<i>subimbricata</i>	1862,
<i>Vanicoro recluziana</i>	1863,	1862,
<i>Vanikoro deshayesiana</i>	1867,	<i>subrugosa</i>	1863,
<i>granulata</i>	1867,	<i>sugillata</i>	1863,
<i>plicata</i>	1867,	<i>tiara</i>	1865,
<i>quoyana</i>	1867,	<i>turgida</i>	1867,
<i>recluziana</i>	1867,	<i>undulata</i>	1867,
<i>Varanus dracaena</i>	1869,	<i>undulosa</i>	1867,
.	1870,	<i>variabilis</i>	1867,
<i>heraldicus</i>	1861,	<i>Veretillum australasiæ</i>	1862,
<i>piquotii</i>	1861,	<i>cantoriæ</i>	1862,
<i>Varecia</i>	1864,	<i>cynomorium</i>	1862,
<i>leucomystax</i>	1863,	<i>Vermetus</i>	1861,
<i>nigra</i>	1863,	<i>adansonii</i>	1861,
<i>rubra</i>	1863,	1861,
<i>varia</i>	1863,	<i>albensis</i>	1861,
.	1863,	<i>anellum</i>	1861,
<i>Varicorhinus bobree</i>	1869,	1865,
<i>Varnia ignita</i>	1867,	<i>anguis</i>	1861,
<i>inæqualis</i>	1867,	<i>annulatus</i>	1861,
<i>Velutina coriacca</i>	1867,	1862,
<i>Veneria lamellata</i>	1865,	<i>annulus</i>	1862,
<i>Venericardia laticostata</i>	1863,	<i>arenarius</i>	1862,
<i>Venerupis crenata</i>	1865,	1862,
.	1867,	1862,
<i>irus</i>	1867,	<i>articulatus</i>	1865,
<i>mitis</i>	1867,	<i>ater</i>	1862,
<i>obesa</i>	1865,	<i>balani-tintinnabuli</i>	1861,
<i>Venilia malaccensis</i>	1863,	<i>bicarinatus</i>	1861,
<i>miniata</i>	1863,	<i>brasiliensis</i>	1862,
<i>Venus alatus</i>	1867,	<i>candidissima</i>	1861,
<i>alta</i>	1865,	<i>carinatus</i>	1861,
<i>amathusia</i>	1863,	1861,
<i>aphrodina</i>	1865,	<i>cariniferus</i>	1861,
<i>australis</i>	1865,	<i>centiquadrus</i>	1861,
.	1867,	<i>cereus</i>	1861,
<i>calophylla</i>	1867,	1862,
<i>conularis</i>	1865,	1862,
<i>discors</i>	1863,	1862,
<i>dysera</i>	1867,	1862,
<i>fumigata</i>	1867,	1862,
<i>galactites</i>	1865,	1862,
.	1865,		

	Page		Page
<i>Vermetus cereus</i>	1865, 99	<i>Vermetus knorrii</i>	1861, 405
<i>cochleiformis</i>	1861, 175	<i>lilacinus</i>	1861, 352
<i>cochlidium</i>	1861, 360	<i>lispe</i>	1861, 357
	1861, 361	<i>lumbricalis</i>	1861, 174
<i>conicus</i>	1861, 341		1861, 337
	1861, 342	<i>macrophragma</i>	1861, 344
	1861, 343		1861, 346
	1861, 344		1861, 360
	1865, 97	<i>margaritaceus</i>	1861, 164
<i>contortus</i>	1861, 344	<i>margaritarum</i>	1862, 76
	1861, 345	<i>masier</i>	1862, 71
	1861, 346	<i>maximus</i>	1861, 166
	1865, 99	<i>michaudii</i>	1862, 77
<i>corrodens</i>	1861, 331	<i>nerinaeoides</i>	1861, 350
<i>costalis</i>	1861, 170	<i>novæ hollandiæ</i> ..	1862, 68
	1861, 334		1862, 70
<i>decussatus</i>	1861, 146		1862, 82
	1861, 342		1865, 174
	1862, 74	<i>nystii</i>	1861, 148
	1867, 211	<i>octosectus</i>	1861, 350
<i>dentiferus</i>	1861, 163	<i>pachylasma</i>	1861, 354
	1862, 68	<i>panamensis</i>	1861, 178
	1862, 79		1861, 362
<i>domingensis</i>	1861, 353		1863, 358
<i>eburneus</i>	1861, 178	<i>parvulus</i>	1861, 357
	1863, 358	<i>pellucidus</i>	1861, 177
<i>elegans</i>	1862, 82	<i>peronii</i>	1861, 362
<i>flavescens</i>	1861, 361		1865, 99
<i>giganteus</i>	1861, 168	<i>planorbis</i>	1861, 329
<i>gigas</i>	1861, 166	<i>porites</i>	1862, 75
	1861, 167		1862, 77
	1862, 55	<i>quadrangulus</i>	1861, 174
	1862, 57	<i>radicula</i>	1861, 174
	1862, 66	<i>rastrum</i>	1861, 180
	1862, 73	<i>renisectus</i>	1861, 346
<i>glomeratus</i>	1861, 333		1861, 347
	1861, 346		1861, 348
	1861, 347		1861, 349
	1861, 355		1861, 350
	1861, 357	<i>roseus</i>	1861, 150
	1862, 55	<i>rouyanus</i>	1861, 176
	1863, 358	<i>rugosus</i>	1861, 354
<i>goreensis</i>	1862, 64	<i>scalatus</i>	1861, 358
<i>grandis</i>	1862, 81	<i>sculpturatus</i>	1861, 353
<i>granifer</i>	1861, 364	<i>semisurrectus</i>	1862, 55
<i>granulatus</i>	1862, 55		1862, 57
<i>hindsii</i>	1861, 179	<i>sipho</i>	1861, 364
<i>imbricatus</i>	1862, 73		1862, 67
<i>indicus</i>	1861, 172		1862, 71
	1861, 174	<i>spiratus</i>	1861, 174
<i>infundibulum</i>	1861, 334	<i>squamigerus</i>	1865, 99
<i>inopertus</i>	1862, 65	<i>subcancellatus</i>	1861, 355
	1862, 79		1861, 356
<i>intortus</i>	1861, 353		1862, 55
	1861, 358	<i>subglomeratus</i>	1861, 354
<i>irregularis</i>	1861, 331	<i>subgranosa</i>	1861, 180
<i>knorrii</i>	1861, 152	<i>tortrix</i>	1861, 364
	1861, 174	<i>triqueter</i>	1862, 54

	Page		Page
Vermetus triqueter ..	1862, 55	Vertigo borbonica	1868, 290
	1862, 56		1868, 294
tulipa	1861, 363	Vesicaria finna suilla ..	1862, 305
turonius	1862, 69	granulosa	1862, 310
turritella	1861, 176	hygroma humana ..	1862, 305
varians	1861, 338	lobata suilla	1862, 305
	1861, 339	orbicularis	1862, 309
	1861, 340	Vespertilio borbonicus..	1861, 69
	1861, 341	capensis	1861, 36
vermicella	1861, 357	carolinensis	1861, 278
zelandicus	1862, 82	chinensis	1870, 618
Vermicella annulata....	1862, 226	dasythrix	1861, 39
	1869, 321	davidii	1870, 618
lunulata	1869, 320	daubentonii	1870, 617
Vermicularia arenaria ..	1861, 163	emarginatus	1870, 617
glomerata	1861, 175	fimbriatus	1870, 617
	1861, 342	laniger	1870, 617
	1861, 350	lucifugus	1870, 2
	1862, 74	minuta	1861, 33
	1862, 75	murinus	1862, 102
granulata	1862, 55		1866, 92
lineolata	1862, 66	mystacinus	1870, 617
lumbricalis	1861, 364	nanus	1864, 651
nodus	1861, 148	noctula	1862, 102
scabra	1862, 74	noveboracensis	1861, 69
	1862, 75	parvulus	1866, 431
sowerbii	1861, 148	pictus	1866, 211
vermet	1861, 337	pipistrella	1862, 102
Vermiculus	1861, 169	rufo-niger	1870, 617
albensis	1861, 176	schreibersii	1861, 39
ampliata	1861, 172	ursinus	1861, 278
anguis	1861, 175	Vesperugo abramus	1870, 227
carinatus	1861, 176		1870, 618
circumcarinatus ..	1861, 175	akakomuli	1870, 618
cochleiformis	1861, 175	akokomali	1870, 227
contortus	1865, 99	imbricatus	1870, 618
dimorphus	1861, 176	kuhlii	1866, 93
eburneus	1861, 178	leisleri	1866, 558
effusus	1861, 181	maurus	1870, 618
lumbricalis	1861, 171		1870, 619
pellucidus	1861, 177	molossus	1870, 619
rouyanus	1861, 176	pipistrellus	1870, 618
solarinus	1861, 171		1870, 619
spiratus	1861, 174	pulveratus	1870, 618
tortuosus	1861, 170	Vesperus minutus.....	1865, 833
triqueter	1861, 176	serotinus	1870, 619
turritella	1861, 176	Vexillum moluccanum ..	1865, 654
Vermilia suberenata....	1861, 157	Vibex aquatilis	1870, 374
	1861, 349	Vibulinus aculeatus	1867, 545
Vermis medinensis	1862, 299	stuposus	1867, 545
microrhynchoteros..	1868, 77	Victorina aphrodite	1865, 483
vesicularis	1862, 305		1865, 484
— ermita	1862, 309		1866, 456
Verongia fistularis	1867, 509	epaphus	1865, 484
zetlandica	1867, 509	superba	1866, 457
Vertagus	1862, 228	trayja	1865, 484
obeliscus	1865, 197	Vidua decora.....	1870, 144
Vertigo australis	1863, 522	eques	1863, 106

	Page		Page
<i>Vidua eques</i>	1864,	<i>Vireosylvia flavifrons</i> ..	1870,
	1864,	<i>flavoviridis</i>	1864,
<i>macrura</i>	1863,		1867,
	1864,		1870,
<i>paradisea</i>	1862,	<i>olivacea</i>	1861,
	1863,		1869,
<i>principalis</i>	1870,		1870,
	1870,	<i>philadelphica</i>	1870,
<i>Vinago australis</i>	1863,	<i>virescens</i>	1869,
<i>sieboldii</i>	1863,	<i>Virgularia mirabilis</i>	1863,
<i>Vindusara compositata</i> ..	1867,	<i>Vison canigula</i>	1865,
	1867,	<i>horsfieldii</i>	1865,
<i>metachromata</i>	1867,	<i>lutreocephala</i>	1865,
<i>Vioa dissociata</i>	1867,	<i>lutreola</i>	1865,
<i>duvernoyii</i>	1867,	<i>sibirica</i>	1865,
<i>grantii</i>	1867,		1870,
<i>johnstoni</i>	1867,	<i>subhemachalana</i> ..	1865,
<i>strombi</i>	1867,	<i>Vitella</i> — ?	1863,
<i>viridis</i>	1867,	<i>Vitessa suradeva</i>	1865,
<i>Vipera ammodytes</i>	1864,	<i>Vithora indrasana</i>	1865,
<i>berus</i>	1862,		1865,
<i>caudalis</i>	1864,	<i>Vitrina</i> — ?	1864,
<i>confluenta</i>	1863,	<i>angasi</i>	1868,
	1864,		1868,
<i>euphratica</i>	1864,	<i>depressiformis</i>	1864,
<i>libitina</i>	1863,	<i>flemingi</i>	1864,
<i>petrificata</i>	1862,	<i>flemingii</i>	1868,
<i>russellii</i>	1861,	<i>planilabris</i>	1865,
	1862,	<i>Vitrinella</i> — ?	1865,
<i>Viralva indica</i>	1863,	<i>carinulata</i>	1863,
<i>Vireo agilis</i>	1870,	<i>concinna</i>	1863,
<i>flavifrons</i>	1864,	<i>diaphana</i>	1863,
<i>huttoni</i>	1862,	<i>exigua</i>	1863,
<i>hypochryseus</i>	1862,	<i>janus</i>	1863,
<i>modestus</i>	1861,	<i>minuta</i>	1863,
<i>noveboracensis</i>	1861,	<i>modesta</i>	1863,
	1683,	<i>ornata</i>	1865,
	1883,	<i>panamensis</i>	1863,
<i>ochraceus</i>	1863,	<i>parva</i>	1863,
	1863,	<i>perparva</i>	1863,
<i>olivaceus</i>	1870,	<i>regularis</i>	1863,
	1870,	<i>seminuda</i>	1863,
<i>pallens</i>	1863,	<i>tenuisculpta</i>	1865,
	1863,	<i>tricarinata</i>	1863,
<i>semiflavus</i>	1863,		1865,
	1863,	<i>valvatoides</i>	1863,
<i>Vireolanius melitophrys</i>	1862,	<i>Vitularia aspera</i>	1863,
<i>pulchellus</i>	1864,	<i>candida</i>	1863,
	1870,	<i>salebrosa</i>	1863,
<i>Vireosylvia agilis</i>	1866,	<i>Viverra</i>	1862,
	1867,	<i>abyssinica</i>	1864,
	1867,	<i>ashtoni</i>	1864,
	1867,		1870,
	1869,	<i>aterrima</i>	1865,
<i>altiloqua</i>	1861,	<i>aurita</i>	1868,
	1864,	<i>bengalensis</i>	1864,
<i>bogotensis</i>	1864,	<i>binotata</i>	1864,
<i>chivi</i>	1869,		530

	Page		Page
<i>Viverra binturong</i>	1864,	<i>Viverra maculata</i>	1864,
<i>boiei</i>	1864,	<i>malaccensis</i>	1861,
<i>bondar</i>	1864,		1864,
<i>caffra</i>	1864,		1864,
<i>canadensis</i>	1865,		1869,
<i>cancrivora</i>	1868,	<i>mangusta</i>	1864,
<i>capensis</i>	1865,	<i>marputio</i>	1865,
<i>carchanas</i>	1864,	<i>megaspila</i>	1864,
<i>caudivolvulus</i>	1864,	<i>melanura</i>	1864,
<i>ceylonensis</i>	1864,	<i>mellivora</i>	1865,
<i>chingu</i>	1865,	<i>mephitis</i>	1865,
<i>civetta</i>	1862,	<i>musanga</i>	1864,
	1864,	<i>narica</i>	1864,
	1864,	<i>nasua</i>	1864,
	1864,	<i>nigra</i>	1864,
	1868,	<i>orientalis</i>	1864,
	1869,	<i>pallida</i>	1862,
	1869,		1864,
<i>civettina</i>	1864,		1870,
<i>civettoides</i>	1864,	<i>perdicator</i>	1864,
<i>cristata</i>	1864,	<i>piscator</i>	1865,
	1869,	<i>poliocephala</i>	1865,
<i>cuja</i>	1865,	<i>poortmanni</i>	1864,
<i>fasciata</i>	1864,	<i>prehensilis</i>	1864,
	1864,	<i>putorius</i>	1865,
<i>felina</i>	1864,	<i>quadricolor</i>	1865,
<i>fossa</i>	1864,	<i>quasic</i>	1864,
	1864,	<i>quiqui</i>	1865,
<i>fusca</i>	1864,	<i>rasse</i>	1864,
<i>galera</i>	1864,		1864,
<i>genetta</i>	1864,	<i>ratel</i>	1865,
	1864,	<i>schlegelii</i>	1866,
	1864,	<i>senegalensis</i>	1864,
	1864,	<i>suricata</i>	1864,
<i>genettoides</i>	1864,	<i>tangalunga</i>	1864,
	1864,	<i>tanggalunga</i>	1864,
<i>geoffroyi</i>	1864,	<i>tetradactyla</i>	1864,
<i>goudotii</i>	1870,	<i>tigrina</i>	1864,
<i>gracilis</i>	1864,	<i>trivirgata</i>	1864,
<i>grisea</i>	1864,	<i>undulata</i>	1864,
<i>gunda</i>	1864,	<i>vittata</i>	1865,
<i>hardwickii</i>	1864,	<i>vulpecula</i>	1865,
	1864,	<i>zenick</i>	1864,
<i>hermaphrodita</i>	1864,	<i>zeylanica</i>	1864,
	1864,	<i>zibellina</i>	1865,
	1864,	<i>zibetha</i>	1864,
	1864,		1864,
	1864,		1870,
<i>hyaenoides</i>	1864,		1870,
	1868,		1870,
<i>ichneumon</i>	1864,	<i>zorilla</i>	1865,
	1864,	<i>Viverriceps bennettii</i>	1867,
<i>indica</i>	1864,		1870,
<i>larvata</i>	1864,	<i>elliotti</i>	1867,
<i>leveriana</i>	1864,	<i>planiceps</i>	1867,
<i>linsang</i>	1864,	<i>rubiginosa</i>	1867,
<i>lutra</i>	1865,	<i>Viverricula</i>	1864,
<i>lutreola</i>	1865,	<i>indica</i>	1861,
	1865,		265

	Page		Page
<i>Viverricula indica</i>	1862, 184	<i>Voluta exoptanda</i>	1865, 165
	1864, 484	<i>flavicans</i>	1864, 52
	1864, 514	<i>fulgetrum</i>	1864, 52
	1870, 237		1865, 165
<i>madagascariensis</i> ..	1864, 537	<i>fusiformis</i>	1864, 50
<i>malaccensis</i>	1863, 370	<i>gracilis</i>	1864, 52
	1864, 484	<i>harfordi</i>	1869, 358
	1864, 503	<i>kreuslera</i>	1865, 55
	1864, 513		1865, 165
	1864, 514	<i>lineata</i>	1864, 53
	1870, 227	<i>lyraformis</i>	1865, 164
	1870, 630	<i>maculata</i>	1864, 53
<i>pallida</i>	1864, 484	<i>magellanica</i>	1868, 186
<i>rasse</i>	1864, 484	<i>magnifica</i>	1864, 50
<i>Vivipara angularis</i>	1864, 146		1867, 193
<i>aethiops</i>	1865, 658	<i>mamilla</i>	1864, 51
<i>capillata</i>	1865, 659		1864, 52
<i>columna</i>	1865, 658	<i>maria-emma</i>	1864, 51
<i>heliciformis</i>	1865, 658	<i>marmorata</i>	1864, 53
<i>ingallsiana</i>	1865, 658		1867, 193
<i>jeffreysii</i>	1865, 658	<i>mitraformis</i>	1864, 54
<i>kingi</i>	1863, 415		1865, 55
<i>oxytropis</i>	1865, 658	<i>multicostata</i>	1864, 54
<i>praerosa</i>	1863, 415	<i>nivosa</i>	1864, 51
<i>punctata</i>	1865, 658	<i>norrisii</i>	1864, 51
<i>robertsoni</i>	1865, 659	<i>nucleus</i>	1864, 54
<i>sclateri</i>	1865, 658	<i>pacifica</i>	1864, 51
<i>siamensis</i>	1865, 658		1865, 55
<i>unicolor</i>	1866, 375		1865, 165
<i>ussuriensis</i>	1863, 415	<i>pallida</i>	1864, 53
<i>waterhousii</i>	1863, 414	<i>papillosa</i>	1864, 52
<i>Vola fumata</i>	1867, 933	<i>piperita</i>	1864, 51
<i>laticostata</i>	1865, 656	<i>praetexta</i>	1864, 53
<i>Volatinia jacarina</i>	1864, 174	<i>pulchra</i>	1864, 51
	1864, 352		1870, 108
	1866, 97		1870, 109
	1866, 181	<i>punctata</i>	1870, 109
	1867, 142	<i>reticulata</i>	1864, 53
	1867, 572	<i>rossiniana</i>	1864, 52
	1867, 750	<i>rueckeri</i>	1869, 560
	1868, 167	<i>rutila</i>	1864, 50
	1868, 173	<i>sclateri</i>	1864, 358
	1868, 569	<i>sophia</i>	1864, 52
	1869, 597	<i>thatcheri</i>	1869, 561
	1870, 190	<i>tissotiana</i>	1869, 561
	1870, 582	<i>turneri</i>	1864, 53
	1870, 836	<i>undulata</i>	1864, 52
<i>Volsella flavida</i>	1865, 653		1865, 165
<i>glaberrima</i>	1867, 929		1867, 193
<i>reevei</i>	1867, 929	<i>volva</i>	1864, 53
<i>Voluta angasi</i>	1867, 193	<i>wisemani</i>	1870, 108
<i>archeri</i>	1865, 55		1870, 109
<i>brazieri</i>	1869, 561	<i>zebra</i>	1864, 53
<i>cassidula</i>	1864, 54		1867, 193
<i>delessertiana</i>	1865, 55	<i>Volutella flavicans</i>	1864, 52
<i>deliciosa</i>	1864, 54	<i>fulgetrum</i>	1864, 52
<i>deshayesii</i>	1864, 51		1865, 165
<i>exoptanda</i>	1864, 53	<i>imperialis</i>	1864, 52

	Page		Page
<i>Volutella papillosa</i>	1864,	<i>Vulpes pusilla</i>	1868,
	1865,	<i>subhimachalus</i>	1868,
<i>rossiniana</i>	1864,	<i>variegata</i>	1868,
<i>tissotiana</i>	1869,	<i>velox</i>	1868,
<i>volvacea</i>	1864,		1868,
<i>Volva angasi</i>	1867,	<i>vetulus</i>	1868,
<i>volva</i>	1866,	<i>virginianus</i>	1868,
<i>Volvaria neglecta</i>	1867,	<i>vulgaris</i>	1861,
<i>pusilla</i>	1867,		1866,
	1867,		1868,
<i>Volvocivora fimbriata</i> ..	1863,		1869,
	1863,		1870,
<i>melaschistos</i>	1863,	<i>Vulsella limæformis</i>	1865,
<i>Vulpes adusta</i>	1868,	<i>rudis</i>	1865,
<i>azarae</i>	1868,	<i>tasmanica</i>	1867,
<i>bengalensis</i>	1868,	<i>Vultur auricularis</i>	1864,
<i>brasilensis</i>	1868,		1865,
<i>caama</i>	1868,	<i>calvus</i>	1865,
<i>cinereo-argentatus</i> ..	1861,	<i>cinereus</i>	1864,
	1868,	<i>indicus</i>	1863,
<i>corsac</i>	1868,	<i>monachus</i>	1864,
<i>crucigera</i>	1868,		1865,
<i>ferrilatus</i>	1868,		1866,
	1868,		1868,
<i>flavescens</i>	1866,	<i>occipitalis</i>	1864,
	1868,		1865,
<i>fuliginosus</i>	1868,	<i>radiatus</i>	1863,
<i>fulvipes</i>	1868,	<i>Vusum corniger</i>	1865,
<i>fulvus</i>	1868,		1865,
	1868,	<i>Walckenaera affinitata</i> ..	1870,
<i>griffithsii</i>	1868,	<i>humilis</i>	1870,
<i>griseus</i>	1868,	<i>Waldenia nigrita</i>	1870,
<i>hoole</i>	1870,		1870,
<i>indicus</i>	1868,		1870,
	1868,	<i>Waldheimia californica</i> ..	1865,
<i>japonica</i>	1868,	<i>flavescens</i>	1865,
<i>karagan</i>	1868,		1867,
<i>lagopus</i>	1868,	<i>globosa</i>	1865,
	1868,	<i>Wallago attu</i>	1865,
	1868,		1865,
	1868,		1867,
<i>leucopus</i>	1868,		1869,
<i>lineiventer</i>	1870,	<i>malabarici</i>	1865,
<i>macrourus</i>	1868,	<i>malabaricus</i>	1867,
<i>magellanicus</i>	1868,		1867,
<i>melanogaster</i>	1868,	<i>Xandraxes albofasciata</i> ..	1867,
	1869,		1867,
	1870,	<i>dholaria</i>	1867,
<i>mesomelas</i>	1868,	<i>Xantharpyia ægyptiaca</i> ..	1866,
<i>minimus</i>	1868,	<i>amplexicaudata</i>	1866,
<i>montana</i>	1868,	<i>straminea</i>	1866,
<i>nepaulensis</i>	1868,	<i>Xanthia imparata</i>	1867,
<i>nilotica</i>	1866,	<i>Xanthichthys</i> — ? ..	1863,
	1868,	<i>Xanthocephalus ictero-</i>	1863,
	1868,	<i>cephalus</i>	1864,
<i>pallidus</i>	1868,	<i>Xanthodes imparata</i>	1867,
<i>pennsylvanica</i>	1868,		1867,

	Page		Page
<i>Xanthodes impellens</i> ..	1867, 61	<i>Xenops heterurus</i>	1870, 562
<i>innocens</i>	1867, 61	<i>littoralis</i>	1861, 379
<i>intersepta</i>	1866, 363	<i>melanocephalus</i>	1864, 354
<i>transversa</i>	1867, 61	<i>mexicanus</i>	1861, 378
	1866, 363	<i>niger</i>	1864, 354
<i>Xanthodira flavigula</i> ..	1867, 61	<i>rufifrons</i>	1867, 143
<i>Xantholæma indica</i>	1864, 3	<i>rutilans</i>	1870, 192
<i>Xantholinus glabratus</i> ..	1865, 691	<i>rutilus</i>	1868, 571
<i>hesperius</i>	1867, 363	<i>Xenospingus concolor</i> ..	1861, 378
<i>linearis</i>	1867, 383	<i>unicinctus</i>	1870, 562
<i>marginalis</i>	1867, 383	<i>Xenospongia patelliformis</i>	1867, 547
<i>punctulatus</i>	1867, 362	<i>Xenurus hispidus</i>	1865, 378
<i>Xanthopygia leucophrys</i>	1867, 383	<i>nudicaudus</i>	1865, 378
<i>narcissina</i>	1862, 317	<i>unicinctus</i>	1865, 378
	1863, 289	<i>Xerus getulus</i>	1865, 379
	1862, 317	<i>trivittatus</i>	1867, 817
	1863, 289	<i>Xinia purpurea</i>	1867, 817
	1863, 335	<i>Xiphias ensis</i>	1862, 27
<i>Xanthornus cayennensis</i>	1867, 319	<i>gladius</i>	1867, 857
<i>purpurascens</i>	1867, 323	<i>Xiphocheilus</i>	1868, 225
<i>pyrrhopterus</i>	1870, 577	<i>Xiphocheilus</i>	1861, 415
<i>Xanthosomus flavus</i>	1868, 140	<i>Xiphochilus fasciatus</i> ..	1867, 101
<i>frontalis</i>	1869, 632	<i>Xiphocolaptes promeropi-</i>	
<i>icterocephalus</i>	1869, 159	<i>rhynchus</i>	1868, 167
	1866, 182		1870, 781
	1867, 573	<i>Xiphogadus madagascari-</i>	
	1867, 978	<i>ensis</i>	1868, 11
	1869, 252	<i>Xipholena atropurpurea</i> .	1864, 584
	1870, 576	<i>lamellipennis</i>	1864, 584
<i>ruficapillus</i>	1869, 159		1867, 580
<i>Xema sabini</i>	1861, 401		1867, 594
<i>Xenelaphus huamel</i>	1869, 497		1867, 595
	1869, 498	<i>pompadora</i>	1864, 584
<i>Xenodon colubrinus</i>	1861, 14		1867, 580
<i>purpurascens</i>	1861, 322		1867, 593
<i>rhabdocephalus</i>	1863, 54		1867, 594
	1861, 216	<i>Xiphorhamphus falciros-</i>	
	1861, 14	<i>tris</i>	1868, 247
	1862, 23	<i>ferox</i>	1868, 229
<i>severus</i>	1861, 14	<i>Xiphorhynchus procurvus</i>	1870, 193
	1861, 322	<i>pusillus</i>	1870, 193
<i>typhlus</i>	1862, 23	<i>trochilirostris</i>	1867, 575
<i>Xenomma filiforme</i>	1867, 390		1870, 193
<i>melanocephala</i>	1867, 382		1870, 194
	1867, 390	<i>Xiphosoma caninum</i> ..	1861, 15
<i>Xenophrys monticola</i> ..	1868, 480		1861, 115
<i>Xenopirostris damii</i>	1866, 423	<i>Xyaste nigripes</i>	1866, 226
<i>Xenops approximans</i> ..	1866, 184		1866, 257
	1867, 750		1866, 267
	1867, 755	<i>Xylobucco duchailloi</i> ..	1870, 119
<i>caniveti</i>	1861, 378	<i>scolopacea</i>	1870, 119
<i>genibarbis</i>	1868, 627		1870, 120
<i>heterurus</i>	1866, 566	<i>Xylocopa æstuans</i>	1863, 166
	1870, 192		

	Page		Page
<i>Xylophasia flavistigma</i>	1867, 50	<i>Zenaida auriculata</i>	1867, 989
<i>leucostigma</i>	1867, 51		1868, 176
<i>Xylorhiza venosa</i>	1866, 226		1868, 570
	1866, 242		1870, 665
<i>Xylosporgia cookii</i>	1868, 637	<i>aurita</i>	1862, 140
<i>Xylotrechus australis</i>	1866, 228	<i>galapagoensis</i>	1870, 323
	1866, 521	<i>maculata</i>	1867, 591
			1868, 143
<i>Xyrichtys pavo</i>	1861, 414	<i>ruficauda</i>	1870, 782
<i>Xystrocera alcyonea</i>	1866, 228	<i>souleyetiana</i>	1867, 330
	1866, 534	<i>Zenaidura carolinensis</i>	1870, 217
<i>globosa</i>	1866, 228	<i>Zenarchopterus dispar</i>	1867, 868
	1866, 534	<i>Zenatia acinaces</i>	1867, 917
<i>Ypthima</i> — ?	1865, 502	<i>Zenzeria conferta</i>	1867, 686
<i>baldus</i>	1865, 770	<i>indica</i>	1865, 822
<i>hyagriva</i>	1867, 674	<i>leuconota</i>	1867, 685
<i>narasingha</i>	1867, 674	<i>mineus</i>	1865, 822
<i>philomela</i>	1865, 770	<i>paucipunctata</i>	1867, 686
<i>sakra</i>	1865, 502	<i>Zeritis thysbe</i>	1868, 223
<i>Yungipicus auritus</i>	1866, 540		1868, 224
<i>canicapillus</i>	1866, 539	<i>Zethes perturbans</i>	1867, 79
<i>moluccensis</i>	1866, 539	<i>xylochroma</i>	1867, 79
<i>Yunx japonica</i>	1863, 267	<i>Zeuxidia amethystus</i>	1865, 485
<i>torquilla</i>	1862, 319	<i>doubledaii</i>	1865, 485
	1863, 267	<i>luxeri</i>	1865, 485
	1863, 333	<i>Zierliana solitaria</i>	1863, 341
	1864, 432	<i>Zipaëtis scylax</i>	1865, 770
	1867, 450	<i>Ziphius</i>	1863, 200
		<i>capensis</i>	1865, 529
<i>Zamenis atrovirens</i>	1861, 48	<i>cavirostris</i>	1864, 243
	1863, 47		1865, 528
	1864, 489	<i>dentirostris</i>	1865, 524
<i>caudolineatus</i>	1864, 489	<i>indicus</i>	1864, 419
<i>dahlia</i>	1864, 489		1865, 359
<i>diadema</i>	1869, 501		1865, 528
<i>ventrimaculatus</i>	1864, 489	<i>layardii</i>	1865, 358
	1869, 501		1865, 523
<i>Zanclostomus æreus</i>	1864, 112	<i>micropterus</i>	1865, 358
<i>sumatranus</i>	1863, 208		1865, 524
<i>tristis</i>	1863, 208		1865, 529
<i>Zapornia notata</i>	1868, 456	<i>sechellensis</i>	1865, 357
<i>Zebronia abdicalis</i>	1866, 364		1865, 358
<i>abraxalis</i>	1867, 91	<i>sowerbiensis</i>	1861, 311
<i>aureolinealis</i>	1867, 92		1864, 197
<i>bistrigalis</i>	1867, 92		1864, 241
<i>discerptalis</i>	1867, 92	<i>Ziziphinus antonii</i>	1865, 279
<i>inscriptalis</i>	1867, 92	<i>armillatus</i>	1865, 180
<i>jaguaralis</i>	1867, 91	<i>blandianus</i>	1865, 180
<i>perspicualis</i>	1866, 364	<i>chlorostomus</i>	1865, 180
	1867, 91	<i>nobilis</i>	1865, 180
<i>plutusalis</i>	1867, 92	<i>scitulus</i>	1867, 215
<i>salomealis</i>	1867, 93	<i>Zoanthus alderi</i>	1867, 234
<i>Zemerus flegyas</i>	1865, 771	<i>couchii</i>	1867, 25
<i>Zemira australis</i>	1867, 189		1867, 237
<i>Zenaida amabilis</i>	1861, 80		1867, 239
	1869, 627		1867, 906
<i>auriculata</i>	1867, 330	<i>rubricornis</i>	1861, 99
	1867, 339	<i>sociatus</i>	1867, 234

	Page		Page
Zoanthus sulcatus	1867, 351	Zosterops chloronotus . .	1866, 422
Zoarces	1861, 239	citrinella	1861, 434
Zomia incitata	1867, 650		1863, 486
Zonilia morpheus	1865, 793		1863, 494
Zonotrichia albicollis . .	1870, 52	dorsalis	1865, 464
botterii	1868, 323	erythropleura	1863, 204
boucardi	1867, 1		1863, 298
	1868, 323		1863, 336
cassinii	1868, 323		1870, 428
leucophrys	1864, 174		1870, 448
matutina	1868, 139	euryophthalmus . .	1867, 345
mystacalis	1868, 324	ficedulina	1866, 327
pileata	1867, 322	flava	1863, 219
	1867, 337		1863, 493
	1867, 985	flavifrons	1866, 422
	1868, 139	grayi	1863, 494
	1868, 569	griseotincta	1861, 434
	1870, 190	hæsitata	1866, 422
	1870, 549	intermedia	1863, 486
quinquestriata	1868, 323		1863, 493
Zoothera andromeda . . .	1863, 485	japonica	1863, 204
Zootoca deserti	1864, 488		1863, 296
muralis	1864, 488		1863, 297
tristrami	1864, 488		1863, 298
	1864, 491		1863, 336
Zophoessa baladeva	1865, 769	japonicus	1862, 317
	1865, 822	lugubris	1869, 564
goalpara	1865, 768	madagascariensis . .	1863, 163
sura	1865, 768		1865, 834
Zorilla africana	1865, 400		1866, 422
albinucha	1864, 69		1870, 390
	1865, 114	mayottensis	1866, 422
	1865, 400	modesta	1867, 345
	1865, 401	montana	1863, 219
capensis	1865, 151	palpebrosa	1863, 203
flavistriata	1865, 402		1863, 204
frenata	1865, 151		1863, 297
leucomelas	1865, 151	poliogastra	1867, 345
striata	1865, 151	semiflava	1867, 345
vaillantii	1864, 70	semperi	1868, 117
	1865, 152		1868, 118
Zosne cincticornis	1866, 227	simplex	1862, 317
	1866, 264		1863, 203
	1866, 267		1863, 297
Zosterops atrifrons	1863, 493		1863, 336
aureifrons	1863, 486		1870, 132
	1863, 493	strenuus	1869, 471
borbonica	1866, 422	subroseus	1870, 132
cærulescens	1863, 204	Zygæna blochii	1870, 704
chloris	1863, 31	cashmirensis	1867, 676
chloronota	1863, 204	malleus	1867, 870
	1863, 298		

180

2/5



